

BYTE

THE WORLDWIDE COMPUTING AUTHORITY

Fractal Image Compression:
An Inside Look

Apple's Workgroup Server 95

Electronic Documents:
Acrobat vs. Common Ground

PDA REPORT CARD

Handwriting recognition - C+
Communications - Incomplete
Applications - D
Effort - A- (shows great potential)
Affordability - F



STATE OF THE ART

HOW WE'LL CONTROL TOMORROW'S COMPUTERS

PLUS

- DOS Dilemma: Word or WordPerfect? PAGE 145
- OS/2 and NT Debugging PAGE 209
- CA-Realizer 2.0, Visual Basic 3.0 PAGE 141

International Edition



£1.95 U.K./Lit.8,000 ITALY/ASH 94
\$3.50 U.S.A./A McGraw-Hill Publication/0360-5280

6.6-inch high and 16.8-inch deep, with four external and three internal expansion bays. Two VESA slots guarantee upgradeability to tomorrow's totally cool graphics and disk controller technology. You also get five ISA slots. All DX2 VESA systems come standard with a CD-ROM drive, giving you access to exciting new applications, databases and entertainment programs.

BIGGEST VALUE ON OUR SMALLEST DESKTOPS

We've elevated value to enormous levels on our new mini desktop systems, but we're still giving you pint-sized prices. Our new integrated local bus video provides up to twice the video performance found in our previous mini desktop systems. In fact, Gateway's mini desktop video performance is similar to that found in many of our competition's high-end systems. With up to 1MB video DRAM, you get 1024 x 768 resolution and an array of colors. All this on our 14-inch CrystalScan non-interlaced, .28mm dot pitch color monitor. You won't have any growing pains with Gateway's new integrated mini desktop cases, either. They're small, but you get more flexibility and expandability than ever before. These cases come with two 3.5-inch drive bays, and two 5.25-inch drive bays so you can add a tape backup, CD-ROM drive or another floppy drive. You also get five expansion slots — more than you'll find in most small footprint PCs. Of course, all Gateway mini desktop systems are upgradeable to Pentium technology.

STRONGEST SERVICE FOR YOUR WEAKEST MOMENTS

We're committed to bending over backward to please our customers. Gateway employees understand that there

may be a time when your computer makes you feel a little weak in the knees. Never fear — our Midwestern people know the importance of a friendly voice and a helpful attitude on the other end of the phone. And they know you want the best in service. That's what you'll get with our support departments. In February and again in July of 1993, *PC Magazine* readers gave Gateway an excellent rating for service and reliability. And in June, *BYTE* readers chose Gateway 2000 as the company that provides the best service in the industry.

AT THE COOLEST PRICES

HOTTEST SOFTWARE, COOLEST PERIPHERALS

Check out the extensive list of top-shelf application software that's included with many of our systems. You can also upgrade from a choice of application software to Microsoft Office, CD-ROM version, for only \$99! This single package has all the leading Windows applications: Word, Excel and PowerPoint. If the system you want comes with MS Works for Windows, you can upgrade to a choice of application software for only \$100.

We also have a complete line of the coolest options and peripherals, including multimedia and sound accessories, fax/modems, network cards,

TBUs, monitors, hard drives and printers. Don't miss out on our Epson rebate. You get the **Epson® Stylus™ 800 Ink Jet Printer** for only:

Gateway 2000 Price	\$339
Epson Mail-in Rebate*	-\$50
After Rebate Cost	\$289

**Your mail-in rebate will be delivered with your Epson printer. This special price is only good for orders taken through October 31, 1993.*

Call and ask about our full line of peripherals — and our new Gateway DuoLine MasterCard® Card. For an application, call 800-846-1781.



GET A GATEWAY AND ... GET EXTREME!

At Gateway 2000, we strive to be extremists when it comes to bringing you the *highest*-performance systems, with the *most* features, at the *lowest* prices, with the *strongest* after-the-sale support, for the *greatest* value in the PC industry. Get a Gateway and ... *get extreme!*

Gateway...



A man wearing a purple turban and a necklace is shown from the chest up, looking upwards and breathing a massive plume of fire. The fire is bright orange and yellow, with a long, thick column of flames rising from his mouth. The background is a deep blue with some lighter blue wisps, suggesting a night sky or a studio backdrop. The overall image has a grainy, high-contrast aesthetic.

GET THE HOTTEST COMPUTERS

GATEWAY 2000 GOES TO EXTREMES!

You never get middle-of-the-road performance or value from Gateway! We've always had a reputation for going to extremes to be the *best* at giving you the *highest* performance and the *latest*-technology machines, at the *biggest* value you can find. We try to think of everything we do in superlatives. Just look what this means for you.

HIGHEST PERFORMANCE, LOWEST PRICES

Now you can get the ultimate, pinnacle-of-performance Pentium system from Gateway! Our new P5-60 is based on Intel's® Pentium™ processor, the absolute maximum PC performer available today, at a typical Gateway how-low-can-we-go price of under \$3,600! And we haven't faltered on features to give you this incredible price. The P5-60 is loaded, including the new ATI™ Ultra XLR 2MB video card on a screaming PCI bus, 424MB hard drive, 16MB RAM, 2X CD-ROM drive (300KB/second DTR), 15-inch color monitor, new tower case with 300-watt power supply, added expandability, and all the extras that come with every Gateway 2000 PC.

MOST BANG FOR THE FEWEST BUCKS

You get equally extreme values on our line of feature- and power-packed VESA local bus 486 systems with their large-capacity hard drives and outstanding video performance, now standard in our new, smaller but more expandable case. The Baby AT case measures 16.9-inches wide,



GET A GATEWAY AND...

GET EXTREME!

4SX-25

- Intel® 25MHz 486SX Processor
- 4MB RAM
- 3.5" Diskette Drive
- 170MB 13ms IDE Hard Drive
- Intel Pentium™ Technology Ready
- Local Bus Graphics Accelerator w/ 512KB DRAM
- 14" Color CrystalScan® 1024NI
- New Mini Desktop Case
- 5 16-Bit ISA Slots
- 124-Key AnyKey® Keyboard
- Microsoft® Mouse
- MS-DOS®, Windows™ & Tools
- MS Works for Windows™ 2.0

\$1295

4SX-33

- Intel 33MHz 486SX Processor
- 4MB RAM
- 3.5" Diskette Drive
- 212MB 13ms IDE Hard Drive
- Intel Pentium Technology Ready
- Local Bus Graphics Accelerator w/ 1MB DRAM
- 14" Color CrystalScan 1024NI
- New Mini Desktop Case
- 5 16-Bit ISA Slots
- 124-Key AnyKey Keyboard
- Microsoft Mouse
- MS-DOS, Windows & Tools
- MS Works for Windows 2.0

\$1395

4DX-33

- Intel 33MHz 486DX Processor
- 4MB RAM, 128KB Cache
- 3.5" Diskette Drive
- 212MB 13ms IDE Hard Drive
- Intel Pentium Technology Ready
- Local Bus Graphics Accelerator w/ 1MB DRAM
- 14" Color CrystalScan 1024NI
- New Mini Desktop Case
- 5 16-Bit ISA Slots
- 124-Key AnyKey Keyboard
- Microsoft Mouse
- MS-DOS, Windows & Tools
- MS Works for Windows 2.0

\$1595

4DX2-50

- Intel 50MHz 486DX2 Processor
- 4MB RAM, 128KB Cache
- 3.5" Diskette Drive
- 340MB 13ms IDE Hard Drive
- Intel Pentium Technology Ready
- Local Bus Graphics Accelerator w/ 1MB DRAM
- 14" Color CrystalScan 1024NI
- New Mini Desktop Case
- 5 16-Bit ISA Slots
- 124-Key AnyKey Keyboard
- Microsoft Mouse
- MS-DOS, Windows & Tools
- Choice of Application Software

\$1795

4DX2-66

- Intel 66MHz 486DX2 Processor
- 4MB RAM, 128KB Cache
- 3.5" Diskette Drive
- 340MB 13ms IDE Hard Drive
- Intel Pentium Technology Ready
- Local Bus Graphics Accelerator w/ 1MB DRAM
- 14" Color CrystalScan 1024NI
- New Mini Desktop Case
- 5 16-Bit ISA Slots
- 124-Key AnyKey Keyboard
- Microsoft Mouse
- MS-DOS, Windows & Tools
- Choice of Application Software

\$1995

4DX-33V

- Intel 33MHz 486DX Processor
- 8MB RAM, 128KB Cache
- 5.25" & 3.5" Diskette Drives
- 340MB 13ms IDE Hard Drive
- Local Bus IDE Interface
- Intel Pentium Technology Ready
- VLB Graphics Accelerator w/1MB DRAM
- 14" Color CrystalScan 1024NI
- New Baby AT Case
- 5 ISA & 2 VESA/ISA Slots
- 124-Key AnyKey Keyboard
- Microsoft Mouse
- MS-DOS, Windows & Tools
- Choice of Application Software

\$1995

4DX2-50V

- Intel 50MHz 486DX2 Processor
- 8MB RAM, 128KB Cache
- 3.5" Diskette Drive & CD-ROM
- 340MB 13ms IDE Hard Drive
- Local Bus IDE Interface
- Intel Pentium Technology Ready
- VLB ATI Ultra XLR Graphics w/1MB VRAM
- 15" Color CrystalScan 1572FS
- New Baby AT Case
- 5 ISA & 2 VESA/ISA Slots
- 124-Key AnyKey Keyboard
- Microsoft Mouse
- MS-DOS, Windows & Tools
- Choice of Application Software

\$2295

66MHz Best Buy

- Intel 66MHz 486DX2 Processor
- 8MB RAM, 128KB Cache
- 3.5" Diskette Drive & CD-ROM
- 340MB 13ms IDE Hard Drive
- Local Bus IDE Interface
- Intel Pentium Technology Ready
- VLB Graphics Accelerator w/1MB DRAM
- 15" Color CrystalScan 1572FS
- New Baby AT Case
- 5 ISA & 2 VESA/ISA Slots
- 124-Key AnyKey Keyboard
- Microsoft Mouse
- MS-DOS, Windows & Tools
- Choice of Application Software

\$2495

4DX2-66V

- Intel 66MHz 486DX2 Processor
- 16MB RAM, 256KB Cache
- 3.5" Diskette Drive & 2X CD-ROM
- 424MB 13ms IDE Hard Drive
- Local Bus IDE Interface
- Intel Pentium Technology Ready
- VLB ATI™ Ultra XLR Graphics w/1MB VRAM
- 15" Color CrystalScan 1572FS
- New Baby AT Case
- 5 ISA & 2 VESA/ISA Slots
- 124-Key AnyKey Keyboard
- Microsoft Mouse
- MS-DOS, Windows & Tools
- Choice of Application Software

\$2995

P5-60

- Intel 60MHz Pentium™ Processor
- 16MB RAM, 256KB WriteBack Cache
- 3.5" Diskette Drive & 2X CD-ROM
- 424MB 13ms IDE Hard Drive
- PCI ATI Ultra XLR 2MB Graphics
- 15" Color CrystalScan 1572FS
- New 300W Tower Case
- 4 ISA, 2 PCI & 1 PCI/ISA Slots
- 124-Key AnyKey Keyboard
- Microsoft Mouse
- MS-DOS, Windows & Tools
- Choice of Application Software

\$3595

NOMAD 450DXC

- 50MHz 486DX2 Intel Processor
- 8MB RAM
- 3.5" Diskette Drive
- 200MB IDE Hard Drive
- 8.4" Color Active Matrix Screen
- Simultaneous Video with 1MB
- Size 8.5" x 11" x 2.2", 6.2 Lbs.
- NiCad Battery & AC Pack
- 1 Parallel / 1 Serial Port
- 79-Key Keyboard & MS Ballpoint
- MS-DOS, Windows & Works for Windows

\$3995

Software Choices

If a system comes with "choice of application software," choose one of the following packages:

- Microsoft Excel for Windows™
- Microsoft Word for Windows™
- Microsoft Word and Bookshelf®92,® CD-ROM Edition
- Microsoft PowerPoint for Windows™
- Microsoft Project for Windows™
- The MS Entrepreneur Pack(Works, Publisher, Money, and games)
- Borland Paradox® and Quattro®Pro for Windows

Due to the volatility of the DRAM market, all prices are subject to change. Details about our warranty, guarantee and on-site service program are available upon request.



Tools on Top™ is now included on all Gateway 2000 mini desktop, desktop and tower systems. Program includes file manager, desktop and emergency disk portions of Central Point's award-winning PC Tools for Windows.




610 Gateway Drive • P.O.Box 2000 • North Sioux City, SD 57049-2000 • Phone 605-232-2000 • TDD 800-846-1778 • Fax 605-232-2023 • FaxBack 605-232-2561

Sales Hours: 7am-10pm Weekdays, 9am-4pm Saturdays (Central Time)

©1993 Gateway 2000, Inc. AnyKey, CrystalScan, black-and-white spot design, "G" logo and "You've got a friend in the business" slogan are registered trademarks, and Gateway 2000 and TelePath are trademarks of Gateway 2000, Inc. The Intel Inside Logo, Intel and Pentium are trademarks or registered trademarks of Intel Corporation. All other brands and product names are trademarks or registered trademarks of their respective companies.

Prices and configurations are subject to change without notice. Prices do not include shipping.



YOU DON'T WALK AWAY FROM

PRESENTING INTERACTIVE UNIX 4.0


When the INTERACTIVE™ UNIX® System for personal computers was introduced in 1987, it quickly became a classic. Suddenly operations from video stores to Bridgestone/Firestone® production lines had a reliable, stable operating system ready for mission-critical applications. It's still among the most cost-effective multiuser operating systems available and a dream to install and administer. In fact *Open Systems Today* called it "...a masterpiece of good design". Today over 500,000 users enjoy its benefits. But time marches on, and even an industry-tested classic



FOR A LIMITED TIME*, ALL MULTIUSER INTERACTIVE UNIX 4.0 ORDERS WILL INCLUDE A FREE COPY OF FASTBACK PLUS™

©1993 Sun Microsystems, Inc. SunSoft, the SunSoft and Sunburst logos are trademarks or registered trademarks of Sun Microsystems, Inc. INTERACTIVE is a trademark of INTERACTIVE Systems Corporation. UNIX is a registered trademark of AT&T Intellectual Property.

A GREAT IDEA. YOU EVOLVE.



deserves a superior upgrade. Hence, INTERACTIVE UNIX 4.0 — with new power features that improve system functionality and peripheral support, making it perform better than ever. It still runs over 2,000 applications including RealWorld Accounting Software®, Informix® and WordPerfect®. And now it runs more SCO applications because it's iBCS2 compliant. What's more, INTERACTIVE UNIX 4.0 is backed by SunSoft, the leading supplier of 32-bit UNIX operating systems. Fact is, INTERACTIVE UNIX 4.0 is even better at doing what the industry classic has always done so well: improving the performance of your computing system at a lower cost per seat. Nothing revolutionary. Simply evolutionary.



399 VALUE). IT'S THE INDUSTRY'S FASTEST UNIX BACKUP SOFTWARE. FOR MORE INFORMATION, CALL 1-800-227-9227.

Trademark of UNIX System Laboratories, Inc. All other trademarks and registered trademarks are the property of their respective holders. Open Systems Today quote April 13, 1992. *Must purchase by December 31, 1993.

Circle 178 on Inquiry Card.

News & Views

NETWORKS

High Stakes for High-Speed 22

Two proposals are competing to be sanctioned as the 100-Mbps standard.

SPREADSHEETS

Quattro Pro for Windows 23

Borland's newest spreadsheet tries to make life easier for new users and pros.

SOFTWARE DEVELOPMENT

Programming Tools Catch Memory Misuse.....28

New Unix development packages help find a variety of memory-related errors.

SECURITY

PCs Catch Criminals Using Fingerprint Analysis 34

Companies in Taiwan and India have developed technology that uses image-processing techniques to identify suspects and prevent unauthorized entry.

EMERGING TECHNOLOGY

Optical-Computing Power Coming to Light.....40

A researcher makes strides toward an OPLA (optical programmable logic array) computer.

SYSTEMS

IBM's Ambra 42

Big Blue comes out with a new business model and a new line of low-end PCs.

EMBEDDED PROCESSORS

PowerPC Goes Underground.....42

Embedded processors based on the PowerPC architecture could show up in printers, PDAs, and other products.

DESKTOP PUBLISHING

Frame Puts on a New Face 46

FrameMaker 4 shows valuable improvements.

NEW PRODUCTS

What's New.....237

A self-moving hand scanner, pen computing on the desktop, PDA software, and more.

What's New International.....48IS-1

Fujitsu's portable thermal-transfer printer, high-resolution color monitors, a fax-on-demand system, and more.

Cover Story



NEW TECHNOLOGY

PDAs Arrive But Aren't Quite Here Yet 66

BY TOM R. HALFILL The first Personal Digital Assistants from Apple and Tandy/Casio fall short in key areas such as price, handwriting recognition, and communications. But these systems are still an impressive first step toward an easy-to-use computing and communications device.

Sharp's Non-Newtonian PDA—69

Ink vs. ASCII—74

PDA CPUs: New Form Demands New Functions—80

The Wireless Factor—84

Ease of Use Is Relative 89

BY TOM THOMPSON, TOM R. HALFILL, AND MICHAEL NADEAU BYTE editors test drive the Apple Newton MessagePad, the Tandy/Casio Zoomer, and the Eo Personal Communicator 440.

Feature

PRACTICAL APPLICATIONS

Keeping Time on Your PC 57

BY MICHAEL A. LOMBARDI For many tasks, your computer's clock isn't accurate enough. Here's how to make your PC a precision timekeeper.

State of the Art


PEN AND VOICE INPUT

Pen and Voice Unite 98

BY HEWITT D. CRANE AND DIMITRY RTISCHEV

The strengths of pen and voice technologies complement each other to create a powerful, natural user interface.

Matching the Input Mode to the Task—100




Reviews




PAGE 133



PAGE 137



PAGE 141



Pen Computing Catches On

105

BY DAN MEZICK

Following much hype and great expectations, pen technology is finally beginning to deliver on its promise of mobile, intuitive data entry. Ink standards and good applications are helping to bring pen computing into the mainstream.

Jot Defines Electronic Ink—110

APPLICATIONS SOFTWARE

Personal Databases

124

BY MATT TRASK AND DON SORESENSEN If you don't need the programmability of a high-end database, the new class of personal databases for Windows can do the job without all the hassle.

ELECTRONIC PUBLISHING

Acrobat vs. Common Ground

133

BY STANFORD DIEHL The age of digital highways demands a standard for platform- and application-independent electronic documents. Adobe's Acrobat and No Hands Software's Common Ground deliver two unique solutions.

NETWORKING

Mac for Workgroups

137

BY RAYMOND GA CÔTÉ Apple's Workgroup Server 95 sets a new performance standard for Macs and doubles the speed of AppleShare networking.

VISUAL DEVELOPMENT TOOLS

BASIC Windows Programming

141

BY MICHAEL C. WIGGINS Wiggins finds the latest upgrades of CA-Realizer and Visual Basic vast improvements: powerful, fast, and easy to use. And VB's database engine is a real knockout, although it has a few quirks.

WORD PROCESSING

DOS Dilemma: Word or WordPerfect?

145

BY SELINDA CHIQUOINE 6.0 of one, or half-dozen of another? Two DOS word processors launch new releases that are surprisingly similar. The choice boils down to one between features and simplicity.

DATABASE DEVELOPMENT

Integra VDB

151

BY JON UDELL Coromandel's Visual Database Builder is a powerful toolkit for building source-independent database applications using Visual C++ and Visual Basic. UdeLL uses Integra VDB to quickly build some applications under Windows.

PROGRAMMING TOOLS

Bounds Checker for Windows

159

BY STEVE APIKI Nu-Mega's debugging tool finds errors that other programs can't. Apiki uses Bounds Checker to snag elusive memory related problems in two programs, but he discovers that Bounds Checker, too, has its limits.

NOTEBOOKS

Lab Report: 62 High-Power Notebooks

162

Performance benchmarks, battery-life testing, and hands-on keyboard and screen evaluations find the best notebooks—from 25-MHz DOS systems to high-end Apple PowerBooks.

The Best Windows Notebooks—164

The Best Color Notebooks—166

How We Tested—170

Mac PowerBooks—174

Notebook CPUs—178

The Best DOS Notebooks—181

How to Buy a Notebook—182

Unix on a Notebook—184

The Best Desktop Replacement Notebooks—189

Honorable Mentions—190

Dubious Achievements—190



Hands On



Talk to Your Computer

113

BY WILLIAM S. MEISEL Voice technology can add another dimension to the human-computer interface. Speech recognition will let you tell your computer what to do, and let your computer convert spoken words into text.

Voice Recognition over the Telephone—114



GRAPHICS TECHNOLOGY

Under the Hood:

Fractal Image

Compression.....195

BY LOUISA F. ANSON An inside look at how it works.

PROGRAMMING TOOLS

Beyond DOS:

The Visual Toolbox.....205

BY MARK J. MINASI New tools expand OS/2's popular REXX programming language.

SOFTWARE DEVELOPMENT

Some Assembly Required:

Windows NT, OS/2,

and Debuggers.....209

BY MATT PIETREK Good support at the operating-system level is essential to developing OS/2 and Windows NT applications.

Pournelle:

The State of Multimedia 217

BY JERRY POURNELLE ScriptX and other software could give multimedia the push it needs.

Books & CD-ROMs:

Hawking Returns 49

BY HUGHES PACK AND OTHERS Essays from Stephen Hawking, *Windows Internals*, the Beatles on CD-ROM, and other selections.

Commentary:

Building Component

Software 288

BY JON UDELL From GUIs to distributed objects, component software is evolving rapidly.

Editorial 10

BY DENNIS ALLEN

Letters.....18

High-speed modems, the EMF controversy, and more.

READER SERVICE

Editorial Index by Company 286

Alphabetical Index to Advertisers 282

Index to Advertisers by

Product Category 284

Inquiry Reply Cards: 282A

BUYER'S GUIDE

247

Mail Order

Hardware/Software Showcase

Buyer's Mart

PROGRAM LISTINGS

From BIX: Join "listings/frombyte93" and select the appropriate subarea (i.e., "oct93").

From the UUNET:ftp to ftp.uu.net, log on as "anonymous," and enter your user ID as your password. Type "cd/published/byte" and type "DIR." Files appear in subdirectories arranged by month.

From the BYTE BBS at 1200-9600 bps: Dial (603) 924-9820 and follow the instructions at the prompt.

BYTE (ISSN 0360-5280) is published monthly with additional issues in April and October by McGraw-Hill, Inc. U.S. subscriber rate \$29.95 per year. In Canada and Mexico, \$34.95 per year. European surface mail subscriptions \$60, airmail \$80. Non-European subscriptions, \$60 surface mail or \$85 airmail. All foreign subscriptions are payable in U.S. funds that can be drawn on a U.S. bank. Single copies \$3.50 in the U.S., \$4.50 in Canada. Executive, Editorial, Circulation, and Advertising Offices: One Phoenix Mill Lane, Peterborough, NH 03458. Second-class postage paid at Peterborough, NH, and additional mailing offices. Postage paid at Winnipeg, Manitoba. Registration number 9321. Registered for GST as McGraw-Hill, Inc., GST #123075673. Printed in the United States of America. Postmaster: Send address changes and fulfillment questions to BYTE Subscriptions, P.O. Box 552, Hightstown, NJ 08520.

This page presents the articles in this issue according to computing platform.

DOS/WINDOWS

Quattro Pro for Windows 23

The new version of Borland's spreadsheet program has features designed for users just moving to Windows. Quattro Pro 5.0's enhancements include Improv-like data modeling, new graph types, and more than 360 @functions.

I'll See Your Chip and Raise You One.....38

Cyrix has a new 486 pop-in upgrade chip for 386 machines. BYTE benchmarks show the processor could significantly jack up performance for DOS users.

IBM's Ambra.....42

Big Blue makes a big change with its new line of lower-than-low-end PCs.

Frame Puts on a New Face...46

FrameMaker 4 lands on several platforms at once. Changes specific to the Windows version include new document-import filters and the QuickAccess toolbar.

Keeping Time on Your PC 57

Every DOS-based computer has a built-in clock—but it's not very precise. Here are some ways to turn your PC into a very accurate timekeeper.

Talk to Your Computer 113

The Windows Sound System is one part of voice technology that lets you verbally command your computer or convert the spoken word to computerized text.

Personal Databases 124

A review of seven relatively low-cost database packages for Windows, each tailored to meet the needs of an individual, a workgroup, or a small business.

Acrobat vs. Common Ground.....133

Publishing packages from Adobe and No Hands Software take two different approaches to creating electronic documents.

BASIC Windows Programming.....141

What's the fastest way to develop a professional-looking Windows application without driving yourself crazy? CA-Realizer 2.0 and Visual Basic 3.0 offer vastly improved visual programming tools.

DOS Dilemma: Word or WordPerfect? 145

New releases of these two word processors provide powerful features and a Windows-style interface without requiring Windows-style resources.

Bounds Checker for Windows.....159

Nu-Mega's debugging tool tracks down errors no other Windows debugging tool can. If you're a C developer, tormented by those mysterious bugs symptomatic of memory violations under Windows, you should check this one out.

Lab Report: 62 High-Power Notebooks.....162

What's the best notebook PC for running DOS? For running Windows? Our exclusive tests reveal the answers.

OS/2

The Visual Toolbox 205

Here's a tip on how to quickly build small OS/2 GUI applications: use a visual programming tool for the REXX language. HockWare's VisPro/REXX and Watcom's VX-REXX let you construct Workplace Shell applications using REXX and a few extra DLLs.

Windows NT, OS/2, and Debuggers.....209

A developer of programming tools talks about the issues involved in debugging under OS/2, from address-space considerations to multithreaded processes. Understanding debugger support in an operating system is essential to writing many types of tools and applications.

Pournelle: The State of Multimedia 217

The big news at Chaos Manor: Jerry is becoming fond of OS/2. He's not sure IBM knows how to market it, but in the course of migrating applications to OS/2 2.1, he's learned they sure know how to support it.

Macintosh

Frame Puts on a New Face...46

The new version of the high-end, multiplatform publishing package has several features just for Mac users, including support for Publish/Subscribe, QuickTime, and Apple Events.

PDA's Arrive But Aren't Quite Here Yet 66

Apple's Newton technology is impressive. It lays the foundation for a whole new style of portable communications device. But the first PDA's fall short of

matching the marketing hype surrounding them.

Ease of Use Is Relative 89

What's it like to use the new MessagePad? Here's a first-hand report from BYTE editors who test-drove the first PDAs.

Talk to Your Computer 113

Apple's PlainTalk, which lets a Mac understand verbal commands, is one of the technologies bringing speech recognition into the mainstream.

Acrobat vs. Common Ground.....133

Two programs for the Mac take different approaches to assembling and distributing electronic documents.

Mac for Workgroups.....137

Apple's new Workgroup Server 95 is a souped-up Quadra that's the fastest Mac yet and doubles the speed of AppleShare networking.

Lab Report: 62 High-Power Notebooks.....162

Our test team puts PowerBooks through benchmark and battery-life evaluations.

Unix

Programming Tools Catch Memory Misuse 28

Development packages from Centerline Software and Purify from Pure Software can help test programs for errors, such as code that refers to illegal parts of memory.

Frame Puts on a New Face...46

For Unix users, the new version of FrameMaker features several enhancements, including import/export through the XClipboard utility and support for double-click file launching.

Lab Report: 62 High-Power Notebooks.....162

Our report looks at Tadpole's notebook and 486-based portables to find the best solution for taking Unix with you.

Client/Server

Integra VDB.....151

Coromandel's Visual Database Builder is a set of tools that lets you quickly create Windows database-oriented applications. The kit comes with Integra, a single-user SQL engine that natively supports ODBC (Open Database Connectivity).

AppleShare	137
BASIC	141
C	28, 151, 159
CD-ROM	49, 217
Compression	195
Databases	124, 141, 151
DOS	145, 181, 217
Debugging	28, 209
Digital ink	74, 108, 110
Electronic documents	133
Ethernet	22
Fractals	195
Handwriting recognition	66,
.....	89, 105
JPEG	195
Multimedia	49, 217
Networks	22, 84, 137, 217
Newton	10, 66, 89
Notebooks	162
Objects	66, 288
ODBC	141, 151
Optical technology	40
OS/2	205, 209, 217
PCMCIA	66
Pen input	66, 98, 105
PDA	10, 66, 89
PowerPC	42
Processors	80, 178
Programming	28, 141, 151,
.....	159, 205, 209, 288
REXX	205
RISC	288
Spreadsheets	23
Speech recognition	113
Timekeeping	57
Unix	28, 46, 184
Voice	98, 113
Windows	23, 46, 105,
.....	124, 133, 141,
.....	151, 159, 164, 209

MAKE YOUR OWN

CD'S

RECORDABLE CD MAKER



FOR ONLY \$3,995.

Pinnacle Micro introduces the first affordable, recordable CD-ROM drive for MAC and PC computers. The RCD-202 System comes complete with an easy-to-use software program that allows you to produce data or audio CD's within minutes. Now you have the ability to create your own CD's for low cost data distribution, backup or even master your own disk for mass duplication. For more information on how you can master this new recordable CD-ROM technology call:

800 • 553 • 7070

Trademark Owners: RCD and Pinnacle Micro are trademarks of Pinnacle Micro, Inc. © 1993

19 Technology • Irvine, CA 92718 • Int'l (714) 727-3300 • Fax (714) 727-1913

Circle 127 on Inquiry Card (RESELLERS: 128).

PINNACLE MICRO

THE OPTICAL STORAGE COMPANY



IBM, AS/400 and OS/2 are registered trademarks and SAA is a trademark of International Business Machines Corporation. Windows is a trademark of Microsoft Corp. Apple's System 7 is a trademark of Apple Computer, Inc. Novell and NetWare are registered trademarks of Novell, Inc. ShowCase is a trademark of Rochester Software Connection. © 1993 IBM Corp.


"I'm even more attached to my PC, now that it's attached to an AS/400."

A new world is opening up for PC users everywhere—thanks to the IBM AS/400®.

With an AS/400 as your server, you'll have access to the information you need to be more productive. Whether you're running DOS, Windows™, OS/2® or Apple's System 7, there's virtually no learning curve for the AS/400, just an interface you're already familiar with. You can even use Novell's NetWare® for SAA™. And with ShowCase™ VISTA, you can query the AS/400's integrated relational database and view the results graphically.

The AS/400 has the scalability to grow as you grow, with maximum main storage of a whopping 512MB. Plus 20,000 proven business applications from which to choose. And industrial-strength systems management for superior backup, data protection and more.

For reliability, you can't beat the AS/400, with hundreds of thousands of systems installed and running. To learn more about how an AS/400 can make your PC do things you've never dreamed of, call your IBM representative or dial 1 800 IBM-CALL, ext. 102-3. In Canada, call 1 800 465-1234, ext. 735.



The IBM AS/400.
Success Isn't Complicated.

Circle 101 on Inquiry Card.

IBM®

Who Will Define the PDA?



**Apple has the
Newton, but AT&T
has the technology**

At the recent official rollout of Apple's Newton technology in Boston, I spoke to a couple of folks that were more than just a little excited about Apple's new PDA (Personal Digital Assistant) (our coverage starts on page 66). One was a doctor who had traveled from Long Island just to buy one of the first machines—an event for which he had waited six months. After seeing the real thing, however, he decided to go home Newtonless, saying there just wasn't enough memory in the MessagePad to do anything useful. Another fellow who wanted desperately to buy a Newton so that he could develop software for it, talked at length about the virtues of Apple's gadget. He couldn't buy one, though, because the price was too high. I asked him, "If someone gave you the money, would you buy one then?" He thought a moment and said, "No" and that he would rather use the money to upgrade his desktop Mac first. That's the problem with the first PDAs—they stir the imagination but fail to deliver. The MessagePad, like its distant cousin, the Tandy Zoomer, has too little memory, and its communications ability falls short of being truly useful.

Strangely, though, the Newton devices and other PDAs have succeeded in drawing attention to the Eo Personal Communicator. The Eo—developed with the assistance of AT&T—is much larger than true PDAs, and it doesn't have Apple's Intelligent Assistance software. In fact, compared to the Newton and the Zoomer, the Eo doesn't look like a PDA, and it doesn't try to be one—it's the size of a notebook and costs between \$2000 and \$3000. Nonetheless, the Eo comes closer than the MessagePad or the Zoomer to fulfilling the promise of PDAs.

Consider what the Eo offers. It has enough memory to *do* things. Because the Eo has enough memory, it doesn't have to put its Hobbit processor through hoops managing memory like the Newton does to its ARM (Advanced RISC machine) processor. Its extra memory and storage provides the capacity to handle multiple applications.

Even more important is the Eo's communications ability. It has real cellular phone support—not the gimmicked infrared "beaming" link offered on the Newton that so far works about as well as the original IBM PC Jr. wireless keyboard. (You do remember the IBM PC Jr., don't you?) With cellular phone support, your faxing and data communications become, well, portable.

It's the latter point that interests me most. Communications is the essential link to making a portable computer worth carrying. If you remember the highly regarded AT&T Safari laptop, you'll know that the Eo is not the company's first attempt at wireless mobile computing. To the contrary, AT&T has been at this for a very long time, and, frankly, I doubt that any company knows communications better than AT&T.

So what about AT&T? It has tried to be a player in the computer arena before and failed—such as with the famed Unix-based 3B2 in the 1980s, for example. Now, AT&T seems to be headed in the right direction, and it's not happening by accident.

First was the merger with NCR, the underrated computer giant. While IBM wavered with worries of how to keep its mainframe business alive, NCR dumped its mainframe business in favor of a microprocessor-based, multi-CPU file server strategy. Some may fault NCR with making the change prematurely, but few, if any, fault it for its vision. Add to that NCR's point-of-sale and transaction-based knowledge, and NCR's vision looks pretty good from any corporate viewpoint. Next, consider AT&T's recent deal with McCaw Cellular. If the deal goes through, AT&T's stake in the cellular business will be bigger than Dallas. To put it another way, AT&T will virtually own mobile communications, *per se*, and PDA makers will be standing in line to make communications deals with AT&T. That puts AT&T in a very enviable position—and places it several steps ahead of the competition.

My point is simple: AT&T is the company to watch. It has the technology (just think about all those Unix-based phone systems that run in overheated closets without errors), and it now has the breadth to make things happen.


If you haven't seen the Eo yet, you ought to check it out. No, I'm not saying that the Eo is the ultimate PDA, and it doesn't *really* compete with the Newton. But the Eo is more of what a PDA ought to be than the Newton or the Zoomer—it has portable communications.

The Eo also provides a glimpse of bigger things to come from one of the biggest companies in the world. If you have written off AT&T as a computer provider, it's time to rethink your position. Meanwhile, Apple has a formidable foe in defining what a PDA ought to be.

A stylized, handwritten signature of Dennis Allen in black ink.

DENNIS ALLEN, EDITOR IN CHIEF

PARADOX FOR WINDOWS Universal Appeal



The vote of confidence is in

All over the world, Paradox® for Windows is winning awards as the best relational database. Why? Because for all its power, Paradox for Windows is incredibly easy to use. Whether you're a novice, a power user, or a database developer, Paradox for Windows helps you get your work done faster.

You'll be amazed at what you can do

Paradox's graphical interface helps you access, modify, and present your data with unprecedented ease. Object Inspector™ menus make it easy to use *all* the capabilities of Paradox, without searching through layers of pull-down menus. What's more, built-in productivity Experts™ guide you every step of

the way. You can build forms and reports instantly, link information from Paradox and dBASE® tables, or build multi-table queries automatically.

And Paradox makes it easier than ever to create custom Windows business solutions that are graphical, powerful, and easy.

The easiest to use relational database for *all* users


Whether you're building custom applications, managing orders, tracking inventory, mailing to customer lists, or linking to corporate data, Paradox's unique combination of power and ease gets your job done fast!

Get Paradox for Windows today. You'll see why people everywhere find it so appealing.

Special
limited-time offer,
everyone qualifies!

\$139⁹⁵
(Suggested
list price
\$795.)

Offer good while
supplies last!



90-day, money-back guarantee!
**See your dealer or call now,
1-800-336-6464, ext. 7351**
In Canada call, 1-800-461-3327.

Borland
Power made easy

Display Your Ideas With

One look and it's clear.

Brilliance brings every detail of your idea to life with astounding clarity. A razor sharp picture, with resolutions up to 1600 x 1280, and exceptionally low image distortion.

So adjust the angle, shift the shadow, add detail.

It's all there.

Now switch to blue on black... the contrast is still vivid.

Adjust colours to your own taste.

Work all day, don't rub your eyes once. The display is flicker-free, with refresh rates up to 76 Hz in 1280 x 1024.

Enjoy the view.

Designed for professional users of PC, Macintosh and workstations,


the new 21", 17" and 15" Brilliance monitors excel in the most demanding applications, like CAD, DTP, MultiMedia.

Your idea is taking shape.

BRILLIANCE[®]
HIGH RESOLUTION MONITORS

For more information, contact: Philips Monitors, SFF-7, PO Box 80002,
5600JB Eindhoven The Netherlands, fax +31 40 73 3983

Brilliance.



Brilliance is a registered trademark of Philips Electronics N.V.. Macintosh is a registered trademark of Apple Computer, Inc.



PHILIPS

Circle 521 on Inquiry Card.

EDITOR IN CHIEF
Dennis Allen

EXECUTIVE EDITOR
Rich Friedman

MANAGING EDITOR
D. Barker

ASSISTANT MANAGING EDITOR
Lauren Stickler Thompson

NEWS
Peterborough:
News Editors: David L. Andrews,
Carol J. Swartz
Researcher: Martha Hicks
San Mateo/West Coast:
Bureau Chief: Andrew Reinhardt
Senior Editor: Tom Halfhill
New York:
News Editor: Ed Perratore

BYTE LAB
Director: Stephen Apiki
(also: systems, networking)
Technical Director: Rick Grehan
Senior Editor: Alan Joch
Technical Editor: Stanford Diehl: software,
add-ins, peripherals, multimedia
Testing Editors/Engineers: Howard
Eglowstein, Ben Smith
Lab Assistant: Selinda Chiquoine

STATE OF THE ART/FEATURES
Senior Editor: Michael Nadeau
Technical Editor: Robert M. Ryan

SENIOR TECHNICAL EDITORS
At Large: Tom Thompson, Jon Udell

ASSOCIATE TECHNICAL EDITORS
Susan Colwell, Cathy Kingery,
Margaret A. Richard, Warren Williamson

SENIOR CONTRIBUTING EDITOR
Jerry Pournelle

CONTRIBUTING EDITORS
Raymond GA Côté, Barry Nance,
Dick Pountain

CONSULTING EDITORS
Jonathan Amsterdam, Nicholas Baran,
Mark Clarkson, Don Crabb, Hugh Kenner,
Anne Fischer Lent, Laurence H. Loeb,
Trevor Marshall, Stan Mlastkowski,
Roberta Pournelle, Wayne Rash Jr.,
Kenneth M. Sheldon, Jane Morrill Tazelaar,
Ellen Ullman, Peter Wayner

EDITORIAL ASSISTANTS
Office Manager: Peggy Dunham
Assistants: Linda C. Ryan, June Sheldon

DESIGN
Associate Director: Joseph A. Gallagher
Designers: Jan Muller, Sharon Price
Graphics Manager: Roger Goode

EDITORIAL PRODUCTION
Production Manager: David R. Anderson
Editorial Graphics Manager:
Virginia Reardon
Graphics Production Coordinators:
Barbara Busenbark, Donna Sweeney

PRODUCTION AND FINANCE
Director: Claudia Flowers

ADVERTISING PRODUCTION
Advertising Services Manager: Linda Fluhr
Senior Advertising Services
Representative: Lyda Clark
Advertising Services Representatives:
Dale J. Christensen, Karen Cilley,
Rod Holden
Operations Assistant: Lisa Jo Steiner
Advertising Graphics Manager:
Susan Kingsbury
Graphics Production Coordinators:
Christa Patterson, Lillian J. Wise

FINANCE
Senior Financial Analyst: Kenneth A. King
Financial Analyst: Kathleen Deguise
Data Processing Coordinator: Diane Henry
Production Assistant/Purchaser:
Agnes Perry

MARKETING AND PLANNING
Director: L. Bradley Browne
Marketing Communications Manager:
Rob Mitchell
Marketing Art Director:
Stephanie Warnesky
Market Research Manager: Julie Perron
Copyrights Manager: Faith Kluntz
Reader Service: Cynthia Sands
Marketing Events Coordinator:
Carol Sanchioni

CIRCULATION
Director: Glyn Standen
Subscriptions Manager: Paul Ruess
Assistant Manager: Lynn Lagasse
Subscriptions Assistant: Christine Tourgee
Newsstand Manager: Vicki Weston
Assistant Manager: Karen Desroches
Back Issues: Jill Wood
Direct Accounts Coordinator: Ellen Dunbar

PUBLISHER
Ronald W. Evans

Publisher's Assistant: Donna Nordlund

ASSOCIATE PUBLISHER,
V.P. SALES & MARKETING
David B. Egan
Administrative Assistant: Carol Cochran

ADVERTISING SALES
NEW ENGLAND
David Richardson (617) 860-6344
Patricia Payne (603) 924-2654

EAST COAST
Kim Norris (212) 512-2645
Jonathan Sawyer (603) 924-2665

SOUTHEAST
Mary Ann Goulding (404) 843-4782
Barry Echavarría (603) 924-2574

MIDWEST
Kurt Kelley (312) 616-3328
Ed Ware (603) 924-2664

SOUTHWEST, ROCKY MOUNTAIN
Jennifer Walker (214) 701-8496
Brian Higgins (603) 924-2651

SOUTH PACIFIC
Beth Dudas (714) 753-8140
Joseph Mabe (603) 924-2662
Alan El Faye (213) 480-5243
Brian Higgins (603) 924-2651

NORTH PACIFIC
Bill McAfee (415) 513-6862
Jonathan Sawyer (603) 924-2665
Roy J. Kops (415) 513-6861
Joseph Mabe (603) 924-2662
Barry Echavarría (603) 924-2574

INSIDE ADVERTISING SALES
Director: Liz Coyman (603) 924-2518
Assistants: Susan Monkton, Vivian Bernier

THE BUYER'S MART (1 x 2)
Margot Gnade (603) 924-2656

HARDWARE/SOFTWARE SHOWCASE
Ellen Perham (603) 924-2598
Mark Stone (603) 924-2695

REGIONAL & BUYER'S GUIDE
(603) 924-2518

BYTE DECK
Brad Dixon (603) 924-2596

EURO-DECK
James Bail (603) 924-2533

INTERNATIONAL ADVERTISING SALES STAFF
See listing on page 283.

PERSONNEL
Human Resources Administrator:
Patricia Burke
Assistant: Fran Wozniak
Receptionist: Beverly Goss

How to Contact the Editors

We welcome your questions, comments, complaints, kudos, and submissions.
MAIN OFFICE: One Phoenix Mill Lane, Peterborough, NH 03458, (603) 924-9281.
San Mateo: 1900 O'Farrell St. #200, San Mateo, CA 94403, (415) 513-6912.
Los Angeles: 15635 Alton Pkwy., Suite 290, Irvine, CA 92718, (714) 753-8140.
New York: 1221 Avenue of the Americas, New York, NY 10020, (212) 512-3175.
U.K./EUROPE: Wimbledon Bridge House, One Hartfield Rd., Wimbledon, London SW19 3RU, England, +44 81 543 1234.
ELECTRONIC MAIL: On BIX, send to "editors." All BYTE editors and columnists also have individual mailboxes on BIX for easy access.
MCI: 250-0135 BYTE Magazine. Many editors also have individual MCI addresses in their own name.
OTHERS: Many editors also are reachable through uunet, AppleLink, CompuServe, and numerous other services.
U.S. fax: Editorial: (603) 924-2550
Advertising: (603) 924-7507
U.K. fax: +44 81 540 3833

SUBMISSIONS:
Authors: We welcome article proposals and submissions. Unacceptable manuscripts will be returned if accompanied by sufficient return postage. Not responsible for lost manuscripts or photos.
Vendors: We welcome news of your new products; please call the News department or the BYTE Lab at the earliest possible date. We cannot be responsible for unsolicited product samples.

ARTICLE REPRINTS:
For price quotations on customized reprints of BYTE articles, contact Susan Monkton, reprints manager, at (603) 924-2618. (Minimum quantity: 500.)

Subscription Customer Service

Inside U.S. (800) 232-BYTE; outside U.S. +1 609 426 7676. For a new subscription, (800) 257-9402 U.S. only, or write to BYTE Subscription Dept., P.O. Box 555, Hightstown, NJ 08520. Subscriptions are \$29.95 for one year, \$54.95 for two years, and \$74.95 for three years in the U.S. and its possessions. In Canada and Mexico, \$34.95 for one year, \$64.95 for two years, \$87.95 for three years. In Europe, £42 (US\$60) for fast surface delivery, £55 (US\$80) for air delivery. Non-European countries US\$60 for surface mail, or US\$85 for air mail. Single copy price is \$3.50 in the U.S. and its possessions, \$4.50 in Canada. Foreign subscriptions and sales should be remitted in U.S. funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue.

PHOTOCOPY PERMISSION:
Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 27 Congress St., Salem, MA 01970, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 27 Congress St., Salem, MA 01970. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of McGraw-Hill, Inc., is prohibited. Requests for special permission or bulk orders should be addressed to Faith Kluntz, copyrights manager, (603) 924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

Copyright © 1993 by McGraw-Hill, Inc. All rights reserved. BYTE and **BYTE** are registered trademarks of McGraw-Hill, Inc. Trademark registered in the United States Patent and Trademark Office.

Member Audit Bureau of Circulation

Founder: James H. McGraw (1860-1948), Chairman and Chief Executive Officer; Joseph L. Dionne, President and Chief Operating Officer; Harold W. McGraw III; Executive Vice President, General Counsel, and Secretary: Robert N. Landes; Executive Vice President and Chief Financial Officer: Robert J. Bahash; Senior Vice President, Treasury Operations: Frank D. Penglase; Executive Vice President, Publication Services: Norbert Schumacher; Vice President/Group Publisher, Computer Magazines: Fritz Landmann.

BIX Interactive On-line Service

PRODUCT MANAGER
Kip Bryan

DIRECTOR OF COMPUTER-RELATED SERVICES
Stephen M. Laliberte

MEMBER SERVICES MANAGER
Kevin Plankey

EXCHANGE EDITORS
Amiga Exchange: Joanne Dow
Entertainment and Leisure Exchange: Rich Taylor
IBM Exchange: Barry Nance
Programmers Exchange: Bill Nicholls
Professionals Exchange: David Reed
Tojerry Exchange: Jerry Pournelle
WIX Exchange: Karen Kenworthy
Writers Exchange: Wayne Rash Jr.

BIX, owned and operated by General Videotex Corporation, is a worldwide, low-cost, on-line information service featuring industry news, downloadable software, powerful electronic mail, previews of upcoming BYTE articles, the full text of published issues of BYTE, and source and/or executable code for BYTE benchmarks and noncommercial software mentioned in feature articles. BIX also offers unmatched "conferences" on virtually every computer-related topic imaginable, where you can share information with thousands of other computer pros. To subscribe via modem, set your communications software to full duplex, 7 bits, even parity, 1 stop bit, and then call (800) 695-4882 or (617) 491-5410, or make a data call to our Tymnet address: 310690157800. Then hit the Enter/Return key and enter "BIX" when asked to log in; then enter "BIX.VILLE" when asked for a name. For current fees and more information, call (800) 695-4775 or (617) 354-4137 on voice phone; fax: (617) 491-6642; Internet: bix@genvid.com.

OFFICERS OF MCGRAW-HILL, INC.:

Chairman and Chief Executive Officer: Joseph L. Dionne; President and Chief Operating Officer: Harold W. McGraw III; Executive Vice President, General Counsel, and Secretary: Robert N. Landes; Executive Vice President and Chief Financial Officer: Robert J. Bahash; Senior Vice President, Treasury Operations: Frank D. Penglase; Executive Vice President, Publication Services: Norbert Schumacher; Vice President/Group Publisher, Computer Magazines: Fritz Landmann.

A man in a suit and sunglasses is holding an HP 100LX palmtop PC. The device is a small, handheld computer with a monochrome screen displaying a spreadsheet or database application. The man is smiling slightly and looking towards the camera. The background is a blurred cityscape with tall buildings.

The road warrior's weapon of choice.

The HP 100LX palmtop PC keeps you in touch wherever you go.

It packs cutting-edge computing and communications features. All wrapped up in a sleek 11-ounce package. Including one-key access to:



cc: Mail® Mobile, the market-leading e-mail software.

Today's new card modems fit neatly into our PCMCIA 2.0 slot, connecting you to your corporate or office e-mail systems. Talk about portable communications! This e-mail solution fits right in your pocket.



Take most of your office with you. Built-in MS-DOS® 5.0 means you can run optional PC soft-

ware, such as Quicken, Microsoft® Project Manager and ACT! No other palmtop comes close.

With equal ease, you can create custom databases. And sort through a list of customer billing profiles or your favorite restaurants.



Even when you're on top of the world, our appointment book keeps you on top of your schedule. With week- and month-at-a-glance. You don't miss a thing.



Keep running numbers on the run. One touch brings up Lotus® 1-2-3® Rel. 2.4. You're in spreadsheet heaven!

The features keep coming. Like note-

taker to capture ideas. Powerful analysis on the HP financial calculator. Flexible phone book. And much, much more.

For more information and the name of your nearest HP 100LX dealer, call us at 1-800-443-1254, Dept. 785. Then hit the road armed with all the right answers.



**HEWLETT®
PACKARD**

cc: Mail Mobile is a U.S. trademark of cc: Mail, a wholly owned subsidiary of Lotus Development Corporation. Microsoft and MS-DOS are U.S. registered trademarks of Microsoft Corporation. Lotus and 1-2-3 are U.S. registered trademarks of Lotus Development Corporation. ©1993 Hewlett-Packard Company PG12307A

Two w make a



If patience is a virtue, it would be tough to find anyone more virtuous than a 386 user.

Of course, you're not waiting to be canonized. You just want to get your spreadsheet crunched, printed and e-mailed before your boss's boss calls you looking for it.

Now if you had a 486, you wouldn't have this problem. But all that wishful thinking goes out the window when you consider the double-knots on your company's purse strings.

Performance Benchmarks		
(figures indicate relative performance)	Intel i386	Cyrix 486 Upgrade
MS Excel 3.0	1.0x	2.1x
MS Word 2.0	1.0x	2.8x
Micrografx Designer 3.1	1.0x	2.6x

Benchmark tests run on IBM PS/2 Model 70/20MHz.
The new Cyrix 386-to-486 Upgrade Microprocessor delivers application performance that's twice as fast. And that's twice as smart.

Fortunately, there's a smarter alternative to the downward migration path pictured above. It's called the 386-to-486 Upgrade Microprocessor.[™] And it's only available from Cyrix,[®] the smarter microprocessor company.

It's smarter because it's the only single-chip upgrade solution of its kind. And as such, the most cost-conscious way to replace

the pedestrian 386 computer you have, with the searing 486 power you want.

Our upgrade chip acts just like a 486, and with good reason. It has Clock Doubling, a 1K on-chip cache

ays to 386 fly.



and enhanced Cx486 technology. Which means it delivers *twice* the application performance, and 100



percent compatibility with all your software.

Like DOS, Windows and OS/2. Even Windows NT. It's also certified software compatible in Novell, Banyan and Lan Manager nodes.

What's more, it's easy to install (it takes all of 15 minutes), and costs under \$400. So it's also easy to justify to



Talk about immediate gratification. Just use the chip removal tool provided to pull out your 386DX chip (16, 20, and 25 MHz versions only at the moment), and plug our Cyrix Upgrade Microprocessor into the empty socket. Then get ready for screaming 486 power.

even the stingiest bean counters.

Every Cyrix upgrade chip comes with the reassurance of a limited lifetime warranty, toll-free telephone support, and a money-back guarantee.

So do the smart thing.

Call us directly at 1-800-46-CYRIX. Quick. Before your old 386 computer inadvertently takes flight.

Cyrix[®] instead[™]

High-Speed Modems

Your Lab Report on modems was superb ("V.32 or Better: 69 Modems," July).

I noticed you forgot to mention one thing: purchase from a reliable source. My fax modem broke two months after I purchased it. It took the manufacturer eight months to return my modem, and the reseller claimed that the 30-day warranty was past. The repaired modem failed in less than two weeks. The modem manufacturer has since gone out of business. Nobody will claim liability.

Ricardo Landrau
Carolina, Puerto Rico

With regard to your article on modems, nowhere could I find reference to the type of line service available. Most "real" modems can operate in programmed mode or permissive mode.

Your article talks about the most common problem in analog communications: the local loop. How do you ensure that your signal reaches the central office at the optimum signal level of -12 decibels above 1 milliwatt? Permissive operation means that the modem transmits at either -9 or -10 dBm. Programmable units can vary their transmission level such that the signal reaches the central office at the optimum level. This ensures that A/D converters in the central office handle the signal in an optimum manner.

Your failure to even mention this feature is not acceptable.

Calvin E. Reames Jr.
Boys, MD

You are right in noting our testing focused exclusively on two-wire dial-up configurations. This is by far the most common application of these modems, though many of these modems can also be used in two- and four-wire leased-line configurations for special applications like networking automated teller machines and remote data acquisition tasks. Thanks for your feedback.—Eds.

Conspiracy Theories

Paul Saffo's Commentary on dangerous EMF (electromagnetic field) emissions from CRTs ("A Conspiracy of Silence," July) really revved me up. The U.S. takes

so much pride in being humanity's crusader. It's really a shame that the same government has to wait for its own citizens to become sick and even die before any action is taken.

I doubt that EMF radiation will be regulated any time soon, unless more scientists and health officials get involved and raise public awareness.

Paul Bourmatnov Jr.
Tappan, NY

Would you please refrain from giving space to ecocrazies like Paul Saffo. His Commentary is a complete piece of rubbish. He has no idea what he is talking about and has no concept of statistical relevance.

David L. Hanson
Naperville, IL

For more information on EMF:

Becker, Robert O. Cross Currents: The Perils of Electropollution, the Promise of Electromedicine. New York: J. P. Tarcher, 1991.

Foster, Kenneth R., David E. Bernstein, and Peter Huber, eds. Phantom Risk—Scientific Inference and the Laws. Cambridge, MA: MIT Press, 1993.

Microwave News/VDT News, New York, (212) 517-2800.

NUTEK (for information on government labeling in Scandinavia), +46 8 681 91 00; fax +46 8 681 95 85.

—Paul Saffo

Pournelle's Inferno

I can't thank you enough for bringing me Jerry Pournelle's column every month. As a Mac user, it often distresses me to see the meager percentage of shelf space devoted to Mac software in stores. But all it takes is one look at Jerry's monthly Danteish descent into the hoary netherworld of PC hardware incompatibilities, software incompatibilities, EMM configurations, aborted installation attempts, and cryptic modifications to SYSTEM.INI, AUTOEXEC.BAT, and CONFIG.SYS to realize what a bargain my Mac is.

John Arft
San Antonio, TX

Jerry's article on whether to go to MS-DOS 6 or not ("The DOS 6 Question," July) exemplifies the attitude of most PC magazines, and it's costing the industry and business millions.


Jerry's preferred solution is DOS 5, QEMM, and WinStore. Sure, spending the extra \$300 is no problem if you're a single user. But what about business installations with 500 or more machines? MS-DOS 6 gives you the \$300 solution for \$30 (with bulk licensing). On 500 machines, that's a \$150,000 solution for \$15,000. And the savings are much higher because you also get backup in MS-DOS 6.

I'm moving my organization to MS-DOS 6 ASAP, not because it is something brilliantly new, but because it gives the best value for the money.

A very large chunk of sales go into organizations that manage more than five or 10 machines. Your recommendations should take that into account.

Stephen Norton
Victoria, British Columbia, Canada

I said that I wouldn't quarrel with those who like MS-DOS 6, and I won't; on that



scale, it makes a great deal of sense. In my case, where my time and work have a value that's largely compared to the cost of computers and software, I have a different solution. Incidentally, by the time this comes out, they may have fixed some of the MS-DOS 6 compression difficulties; but it still doesn't make optimum use of fragmented disk space,

as Stacker does. If I couldn't use hardware solutions for file compression, I'd use Stacker.—Jerry Pournelle

Fixes

In the August What's New section, the telephone number for Laptop Solutions was incorrect. The correct number is (713) 789-0878.

The correct phone number for information on Hewlett-Packard's OmniBook 300 (News&Views, July) is (800) 443-1254. ■

We want to hear from you. Address correspondence to Letters Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458; send BIX mail c/o "editors," or send Internet Mail to letters@bytepb.byte.com. Letters may be edited.

A MESSAGE FOR DEVELOPERS WHO COULD USE A BUNDLE.

Something big is happening.

It's called CD-ROM. And it's the only way to handle the tons of information you need these days—without filling up your hard drive.

And since a development system can now fit on a single disc, that's where we put the Microsoft® Visual C++™ development system for Windows™ and Windows NT.™

It comes with over 8,000 pages



of our Books Online. And for a limited time, it also comes with a pre-paid coupon for a double-speed, Windows NT™-compatible Chinon™ CD-ROM 535 Series drive, featuring an average access time of 250 ms.

Better yet, when you get this package, you save a bundle. Which is to say \$200* at the very least.

See your local reseller today and ask about our remarkable offer. It'll make your life easier. And richer.

Based on current suggested retail pricing. Offer consists of software package and an enclosed prepaid coupon that can be redeemed by mail for CD-ROM drive. Offer good only in the 50 United States and Canada. Offer good until February 28, 1994 or while supplies last. Visual C++ 3.1 Rn Edition is available only in CD format. © 1993 Microsoft Corp. All rights reserved. In the 50 United States, call (800) 426-9499; in Canada, call (800) 563-9048. For information only. Outside the United States and Canada, call your local subsidiary or (206) 936-8661. Microsoft is a registered trademark and Visual C++, Windows, Windows NT and the Windows logo are trademarks of Microsoft Corp. Chinon is a trademark of Chinon America, Inc.

CHINON

Microsoft®
Making it easier



Even a *free* memory manager may not be a bargain—especially if it can't give you all the memory you need.

Introducing QEMM 7 The Memory Manager Worth Paying For

The newest version of the Quarterdeck Expanded Memory Manager (QEMM), version 7, once again is extremely innovative in using the critical area between 640K and 1024K. It finds space for more TSRs and drivers in this area than anyone thought possible. It optimizes this area, taking into account the many drivers that need more memory at start-up than when running; instantly calculating millions of possible memory configurations to find still more memory for your programs to use. And it treats the rest of memory as a giant pool to instantly fulfill the needs of all of your programs—whether they use extended or expanded memory. Whether your PC has 1 megabyte or 16, you can benefit from new QEMM 7.

Instant Riches

What does more memory mean in a practical sense? It means that your DOS and MS Windows programs run faster, smoother and more reliably. It means you can continue to add valuable utilities, drivers, TSRs and new capabilities to your PC. Whether it's workhorse drivers like LAN utilities and fax drivers; productivity-enhancers like disk caches and disk compressors; or fun and exciting capabilities like sound boards, CD ROM drivers, graphics tablets, etc. The better your memory is managed, the more versatility and flexibility your PC has. QEMM 7 lets you have it all without fear of 'out of memory' messages or crashes.



How to Look a Gift Horse in the Mouth



We tested DOS 6 with and without MemMaker and with QEMM 6 and our new QEMM 7 runs away from all of them. See details of test conditions listed below.

DOS 6 Giveth; DOS 6 Taketh Away

The best feature of new DOS 6 is the stable of utilities it includes. Trouble is, they all eat up memory. DoubleSpace file compression needs 43K, Vsafe anti-virus needs 7-45K, Smartdrv disk cache needs 28K and even Undelete takes 10-14K as a resident program. Using Microsoft's free memory utility, MemMaker, you could easily end up with a net loss of available 'conventional' memory in DOS 6.

New QEMM 7 takes the best of the new DOS 6 features into account, finding ways to give you more free memory for your program while taking full advantage of DOS 6. One new QEMM 7 feature, DOS-Up, moves the DOS 6 kernel, its data and resources to memory above 640K (this feature also works with DOS 3-5), freeing 770K. Another new QEMM 7 feature, Stealth DoubleSpace, frees 40K of the memory addresses used by DoubleSpace and makes them available for other drivers and TSRs. Both features ensure that the all-important memory below 640K is free for your programs. And QEMM 7's seemingly small feature of supporting multiple configurations gives you the flexibility and ease of setup that you expect. (MemMaker doesn't work well with this important DOS 6 feature.) That's why it makes more sense than ever to put your money on the best memory manager.

Page Frame: the Key to Your Future

There's been a lot of talk about our patent-pending Stealth technology. Jealous talk, mostly. Because nobody else can touch its performance. Our Stealth ROM feature, pioneered in QEMM 6, frees 48-115K of ROM addresses for use by TSRs and drivers. Our Stealth DoubleSpace feature, described above, frees another 40K. And as you might imagine, there's more to come.

The key to Stealth is its use of a 64K reserved area above 640K called the page frame. Besides being used by Stealth, the page frame is used by Lotus 1-2-3 r2.x for larger spreadsheets and WordPerfect 5.x for larger documents, DESQview for multitasking, Novell Netware, IBM LAN Server and DECnet for reducing the network driver memory footprint, plus games like Wing Commander, Car and Driver, Ultima Underworld II, Wolfenstein and others for fast action.

You sacrifice all this when you turn off the page frame (which

other memory managers do to maximize available memory above 640K). It's this use of the page frame by Stealth that lets you set up your PC with a mouse, CD ROM, sound board, a network such as Novell NetWare, reserve 8-24K of extra memory for optimal MS Windows performance, use all of DOS 6's memory-hungry utilities and still have more than 630K available for your programs. (Compared to DOS 6's 527K available in the same configuration, after using MemMaker).

Easier to use for Novices, More Power for Experts; More Memory for All

Our seventh-generation thoroughbred QEMM has improved ease-of-use, with Express Install and Help features. And for power users, Advanced Install and editable parameters and troubleshooting hints.

And QEMM 7 comes with Manifest, the award-winning memory analyzer—enhanced for more flexibility with Pentium testing, laptop battery reporting, network analysis and editable configuration files.

The new and ever more exciting capabilities coming to your PC will all compete for memory with your favorite applications, TSRs and drivers. And that makes QEMM 7 the front runner in your efforts to get the best performance out of your PC today—and tomorrow.

There's lots more to QEMM 7:

- Tuned for MS Windows
- New ability to use Vidram inside MS Windows
- DPMI Host
- Pentium Support
- Laptop suspend/resume support
- PS/2 micro channel adapters
- Compaq support
- Fine tuning tools for power users
- 32-bit architecture for speed
- Enhanced compatibility in response to hardware needs of our millions of users:

Detects adapter RAM and ROM and bus-mastering hard drive controllers
Monitors DMA access into memory
Supports Shadow RAM



Prior versions of QEMM won just about every competition in sight, as well as remaining the #1 best-selling memory manager 5 years straight.

Quarterdeck

Quarterdeck Office Systems, 150 Pico Boulevard, Santa Monica, CA 90405 (310) 392-9851 Fax (310) 314-4219
Quarterdeck International Ltd., B.I.M. House, Crofton Terrace, Dun Laoghaire Co. Dublin, Ireland Tel. (353) (1) 284-1444 Fax: (353) (1) 284-4380
QEMM Users: upgrades are available from dealers.

You can also buy direct from Quarterdeck. Call (800) 354-3222 ext. 1D7 and ask about our special Game Pack offer with your upgrade!

How we got the chart numbers: CPU—486/33 ALR Power/business VESA machine equipped with 16 megs of RAM and running MS-DOS 6. Comparisons were done using the following memory managers: QEMM 7, QEMM 6.02, MS-DOS 6 MemMaker. In addition to the driver (or drivers) required by each memory manager, the following drivers, DOS resources and programs were loaded for all comparisons: in the CONFIG.SYS file: SETVER.EXE, DOS-HIGH, FILES-20, BUFFERS-10, STACKS-0.0, MVSOUND.SYS, SND8K12.SYS, SLCD.SYS, DOS-SHELL—statement, in the AUTOEXEC.BAT file: VSAFE, MSCDEX, UNDELETE, LSL.COM, NE2000.COM, IPXODI.COM, NETX OR EMSNETX, MOUSE.COM, SMARTDRV.COM, PRISCCAP.COM.
©1993 Quarterdeck Office Systems. Trademarks are property of their respective owners.

News & Views

NETWORKS

High Stakes for High-Speed Ethernet

Two sides couldn't agree. Now, the battle lines are drawn in the 100-Mbps Ethernet showdown, and the market will decide the winner.

DAVE ANDREWS

You go your way, and I'll go mine. And may the better high-speed Ethernet networking standard win. That's the position many networking companies are taking in the high-stakes, 100-Mbps Ethernet competition. This is happening because the high-speed study group of the IEEE 802.3 committee, which is the official gatekeeper of the Ethernet standard, decided in July after months of vigorous debate to proceed with two separate and competing proposals.

The 100BaseVG proposal, based on technology originally developed at AT&T and Hewlett-Packard, is under the guidance of the 802.12 committee. This proposal preserves the Ethernet frame but discards traditional Ethernet's CSMA/CD data-transmission technique for a demand priority method that proponents say better serves time-sensitive applications like full-motion video. A second proposal is supported by 17 companies, including Synoptics Communications, 3Com, Grand Junction Networks, and Sun Microsystems. It preserves CSMA/CD and mates it to the FDDI


(Fiber Distributed Data Interface) physical-medium-dependent layer. Proponents of the second proposal (which is now in the 802.14 committee) argue that its fast Ethernet solution will let developers quickly come to market with low-cost 100-Mbps networking products. The two sides could not agree on how to proceed. Now the market will decide which technique it favors.

Both 100-Mbps schemes will require changes to your adapter cards and hubs. Both preserve different parts of the traditional 10-Mbps Ethernet specification. But neither one will likely reach the draft stage until 1994. (For more information on 100-Mbps proposals, see "Pumping Up Ethernet," August BYTE.)

Standardization can take years—an eternity in this business—which is why numerous companies are introducing pre-standard 100-Mbps NICs (network interface cards) and hubs. Customers who run data-intensive CAD, desktop publishing, and other applications and don't want to deal with the added complexities of implementing 100-Mbps FDDI over copper wiring can't afford to wait months for a formal standard. "Our customers have an extreme need to send a lot of data back and forth," says Neil Mehta, president and CEO of Fremont, California-based MicroAccess, which already sells 100-Mbps Ethernet hubs and \$399 16-bit ISA cards. "Our philosophy is to give them what they want now."

The lengthy standardization

Progress Toward the ANSI TP-PMD Standard



process is equally incompatible with companies that are funded by venture capitalists. "The cycle time is much longer than a commercial enterprise can usually tolerate, especially a start-up company," says Jack Moses, who is vice president of marketing at Grand Junction (Union City, CA). "When the [802.14] standard is done, we'll make our products compatible with it."

In the networking world, the shipping of prestandard products has numerous precedents. The FDDI-UTP (unshielded twisted-pair) standard for implementing FDDI over UTP and shielded copper wires is only now inching toward finalization (see the figure). Yet Crescendo Communications (Sunnyvale, CA) has been shipping 100-Mbps FDDI-UTP hubs and \$995 adapter cards since January 1992. Jayshree Ullal, vice president of marketing, says that when the standard is final, Crescendo will upgrade its adapters and hubs.

The Race Is On

Grand Junction's FastSwitch 10/100 (\$7250, expected to ship by the end of the year) is an SNMP-manageable workgroup switching hub that provides two switched 100-Mbps Ethernet ports for servers and 24 private 10-Mbps Ethernet ports. The company will complement its affordable hub with its FastNIC 100-Mbps EISA card, which at \$395 is about four times as expensive as a low-end 16-bit Ethernet card while offering roughly 10 times the performance.

As for the 100BaseVG proposal, you can expect companies like Kalpana, HP, AT&T Microelectronics, Proteon, Ungermann-Bass, and Accton Technology to begin shipping products in 1994.

Down the Road


What's a network administrator to do? Todd Dages, director of data communications at Boston-based Yankee Group, advises you to determine what your requirements are going to be five years from now. Make sure your hub vendors can sup-

port the various emerging schemes, like switched and fast Ethernet, FDDI, ATM (Asynchronous Transfer Mode), and beyond. Companies like 3Com and Cabletron recently outlined broad strategies encompassing networking connectivity and management solutions designed to bring their customers into the twenty-first century.

But unless you really need 100-Mbps performance now, you probably want to wait a year, according to Dages. "I'd say if you can wait a year, you're going to have a bonanza of choices." With International Data estimating that the number of worldwide Ethernet installations will double from 20 million in 1992 to over 40 million by 1995, the competition is sure to be fierce.

Down to the Wire

Estimated U.S. Cable Connection Shipments
Source: Forrester Research (Cambridge, MA)



Along with different medium access and physical layers, the various 100-Mbps network schemes support differing types of wires. The main difference between Voice-Grade (Category 3) and Data-Grade (Category 5) copper wire is in resistance to crosstalk, or unwanted signals that interfere with a wire's signal. Category 5 cable has a higher resistance to crosstalk than Category 3 cable does. The FDDI-UTP and Grand Junction fast Ethernet proposals work over Category 5 UTP and shielded TP. The 100BaseVG proposal works over those two wire types and Category 3. However, Santa Clara-based 3Com says it will roll out a family of CSMA/CD-based 100-Mbps Ethernet products for all cable types in 1994.

SPREADSHEETS

Quattro Pro for Windows Pulls Ahead

Borland's Quattro Pro 5.0 for Windows packs enough new features to drive users to distraction. You'd expect features like the new Scenario Manager, help facilities, and @functions, given the strength of Lotus 1-2-3 release 4.0 for Windows and Microsoft's forthcoming Excel 5.0 for Windows. Other features, like the Improv-like Data Modeling Desktop, might surprise you. Whatever the case, QP5W moves, temporarily at least, into the lead in the Windows spreadsheet feature wars.

News for Beginners

One type of customer that spreadsheet vendors are competing for is the new user moving from a DOS spreadsheet to Windows. Conventional wisdom is that if you have the easiest spreadsheet to use, beginners will choose your spreadsheet over the others. QP5W (Borland has brought the Windows version's numbering conventions in line with the new DOS version) tries to make life easy for new spreadsheet users, as well as seasoned pros, through its context-sensitive help facility, Ob-

ject Help and Function Help, Interactive Tutors, and Experts.

In QP5W, if you're not sure about the purpose of an object (e.g., a cell, a notebook page, or any other spreadsheet control), you can place the cursor on that object, hold down the Control key, and click on the right mouse button. A box of text appears to explain the object. Along with this Object Help feature, Borland's Interactive Tutors offer more than 20 short on-line lessons in how to use various features. For those who don't want to learn how to use the spreadsheet but just want to get something done quickly, Experts might prove liberating. An Expert is a canned procedure for building a graph, creating scenarios, and consolidating spreadsheets.

Subtle Changes

QP5W offers nifty changes at the most fundamental levels. For example, the automatic graphing capability that's standard in spreadsheets is intelligent in QP5W. The software evaluates the size of a selected cell block and the types of entries in the block and draws a graph

QUATTRO PRO 5.0 FOR WINDOWS

- Lotus Improv-like Data Modeling Desktop
- 10 new graph types
- Control + Right Click Object Help
- Intelligent graphing
- Multiuser computing
- Consolidation Manager merges disparate 3-D worksheets
- More than 360 @functions

If managing your server eats up all

Introducing the new HP NetServer LM and LE.

More than just two new servers, we're introducing a profound improvement in the way you monitor and manage them.

Continuous Assistance.

We've put server management right where it belongs. At your fingertips. The HP NetServer Assistant software lets you easily monitor and manage your network servers from a single console—either locally or remotely. So your server stays up and running. Not you.

What's more, you can quickly diagnose and solve problems with its intuitive

interface and troubleshooting tools. And the HP Support Assistant, a CD-ROM-based library, is included to provide lots of valuable technical information.

Maximum Uptime.

These new HP NetServers lead the pack in reliability. RAID-based disk arrays on the LM provide advanced fault tolerance. And, thanks to our hot-swap capabilities, you can now replace an internal drive without bringing the server—or your network—down. The array will also automatically rebuild data on a failed drive. And for maximum protection, the LM even supports Error Correcting Code memory. In fact, the more critical your data, the more critical these servers become.

Investment Protection.


With technology changing

faster than the weather, you'll be happy to know that HP's NetServers are designed to keep pace. And keep your investment protected. Both the LE and LM fit smoothly into multivendor environments. The LE is the ideal entry-level server. Upgradable to the future Intel OverDrive Pentium™ technology-based processor, it provides affordability, exceptional serviceability and future scalability.

Built to meet the full demands of the Pentium processor, the LM will also support dual symmetric multiprocessing. Its Power Cabinet allows room for expansion with nine front-accessible mass storage shelves, eight expansion slots and maximum memory capacity of 384 MB.

HP Service and Network Expertise.

All this is backed by HP's complete range of support services. And by HP's 20+ years of network



HP NetServer Assistant

HP NetServer LM

your time, you need an assistant.

systems experience. You can choose support from HP directly, or from your local authorized HP dealer. HP NetServers come standard with a three-year, on-site limited warranty. And a host of 24-hour at-your-service support programs, such as our fax information retrieval service, automated phone support and electronic bulletin board service, ensure easy manageability around the clock.

If all this sounds good, call 1-800-964-1566.

We'll be happy to provide you with fast assistance. And, chances are, without the HP NetServer LM or LE, that's exactly what you need.



HP NetServer LM

\$4,849*

- 60-MHz Intel Pentium™ processor, 33-MHz Intel 486 DX and 66-MHz Intel 486 DX2 processors
- Support for dual Pentium symmetric multiprocessing
- High fault tolerance with internal RAID disk array option (RAID 0, 1, 5, 6)
- 16-MB standard RAM, 384-MB maximum memory, ECC memory support
- 128-KB and 256-KB external cache
- 9 mass storage shelves, 3.5" floppy disk drive standard, maximum 8-GB internal storage
- 8 EISA-2 with Enhanced Master Burst bus-master I/O slots
- Integrated Fast SCSI-2, IDE and video controllers
- HP NetServer Assistant software included
- 3-year on-site, next-business-day limited warranty
- Tested and certified on major network operating systems

HP NetServer LE

\$2,649**

- 33-MHz Intel 486 SX, 33-MHz Intel 486 DX and 66-MHz Intel 486 DX2 processors
- Upgradable to Intel OverDrive Pentium technology-based processor when available
- 4-MB and 8-MB standard RAM, 128-MB maximum memory
- 256-KB external cache
- 4 mass storage shelves, 3.5" floppy disk drive standard, maximum 3-GB internal storage
- 5 EISA bus-master I/O slots
- Integrated Fast SCSI-2, IDE and video controllers
- HP NetServer Assistant software available as an option
- 3-year on-site, next-business-day limited warranty
- Tested and certified on major network operating systems

HP NetServer Assistant

Easy-to-use centralized management based on HP OpenView's leading network management environment allowing multiple servers in multiple sites to be managed from a single graphical map.

Problem identification and resolution tools including diagnostics, configuration information (whether the network operating system is up or down), disk capacity planning and technical information via a CD-ROM-based library.

Remote management capabilities allow administrators to use the same tools whether at their local console or a remote PC.

Open architecture facilitates adding specialized third-party or HP management utilities.


*U.S. list price for HP NetServer LM Model 530, including 486/33DX processor, 16-MB RAM and 535-MB SCSI hard drive. **U.S. list price for HP NetServer LE Model 240, including 486/33SX processor, 4-MB RAM and 240-MB IDE hard drive. Prices subject to change without notice. Pentium and the Intel Inside logo are U.S. trademarks of Intel Corporation. © 1993 Hewlett-Packard Company. PPG688

HP NetServer LE



**HEWLETT
PACKARD**

using the graph type most appropriate to the selected data. The same graphing tool in QP5W might draw a bar chart



The object inspector for a selected spreadsheet block offers quick access to settings that affect the appearance of the cells and the data they contain. Through its Object Help and Function Help, Interactive Tutors, and Experts, Quattro Pro makes it easy to do things.

for one data set and a pie graph for another set.

Once you have created a graph, you can call on a feature called Analytical Graphs. Here, QP5W automatically calculates a moving average, exponential fit, linear fit, or aggregation of a data series and graphs the result. This means you don't need to perform analytical calculations in the spreadsheet to plot statistical projections of your data series. Analytical Graphs don't return their calculations to the spreadsheet, but they enable users without a statistics background to produce visually impressive reports.

You might overlook one of QP5W's most generally useful improvements: As you type an @function for use in a formula, a function template appears at the bottom-left corner of the display, identifying the function's syntax. If the function requires multiple arguments, the template shows each argument highlighted in turn as you create the formula. What's more, QP5W highlights unmatched parentheses and macro command braces, so you spend less time tracking down these common errors.

Once you've built formulas, you might decide to compile them. This concept has been around for years in stand-alone products like Frontline Systems' 3-2-1 Blastoff, but it has not been built into a spreadsheet package. An on-line Expert can help decide whether you'll get an advantage from compiling the formulas. If the answer is yes, compiling can significantly reduce the spreadsheet's recalculation time.

Multiuser Computing

QP5W lets you share notebooks, or portions of notebooks, with other users on your network. It also lets you share data via MCI Mail. The capability is especially useful in conjunction with the Scenario Manager, a tool that lets you create several versions of a model within a single workbook, so you can quickly switch from one version to another without having dozens of files running at once.

Borland will likely release two versions of QP5W, one for \$99 that can query databases like dBase and Paradox, and a \$495 workgroup version that

land would answer the call. A new facility in QP5W called the Data Modeling Desktop lets you zap spreadsheet data into an Improv-like environment and instantly flip categories around to provide alternative views of the information.

		Jan	Feb	Mar	
Enfield	10' Lunge	883.00	746.00	570.00	
	Curb bridle	1562.00	1306.00	1305.00	
	Leather crop	1087.00	1156.00	1209.00	
	Show saddle	904.00	1036.00	1252.00	
	Youth saddle	3368.00	2984.00	2605.00	
Ithaca	10' Lunge	1722.00	1995.00	1559.00	
	Curb bridle	4135.00	4373.00	3857.00	
	Leather crop	1264.00	1032.00		
	Show saddle	5748.00	4395.00		
	Youth saddle	4272.00	4435.00		
Newfield	10' Lunge	1722.00	1995.00		
	Curb bridle	4135.00	4373.00		
	Leather crop	1471.00	1542.00		
	Show saddle	5748.00	4395.00		
	Youth saddle	4272.00	4435.00		

Once you create a multi-dimensional table in the Data Modeling Desktop, a quick drag or two with the mouse completely transforms the table. When you discover a useful view of the data in the Data Modeling Desktop, you can quickly copy it back to the spreadsheet notebook. There, you can apply formatting and styling options, add formulas, and graph the information in its new configuration. To go from the arrangement on the left to the one on the right took about a second and a half.

Data for the Data Modeling Desktop originates from a QP5W notebook, but you can't write formulas within the Data Modeling Desktop, nor does the module offer extensive formatting and reporting capabilities. In a sense, Data Modeling Desktop is a cut-rate data slicer and dicer. As such, it's a handy new tool, but it takes practice to organize data appropriately.

The Suite Spot

I've barely scratched the surface of QP5W's new features. Borland has added a spreadsheet spelling checker, a host of new @functions, a formula auditing facility, and a utility that rapidly consolidates data from several disparate notebooks or notebook pages into a single page.

QP5W's heavy reliance on objects—each with its corresponding object inspector, context-sensitive help, SpeedBars, and so on—conspires to make it feel as if you are working in several software programs

rather than in one package. You can use the product extensively and still be surprised at the object inspectors that come to light when you right-click on a data element. Until you get used to it, the environment is disorienting.

When compared one-on-one to Lotus 1-2-3 release 4.0 for Windows and Excel 4.0, the new features put QP5W ahead in the Windows spreadsheet contest. But don't let this in-


	10' Lunge	Curb bridle	Leather crop	Show saddle	Youth saddle
Jan	883.00	1562.00	1087.00	904.00	3368.00
Feb	746.00	1306.00	1156.00	1036.00	2984.00
Mar	570.00	1305.00	1209.00	1252.00	2605.00
Jan	1722.00	4135.00	1264.00	5748.00	4272.00
Feb	1995.00	4373.00	1032.00	4395.00	4435.00
Mar	1559.00	3857.00	1539.00	3711.00	5526.00
Jan	1722.00	4135.00	1471.00	5748.00	4272.00
Feb	1995.00	4373.00	1542.00	4395.00	4435.00
Mar	1559.00	3857.00	1744.00	3711.00	5526.00

fluence your purchasing decision too strongly. Microsoft and Lotus each produce a suite of Windows products—spreadsheet, word processor, presentation graphics, and E-mail programs designed with similar user interfaces and sold in a single package. Borland's Windows bundle includes WordPerfect for Windows. It also includes Paradox for Windows, a database manager you may not need in 1-2-3 or Excel because you can use DataLens in 1-2-3 or Q+E in Excel to create and manage external database tables. QP5W's Database Desktop external database management facility can't create new external tables.

If you're already a Quattro Pro user, Borland's upgrade will make it worth your while to stick around. The new version offers a host of features for the first-time Windows spreadsheet user. But its integrated offering is not as strong as the competition's.

—Daniel Gasteiger

Borland International, Scotts Valley, CA, (408) 438-8400.



When you point at a control in one of the SpeedBars and click on the right mouse button while holding down the Control key, QP5W rewards you with an Object Help box. If the information in the box doesn't satisfy, you can click on the box's help button for more details.

can also issue SQL queries. But at press time, pricing wasn't finalized.

The Assault on Improv

When Lotus Development generated a lot of hoopla over its release of Improv for Windows, it was only a matter of time before Microsoft and Bor-

Multi-Platform 32-bit Power: WATCOM C/C++³²

- ▶ **Extensive C and C++ Support**
- ▶ **The Widest Range of 32-bit Intel x86 Platforms**
- ▶ **The Industry's Leading Code Optimizer**
- ▶ **Multi-platform, Cross-development Toolset**



Professional C and C++ Development Tools

C/C++³² delivers the key technologies for professional developers: comprehensive C++ support including templates and exception handling; advanced superscalar optimization; and 32-bit multi-platform support. C/C++³² includes both C and C++ compilers, so you can incrementally adopt the benefits of C++.

Unleash 32-bit Power!

C/C++³² delivers 32-bit performance. The 32-bit flat memory model simplifies memory management and lets applications address beyond the 640K limit. Powerful 32-bit instruction processing delivers a significant speed advantage: typically a minimum 2x processing speedup.

A C++ compiler designed to deliver on the promise of object-oriented programming

The C++ compiler provides comprehensive support for the AT&T version 3.0 language including templates, plus exception handling. These features are key to realizing the benefits of object-oriented programming: code reusability, increased reliability and reduced maintenance.

Hot New Superscalar Code Optimizer

The hot, new C/C++³² code generator advances the performance envelope. New superscalar optimization strategy uses "riscification" and instruction scheduling to deliver improved performance on 486 and Pentium processors. The compiler can create a single, high-performance executable which runs on 386, 486 and Pentium processors.

Industry Standard. Industry's Choice

WATCOM's working relationships with industry leaders such as Autodesk, GO, IBM, Intel, Lotus, Microsoft and Novell ensure that we continue to understand and meet the needs of the software industry and professional developers.

Multi-Platform, Cross Development Support

C/C++³² supports a wide range of 32-bit Intel x86 host and target platforms allowing professional developers to leverage the multi-platform, cross-development capabilities of today's operating environments including OS/2 2.x and Windows NT.

- ▶ **32-bit DOS host and target support;** includes the DOS/4GW 32-bit DOS extender by Rational Systems with royalty-free run-time and virtual memory support up to 32Mb.
- ▶ **OS/2 2.x host and target support;** enables the development of OS/2 2.x applications and DLLs. 32-bit Windows 3.x applications can exploit WIN-OS/2 using WATCOM's Windows Supervisor technology.
- ▶ **Windows NT host and target support;** includes a Windows NT-hosted debugger for 16-bit Windows 3.x, Win32s and Windows NT debugging; also includes **Win32s** target support.
- ▶ **32-bit Windows 3.x target support;** includes WATCOM's 32-bit Windows Supervisor, and enables development and debugging of true 32-bit Windows 3.x applications and DLLs.

Also Available: WATCOM C³² for DOS

C³² for DOS is a professional, low cost 32-bit C compiler and tools package enabling development, debugging, performance profiling and royalty-free distribution of 32-bit applications for extended DOS. **Suggested retail price: \$199*.**

WATCOM C/C++³² has a suggested retail price of **\$599*.**

For additional information or to order direct call 1-800-265-4555. Call our FAX Back system at 1-519-747-2693 from your fax machine for immediate product information.

WATCOM

1-800-265-4555

The Leader in 32-bit Development Tools

415 Phillip Street, Waterloo, Ontario, Canada, N2L 3X2 Telephone: (519) 886-3700, Fax: (519) 747-4971

*Price in US dollars. Does not include freight and taxes where applicable. Authorized dealers may sell for less. WATCOM C and the Lightning Device are trademarks of WATCOM International Corp. DOS/4G and DOS/16M are trademarks of Rational Systems Inc. Other trademarks are the properties of their respective owners. Copyright 1993 WATCOM International Corp.



Circle 159 on Inquiry Card.

SOFTWARE DEVELOPMENT

Programming Tools Catch Memory Misuse

One of the hardest problems in writing software, particularly in languages like C and C++ that depend heavily on pointers, is finding the places where you misuse memory. If you're programming in such languages, you're all too familiar with pointers that don't point to legal memory or, even worse, point to the wrong block of memory. These types of errors are often nonfatal—at first. When undetected, however, memory-related bugs can eventually cascade to cause fatal errors that are virtually impossible to diagnose in isolation.

Current debuggers provide limited help in finding memory problems because they are tied to the source code. When you know which part of a program is misbehaving, you can zero in on the problem. However, when your program is misusing memory, you generally have only a vague idea of which section of your code you should examine.

Two new Unix software development tools let you automatically discover a wide variety of memory-related errors. They will flag code that refers to illegal parts of memory, fails to free memory that is no longer being referenced, or deallocates the same memory several times.

CenterLine Software, a major developer of programming tools for Unix systems, provided some help in its earlier products. CodeCenter, a C environment that first shipped in July 1988, and ObjectCenter,

a C++ environment that first shipped in November 1990, include source language interpreters as well as compilers. The interpreter flags a variety of memory-usage errors, including nonfatal ones, which are difficult to discover and track down. The drawback to interpretation is that it is much slower than compiled code, making it impractical to use on large or time-consuming applications.

After CenterLine had whetted programmers' appetites for development tools, Pure Software released Purify (\$1298 per user), demonstrating that many of the same error-checking benefits could be achieved more efficiently. The key is a technique Pure calls object code insertion, but it's more often known as code-patching. (Although code-patching appears to be the technology of choice for Unix systems, PC error-checking tools like Nu-Mega Technologies' Bounds Checker—for Windows and DOS—can also achieve high efficiency by using built-in features of the 80x86 processor family to insert breakpoints and memory page protection; see our review of Bounds Checker on page 159.)

Purify intervenes between compilation and linking, patching the instructions that allocate and reference memory with error-checking code. This lets Purify work with libraries you don't have the source code for (e.g., system libraries or libraries bought from another

vendor). You simply add the command "purify" before the invocation of the compiler, and Purify creates the debugging version of the program automatically. Purify calls the compiler, looks at the machine code, and inserts instructions that catch memory errors in both libraries that you link in and the code you wrote and compiled. Typically, the problem of misusing memory occurs when you pass a bad memory block to a library routine.

When you run a "Purify'd" application, it prints a message whenever an illegal memory reference or other run-time error occurs. The message gives the source code location of the error as well as a stack trace to help track it down. When the application has finished, Purify prints a list of *leaks*—memory blocks that have been allocated and can no longer be deallocated.

CenterLine has responded with TestCenter (\$1295; \$2995 for a floating license that lets you share the program on a network), which provides the same features together with a GUI and a code-coverage tool. TestCenter is currently available for Sun Microsystems' workstations running Solaris 1.x; a version slated for release later this year will support So-

laris 2.x. TestCenter's code-coverage tool shows you which lines of the program have and have not been executed. The system can also combine coverage results from multiple executions. This is helpful in developing a comprehensive test suite that thoroughly exercises the application. An advantage to the TestCenter interface is that it simplifies archiving, comparing, and browsing execution error logs.


As these two companies fight over the market for testing tools, developers are sure to benefit. Expect significant improvements in both product lines during the upcoming months. Both companies will also be using the technology in these tools as a basis for other products. Pure has already done so with Quantify, a performance profiler, and PureLink, a fast incremental linker.

—Othar Hansson

CenterLine Software, Inc.,
Cambridge, MA, (617) 498-3000; fax (617) 868-5004.

Pure Software, Sunnyvale, CA,
(408) 720-1600; fax (408) 720-9200.

Nu-Mega Technologies,
Nashua, NH, (603) 889-2386;
fax (603) 889-1135.



COREL DRAW!

The Best in Graphics

...and more!



Get animated with CorelDRAW 4!

CorelDRAW is renowned for its powerful graphics capabilities. CorelDRAW 4 now leaps even further ahead by adding page layouts, animation and OCR, as well as hundreds of other feature enhancements. It's the best value in software today—and it's still the easiest to use!

CorelDRAW 4 is the ideal desktop publishing tool! It includes illustration, charting, photo-editing, tracing/OCR and presentation capabilities...and so much more! There are advanced word processing features, multi-page layouts and dozens of artistic and special effects. It's packed with more fonts, more clipart images and symbols, more graphic tools and business applications. And now CorelDRAW 4 also includes CorelMOVE, a brand new animation module.

ALSO INCLUDES TWO BONUS CD-ROMs

—featuring a complete CD version of CorelDRAW 4 plus libraries of clipart images and symbols, fonts, animation elements, sound effects and a Video for Windows enhanced QuickTour.



**PAGE LAYOUT
CHARTING
ILLUSTRATION
PHOTO-PAINT
TRACING/OCR
PRESENTATIONS
FILE MANAGEMENT
ANIMATION**

- Comprehensive DTP Features
- Flexible Multi-Page Layouts
- Enhanced Word Processing
- Advanced Direct Scanning
- Powerful OCR (Optical Character Recognition)
- Single-Step Business Forms Tracing
- Thousands of Fractal Textures and Fills
- Dazzling Artistic Tools and Special Effects
- Convenient Spreadsheet and over 80 Chart Styles
- Object Data Management
- Over 5,000 "Drag and Drop" Symbols and Shapes
- Over 18,000 Clipart Images and Symbols
- Over 750 Fonts (650 Bitstream and ITC)
- Complete Color Separations
- On-line Help
- 20 Photo-Paint Filters and 14 Image Correction Filters
- 37 Import/Export Filters
- 21 Transition Effects
- Over 200 Animated Flics
- Over 400 Cartoons
- Over 750 Actors, Props and Sounds

**18,000
CLIPART**
Images and symbols



**750
FONTS**

**ONLY
\$595**
U.S. FUND


Registered User Upgrade \$249
CorelDRAW 3 - Now Only \$199!



Create Dazzling Illustrations



Powerful Photo-editing



Dynamic Presentations



Comprehensive DTP Features and Multi-Page Layouts





Object Data Management



Incredible Fractal Textures

Automatic Forms Tracing with OCR



COREL
United States and Canada
1-800-772-6735
ext.28



Circle 83 on Inquiry Card.

The Innovation of HyperBook 3000 Color Notebook Is Your Key of Winning

With an innovative HB 3000 color notebook from Sunrace, you can win the competition of this world. The innovativeness of the HB 3000 color notebook not only provides you with generic functions needed for mobile computing, but also more unique features.

See Us At
COMDEX/Fall '93
Booth No. Hilton H2144

Built-in 16mm Trackball and Dedicated Numeric



Keypad
When
travelling,

you'll realize that you have a limited space or no space at all to move your mouse. The HB 3000 color notebook builds in a trackball, which is centered and in front of keyboard, so that there is nothing to carry around, to set up and to take apart. Meanwhile, the dedicated numeric keypad offers you the convenience of entering numbers at anytime.

Removable Hard Disk




The removable hard disk allows easy upgradability and group sharing of data and your HyperBook.

Second Parallel Port



Through this second parallel port, you can now plug-in such peripherals as a pocket LAN adapter, portable sound card, etc.. without having to constantly unplug the printer.



SCSI Port



You can enjoy unlimited storage by plugging in CD ROMs, Tape streamers, or high capacity hard disk drives into the SCSI port.



More! More!
New HyperBook 300 Series offers PCMCIA plus local bus.

• 486 Class Notebook Ranging from Cx486SLC/33, Cx486S/33 to i486DX2/50



• Power Management



• Patented 5-level Power-Bar LED Meter



• 9.4" Color Active TFT/Color Passive Dual Scan STN LCD



• Password



• Alternative Power Source



• Turbo Charging



• Internal Fax/Modem



• Optional Secondary Battery Pack



Sunrex Technology Corporation


■ 9F, NO. 531, Chung-Cheng Rd., Shin-Tien, Taipei Hsien, Taiwan, R.O.C. ■ Tel : 886-2-2186190 • Fax : 886-2-2181502
■ U.S.A. Branch Office 809 South Lemon Avenue, Walnut, CA 91789, U.S.A. ■ Tel : (909) 468-2955 • Fax : (909) 468-2961

Circle 544 on Inquiry Card.

SAMTRON offers you high performance and reliability with a full **two-year warranty.**



The outstanding technology and product quality that are designed and engineered into every SAMTRON monitor are recognized the world over by their ISO 9001 and MPR II top-quality ratings. Beginning July 1st, SAMTRON will be even more of a value as it offers a full two-year warranty on both parts and labor with every monitor. SAMTRON can offer this industry-leading warranty due to superior quality. Power-saving and flicker-free features, along



with other sophisticated technologies make all the difference.

Take a look at SAMTRON monitors and actually see for yourself the quality and design that make them the ones to count on.

SAMTRON
WE'RE WORTH WATCHING

Circle 540 on Inquiry Card (RESELLERS: 541).

HEAD OFFICE 10-14TH FLS. DAEKYUNG BLDG., TAEPUYUNG-RO, CHUNG-KU, SEOUL, KOREA TEL: 82-2-727-3721~3 TLX: STARNEC K33217 FAX: 82-2-774-6659
FRANKFURT OFFICE MERGENTHALLER ALLEE 38-40, W-6236 ESCHBORN, GERMANY TEL: 49-6196-483829~33 FAX: 49-6196-483321 TLX: 4072555 SMCD
VORTEC(UK) LTD SAMSUNG HOUSE, 3 RIVERBANK WAY, GREAT WEST ROAD, BRENTFORD, MIDDLESEX TW8 9RE, UNITED KINGDOM TEL: 44-81-862-9311~9312
FAX: 44-81-862-0096~97 TLX: 25823 STARS L G SAMSUNG DEUTSCHLAND GMBH POSTFACH 5866 MERGENTHALLER ALLEE 38-40, 6236 ESCHBORN, GERMANY
TEL: 49-6196-483321, FAX: 49-6196-909869 DISTRILINE 5, RUE MARCEL-PAUL-95870 BEZONS-NOUVELLE Z.I., FRANCE TEL: (1) 39.47.35.07 FAX: (1) 39.47.22.11
FANTON DATA S.R.L. 20019 SETTIMO MILANESE(MI) VIA MELEGNANO, 20, ITALY TEL: 02/3287312 FAX: 02/3287948

SMALL OFFICE/HOME OFFICE SOFTWARE

SOHO Software Follows Low-Cost Hardware

While most large and midsize companies began computerizing their offices a decade or more ago, many small offices and home-office workers are just now getting started. That presents new challenges, not only for these SOHO users but also for software publishers accustomed to dealing with experienced, well-heeled corporate customers.

Increasingly, publishers are discovering that SOHO users are a different—and in some ways more demanding—breed when buying software. They want programs that are easy to use, work well together, and don't cost hundreds of dollars apiece. Big-business users want these qualities in their software, too. But unlike their corporate counterparts, many SOHO buyers will stand on the sidelines until they get what they want.

"People in small businesses and home offices want solutions to very specific problems, and the money is coming out of their own pockets," explains Kevin Howe, president of DacEasy, which has been selling accounting programs primarily to small businesses since 1985. "If you don't give them what they want, they won't computerize."

While there's been no dramatic shift in the types of programs that software publishers are producing, many companies have begun introducing new products or tailoring old ones to meet the demands of SOHO customers. DacEasy, for instance, borrowed pieces of its namesake accounting program to fashion streamlined

subsets dubbed Instant Accounting, Instant Payroll, and Instant Rolodex. Intuit crafted small-business bookkeeping (QuickBooks) and payroll (QuickPay) programs from its popular Quicken personal-finance software.

Larger companies (e.g., Microsoft and Computer Associ-

introduced programs through its Bothell, Washington-based retail products division that generate 2-D floor plans for homes, decks, kitchens, and landscapes. It is competing with companies like Abracadata, Expert Software, and Green Thumb Software. Judy McNary, president of Green

Thumb (Boulder, CO), said programs like her company's DOS-based LandDesigner landscaping program offer capabilities for the home user that aren't possible using a pencil and a pad of paper (e.g., in buying materials, quickly calculating the number of cubic yards and cost of a needed material).

In addition to their problem-solving approach, these products have something else in common: They're inexpensive—generally less than \$100, sometimes less than \$50, and in rare cases, free! Companies like Computer Associates and Central

Computer Products (Fillmore, CA) have promoted their respective home-finance and double-entry accounting programs by literally giving these

- DID YOU KNOW?**
- In 1993, the estimated total number of home workers in the U.S. grew 5.4 percent to 41.1 million, more than double the growth rate of the prior 12-month period.
 - Telecommuters, company employees who work from home part- or full-time during normal business hours, increased by 1 million from 1992, a 15 percent growth rate.
 - The PC penetration rate into the homes of workers who do company work at home after normal business hours is 70 percent.

Source: Link Resources (New York City)

SOFTWARE DEVELOPERS HEAD FOR HOME

CATEGORY	PERCENT OF REVENUE
Word Processing	Small Business ... 19.2
	Home Office 11.2
Spreadsheets	Small Business ... 22.7
	Home Office 14.5
Graphics	Small Business ... 25.6
	Home Office 18.8
Desktop Publishing	Small Business ... 12.5
	Home Office 11.7
Integrated	Small Business ... 18.8
	Home Office 25.5
Communications	Small Business ... 22.3
	Home Office 25.5
Database	Small Business ... 16.4
	Home Office 9.2

Source: BIS Strategic Decisions (Norwell, MA)

The SOHO market accounted for 34.8 percent of the overall estimated \$3.06 billion of 1993 U.S. sales for these seven software categories. BIS defines a small business as being outside a home, with under 100 employees.

ates) have introduced new lines of solution-oriented software aimed at SOHO customers. AutoDesk, known for its powerful AutoCAD program, has

programs away for a limited time.

"Price is really the second battlefield," says AbhiJeev Rane, a research analyst who follows SOHO trends for Link Resources in New York City. "Software prices may not come down as quickly as they have with hardware, but they are definitely dropping."

To some extent, price-conscious SOHO users were already being served by the many integrated or "works" packages on the market (e.g., Microsoft Works, LotusWorks, and ClarisWorks). For those who need more than the basics of word processing, spreadsheet, graphics, database, and telecommunications functions, the latest trend in integrated packages is "office" or "suite" bundles that put three to five applications in one box for less than \$500. These include Lotus's Smart Suite, Microsoft Office, and Borland's Office.

—Christopher O'Malley

FINANCES

THE ULTIMATE IN FINANCIAL MANAGEMENT METAPHORS

The latest version of Quicken for Windows adds a host of features. One of the most interesting is the Financial Calendar. This feature provides the ultimate in intuitive financial management, as it lets you work in something with which everyone can identify: a daily planner.


Intuit (Menlo Park, CA, (415) 322-0573) should have released its Quicken 3.0 for Windows and Quicken 7.0 for DOS (about \$69.95 each) by now. Both will include improved investment-tracking and financial-planning tools and the Financial Calendar. Both still let you work in the familiar checkbook metaphor that makes it easy to balance your checkbook. The new versions of Quicken let you enter one-time or recurring transactions directly in the Financial Calendar; once you do this, the transaction is recorded to the register. You can also add reminders in the calendar. Based on my use of a prerelease version of Quicken for Windows, Intuit is on-track when it comes to home finances.

—Dave Andrews



This program contains scenes of a graphic nature.



Introducing
Graphics
Interface
Kit/2



But don't worry. It's all in good clean fun. Because now there's a fast, cost-effective way to create graphic, easy-to-use interfaces for OS/2® 2.0 applications and tools. Introducing Graphics Interface Kit/2 (GIK/2), an AD/Cycle® product from IBM Programming Systems.

GIK/2 makes it easy to produce and manipulate symbolic representations of data without writing a single line of Presentation Manager® code. It automatically generates C code, where you can link the graphic symbols to the application data they represent. This not only speeds up your development cycle, it also helps you create applications that are intuitive and easy to use. Simplify transaction systems. Make databases easy to access. Bring organizational charts to life. Track inventory with simple icons. Any application can be made easier with the right graphic front-end. And GIK/2 can help you make it happen.

To order, contact authorized PC dealers, software distributors, or call the nearest IBM outlet directly. For more information, send a fax inquiry to 43-1-21145-4490. If you need graphic proof, ask for our evaluation demo which, by the way, is rated G.



IBM

®IBM, OS/2, AD/Cycle and Presentation Manager are registered trademarks of International Business Machines Corporation. ©1993 IBM Corp.

Circle 516 on Inquiry Card.

SECURITY

PCs Catch Criminals Using Fingerprint Analysis

TAIPEI—When it comes to industrial espionage, spies can disguise their identity, alter ID cards, and crack passwords, but they cannot change their fingerprints. With that immutable fact in mind, two companies have developed products that use advanced image-processing techniques to capture, encode, and match fingerprints to identify criminal suspects and prevent unauthorized entry.

The idea behind the products of Hsinchu, Taiwan-based Startek Engineering (+886 35 785388) is to use a fingerprint identification system to control access into a computer, transaction-processing equipment, or a physical location like a laboratory. To achieve this, Startek's technology combines optics and accurate matching algorithms to compare a new fingerprint to ones stored in a computer.

Startek offers two products, each of which can store 1000 fingerprints. The FC100 is used for computer and transaction-processing security applications. It consists of a stand-alone FingerCheck fingerprint verifier, an AT-bus interface card, and a software application interface and library. The second product is the FC200, which is an embedded version of the FC100. The FC200 consists of FingerCheck and an RS-232 interface. Both systems are for access control applications and can process a fingerprint in 2 to 3 seconds.

In computer security applications, FingerCheck is connected to a 386 or 486 PC through the AT-bus card. To use the FC100, you place your finger three times on the reader window, a small,



Startek's fingerprint identification system connects to a PC through the AT-bus card. The red LED fingerprint reader is at the top left.

red LED screen that's located on top of FingerCheck. A CCD (charge-coupled device) camera inside the unit takes optical snapshots of your fingerprints at one-thirtieth of a second. Fingerprint images are digitized in an image-grabber processing module, resulting in 2-D images of your fingerprints on a computer screen.

Meanwhile, Startek's software automatically extracts 13 feature points of your fingerprint images. Each feature point is translated into binary images and stored in the software library. A single fingerprint is stored in a file of up to 256 bytes. The next time you attempt to gain access to the

PC, it will accept or reject your fingerprint.

The company's proprietary matching algorithms perform the accept/reject operation. By using an automatic planar-point-pattern device, the program compares the vectors of your binary images to those in the PC. Startek claims the false rejection rate is less than 1 percent. Startek's FC100 costs \$2700. Prices for the FC200 depend on configuration.

New Delhi, India-based CMC also uses fingerprint verification, but to solve a different problem. Startek's products are designed to control access to sensitive data and locations. CMC's FACTS (Fingerprint Analysis and Criminal Tracing System) uses the power of the computer to reduce the amount of time required for a person to compare fresh fingerprints to thousands of fingerprints in an existing database, a task that—when performed manually—is herculean. Agencies like the FBI use mainframe computers to store and match fingerprints, but Tim Fontenot, spokesman for CMC, says

FACTS is a scalable solution that can run on a 386 or 486. This makes it suitable for small cities or developing countries.







FACTS consists of several components that connect over a network. A control machine handles the matching and encoding functions. An input workstation converts a fingerprint received on paper or as a photograph to a digital image. Once FACTS has extracted the important features from a fresh fingerprint, the system compares it to those in the database and gives a short list of likely matches. At that point, a human expert can examine the list and identify the correct match. CMC, which has a subsidiary in the U.S. called Baton Rouge International ((504) 296-8440), says FACTS is being used by the National Crime Records Bureau in New Delhi.

Although Startek and CMC are solving different problems, both are combining the power of the PC with mathematical algorithms to catch criminals by their own hands.

—Mark LaPedus and
Dave Andrews

Fingerprint Classifications

Startek's program automatically breaks down a fingerprint into seven different classifications (e.g., plain arch, radial loop, and plain whorl). The software locates 13 feature points based on a fingerprint classification system developed by E. R. Henry. The figures show fingerprint types and the percentage of people who have them.



DEVELOPERS:


Have you been asked to produce a fast, open, **client/server** application that is inexpensive to deploy and differentiates your company?

Then we have a suggestion...



use our engine.

The new **Raima Database Server** is a product designed for developers who value flexibility along with speed and support for standards. Your application design is not constrained by the database interface. Why? With RDS, we begin with a multithreaded client/server architecture coupled to a high performance SQL processor/optimizer. Then we add support for C++ objects, a fast record-oriented API, and custom extension modules featuring remote procedure calls from your client application to your server-hosted user defined functions. Further, your database schema can be fully relational, network, or a combination of the two. It's all there for you.



**Supports
stored
procedures,
triggers, and
referential
integrity!**

Join the thousands of developers, from small vertical market ISVs to industry giants like Hewlett Packard, who use our technology to set their applications and products apart.

Call **1-800-DB-RAIMA** for more information.

RAIMATM

Raima Corporation, 1605 NW Sammamish Rd., Issaquah, WA 98027 (206) 557-0200 Fax: (206) 557-5200

© 1993 Raima Corporation. Raima Database Server is a trademark of Raima Corporation. Raima is a registered trademark of Raima Corporation. Other computer and software names are trademarks or registered trademarks of their respective holders.

Raima Benelux - 31 (2159) 44738 Raima Deutschland 49 (7022) 9256 44 Raima España 34 (3) 485 13 04 Raima Italia - 39 (49) 829 1285
Raima UK Ltd. - 44 (276) 685 761 Rhône-Alpes - 41 (21) 825 4800 France - 33 (1) 46 48 61 02

BY103RDS

"No more

plus take advantage of over 250 available OS/2 development tools and utilities.


Improved multimedia, CD-ROM, PCMCIA and pen support.

"I use CA Realizer to prototype new graphical interfaces. I write code using CA C++ and CommonView™ (integrated with IBM's C Set/2™ compiler) while I compile in the background. And when designing reports or planning schedules, I use CA-RET."

OS/2's pre-emptive multithreaded multitasking dynamically manages CPU time so you can run DOS, Windows and OS/2 apps concurrently in different sessions with maximum efficiency. That means you can edit in one window, compile in another, link in a third and test in a fourth. With OS/2 Crash Protection™, if one application goes down due to a bug, the rest you're working on won't. "There's no limit to what you can do with this system.... It's definitely made me more productive."



Realizer



Gary Slattery, Software Developer, Computer Associates

Now runs Windows 3.1 apps for increased productivity.


"I develop software applications for a living and I think OS/2® is a great way to do business." A 32-bit, virtual memory operating system, OS/2 is the ideal platform for developing your DOS, OS/2, Windows® and even host-based applications.

With OS/2 you can boost the power of your favorite DOS and Windows tools,

The Development Platform of Choice.

- Enhanced development platform for DOS, Windows and OS/2 apps.
- OS/2 Crash Protection for superior reliability.
- Pre-emptive multitasking for increased productivity.
- Virtual memory provides up to 512MB per session.
- Flat memory model eliminates wrestling with segments.
- Multiple virtual DOS machines for concurrent app testing.
- Object-oriented Workplace Shell is easy and intuitive.

Introducing Version 2.1



arrested development."


The object-oriented user interface—the Workplace Shell™ (WPS)—gives you easy control with direct manipulation of visual objects on your computer screen. And should you need assistance with anything, IBM's Worldwide Developer Assistance Program is always there to help.

Now available on CD-ROM.

With OS/2's 32-bit architecture, you can push your 386 and 486 hardware to the limit, and develop spectacular enterprise-wide client-server and multimedia applications. In fact, OS/2 2.1 has superior multimedia support for CD-ROM, PCMCIA and pen technologies. Here's your chance to develop truly revolutionary 32-bit applications. With OS/2, now there's nothing stopping you.

To learn more, call 1 407 982-6408 now, and get a free white paper on why OS/2 is the ideal platform for your development efforts.

Operate at a higher level.™



Use OS/2 to increase productivity of DOS, Windows and OS/2 application development.

Circle 97 on Inquiry Card.

IBM®

PROCESSORS

I'll See Your Chip and Raise You One

Obsolescence is the greatest fear of computer buyers, and that fear has been focused mainly on the heart of the system: the microprocessor. To alleviate these worries, chip makers such as Intel, Cyrix, and Weitek have devised processor upgrade options to help PC and workstation buyers protect their investments.

Intel's well-publicized program lets users upgrade systems through its OverDrive family of processors. Cyrix's (Richardson, TX) newest family of 486 processors is designed for those who want to upgrade 386DX PCs to 486 performance for only \$299. The company's Cx486DRx2 16-/32-, 20-/40-, and 25-/50-MHz clock-doubling processors that upgrade 386DX processors to 486 processors list from \$299 to \$399. Weitek (Sunnyvale, CA) should now be shipping its \$1500 Power uP processor, which the company claims improves performance of SparcStation 2 and IPX workstations by as much as 1.9 times.

Are users actually upgrading? Or do processor upgrades amount to a security blanket that's destined to sit in a closet? Chip makers insist the benefits are real and that people are taking advantage of the opportunity to inject an added dose of speed into their computers. Less biased observers say the benefits are more about peace of mind than megahertz.

"It's more of a marketing

ploy than a real need expressed by users," asserts Bill Ablondi, who is vice president of the research firm BIS Strategic Decisions (Norwell, MA). "It's become a checklist item now that both buyers and sellers feel they have to satisfy."

Ablondi estimates that fewer than 5 percent of PC owners have replaced their processor. One reason for the hesitancy, he explains, is that BIS surveys indicate that a majority of users still do not feel comfortable about opening up their PCs to add a circuit board—much less swap processors.

Cost is another factor. With the price of Intel 486-based PCs dropping below \$1000, it's sometimes difficult to justify spending \$500 or more on a clock-doubling OverDrive upgrade. New computers are also engineered to work optimally with a faster chip, notes Ablondi, often outperforming similar systems that have been "cobbled together."

Indeed, the need for a new processor is often a sign that it's time to upgrade the whole system, notes Mike Feibus, editor of *MicroSystems Report*, a newsletter published by research firm MicroDesign Resources (Sebastopol, CA). "If the processor is sputtering," he says, "then chances are, there's a half dozen other things in the system that are sputtering, too—memory, hard disk, video, and so on." Feibus esti-

mates that perhaps 15 percent of users with processor upgrade options might eventually exercise them.


Jim Chapman, vice president of marketing at Cyrix, disagrees with these assertions. "Clearly, there's a camp that's going to buy new machines," he concedes. But he also says upgrades are an attractive option for corporations that want to extend the life cycle of their machines by 12 to 18 months. Chapman says one benefit of Cyrix's chip upgrades is that—unlike Intel's OverDrive—the Cyrix upgrades don't require a special socket. Chapman says the Cyrix upgrades will work on "99.5 percent of the [386DX] systems out there." Cyrix is currently testing a clock-doubling chip for 16-MHz 386SX chips and a 33-/66-MHz 386DX upgrade chip.

Intel, which has likened the OverDrive socket it supplies to PC makers to a "vacancy" sign inside the computer, won't divulge sales numbers for its

OverDrive chips but says its high-profile upgrade campaign is meeting expectations. The net percentage of people upgrading is small, concedes Mike Fister, general manager of Intel's End User Components division. But because the OverDrive processors are intended mainly as a "mid-life boost" for PCs that are depreciated over five or six years, he insists it's too early to judge their success. "If you bought an OverDrive chip a month after you bought a PC, then I'd say you probably bought the wrong system to begin with," says Fister.

The real key to the widespread acceptance of processor upgrades may be bringing down prices, agrees Fister. Math coprocessors that once sold for more than \$500 now sell for less than \$100, and the same thing could happen to CPU upgrades. If it does, expect to see a lot of "no vacancy" signs.

—Christopher O'Malley



When installing Cyrix's Cx486DRx2 upgrade, I found that the hardest part of the task is pulling the old processor out of the system's motherboard. Once that was accomplished, installation was fairly easy. Cyrix supplies a chip puller (which resembles a shoehorn) that makes the job easier.

HANDS ON

BYTE DOS BENCHMARKS: CPU TESTS (VERSION 2.4)

	CYRIX/CACHE	COMPAQ 386/20	486/33 MHZ
Sieve*	85.25	27.98	123.54
Sort*	10.60	3.18	12.09
Integer Math*	463,597.33	225,631.07	505,880.80
Move (byte)*	55.41	55.41	185.78
Move (word-odd)*	141.43	138.36	356.68
Move (word-even)*	145.35	145.32	370.14
Move (doubleword-odd)*	78.99	66.44	226.98
Move (doubleword-even)*	125.00	125.02	570.84
CPU Index (Desktop Class)	0.73	0.49	1.60

*measurements in ips = iterations per second

When installed in a Compaq 386/20, Cyrix's \$349 Cx486DRx2 ran BYTE's benchmarks about 1.5 times as fast as the original processor, but less than half as fast as a 486. When evaluating whether to upgrade, you need to consider more than just CPU performance. For example, if you have an 8-bit graphics card, you probably won't see any increase in screen performance after you upgrade. Tests were run using version 2.4 of the BYTE DOS benchmarks. For all tests and all indexes, higher numbers indicate better performance. Desktop Class indexes are calculated relative to a Compaq Deskpro 386/33L.

This VX•REXX



Developers: on your marks, get set—GUI!

With VX•REXX™, WATCOM™'s visual development environment for OS/2® REXX, you're on the fast track to creating applications that exploit the graphical user interface capabilities of OS/2 and the Workplace Shell.™

will really


 VX•REXX is an easy to use, powerful and fully integrated environment that combines a project management facility, visual designer and an interactive source-level debugger to deliver a very approachable and highly productive visual development environment. With the visual designer, you can graphically create CUA '91 objects, quickly customize their

get you

properties, and easily attach REXX procedures to the objects.

Since it's based on IBM System Object Model (SOM) technology, the VX•REXX environment is wide open. You can access all standard REXX API's including DB2/2. VX•REXX also lets you package applications as EXE files or PM macros. There's support for multithreaded applications. You can even include OS/2 style help and hints in your applications.

To keep GUI-ing, WATCOM customer support delivers timely response by phone, fax, e-mail, CompuServe,™ or the WATCOM bulletin board



With the visual development environment of VX•REXX, it's all systems GUI.

GUI-ing.

system. So when it comes to developing OS/2 applications, VX•REXX is the way to GUI. To order or to find out more about OS/2 2.1 or VX•REXX, call 1 800 3-IBM-OS2. In Canada, call 1 800 465-7999.

Operate at a higher level.™

EMERGING TECHNOLOGY

Optical-Computing Power Coming to Light

Researchers see optical computing as an emerging technology with a bright future. Recently, Stephen A. Kupiec, chief engineer at Dove Electronics, Rome, New York, achieved several breakthroughs in this field. The essence of his project, scheduled for completion late this year, is the production of an OPLA (optical programmable logic array) computer, which is capable of implementing a seemingly unlimited number of digital logic operations.

Among the payoffs from Kupiec's undertaking could be greatly improved associative processors and holographic memories with the potential of holding gigabytes of information with negligible seek times and no moving parts. Other long-term results include lessened power consumption (as low as 5 to 10 W), increases in system performance on the order of one to 100 times, and the ability to maximize the use of the almost unlimited degree of parallelism that computing with light allows.

According to project adviser H. John Caulfield, professor of physics at Alabama A&M, while all-optical computing may never come about, optical-digital and optical-analog ways of processing information surely will, and they provide many advantages. "In electronics, the number of operations a given logic element can perform at one time usually is only one or two. But in optics," Caulfield explains, "it can be around 1 million."

Special algorithms are in the works to take full advantage of Kupiec's technique, he says. Support is being provided for this effort by Dove Electronics, the University of Alabama at Huntsville, Alabama A&M, and Griffiss Air Force Base's Rome Labo-

ratory. Methods that scientists are considering to compute photonically include OPLA, SEED (self-electro-optic effect device), and bit-serial architectures.

The OPLA architecture is being proposed by Kupiec, Valentin Morozov (visiting scholar, University of Colorado), and Peter S. Guilfoyle (president of OptiComp, Lake Tahoe, Nevada). This type of system should perform optimally when dealing with image decomposition, analysis and compression, network analysis, and flag algebra (used in CAD and virtual reality).

Alan Huang and his colleagues at AT&T Bell Labs (Holmdel, NJ) are proponents of the SEED architecture. It consists of a set of planar gates connected by simple fixed patterns. This arrangement performs many simple operations rapidly in parallel using very compact gates. One of its most appropriate uses would be as an efficient network switch.

Harry Jordan, program manager of digital-optical computing at the University of Colorado, advocates a bit-serial architecture. This is an electronic design implemented with optical flip-flops that differs just slightly from architectures used in conventional computers. Communications would be a good application for such a system, because it would be fast, immune to interference, and able to use optical fiber as its transmission medium.


Optical systems encode signals for true (1) and false (0) as the presence or absence of light. Another goal of Kupiec's project is to validate the use of N^2 interconnects within OPLAs. He also intends to verify the degree of fan-in that optical computers are capable of achieving.

—Janet J. Barron


Differing Degrees of Parallelism

Conventional serial computers process information (e.g., images) in a one-by-one fashion leading to serious bottlenecks. Simple parallelism performs a large number of one-by-one operations simultaneously, eliminating some bottlenecks, but data operations are localized. But global parallelism allows each data element to broadcast information to many resulting outputs, achieving a much higher potential throughput, as well as eliminating localized data.


Serial



Simply Parallel



Globally Parallel

DIGITAL SIGNATURES:
NOT SO FREE

WASHINGTON—The National Institute of Standards and Technology has avoided a potentially messy court battle over a public-encryption standard, but the solution has angered many who believe it lets one company profit from a standard that was promised to be free to the public. When NIST unveiled the Digital Signature Standard, Public Key Partners (Cupertino, CA) announced that DSS violated its patents and that anyone using the proposed standard would need to pay royalties to PKP.

When it announced DSS, NIST promised the new standard would be available for everyone royalty-free, and the stage was set for a major battle over who would control the signature system. The algorithm at the core of the system promises to be essential to modern, digital transactions, as it lets people create unforgeable signatures in the digital domain and thus sign contracts, transfer money, or close deals without ever using paper.

In the end, NIST capitulated. The standards maker has announced plans to give the technology to PKP in return for a published licensing-fee structure for manufacturers who choose to ship products with the capability of using this standard. Royalties range from 2.5 percent of the cost of hardware and 5 percent of the cost of software.

Michael Rubin, attorney for NIST, said the deal with PKP is similar to the compact between a public utility and the people, where the utility gets a monopoly in return for a set rate structure. However, the monopoly angers some people. Stephen Walker, president of Trusted Information Systems (Glenwood, MD), estimates that the deal could generate between \$400 million and \$2 billion for PKP because the standard could become a part of everyday life.

Rubin, however, believes that the patents held by PKP were fundamental enough to lead to a long court battle with an uncertain outcome. The PKP hand was strong, and the government needed to settle. It is uncertain whether people will choose to use this new standard and pay the price for the technology.

—Peter Wayner

C Set++

Get set for incredible 32-bit power. Get set for mission critical reliability. Get set for a range of advanced features. Get C Set++,™ from IBM Programming Systems. C Set++ is the most complete object-oriented application development package you can buy for OS/2®.

C Set++ lets you create the most advanced, high-performance applications imaginable. Its 32-bit C/C++ compiler lets you unleash all the power of OS/2, giving you industrial-strength code for your mission critical applications. It has an extraordinary code optimizer with a full set of options—even a switch to optimize for the new Pentium™ processor. Plus there's a full set of class libraries, including application

C Set++


mission

frameworks for PM, container classes and classes for multitasking, streams and more.

There's a whole set of other helpful features, like an interactive source level debugger. The unique Execution Trace Analyzer traces the execution of a program, then graphically displays diagrams of the analysis. You also get Workframe/2™, a language-independent tool that lets you customize your own environment. It's adaptable and flexible—you can use any 16 and 32-bit DOS, Windows™ and OS/2 tools.

critical set.

IBM®



Set your eyes on this: C Set++ gives the Workplace Shell™ quite a workout.

With C Set++, it's easier than ever to set your sights on success. To order or to find out more about OS/2 2.1 or C Set++, call 1 800 3-IBM-OS2. In Canada, call 1 800 465-7999, ext. 460.

Operate at a higher level.™

IBM and OS/2 are registered trademarks and C Set++, Workplace Shell, Workframe/2 and "Operate at a higher level" are trademarks of International Business Machines Corporation. Pentium is a trademark of Intel Corporation. Windows is a trademark of Microsoft Corp. © 1993 IBM Corp.

Circle 99 on Inquiry Card.

SYSTEMS

IBM's Ambra: Virtual Corporation... Logical Move

A number of company names (i.e., Merisel, SCI Systems, Acer, and Wearnes Technology) are mentioned in the same breath as Ambra, the new IBM subsidiary that will sell lower-than-low-end PCs. Ambra president David Middleton says that the new division hopes to capture at least 10 percent of what he says is a \$10 billion market of people who prefer to buy their PCs by phone.

However, the companies listed above will contribute as much to the manufacturing, distribution, and support of Ambra's PCs as IBM will. For example, SCI will build Ambra's motherboards, Acer is providing systems development and subsystems technologies, and Merisel is handling the order taking. With IBM playing a less dominant role than ever before, analysts say one question that users will inevitably ask is: Can Ambra maintain the quality they expect of IBM systems?

Rival Compaq boasts in-house manufacturing across its product line. Dell says it has brought all its manufacturing in-house, giving Compaq one less point of contrast, and Gateway 2000 has brought in all its desktop manufacturing as well. Necessity or good marketing? "There's no reason why you should have lousy quality whether you outsource or not," says David Wu, analyst for market research firm S. G. Warburg in New York City.

The key, he adds, is how well products are tested.

What remains to be seen is the effect Ambra will have on the competition, billed "a tough call" by Infocorp analyst Scott

Miller. Also open is how Ambra sales might dip into those of IBM's own ValuePoint, particularly in a mail-order channel that generates 10 percent of that line's sales—a sizable portion considering the profit margins of low-end systems. "It almost seems like the company is duplicating effort," says Miller. "You have two direct-response organizations. How do you retool that?"

The biggest wait-and-see, however, is Ambra's business model, the virtual corporation, which shows a major company outsourcing perhaps more than the industry has ever before seen to beat lowball clone makers at their own game. "It certainly is a new way to do business," says Miller. "If a company like IBM can be successful at this, it raises the questions: 'Do I really need to be in the manufacturing business? Does it make more sense to spend my resources doing other things?'"

—Ed Perratore

Ambra Computer Corp.,
Raleigh, NC, (800) 252-6272.



AMBRA VS. DELL: A DESKTOP SAMPLING

SYSTEM	CPU	CONFIGURATION	PRICE
Ambra S450SL	486SLC-2/50	4 MB of RAM, 64-KB L2 cache	\$1069
Ambra D466BL	Blue Lightning 66	4 MB of RAM, 256-KB L2 cache	\$1559
Dell Dimension XPS 450V	486DX2/50	4 MB of RAM, 128-KB L2 cache	\$1778
Dell Dimension XPS 466V	486DX2/66	4 MB of RAM, 256-KB L2 cache	\$1978

How low is low? Ambra, the new direct-response IBM subsidiary, has announced two notebook computers and 14 PCs—including a dual 60-MHz Pentium tower PC with a CD-ROM drive and a 540-MB SCSI hard drive for \$6559. The chart shows the low end of the Ambra line and similar products that Dell announced the same day. Ambra configurations include a mouse, DOS, Windows, a 256-color graphics card, and a 240-MB hard drive. Dell's minimum systems include a 230-MB hard drive and a #9 GXE VL video card but no monitor. The Blue Lightning 66 is IBM Technology Products' (Somers, NY) processor subsystem. IBM expects to start sampling a clock-tripled 33-/100-MHz computer in this quarter.

EMBEDDED PROCESSORS

PowerPC Goes Underground

IBM Technology Products plans to begin volume shipments in mid-1994 of a line of embedded processors that are based on the PowerPC architecture and designed for applications like printer and I/O control, PDAs (Personal Digital Assistants), and consumer electronics devices. Designated the PowerPC 400 family, to differentiate it from the PowerPC 600 family under development by IBM and Motorola for general-purpose computing platforms, the processors in the 400 family will be made available in chip form, on board-level controllers, and as ASIC (application-specific IC) cores.

The last variation is particularly interesting because it lets manufacturers add custom control circuitry to the same chip containing a PowerPC processor, thereby eliminating the design problems and performance hit you take when you move signals off-chip. The ASIC core is also an important competitive advantage: AMD and Intel don't offer an ASIC core for their first-line embedded architectures, the 29K and 960, respectively.

IBM has not released design details for any member of the PowerPC 400 family, nor even a count of the number of different processors in the family.

In addition to the PowerPC 400 family, IBM announced two important development tools for the PowerPC. The first is OS/Open, a real-time operating system that includes a development environment for embedded systems. OS/Open will be available in December for \$19,500. The second development tool is RiscWatch-601, an expansion card for IBM RS/6000 workstations that contains a PowerPC 601 processor. RiscWatch-601 is a complete development environment for the 601. It will be available in December for \$22,500.

With its announcement of the PowerPC 400 family, IBM takes a giant step forward into the merchant chip market. By leveraging its internal experience in creating microprocessor-based controllers and its design experience with the PowerPC 600 family, IBM intends to create a line of embedded processors and controllers that will span both low-cost (greater than \$10) and high-performance applications.

—Bob Ryan

Catch

This just in. Applications Manager, best known as *AM*,[™] has just added OS/2[®] 2.1 support. We repeat, the flagship client/server application development software from Intelligent Environments is now available for OS/2 2.1 environments.



For the latest-breaking developments, we take you to corporate America, where *AM* and OS/2 offer a tried and tested mechanism for building 32-bit, multitasking, line-of-business client/server applications. *AM*'s visual programming environment streamlines the development and maintenance of mission-critical client/server applications by teams of programmers. And Static SQL support makes *AM* a real headliner.


This recent news is becoming quite a feature story. By interfacing with MMPM/2, included with OS/2 2.1, *AM* lets programmers employ innovative team development capabilities

AM

like dynamically linked programming—simplifying reuse and maintenance of program code. DDE support allows programmers to paste information, including *AM* code, comments and *AM*-generated documentation, into Windows[™] 3.1 applications easily. And there's also quicker screen interaction and improved productivity through support for OS/2's new high-performance 32-bit graphics engine.

With *AM* and OS/2, you'll never again have to return to your regularly scheduled programming.

the latest



Use *AM* to develop your own highly rated network programs.

news.

To order or to find out more about OS/2 2.1 or *AM*, call 1 800 3-IBM-OS2. In Canada, call 1 800 465-7999.

Operate at a higher level.[™]

If *(wait)* **this** *(wait)* **is** *(wait)* **how**

(wait) **your** *(wait)* **computer** *(wait)*

does *(wait)* **Windows,** *(wait)*

have *(wait)* **we** *(wait)* **got** *(wait)* **a**

(wait) **PC** *(wait)* **for** *(wait)* **you.**



NEC Image 466

Don't wait. Put one of our Image™ Series 486 PCs on your desk immediately. You'll get Windows performance that really screams.

And we're not the only ones who

feel that way. In a recent review of the Image Series, *PC World* wrote, "Say goodbye to waiting in Windows."

Making it fast.

Our ingenious Image Video™ technology combines

second-generation local bus video with a powerful graphics accelerator, so even the most complex, most demanding graphics applications run full blast. And with our True Color support for over

16.8 million colors and photo-realistic images, those applications will have the impact of a speeding freight train. The bottom line: Your produc-

tivity takes a fast turn skyward. Our new Image PCs are built for easy, 238-pin ZIF-socket upgrades to the next generation of Pentium-based Intel OverDrive™ processors. We've also given them an on-board SCSI II interface, for quick connections to a wide range of peripherals.

But wait: it gets even better.

In addition, NEC's OptiBus™ technology can make those peripherals perform up to 30% faster than ordinary systems. While our ImageSync™

feature delivers flawless, flicker-free images with no adjusting when used with one of our award-winning MultiSync® FG™ monitors.

The NEC Image Series. Just part of a whole family of great personal computers, from our affordable PowerMate® PCs, to our expandable Express™ servers. So (why wait?), call 1-800-NEC-INFO or NEC FastFacts™ at 1-800-366-0476, request document 46243.



NEC Image 433



NEC Image 425



Because ↑ is the way you want to go.



Circle 118 on Inquiry Card.

DESKTOP PUBLISHING

Frame Puts on a New Face

In a major rollout planned for mid-September, Frame will have released simultaneously its new FrameMaker 4 for Sun Microsystems and Hewlett-Packard Unix workstations, the Mac, and PCs running Windows. Frame ((408) 433-3311) reasons that by releasing all these versions at the same time, its customers—typically corporations, government agencies, and schools who want to share complex documents over different operating systems—can upgrade their platforms simultaneously.

Many of the new features in FrameMaker 4 will be common to all the versions. Other features (e.g., support for Publish/Subscribe on the Mac and new document-import filters on the Windows version) are unique to a certain version. The main thing that remains con-


sistent across all the platforms is the desktop publishing model of linked and anchored “frames.”

FrameMaker 4's most important improvements are common to all systems: a better organization of functions and menus, context-sensitive help, paragraph format design by example or by specification, and new capabilities that make it easier to format pages and paragraphs and use fonts. For example, when you change a master document, the program immediately applies those changes, instead of requiring you to go through the extra step of applying the changes.

Even though the drawing tools remain limited when compared to full-featured drawing programs like Aldus FreeHand and Illustrator, FrameMaker 4 supports more

image and graphics import functions with greater control. One particularly nice new feature is a built-in international thesaurus.

FrameMaker gives you a high level of layout control while maintaining much of the simplicity and general functionality of a word processor. Its format control level is somewhere between QuarkXPress (on the highly detailed end) and Microsoft Word. The frame concept will either turn you away or win your heart. I am one of those who has been won over by FrameMaker. I evaluated version 4.0 on a Mac Quadra, but I use FrameMaker as my primary writing tool both at home (on a Mac Ili) and at BYTE (on a Silicon Graphics Indigo). FrameMaker is as easy



FrameMaker 4's new organization of menus takes time to get used to, but it's a valuable improvement.

to write with as a word processor but is actually a desktop publishing program. Thus, I can actually see how my text will look in the pages of BYTE as I write it.

—Ben Smith

PSION'S NEW POCKET COMPUTER IS TWICE AS NICE

PSION HAS TAKEN THE BEST features of its Series 3 pocket computer (e.g., a multitasking operating system, long battery life, and diminutive size) and improved upon them by doubling the screen, internal system RAM (now 512 KB), and the speed at which its processor runs (now 7.7 MHz).

Because Psion redesigned its applications to take advantage of the new system's improved graphics capabilities, it has also increased the internal application ROM to 1 MB. The Series 3a also lets you record reminders and other brief voice messages for later replay through its built-in microphone. The result is an improved version of a very capable computer that easily slips into your pocket. The Series 3a will sell for about \$499.

The bigger screen lets you view more information in the built-in spreadsheet, word processing, database, scheduling, and other applications. Even better is the zoom function that lets you enlarge type from 6 points to 14 points in all the programs.

Due to its keyboard, the Series 3a remains, like the Series 3, a pocket computer more suited to managing appointments and contacts than a system for heavy-duty text input. But the Series 3a represents a nice improvement to a product that Psion says has already passed the million mark in unit sales internationally.

Psion, Inc., Concord, MA, (508) 371-0310; fax (508) 371-9611.



Instead of the Series 3's screen that displays 40 columns and nine rows (middle photo), the Series 3a (bottom and top photos) offers an 80-column, 18-row display.

—Dave Andrews

FRAMEMAKER 4 HIGHLIGHTS

ALL VERSIONS

- Creates automatic hypertext links (clicking on a page number in the table of contents brings you to that page)
- Supports RGB, HLS, CMYK, and Pantone color models
- Document comparison
- Customizes menus in three ways
- Equation editor good for math-intensive documents
- Rotates text and graphics in 0.001-degree increments
- Side heads now supported

MAC VERSION

- QuickAccess toolbar lets you easily access commands
- Support for QuickTime, Apple Events, and Publish/Subscribe
- Thumbnail preview of documents and images
- Ungroups imported PICT images for further editing

WINDOWS VERSION

- QuickAccess toolbar
- Can import CorelDraw and GEM graphics files
- More document-importing filters

UNIX VERSIONS

- Import and export text through the XClipboard utility
- HP VUE and OpenWindows support for drag-and-drop and double-click file launching

HOW TO BUY A DOUBLE-SPEED CD-ROM... WITHOUT GETTING TAKEN FOR A DRIVE.

Introducing Creative OmniCD.

If you've been thinking about adding the power and excitement of an internal CD-ROM to your PC, here's some great news: thanks to our exclusive Creative Double-Speed Technology,[™] *double-speed CD-ROM performance is now available at about the same price you'd expect to pay for a single-speed drive.*

And we're not talking about just any CD-ROM here. This is a full-featured, MPC 2 compliant, XA-ready, 300KB/second, multi-session photo CD drive with a blistering fast 320ms access time:

The all-new Creative OmniCD.[™]

WORKS WITH ANY SOUND CARD.

Of course Creative OmniCD works with your Sound Blaster[™]—after all, it is the industry standard for PC audio. But what if you've already got another sound card?


No problem. Because *Creative OmniCD works perfectly with just about every major brand of audio card...or even without a sound card for applications that don't use audio.*

Best of all, Creative OmniCD opens up a whole new world of CD-ROM applications. Like photo CD—we've even included Aldus[®] Photostylar[™] SE image enhancing software right in the box. And also games, multimedia and business applications, education, and more.

THE BOTTOM LINE: A LOT MORE DRIVE, A LOT LESS MONEY.

Sure, there's plenty of other manufacturers offering double-speed CD-ROM drives. But as part of a complete package *with an SRP of less than four hundred dollars?** Now *that's* Creative.

For more information and the name of your nearest Creative Labs dealer, call 1-800-998-5227.



**Sound
BLASTER**

CREATIVE
CREATIVE LABS, INC.



*SRP \$399.95

© Copyright 1993 Creative Technology Ltd. Creative Double-Speed Technology, Creative OmniCD, Sound Blaster and the Sound Blaster and Creative logos are trademarks of Creative Technology Ltd. All other trademarks are the property of their respective owners. U.S. inquiries: Creative Labs 1-800-998-5227 or 1-408-428-6600. International inquiries: Creative Technology Ltd., Singapore, TEL 65-773-0233 FAX 65-773-0353.

SAEED VAHID

Moving Forward—Cautiously

At the climax of the Islamic revolution 14 years ago, the ruling government generally regarded computers as luxury equipment that offered little benefit to a country in which almost 40 percent of the population was employed in the agrarian sector. Before the revolution and the overthrow of the Shah of Iran, mainframe and minicomputers were mostly used by large organizations. But Iranians in all sectors of business now recognize the benefits of computerization.

When western countries applied economic sanctions to Iran after the U.S. embassy was seized, buyers of cast-off mainframes in Iran lacked support in the area of software, documentation, and after-sale service. Due in part to these economic sanctions and political upheaval, Iran lagged behind the microcomputer revolution as well. However, with the August 1988 cease-fire in the war with Iraq and the adaptation of a free-market economy by the new government, Iran is trying to keep pace with the world.

The U.S. government prohibits U.S. companies from exporting computers with a rating of more than 6 MTOPS (million theoretical operations per second) to Iran. Iranian buyers can nevertheless purchase such equipment from companies like Tatung that are headquartered in East Asia, as well as through European channels. Lower powered 386-based PCs are also available through resellers for U.S.-based companies. Although the majority of PCs in use come from East Asian countries, firms like Dell, ALR, NCR, and IBM now have resellers in Iran. Companies in


Iran have also been able to obtain Mac Quadras and R4000-based workstations.

Iran's own indigenous computer industry has suffered to some extent due to changing policies. For example, in the early 1980s, a group of Iranian engineers at a company called Pooya began to build a native-designed minicomputer, as well as write the system's own operating system. However, just as they finished the system, the state ban on importing PCs was lifted, and it was no longer economically justifiable to manufacture the expensive minicomputer. Pooya now offers Samsung's PCs and ICL's DRS-6000 RISC machines to its Iranian customers.

The last attempt at developing a native-designed PC failed with the rollout of a Z80-based PC to a market in which 286-based PCs were already in extensive use. Despite these failed attempts at creating a native system, many companies remain in the business of assembling components and making quality clone computers.

As in a number of countries, the internationalization of English-language software poses a unique set of challenges to software developers in Iran. Five Persian character sets exist in the market, each one introduced by a different company for use in its own software.

About 90 percent of the microcomputers in Iran run Microsoft's MS-DOS. A Tehran-based software company called Computer Software, working in collaboration with Microsoft, has begun a project to add Persian language capabilities to the popular operating system. A beta version of Persian DOS




has been released, but it has not yet been formally announced. Microsoft is also developing a version of Windows that is capable of handling the right-to-left Persian script.

Because none of the companies developing Persian software in Iran are strong enough to influence the other software companies, each of their proprietary Persian character sets will continue to be used in parallel. Perhaps Microsoft's Persian DOS will be a powerful enough force in the market to make the DOS character set the dominant one. But if software companies continue to introduce proprietary products and the government continues to implement confusing policies, the dominant characteristic of Iranian computing may be one of chaos. ■

Despite a slow initial start and the lack of a standard Persian character set, the Iranian computer market is growing steadily.

Saeed Vahid is a freelance technical writer based in Tehran. You can reach him on BIX c/o "editors" or on the Internet at isi@irearn.bitnet.

BYTE What's New International



**Hardware,
Software, and More**

Mobile Printing

page 48IS-3



Automatic Network Inventory


page 48IS-20

Toolkits for Windows

page 48IS-24

Transient Capture Module

page 48IS-6



Network Disc Mirror

page 48IS-28

Software Protection for Mac Networks

page 48IS-4



The spreadsheet he's working on is 500 miles away. And so is his office printer.


Yet with CommWorks, both are accessible from the laptop.

For an encore, he could send a fax, or check his E-mail messages by accessing CompuServe.

CommWorks for Windows makes it all possible — in a single package that's really superb value for money!

Take a fully equipped office with you
CommWorks combines five essential Windows communications tools.

LapLink Remote Access lets you access the disk drives and printers of a second PC — whether it's a few metres away, or connected to a modem on the other side of the world.



Launch every kind of communication you need, with a single click in the Control Center

TS FAX lets you send, receive and manage faxes directly from your PC. And popular on-line services such as CompuServe and MCI are easily accessed with TS Online.

FAX • REMOTE ACCESS • FILE TRANSFER • ON-LINE SERVICES • FILE AND FAX ALERT • ALL FOR THE SPECIAL INTRODUCTORY PRICE OF £149.95!

GENEVA 3.00 AM: AND HE'S STILL WORKING IN HIS LONDON OFFICE

That's not all: you also get LapLink V, the latest version of the world's No.1 file transfer utility, plus LapLink Alert which advises you when new files or faxes are received.

One Control Center handles it all

The Control Center below makes communication easy. Just point and click to launch the tool you need.

Every part of CommWorks is easy to use. And the whole package is fully supported by Traveling Software, the leader in portable communications.

Five powerful communication tools, all for the cost of one!

If you're a remote professional, you simply can't be without CommWorks.


For full details, call Traveling Software today on +44 (0) 753 81 82 81.

Or ring the Upgrade Hotline on +44 (0) 734 81 42 30 if you're a Traveling Software user.

CommWorks is a trademark of Traveling Software Inc.

From the Makers of LapLink

COMMWORKS for WINDOWS



What's New International Hardware



LOW-COST MONOCHROME ▲ TERMINALS

Microvitec (Bradford, U.K.) offers the MCG3060, a monochrome terminal designed for functional compatibility with major emulations, including Wyse 60, DEC VT320, and PC-Term. Among the terminal's (£299) features are overscan capability, 132 columns, a refresh rate of 78 Hz, seven pages of memory, a parallel port, and soft fonts. Available with a paper-white or green screen, the MCG3060 includes a selection of desktop utilities (e.g., a clock, a calendar, and a calculator).

Phone: +44 274 390011.

Circle 1426 on Inquiry Card.

MODULAR PCS

A range of 486 modular PCs from Vanilla Computer (London, U.K.) support Pentium-technology OverDrive upgrades. The PCs give you a choice of more than 3000 possible configurations (call for prices). They permit upgrades and add-ons, including processor type, system base, and hard drives. All are equipped with ZIF (zero insertion force) OverDrive sockets; an on-board frequency synthesizer, which lets you select any clock speed; 4 MB of RAM (expandable to 32 MB); and a 256-KB on-board cache memory. Processor options include 25- and 33-MHz 486SX, 33-MHz 486DX, and 50- and 66-MHz 486DX2. You can choose from six hard drives (42 to 452 MB), five system bases (minidesktop

to full-size tower), six displays (14- to 17-inch), and three software options (DOS, Windows, or WindowWorks).

Phone: +44 71 631 5454.

Circle 1434
on Inquiry Card.

NOTEBOOK PCS

Olivetti U.K.'s (London, U.K.) latest family of notebook computers includes the Philos 11, Philos 22, Philos 33, and Philos 44. All models come with backlit monochrome displays supporting 64 shades of gray. The color versions of the 22 and 33 offer passive-matrix displays with 16 colors, and the 44 is available with a TFT (thin-film transistor) active-matrix display

supporting 256 colors.

The entry-level 386SL-based Philos 11 (from £989) comes with 2 MB of memory and a 60-MB hard drive. The Philos 22 (from £1399) comes with a 486SL CPU, 4 MB of memory, an 84-MB hard drive, a math coprocessor, and a pop-up mouse.

The Philos 33 (from £1549) and Philos 44 (from £1899) come with a pop-up trackball, voice management features that let you record sound on the hard disk, a microphone, speakers, and two standard jacks for external microphones, speakers, or tape/CD recorders. The Philos 33 (20-MHz 386SL CPU) and Philos 44 (25-MHz 486SL CPU) offer 4 to 32 MB of memory and removable hard drives of from 85 to 240 MB. They also have a 10-mm PCMCIA Type II slot.

Phone: +44 81 785 6666.

Circle 1427 on Inquiry Card.

MOBILE PRINTING



A portable thermal-transfer printer, the Joyriter prints at a speed of 81 cps at a resolution of 360 dpi. The printer (1138 deutsche marks) is about the size of an A4 sheet, weighs 1.2 kg, and measures 2.5 cm in height. It comes with Epson LQ-850 and IBM Proprinter X24E emulations and Fujitsu's DPL24C+ printer language. The power supply lets you print approximately 30 pages, and you can reload it within 2 hours using an optional quick charger. For desktop printing, you can add an optional 15-sheet cut-sheet feeder.

Contact: Fujitsu Deutschland, Munich, Germany, +49 89 323780.

Circle 1421 on Inquiry Card.

If you would like your new product considered for publication in the international section of BYTE, send press releases to BYTE, Attention: Martha Hicks, One Phoenix Mill Lane, Peterborough, NH 03458, U.S.A., (603) 924-2638, fax (603) 924-2550.

FAX MODEM

The Bullet E1414MX fax modem features CCITT V.32bis data transfer and V.17 Group 3 send and receive fax capability. With standard V.42bis and MNP level 5 error-correction and data-compression protocols, data throughput can be as high as 57,600 bps. E-Tech's (Hsinchu, Taiwan) modem supports synchronous and asynchronous operation and Hayes AT commands. The Bullet E1414MX



(about US\$300) includes automatic fall-forward/back, password protection, remote configuration, adaptive tone/pulse dialing, auto-/manual dial and redial, auto-answer, and a call-progress monitor.

Phone: +886 35 774991.

Circle 1432 on Inquiry Card.

FAX ON DEMAND

Faxmaker, a complete fax-on-demand system from Galea & Franceschini Interactive (Breda, The Netherlands), includes a PC add-on card and Windows software. The package (one-line system, 2395 Dutch guilders) can store an unlimited number of Windows documents and fax them back to system callers. The software's sound recorder lets you record and play back your own prompts. The system's printer driver lets you easily incorporate unlimited illustrations, photos, and logos in any Windows program. A logbook of all callers lists their fax numbers and choice of documents.

Phone: +31 76 601092.

Circle 1428 on Inquiry Card.

What's New International Hardware



LASER PRINTERS ▲

Genicom (Farnborough, U.K.) offers the 7040EC, 7080EC, and 7080RP laser printers. All three have parallel and serial interfaces and support Genicom's optional LAN interface module, Geni-Link, which lets you connect the printers to a network or host without a dedicated server.

The 4-ppm 7040EC (£998) includes 1 MB of RAM (expandable to 3 MB); PCL 5 (Printer Control Language), Epson FX-850, and IBM Proprinter XL24E emulations; 22 fonts; and a resolution of 300 dpi with edge-enhancement technology. A 100-sheet multipurpose feeder and manual feed are standard; a cartridge slot accepts HP-compatible font cartridges.

An 8-ppm printer, the 7080EC (£1275) comes with 1 MB of memory (expandable to 4 MB); the same emulations, fonts, and resolutions as the 7040EC; two cartridge slots for HP-compatible font cartridges; and a 250-sheet paper cassette. The 7080RP (£1395), an 8-ppm printer, features a 16-MHz RISC processor plus the same amount of memory, emulations, fonts, and resolution as the other two models.

Phone: +44 252 522500.

Circle 1449 on Inquiry Card.

RACK-MOUNT UPS ▼

AccuPower Gold, a UPS (uninterruptible power supply) from Emerson Computer Power (Swindon, U.K.), is available in



a rack-mount version designed for unattended support of large networks and telecommunications installations. The 19-inch UPS offers a choice of 1500 or 2100 VA and is available with additional battery racks to provide autonomy times beyond one hour. If you fit AccuPower Gold (call for prices) with an optional SNMP card, you can integrate the UPS as an intelligent, interactive partner on Ethernet or Token Ring networks with two-way control and monitoring of power-related parameters. If SNMP is not appropriate, optional AccuMon communications software provides power and UPS status monitoring at any terminal or workstation.

Phone: +44 793 553355.

Circle 1458 on Inquiry Card.

JPEG IMAGE COMPRESSION AND DECOMPRESSION

A low-cost card for the PC, ImageCom from Imagine Graphics (St. Albans, U.K.) uses JPEG compression and decompression to let you reduce file sizes by up to 100 to 1. The card (£330) can handle 24-bit true color, 15-/16-bit color, and 8-bit gray-scale images. In addition, ImageCom supports most popular image file formats and allows compression and decompression to and from these formats with user-selectable compression factors.

Phone: +44 727 844744.

Circle 1430 on Inquiry Card.

SOFTWARE PROTECTION FOR MAC NETWORKS

NetMacHasp offers a secure and cost-effective solution to the

problem of illegal use of applications running on Mac networks. To implement Aladdin Knowledge Systems' (Tel Aviv, Israel) protection system, you link your application to a unique code contained inside the NetMacHasp key. During run time, the protected program checks to see whether a NetMacHasp key with the appropriate code is connected to any of the Macs on the network. If the program confirms the key's code, you can execute

the software. If not, you will not be able to run the software. One NetMacHasp (from US\$89 per unit) key can protect up to 22 programs running on the same network, while letting you limit and control the number of stations allowed to run each program concurrently. NetMacHasp also lets you limit the number of activations allowed for each protected program.

Phone: +972 3 5375795.

Circle 1441 on Inquiry Card.



HIGH-RESOLUTION COLOR MONITORS

Brilliance monitors give you a choice of three high-resolution models: 15, 17, and 21 inches. All three monitors provide high refresh rates and flat, square tubes, for a larger viewing area and distortion-free images.

The Brilliance 2120 (6500 deutsche marks), a 21-inch auto-scan monitor, supports resolutions of up to 1600 by 1280 pixels and a horizontal-scanning frequency of 82 kHz. Digital control facilities allow precision color matching and adjustment. You have a choice of two color temperatures and a user-definable mode that lets you select color balance.

The 17-inch Brilliance 1720 (DM 3100) offers an increase in display area while retaining compact desktop cabinet dimensions. This monitor has the same 82-kHz horizontal-scanning frequency as the Brilliance 2120. The Brilliance 1520 (DM 1500), the 15-inch model, supports resolutions of up to 1024 by 768 pixels noninterlaced and has a horizontal-scanning frequency of 58 kHz, which allows refresh rates of up to 72 Hz in Super VGA mode and 70 Hz in Extended VGA mode.

Contact: Philips Consumer Electronics, Eindhoven, The Netherlands, +31 40 732718.

Circle 1422 on Inquiry Card.

PARALLEL TAPE BACKUP FOR

OS/2 SCO UNIX
Windows NetWare

All Registered Trade Marks are acknowledged



- Speeds up to 12 MBytes per minute.
- Capacities up to 4 GBytes.
- DAT and Optical systems also available.
- Two year warranty.

**BOOTH B137 · COMDEX FALL
LAS VEGAS · NOV 15-19 1993**

**International Distributor &
OEM Enquiries Welcome**

Cristie



TS4250



TS4000 Series



TS4250



Cristie Electronics Limited, Bonds Mill, Stonehouse, Gloucestershire GL10 3RG. Tel: 0453-823611; fax 0453-825768

Cristie is the Registered Trade Mark of Cristie Electronics Limited. All other trade marks are acknowledged.

Circle 554 on Inquiry Card.

What's New International Hardware



PROTECTION FOR WINDOWS APPLICATIONS


Fast Electronic's (Munich, Germany) Hardlock product family protects Windows applications. HL Crypt for Windows 1.0 (450 deutsche marks) encodes .EXE and DLL files, and the implementation runs automatically without affecting the source code. The package immediately and automatically encodes information generated by applications, and, after encoding, files are accessible only in combination with the appropriate Hardlock E-Y-E module.

Phone: +49 89 50206 185.

Circle 1454 on Inquiry Card.

TRANSIENT CAPTURE MODULE

The adm7164 is a 3-megasample-per-second four-channel transient data-capture module. It has triggering facilities and 4 megawords of local data-storage capacity. All four channels are digitized simultaneously at 12-bit resolution with data stored in fast local memory. The four A/D converters sample continuously and store data temporarily under DMA control. The Sunnyside Systems (Livingston, Scotland) module measures 100 by 220



mm, with input signals via front-panel-mounted BNC connectors and power, control, and communications via a rear-mounted connector, the DIN41612. A

transputer controls the module (£2250 to £2945) and provides fast communications to other modules and to the main data-processing and storage system. An additional 4 MB of memory is available to the transputer for control and on-board data processing.

Phone: +44 506 460345.

Circle 1443 on Inquiry Card.

PHOTOGRAPHIC-QUALITY PRINTING

Available from Phase IV Systems (Eynsham, U.K.), Fuji's Pictography 3000 printer produces true photographic-quality prints from digital images. The printer (£18,800) can handle paper of standard thickness, thin paper, and overhead transparencies up to A4 with full bleed. You get full control of color adjustment and gradation, as well as hue and saturation from the host computer. Software drivers are available for Sun, Photoshop, and Silicon Graphics.

Phone: +44 865 883355.

Circle 1433 on Inquiry Card.

DRAWING BOARD WITH MOUSE

Aristo (Hamburg, Germany) says that its College Board\digital is the first drawing board you can connect to a PC to turn it into a digitizer tablet. You can use the five-button cursor with a precision cross-hair sight as a standard mouse or, when you place it onto the College Board\digital (598 deutsche marks), as a digitizer.

Phone: +49 40 85 397 296.

Circle 1435 on Inquiry Card.

ISDN LAN BRIDGE

The enhanced version of Jaguar Communications' (St. Albans, U.K.) Digidial LAN Bridge supports CLIP (Calling Line Identification Presentation), which lets you accept and reject calls based on the caller's ISDN number. Digidial LAN Bridge 2 (from £1350) also provides Toll Save; an IPX "keep alive" feature, which lets you disconnect an ISDN link while maintaining your LAN session; advanced filtering techniques; and IP Connect/Disconnect, for fast call set-up and clearing of calls within TCP/IP environments.

Phone: +44 727 41311.

Circle 1436 on Inquiry Card.

TOUCHSCREEN KIT

MicroTouch Systems (Thame, U.K.) offers a low-cost kit that lets you set up and evaluate the usability of its touchscreen interface. The QuikPoint GX140 (£495) is a plug-and-play touchscreen that you attach to the front of your 13- or 14-inch monitor. You can install the controller card in the PC bus or in a stand-alone box that connects to the PC's serial port. The touchscreen averages down the area of finger contact to a single point, giving a resolution of 1024 by 1024 touch points.

Phone: +44 844 260123.

Circle 1437 on Inquiry Card.

DIGITAL PLOTTERS/COPIERS

Océ's 9500 series, a line of 400-dpi plain-paper digital electrophotographic plotters/copiers, includes three models: 9535 (300,000 French francs), 9555 (250,000



FF), and 9575 (350,000 FF). The 9535 is an A0 digital copier with full zoom capability that lets you enlarge or reduce copies from 43 percent to 200 percent by increments of 0.1 percent. The copier automatically adjusts exposure controls, does up to two A0 plots per minute, handles 6-meter-long copies and originals, supports roll- or manual-feed medium loading, and plots up to nine copies. You can upgrade the 9535 to a 9575.

A high-volume digital plotter, the 9555 can turn out designs at a rate of two A0/E plots per minute. Automatic format recognition instantly adapts to individual user demands by recognizing and switching between data formats. For easy integration into existing CAD systems, the 9555 supports data formats such as HPGL, HPGL/2, BGL, VDF, CC 906/907, and HP-RTL, with support planned for CCITT Groups 3 and 4. Ethernet and IBM coaxial connection options are available.

Combining the power, flexibility, and convenience of the 9535 and 9555, the dual-function 9575 performs plain-paper plotting and digital copying in one compact machine. When idle, the 9575 defaults to plotter mode, ready to accept files from any user on the network. The machine automatically switches to a copier on demand, and it can receive plot data while it's copying.

Contact: Océ Graphics, Créteil Cedex, France, +33 1 49 80 65 66.

Circle 1423 on Inquiry Card.

Super Saver
Bundles Available!
Call Your
Boca Distributor Today!

	10 Base-T Adapter	10 Base-2 Adapter	Combo Adapter	10 Base-T Concentrator
Boca Research	\$129	\$159	\$179	\$245 (8-Port)
SMC	\$199	\$199	\$249	\$899 (8-Port)
Eagle	\$175	\$199	\$229	\$495 (9-Port)
3Com	\$199	\$199	\$225	\$995 (12-Port)
Intel	\$179	N/A	\$189	\$649 (12-Port)

WANNA PLAY TAG? BOCA'S IT!

**WHEN IT COMES TO PRICE AND PERFORMANCE,
WE ALWAYS OUTPERFORM THE COMPETITION!**

It's a real challenge to provide high performance at low cost.

Boca Research has a pretty smart solution. The Ethernet Solution!

- ▶ Novell Certified ▶ Single-Chip Solution ▶ Unsurpassed Value
- ▶ Outstanding Reliability and Performance ▶ Superior Drivers



Boca's Ethernet Adapters are backed by free technical support, and a five-year warranty that is standard for all of our fine products. At Boca Research, when it comes to price and performance, no one beats Boca.



BOCA
RESEARCH INC



6413 Congress Avenue, Boca Raton, FL 33487 • (407) 997-6227 Fax: (407) 997-0918

Manufacturer's suggested retail price. 10Base-T ETHERNET Adapter By Boca, Combo ETHERNET Adapter By Boca, and 10Base-2 ETHERNET Adapter By Boca are trademarks of Boca Research, Inc. Other trademarks are owned by their respective manufacturers. Boca Research, Inc. ©1993. Compiled from information believed to be accurate as of 7/28/93.

Circle 501 on Inquiry Card (RESELLERS: 502).

What's New International Hardware



DOT-MATRIX PRINTING FOR NETWORKS

Aimed at networks, the Genicom (Farnborough, U.K.) 3840EP is a 136-column parallel or serial dot-matrix printer. Offering speeds of up to 600 cps at a resolution of 12 cpi in draft mode and 150 cps at 12 cpi in letter-quality mode, Genicom's printer can simultaneously handle two different forms, one in each of the front/

bottom and rear tractor-feed paths. The 3840EP (£1995) supports 24 bar code styles and offers ANSI 3.64 protocol and IBM Proprinter XL, IBMGP, DEC LA210, and Epson FX-286e emulations. An optional pedestal allows full use of the paper-handling facilities and provides storage space.

Phone: +44 252 522500.

Circle 1440 on Inquiry Card.

GAME PACK 60 SERIES

The Orion Game Pack 60 (US\$60) includes the Orion 60 joystick, Orion II sound card, 4-inch stereo speakers, and seven applications and utilities that enhance the sound card. The Qtronix (Taipei, Taiwan) Orion 60 joystick features a two-button, full-pistol grip; x- and y-axis controls; and four suction cups. The Orion II sound card lets you add quality stereo sound to your applications or games that you can output through a pair of speakers or stereo headphones.

Phone: +886 2 716 3178.

Circle 1438 on Inquiry Card.

TERBO MODEM

Paxdata's (Hemel Hempstead, U.K.) latest modem supports the Vterbo 19.2-Kbps standard. The Excell 1942 Terbo (£695) contains a 16-bit CMOS processor

and is capable of transmission speeds of from V.32bis down to V.21. The modem uses DMA memory transfers to automatically feed high-speed links without processor intervention.

Phone: +44 442 236336.

Circle 1429 on Inquiry Card.

UNIX SOFTWARE PROTECTION

Based on its SmartKey software-protection keys, SmartUnix 1.0 from Eutron (Bergamo, Italy) provides software companies that operate in the Unix environment protection from illicit copying of protected software packages. You interface the device (65,000 lire) to the Unix software you want to protect through appropriate device drivers. SmartUnix 1.0 supports standard programming language.

Phone: +39 35 201003.

Circle 1431 on Inquiry Card.

This is what BYTE says about
CLASSNET

NEWS WHAT'S NEW INTERNATIONAL

"Computerized Classroom"

Classnet from Minicom Advanced Systems is a dedicated communication network that gives instructors control over all activities, by all students, in the classroom.

...The Electronic Blackboard function lets you see a student's screen, display your own screen to any or all students, display a student's screen to the entire class, and send messages in real time to any or all students. The Interject function lets you disconnect the keyboard and darken the students' screens, giving you command over classroom activities.


By simulating the teacher's keyboard on a student's keyboard, the

Assist function lets you help a student working in real time without losing visual contact with the entire class. The Communication function lets you prepare a lesson by transmitting work files to students; send data, text, or even an exam to all students; collect students' files at the end of a lesson or exam; and connect students to external devices such as videodisk players and modems.

The Print function lets you control one printer from the teacher's unit, while the Help function tells you that a student needs help, showing you the student's station number on your screen..."

(8/1991)

CLASSNET - The unique communication network, giving instructors control over all activities, by all students in the classroom.



Available for MAC
NEW- MULTIMEDIA SHARING

To find out the full facts about
CLASSNET contact us at:


 **Minicom**
Advanced Systems Ltd.

3, Beit Hadfus St.,
Givat Shaul

Jerusalem 95483, Israel

Tel: 972-2-518593, Fax: 972-2-518971

Hardlock. The art of individual software protection.



With today's fiercer competition on the software market, it has become increasingly important to protect software products against piracy.

Since 1985, FAST Electronic has sold over 1.000.000 software protection modules. Its product name, Hardlock, has become synonymous with software protection through hardware. Transparent, compatible, daisy-chainable, programmable, hackproof. No wonder that the international press qualified it as a very high quality product.

Software protection as unique as your software.

Today, a software protection system must meet the needs of a wide range of users. As a result, what was once an outstanding software protection module has grown into an outstanding palette of software protection products. You want classic protection for your software at the parallel interface? Then, Hardlock E-Y-E, which can be individually encoded with the Crypto Programmer Card, is the ideal solution for you.

Perhaps you'd prefer to protect your software with an add-on board? You can install the Hardlock Double-Face board in all PC/AT and PS/2 computers. You want to protect your software in a network? You want to store additional information on the module? Hardlock E-Y-E is still the answer.

There's no substitute for experience.

All Hardlock products meet the same high quality standards and offer an outstanding price/performance ratio.

This includes access to the Hardlock Hotline, available to our customers daily at no extra charge. Give us a call and request our new brochure highlighting our whole line of copy protection products.



Programmable, algorithmic response and memory option - all in one.
Hardlock E-Y-E tried and tested by a million customers.

Order your evaluation package today!

Contact B. Ajari at Fast Electronic or one of the offices below:

UK:
Magnifeye
Tel: ++44-71-2218024
Fax: ++44-71-7923449

France:
FAST Electronic S.A.R.L.
Tel: ++33-1-48837811
Fax: ++33-1-48839734

Spain/Portugal:
Fast Ibérica S.L.
Tel: ++34-1-7253626
Fax: ++34-1-7267219

Italy:
Techne S.R.L.
Tel: ++39-59-440690
Fax: ++39-59-440720

BeNeLux:
Crypsys Data Security
Tel: ++31-1830-24444
Fax: ++31-1830-22848

Greece:
Fast Hellas AE
Tel: ++30-1-6893 675
Fax: ++30-1-6854 624

Finland:
Fast Finland Oy
Tel: ++358-0-5611 001
Fax: ++358-0-5611 006

Hungary:
Szki Recognita Corp.
Tel: ++361-201-8925
Fax: ++361-201-7607

Croatia:
G&G Electronic
Tel: ++38-41-315794
Fax: ++38-41-333510

America/Far East:
Glenco Engineering Inc.
Tel: ++1-708-808-0300
Fax: ++1-708-808-0313


SYSTEMS 93
Hall 23
Booth A 03

FAST
Fast Electronic GmbH

FAST Electronic GmbH, Kaiser-Ludwig-Platz 5, 80336 München, Tel: ++49-89-53 98 00-20, Fax ++49-89-53 98 00-40

Circle 512 on Inquiry Card.

What's New International Hardware



ULTRALIGHT 486SL NOTEBOOK

Weighing only 3.3 pounds, ABC Computer's (New Territories,

Hong Kong) Handi-PC comes with a 25-MHz 486SL CPU, internal cache memory, a floating-point processor, and built-in peripheral controllers. The notebook's LCD is a 7.5-inch VGA screen with a resolution of 640 by 480 pixels and 16 levels of gray. The Handi-PC (about US\$1380) also comes with 4 MB of memory (expandable to 20 MB), an 80-MB hard drive, parallel and serial ports, a PCMCIA Type II expansion slot, an 80-key keyboard with an embedded numeric keypad, a trackball, and external connectors for an optional floppy drive, VGA monitor, and IBM PS/2 keyboard (or an IBM AT keyboard with an optional adapter). The notebook uses a heavy-duty nickel-metal-hydride/nickel-cadmium battery pack that gives you 3 to 5 hours of continuous use. When your battery power is low, the Handi-PC automatically saves the data in the system RAM to the hard disk.

Phone: +852 481 6118.
Circle 1452 on Inquiry Card.

FAX AND VOICE SYSTEM

If your company sends out product information, FlashFax may interest you. A fax and voice system from European Printing Systems (Fareham, U.K.), FlashFax sends documents via fax in response to caller requests, which they enter through a Touch-Tone phone. The system (per month lease, £195) provides a simple way to fulfill information requests from customers. FlashFax consists of a stand-alone unit, which you connect to voice and fax telephone lines. It uses a hard drive to store documents and literature, as well as for recording voice messages. Each document is given a unique ID number, and callers select the appropriate document by entering its number in response to voice prompts.

Phone: +44 329 221121.

Circle 1455 on Inquiry Card.

The simple Connection for Tapedrives and CD-ROMs

Anywhere, anytime, plug a Tapejet or CD-jet into the parallel port of your PC compatible or portable—without an interface card. It is so fast, small and so simple. No hardware conflicts, no slots. The Tapejet can store up to 250 MB on a tape using data compression. Tapejet is QIC-80 compatible. With its small size and a data throughput of up to 8.2 MB/min. Tapejet is among the fastest parallel port tape drives you can buy and it costs only US-\$ 485.-

Your Choice: Our DUO:PORT tape drives offer capacities from 250 MB up to 8 GB. While the DUO:PORT OPTI offers unlimited storage in incindements of 128 MB. They can be connected to the printer port or SCSI-2 adapters in PC's or Workstations. We provide pass-through printing capability.

NEW:

CD-JET the low-cost parallel CD-ROM solution.



Distributors wanted.



Parallel Port Tape and CD-ROM



MULTIPOINT

Computer Systeme GmbH
Ruselstraße 84
94469 Deggendorf / Germany
Telefon (49) 0991/29017-12
oder (49) 0991/29017-13
Telefax (49) 0991/29017-20

VM/386 MultiUser.

**A Workgroup
Operating System
for DOS & Windows.**



*Version 3.0
available now*

Why wait any longer for fast and powerful networking software to run Windows® and DOS in your workgroup?

Get the power of a true 32-bit MultiUser, Multitasking DOS-based operating system with VM/386 MultiUser® (version 3.0). VM/386 MultiUser® fully supports thousands of Windows 3.1 and other DOS applications. Plus, you will put the multi-tasking power of a true 32-bit operating system into your shared DOS environment.

Up to 10 times faster than LANs

VM/386 MultiUser allows one 386/486 PC to act as host for up to 32 text-based terminals, graphics workstations and /or other PCs. Each retains all the functions and familiarity of true MS and PC DOS. And with disk intensive applications, VM/386 is up to five to ten times faster than a LAN.

Compared to LANs or UNIX, the easy start-up and low support needs of VM/386 MultiUser will surprise you. Plus, you can have remote dial up access without a need for costly additional software.

Supports Windows 3.1

Run any of your favorite DOS applications that comply with the DOS Protected Mode Interface (DPMI) Standard and Windows. VM/386 MultiUser is ideal for workgroup accounting, point-of-sale, wordprocessing, business and many other multi-tasking, multi-user situations.

True 32-bit operating system

Version 3.0 of VM/386 MultiUser running as a true 32-bit system, assures future compatibility with hardware upgrades like MP.

Thousands of field-proven VM/386 systems have been in use since 1987. To learn more about the latest release of VM/386 MultiUser (Version 3.0) and how it can open Windows and doors for you, contact us now.

IgC

Join a winning team.

Phone: 408 • 441 • 0366

Fax: 408 • 441 • 0390

1754 Technology Drive • Suite 108
San Jose, CA, USA 95110

What's New International Hardware

HIGH-END SCANNER



The M3097G image scanner can handle document sizes from business cards to the standard formats A6 to A3. With a scanning speed of 36 A4 ppm at a resolution of 200 dpi, it can handle documents in flatbed mode or continuously process up to 100 single sheets. The M3097G (22,885 deutsche marks) comes with a SCSI-2 interface. You can increase the data transfer and processing speeds with an optional plug module. A graphics-processing module dynamically switches the scan mode as the M3097G discriminates between line art and graphics elements. This module also enhances the scanner's base resolution of 400 dpi. Resolutions of from 50 to 1600 dpi are possible while zooming from 25 percent to 400 percent in increments of 1 percent.

Contact: Fujitsu Deutschland, Munich, Germany, +49 89 323780.

Circle 1425 on Inquiry Card.

DOCUMENT RETRIEVAL

Aimed at people who need to access information easily, the MDi SpaceMaker PA (£9995) can store up to 100,000 A4 sheets with quick and simple retrieval. MDi Systems' (East Linton, U.K.) desktop filing system lets you scan, index, store, view, and retrieve documents from one small box. The device uses a 486 processor, so you can run standard PC software. You can add SpaceMaker PA systems to existing networks that are running Novell NetWare or similar network operating environments. The system stores document index data in Xbase format and stores images in CCITT Group 4 format.

Phone: +44 620 860966.

Circle 1453 on Inquiry Card.

SERIAL PRINTER SHARERS

Nighthawk Electronics (Saffron Walden, U.K.) offers a range of

serial printer-sharing products that let you use your PC's serial port for connecting and sharing peripherals. Each of the four models in the Jelly Bean series provides four or eight inputs, one or two outputs, and 256 KB or 1 MB of dynamically allocated buffer memory. The printer sharers (£210 to £335) use 25-way D-type connectors and support serial formats of up to 38.4 Kbps.

Phone: +44 799 40881.

Circle 1439 on Inquiry Card.

LOCAL-BUS 486 PCS

The local-bus range of 486 PCs from Future Computers (Croydon, U.K.) use the VL-bus standard and include the following CPUs: 25-MHz 486SX, 33- and 50-MHz 486DX, and 66-MHz 486DX2. The PCs include ISA and EISA models, and all systems (£1138 to £2000) have a 256-KB cache memory. The main memory of the ISA sys-

tems is expandable to 64 MB, while the EISA systems support up to 128 MB of memory. Two VL-bus slots are provided on all models: one occupied by the 1-MB Super VGA graphics accelerator card, and one by the VL-bus hard drive controller. Slim-line, desktop, mini-tower, and midi-tower enclosures are available, together with IDE and SCSI high-performance hard drives of from 120 MB to 1 GB.

Phone: +44 81 667 0707.

Circle 1442 on Inquiry Card.

SERIAL AND CURRENT-LOOP COMMUNICATIONS ▼

Now you can link IBM PCs and industrial instruments that use RS-232 or 20-mA current-loop communications with a half-length card, the RS232C/Current Loop Dual Serial Port (£239), from Micro Control Systems (Nottingham, U.K.). The two ports, which use 25- and 9-way D-type connectors, are independently configurable for mode of operation, IRQ (interrupt request) level, and I/O address. They use the industry-standard 16450 device and are software-compatible with the IBM PC asynchronous communications adapter.

Phone: +44 602 391204.

Circle 1456 on Inquiry Card.


OPTIMIZED APPLICATIONS


Fastcycle-88 (£495), a package for designers of embedded computer systems from Arcom Control Systems (Cambridge, U.K.), consists of a multitasking STE-bus processor board (SCIM88) and a PC-based debugging environment. Based on a 16-MHz 80C188 CPU, the SCIM88 board comes with dual high-speed serial I/O channels, a real-time clock, a watchdog timer, and 1 MB of memory, which includes flash-EPROM sockets with on-board programming circuitry. You can configure the card's memory in a mix of the following: EPROM/flash-EPROM, DRAM, and battery-backed SRAM (static RAM).

Designed to operate alongside Borland C or Pascal compilers, the SourceView software provides a DOS-like stand-alone operating environment for the target-oriented 80C188 hardware. The combination optimizes Borland's Turbo Debugger tool for remote source-level debugging of PC-compatible targets to produce compact and efficient code for embedded systems. The addition of a multitasking kernel simplifies programming for demanding real-time applications.

Phone: +44 223 411200.

Circle 1460 on Inquiry Card.





Kaeuffer & Partner

V7-MIRAGE and V7-CM1764 MS

Windows-Power in ErgoPack[®]



Working in a relaxed manner in Windows simply requires more than just colour. Namely high resolution and short image refresh cycles. So that no spots appear in front of the eyes and no crocodile tears fall, you should take a look at SPEA VideoSeven.

With the **V7-MIRAGE**, the highly praised Windows graphics board, and the **V7-CM1764 MS**, the 17" AutoScan monitor with a whole lot of ergonomics.

ErgoPack[®] almost transforms the Windows work station into a relaxing station - especially with BigWin, the super-fast Windows direct driver, invented by SPEA. BigWin accelerates Windows to such a degree, that even we are at a loss for words. But not so with the international press (see box).

So visit your SPEA VideoSeven partner. He'll show you Windows without crocodile tears - the ErgoPack[®] from SPEA VideoSeven.

But there is one thing he won't be able to show you: How we manage to sell you the ErgoPack[®], V7-MIRAGE and V7-CM1764 MS for the amazing price of only £ 1,080.- And the ErgoPack[®] with the V7-MIRAGE local-bus for a only £ 20.- more.

Circle 542 on Inquiry Card (RESELLERS: 543).

The ErgoPack[®] from SPEA VideoSeven

V7-MIRAGE (1 MByte video memory, expandable to 2 MByte, to 1280 x 1024, up to 90 Hz screen refresh rate, True and HighColor-Mode, 640 x 480 and 800 x 600)

complete with

V7-CM1764 MS digitally driven AutoScan monitor (17" trinitron picture tube, max. refresh rate 100 Hz, all V7 graphics modes are factory set, meets the standard "Ergonomically Tested, TÜV Rheinland)

complete for only £ 1,080.-

(VL-Version available at additional cost)

All prices excl. VAT

SPEA

VIDEO SEVEN

SPEA Software AG
Kingston House, Goodsons Mews,
Wellington Street, Thame, Oxon OX9 3BX
Tel. +44-844-26 18 86, Fax +44-844-26 17 14

What's New International Hardware

CD-ROM DRIVE

Silica Systems offers Mitsumi CD-ROM drives and software bundles for PC compatibles. The CD-ROM drives comply with MPC, Photo CD, and Multisession standards. In addition to the stand-alone model (£149), Silica offers two software configurations. One package includes the drive, interface

card, and Kodak Access (£179); the second package includes the same hardware and Micrografix's Graphics Works (£199).

Contact: Silica Systems, Sidcup, U.K., +44 81 309 1111.

Circle 1424 on Inquiry Card.



MULTISEGMENT STACKABLE HUB

Designed to fill the gap between the workgroup hub and the large, modular chassis, the NetWorth Series 3000 is a multisegment stackable hub that provides port segmentation across all hubs in the stack. Available from NetWorth (Maidenhead, U.K.), each hub provides 24 RJ-45 ports that you can split into two or three segments. You can integrate up to five hubs in each stack, providing 120 ports per stack. You can add a daughterboard to the NetWorth Series 3000 (unmanaged, £1330; managed, £1997) to replace the hub's twenty-fourth port with a thick coaxial, thin coaxial, or fiber-optic inter-repeater link backbone connection. Because each connector is field-replaceable, you can switch medium types as your needs

change without changing or significantly modifying the hub.

Phone: +44 628 828300.

Circle 1451 on Inquiry Card.

VANDAL-PROOF KEYBOARDS

Designed for use in severe environments, the RF WT keyboards from Rafi (Ravensburg, Germany) feature an aluminum front panel that is unaffected by vandalism, moisture, or dirt. Behind the front panel, a matrix with an FSR (force-sensing resistor) is glued onto a support plate. The FSR sensor fields consist of two polymer layers: One is coated with electrodes, and the other is a semiconductor layer. The company can print the front panel on the RF WT (442 deutsche marks) in multiple colors, anodized or laser-printed.

Phone: +49 751 891307.

Circle 1457 on Inquiry Card.

Switching Power Supply Computer Case



ZECK

Switching power supply-Quiet, Reliable

- Power rating from 45W to 400W
- Complied with UL, CSA, TUV, Nemko, Senko, Demko, FI approval
- Build-in optional "Fan Regulator" (Temperature controlled card) provides your computer a quiet, low noise solution.

Computer case

- A complete range of cases including Slim-line, Desk-top, Mini-Tower, Middle-Tower and Tower Case
- With 3-digital display
- Black, White color




R94487 LR98205 E144272 A94055 155001 9226180 74569

ZECKS ENTERPRISE CO., LTD

6F, NO.111-32, SEC 4, SAN HO RD., SAN CHUNG CITY, TAIPEI, TAIWAN, R.O.C. FAX: 886-2-2801351 TEL: 886-2-2870799


**OEM
WELCOME**



ZKS-730T 230W

ZKS-522N 200W
ZKS-522T 200W
ZKS-520T 220W
ZKS-530TN 300W

Comparing the leading pocket LAN adapters.



\$399
RETAIL
PRICE

Comparable here.

YES	EPP Compatible	YES
YES	Power from Keyboard Connector	YES
YES	Both UTP and Coax On Board	YES



\$219
RETAIL
PRICE

No comparison here.

NO	Printer Port Pass Thru	YES
----	---------------------------	-----

See Us At
Network, Dallas
Booth 1544

Sure, the Compex ParaPort™ and Xircom's pocket LAN adapter seem comparable. Except Xircom doesn't have a printer pass-through port, so you lose your printer slot. And then there's price. Whammo! A whopping 82% cost difference at retail.

The important thing about ParaPort is that you sacrifice nothing by paying less.

Because ParaPort comes with ThruPort™, a printer pass-through port, you can connect the adapter to a PC without losing the use of its printer port and without a cumbersome splitter device.

Small enough to fit in a shirt pocket, ParaPort eliminates fumbling with slots and wires. With both coax and twisted pair on board it gives you

hassle-free connections between PCs and compatibles, an Ethernet network, and a personal printer.

ParaPort supports standard and enhanced mode. The enhanced mode is compatible with the emerging EPP standard.

ParaPort doesn't need bulky power supplies because it connects to an external keyboard connector with a slim cable. The keyboard cable "splits" the keyboard connection so the connector is still available for an external keyboard or other peripheral devices. It even comes with a handy carrying case.

ParaPort. Unbeatable performance. Unbelievable price. No wonder when it comes to Ethernet LAN adapters, Compex keeps out-connecting the rest.

Find out more!



Out-connecting the rest

U.S.A. Office
Compex, Inc.

4055 E. La Palma, Unit C, Anaheim, CA 92807
(714) 630-7302 • Fax (714) 630-6521

Singapore Office

Compex Systems Pte Ltd

4 Kim Chuan Terrace, Singapore 1953
(65) 288 8220 • Fax (65) 280 9947

Germany Office

ReadyLINK Networktechnology GmbH
Albert-Einstein-Strasse 42, 6074 Rödermark, Germany
49 (0) 6074-98017 • Fax 49 (0) 6074-90668

© 1993 Compex, Inc. Compex is a registered trademark of Compex, Inc. ParaPort and ThruPort are trademarks of Compex, Inc. Xircom is a trademark of Xircom Inc. All trademarks are the property of their respective companies.

Circle 504 on Inquiry Card (RESELLERS: 505).

What's New International Hardware



MULTICONSOLE HOST ADAPTER CARD

With the VGA-8, you can connect up to 32 simultaneous VGA stations on a single PC Unix host. The card from Advance Micro Research (Maidenhead, U.K.) incorporates full support for ASCII, the X Window System, Windows, Alpha Windows, ANSI monochrome and color,

and DOS text and graphics applications. The VGA-8 (eight-user configuration, £2920) provides each user station with monochrome and color VGA and Super VGA capability, data transfer speeds of up to 77 Mbps, and serial and parallel ports. Multiuser operating-system drivers are also available.

Phone: +44 628 778682.

Circle 1446 on Inquiry Card.

CORDLESS LAN MODEMS

The Scarab 9600 cordless LAN modem operates at 418 MHz UHF and is compatible with RS-232 devices and conventionally cabled V.24/V.28 equipment. The modem features a relocatable head that incorporates transceiver and antennae with 16 point-to-point addresses, firmware error protection and security, and limitless host-programmable addressing. New Era Microsystems' (Aldershot, U.K.) modem has a range of 250 meters and can communicate comfortably within a 10-story building or over an area of 196,000 square meters. Two versions are available: the soft modem (£459), a low-cost solution to cordless communications for programmable hardware and custom software applications and protocols, and the hard modem (£459), for nonprogrammable

hardware and existing software and protocols.

Phone: +44 252 345426.

Circle 1448 on Inquiry Card.

COLOR-SLIDE SCANNER

Microtek's (London, U.K.) ScanMaker 35T (£1395) is a 24-bit, 35mm color-slide scanner that works at a maximum resolution of 3656 dpi (1825-dpi optical resolution). It can process slides and loose film in color and gray scale and convert color negative material into positive images. You connect ScanMaker 35T for the PC via an interface using a protocol based on the SCSI standard. The PC package includes PhotoStar. ScanMaker 35T for the Mac connects via the SCSI port and comes with Adobe PhotoShop.

Phone: +44 81 200 8282.

Circle 1459 on Inquiry Card.

Data Communication Solutions



Once Again, Moxa Links You To Success!

YOUR CAREER

The MOXA-C320 is a modularized and cascaded RS-232 interface card, and is very flexible to work as a 8,16,24, or 32 port as your demand. The MOXA-C320 provides you the highest serial I/O performance at a lowest cost per user.

The MOXA-C320 has two 40 MHz TM320C25 high speed CPU. Its throughput up to 38400 bps with 16 ports, 19200 bps with 32 ports simultaneously. No data will be lost. 512K dual ported RAM offers more high capacity data which brings more convenience for engineers to develop programs and more address & IRQ options avoid the address conflict with other add-on cards.

The MOXA-C320 could monitor any port status with diagnostic LEDs and connection box can be located up to 100 m (324 ft) from the controller card in the host computer. It supports most of the operation system S/W as SCO UNIX/XENIX, AT&T SVR 4.2, MS-DOS and Windows 3.0/3.1.



MOXA
Moxa Technologies Co., LTD.

Fl. 8, No.6, Alley 6, Lane 235,
Pao-Chiao Rd., Shing-Tien City,
Taipei, Taiwan, R.O.C.
TEL : 886-2-9101230
FAX : 886-2-9101231


SEE US AT :



COMDEX/Fall '93
BALLY BOOTH B732

MEET EUROPE AND COMMUNICHATE

COME



INNOVATION AND SYSTEM INTEGRATION

► **SYSTEMS 93:** where information technology experts from around the globe meet for ideas and innovations in the world's - and Europe's - fastest-growing industry. A fascinating and informative display of the latest developments in computer and communication technologies. Don't miss out on a unique opportunity to make contacts that will pay off. At the world's leading international trade fair and congress: 18-22 October 1993.

► Want to know more? Just give us a call and we will be happy to send you detailed information on **SYSTEMS 93**. Telephone: (89) 51 07-284 or -285. Messe München GmbH, Messegelände, D-80325 München

MESSE MÜNCHEN  INTERNATIONAL



SYSTEMS 93


Computers · Communications · Applications

13th International Trade Fair and International Congress 

M u n i c h , 1 8 - 2 2 O c t o b e r 1 9 9 3

Circle 545 on Inquiry Card.

SHAPING UP FOR GREATER RECOGNITION



➤ THE EMERGENCE OF THE INFORMATION AGE HAS CREATED NEVER-ENDING MOUNDS OF PAPER. THE TASK NOW OF EFFICIENTLY SLIMMING DOWN THIS EXCESS OF WRITTEN MATERIAL IS TREMENDOUS. ENTERING ALL VALUABLE INFORMATION INTO A DATABASE IS ONE LEAP OVER THE HURDLE, BUT MANUALLY RETYPING THE MATERIAL IS TIME CONSUMING AND MAY LEAVE YOU BEHIND IN THE RACE.

➤ NOW, SHAPING UP HAS NEVER BEEN EASIER WITH RECOGNITA PLUS 2.0. THIS OPTICAL CHARACTER RECOGNITION (OCR) SOFTWARE HELPS TRIM DOWN THOSE PAPER OBSTACLES, BY ACCURATELY SCANNING AND READING PRINTED TEXT AND DATA QUICKLY

AND ECONOMICALLY INTO YOUR COMPUTERS.

➤ WHAT MAKES RECOGNITA PLUS 2.0 A LEADER OF THE PACK IS ITS OMNIFONT CAPABILITY, PLUS BEING PRE-TRAINED AND TRAINABLE. IT IS VERY LIGHT ON MEMORY AND DISK SPACE, AND IS EXTREMELY FAST, REACHING SPEEDS OF UP TO 300 CHARACTERS PER SECOND.

➤ A TRULY GLOBAL COMPETITOR, RECOGNITA PLUS 2.0, OPENS UP THE WORLD, WITH ITS ABILITY TO READ OVER EIGHTY LANGUAGES.

➤ EXERCISE YOUR CHOICE FOR A MORE EFFICIENT OFFICE WITH RECOGNITA PLUS 2.0. HERE IS A PRODUCT BOTH PERFORMING AND DESERVING GREATER RECOGNITION.

NEW FEATURES OF RECOGNITA PLUS 2.0

IMPROVED ACCURACY: DUE TO SELF ASSERTION TECHNOLOGY.

EASE OF USE: REDESIGNED SCREEN, ACCESSING MANY NEW AND ENHANCED FEATURES.

NEW RECOGNITIONS SUPPORTED: DOT-MATRIX, AND FAX FILE.

FULL INTERNAL EDITOR FOR ALL FORMATS: PLUS DEFERRED EDITING AND A UNIQUE OCR SPECIFIC SEARCH AND REPLACE FACILITY.

WINDOWS WORD-PROCESSORS: DIRECT CONNECTIONS AVAILABLE, PLUS DEFERRED PROCESSING AND TEMPLATES.

DEVELOPMENT TOOLKIT AVAILABLE, PLUS TWAIN SUPPORT.



SZKI

RECOGNITA Corp.

Circle 522 on Inquiry Card.

IT'S IN BETTER SHAPE THAN EVER!


CALL ONE OF THESE TO FIND THE ADDRESS OF YOUR NEAREST DISTRIBUTOR:

SZKI RECOGNITA CORP., H-1012 BUDAPEST, MÁRVÁNY U. 17., HUNGARY • PHONE: 36-1/201-8925 FAX: 36-1/201-7607

RECOGNITA CORP. OF AMERICA, 1156 ASTER AVENUE, SUITE F SUNNYVALE CA 94086, USA • PHONE: 1-408/241-5772 FAX: 1-408/241-6009

RECOGNITA Büroautomatisierung GmbH, Hainstrasse 19, Aufgang D, D-04109 LEIPZIG, GERMANY • PHONE: 49-341/209-635 FAX: 49-341/281-6

What's New International Software



PIE AND BAR CHARTS ▴

Pies 'n Bars (£750) helps you rapidly create business graphics or charts that you can render and save as TGA files in resolutions of up to 2048 by 1536 pixels. The package, which is from Gee Broadcast Systems (Basingstoke, U.K.), gives you a choice of chart styles, including pies, 3-D pies, bars, stacked bars, 3-D stacked bars, line, and 3-D line. It provides a choice of 16.7 million colors and lighting direction on 3-D charts. Pies 'n Bars lets you turn shadows on or off, have color or graduated backgrounds, and use a TGA image as the background.

Phone: +44 256 810123.

Circle 1465 on Inquiry Card.

NETOP FOR OS/2 ▼

NetOp PM provides simultaneous remote control over multiple PCs running OS/2, Windows, and DOS over SPX/IPX or NetBIOS networks. The package, which is available from Richmond Systems (Richmond, U.K.), lets you view remote PCs full-screen, as separate windows, or as icons running in the background. The number of machines you can control at one time is limited only by the master sta-

tion's memory. NetOp PM (one master and 50 remotes, £1265) includes local mouse, nonsynchronous screen update, and advanced compression features.

Phone: +44 81 940 6986.

Circle 1471 on Inquiry Card.

WINDOWS CAD

ChoiceCAD for Windows (£399) is a professional CAD program with more than 300 commands; advanced editing, placement, and drawing tools; and simplified drawing with geometry-construction functions. The package from Softcover International (London, U.K.) includes cut-and-paste functions for transferring drawings via the Clipboard to other Windows applications, TrueType fonts, a user-defined toolbar, dynamic drag-and-snap functions, and full Undo/Redo capabilities up to 1000 objects.

Phone: +44 71 373 6368.

Circle 1466 on Inquiry Card.

SOS HELP FOR WINDOWS


Available from QBS Software (London, U.K.), SOS Help for Windows is a WYSIWYG authoring system for Windows help. The software lets you rapidly create complex hypertext information systems with jumps, pop-ups, and Windows help macros from words, phrases, or pictures. With the SOS Help for Windows (£195) programming API, you can develop an application and its on-line help simultaneously.

Phone: +44 81 994 4842

Circle 1480 on Inquiry Card.

CREATIVE FAX MESSAGING ►

An automated message management program for networks, Textel-Relay (from £5000) lets users on a network send fax and telex messages directly from their workstations. Hogg Robinson Systems (Leicester, U.K.) offers a Windows interface (£975) for Textel-Relay that lets you merge text and graphics from Windows-based applications into fax messages. After you create your message, you simply select a mailing list from your address book. Textel-Relay queues the message for automatic transmission. The software lets you send messages via the least expensive route available and when rates




are low. A call-batching feature delivers messages going to the same location in one call.

Phone: +44 533 533933.

Circle 1475 on Inquiry Card.

BILINGUAL DICTIONARIES



Containing more than 40,000 references and 70,000 translations, Collins On-Line bilingual dictionaries are available in French, German, Italian, and Spanish. Features of the latest DOS version (£59) include a secondary zoom window, which displays dictionary entries more clearly; for the Windows version, full compatibility with Windows 3.1; and for both versions, a Supplement Builder, which lets you convert existing word lists for use with Collins On-Line. Add-on dictionaries include French-to-German and French-to-Spanish.

Contact: HarperCollins Electronic Reference, Worthing, U.K., +44 903 873 555.

Circle 1461 on Inquiry Card.



What's New International Software



WINDOWS EXECUTABLE FILES WITH CLIPPER

With QBS Software's (London, U.K.) Clip-4-Win 1.2, you can create true Windows executable files with CA-Clipper 5.01 and 5.2. Version 1.2 provides support for the following: resource files, including resources in DLLs and those stored in .EXE files; enhanced dialog boxes; modal and modeless dialog boxes; @...SAY with control of font type and size, colors, and providing automatic redraw; dialog boxes with GETs supporting font type, size, colors, and other Windows features; bit maps over 64 KB; Windows replacements for ACHOICE(.) and MEMO-EDIT(.); and expanded and improved Norton Guides. Clip-4-Win 1.2 (£245) applications can interact and exchange data with other Windows applications.

Phone: +44 81 994 4842.

Circle 1464 on Inquiry Card.

PERSONNEL MANAGEMENT

A Windows-based system, Percom HR provides a flexible and

easy-to-use personnel management system for organizations with distributed or centralized computer operating environments. The package from Percom (London, U.K.), available in single-user or network versions (single-user system, from £4950), holds information

such as personal details, employment contracts, salaries and benefits, training records, performance appraisals, holiday and sickness absence records, skills, and qualifications. Percom HR works with relational databases with ODBC (Open Database Connectivity) drivers. You can customize the system to meet your requirements and integrate it with office automation systems, such as word processors, spreadsheets, and other personnel-related systems like payroll and pensions.


Phone: +44 81 997 8985.

Circle 1032 on Inquiry Card.

C++ PROGRAM ANIMATION

A C++ program animation system, OST-Look can reconstitute an animated object-level diagram of a C++ program as it runs. Available from Admiral Software (Camberley, U.K.), the program records sequences of message exchanges during a program's execution and automatically lays out program objects in

AUTOMATIC NETWORK INVENTORY



Designed to automatically inventory workstation-configuration information, Network H.Q. 2.5 operates on Novell NetWare, Microsoft LAN Manager, Banyan Vines, and popular NetBIOS-, NDIS-, or ODI-compatible networks. Version 2.5 reports ROM BIOS version and manufacturer, NetBIOS version and bus type, and each workstation's model. Network H.Q. 2.5 (up to 25 workstations, £149; up to 100 workstations, £295; up to 250 workstations, £445) also surveys installed software on networked PC and Mac workstations; views specified workstation files (e.g., CONFIG.SYS and WIN.INI); exports data in Lotus WKS and dBase DBF formats; and combines databases from multiple copies of Network H.Q. 2.5.

Contact: Readmar Systems, London, U.K., +44 71 625 5255.

Circle 1462 on Inquiry Card.

two dimensions. OST-Look (PC single-user, £750; Unix single-user, £2500) controls the execution of the program you are animating and lets you stop at any point to examine the attributes and execution state of all objects. You can step through the application one message at a time to analyze complex object scenarios. For large applications, a filter mechanism lets you animate particular objects and messages. Phone: +44 276 692269.


Circle 1469 on Inquiry Card.

FRONT-OFFICE MANAGEMENT

CityDesk 2.1, the information distribution and management system for the front office, includes CityDesk Market Watch, Horizontal Ticker, Quick List, data-import functions, drag-and-drop capabilities, and messaging. CityDesk Market Watch caters to record-based feeds and

lets you display market information the way you want to see it using ACT Financial Systems' (London, U.K.) supplied library of popular templates and template generator. In addition to the scroll viewer already in CityDesk, version 2.1 (call for prices) has a multisource, multi-item Horizontal Ticker that scrolls from right to left and lets you label and color items. With the Quick List function, you can create predefined lists of frequently used information (e.g., pages, record sheets, files, and programs) and display this information using the mouse. You can import non-CityDesk sourced information and communicate dealer-to-dealer or department-to-department across CityDesk. Phone: +44 71 251 6666.

Circle 1024 on Inquiry Card.



MANNESMANN
Tally



THE MOST ADVANCED LINE AND MATRIX PRINTERS IN THE WORLD

Mannesmann Tally is Europe's No. 1 for line printers with performances up to ¼ million pages per month and 1700 pages per hour.

Our matrix printers also set the standard with the world's fastest

24 pin printer family capable of over 500 pages per hour.


With the best support available Mannesmann Tally is the first choice for high performance line and matrix printers.

T
**TOTALLY
COMMITTED
TO
PRINTERS.**

Circle 537 on Inquiry Card.

Mannesmann Tally Limited, Molly Millars Lane, Wokingham, Berkshire RG11 2QT. Fax +44 734 791491

What's New International Software



DATA-ANALYSIS SOFTWARE ▲

DIA-PC-WIN from SciTech Microsystems (Wokingham, U.K.) lets you analyze and document experimental and test data. The graphical presentation software

(about £2000) provides various graph types, tables, and layout templates. You can transfer DIA-PC-WIN displays to other applications via the Clipboard or export them as Windows metafiles. Optional software modules in-

clude a developer's kit and facilities for data acquisition and control, FFT (fast Fourier transform) analysis, statistics, curve fitting, splines, statistical process control, 3-D graphs, digital filters, time-domain analysis, and rainfall classification.

Phone: +44 734 772595.

Circle 1463 on Inquiry Card.

REPORT WRITING WITH DATABASE ACCESS

Contemporary Software (Lewes, U.K.) offers Crystal Reports 2.0, a report-writing tool that provides access and analysis of dBase, Paradox, FoxPro, and Btrieve databases. Crystal Reports Pro 2.0 provides wider access to corporate databases that are compliant with SQL and ODBC (Open Database Connectivity).

Both products include a report


designer with multiple database access that helps you create reports from simple mailing lists to complex reports. You can add full bit-map graphics to reports, and the line-drawing capability offers report-formatting enhancements.

Crystal Reports 2.0 (single-user version, £149; five-user LANPak, £325) includes two-pass reporting, Visual Basic custom control, and the ability to call formatted reports from the application. Crystal Reports Pro 2.0 (single-user version, £325; five-user LANPak, £695) adds corporate data access, user-defined functions, and reporting independency. The software lets you link data from SQL tables and PC databases on the same report, as well as customize the report writer to your applications.

Phone: +44 273 483979.

Circle 1030 on Inquiry Card.

Software is hard work



Get rid of those parasites!



Eutron
THE SECURITY KNOW-HOW

via Gandhi 12 - 24048 Treviolo Bergamo - Italy
Tel. +39-35-201003 - Fax +39-35-692229

PARASITE: "...an organism that lives off others, causing them harm".

You can find parasites in software, too: they are people who pirate programs that cost software houses years of study and research. Now the time has come to put a stop to software stealing and to start using SMARTKEY, the smart protection key.

SMARTKEY is connected transparently to the PC's parallel port and lets you protect your .EXE format files in a matter of seconds. Or you can act on source programs, for which drivers are available for a large number of languages and operating systems (DOS, WINDOWS 3, OS/2, UNIX, NOVELL, etc).

And because parasites are widespread in all software environments, SMARTKEY comes in a wide range of models to meet any software protection needs:

■ **FX** : with fixed programmed access codes

■ **PR** : with internal memory and user-programmable access codes

■ **EP** : with programmable codes, memory and capability to detect any attempts to break in

■ **NET** : for local network applications

■ **SR** : for software protection on workstations, mini and mainframes (on serial ports)

Please contact us for full details and documentation. Our technical staff is at your disposal to work out the best solution to the software protection problems. And you will be pleasantly surprised at the cost. Please call us for the address of a local distributor.

✓ No minimum quantities required


✓ Average delivery time 24 hours

✓ Technical support via hot line



Circle 511 on Inquiry Card.

NOTEBOOKS FOR ALL OCCASIONS



Future-Proof Modular Advantage.

*Its advanced design makes it easy to
grade and repair— so you can keep this
notebook for years and years.*

Smarter CPU.

*Intel's SL-Enhanced 486DX™ 33MHz.
It's not only fast, it saves battery too.*

Easier Expandability.

*There are two PCMCIA
connectors for flash memory
cards, LAN, fax-modem options,
and everything else you want!*



The Intel Inside Logo is a registered trademark
of Intel Corporation.

The Best Display Screen.

*There is nothing better in display
quality for notebooks than this large
10" TFT screen.*

Graphics That Comes Alive.

*32-bit VGA local bus and 1MB of
Video RAM give you faster, life-like
graphics in 512 colors.*

Notebook Audio

*Optional audio card
provides quality sound.*

ISO-9001



Get More Power at the Office.

*Enjoy the power of networking using
a LAN card.*



Fun and Work at Home

*Fax-modem, printer and
games— anything's possible.*



Easy Multi-Media

*You can really jazz things up with
a docking-station and CD-ROM.*



Automobile Adapter

*Work or recharge your notebook while waiting
in your car.*

If you want a notebook that you can use at the office, at home, or on the road; or a notebook that you can use to make a presentation at a client-site; or a notebook for fun and games, MITAC notebook can do all that and more.

From dazzling graphics in 512 colors to realistic sound, from large memory to user-friendly keyboard, from modular design to travel-friendly AC-adapters, from external monitor connector to multi-media solutions, everything is made to make things easier and more fun.

In fact, there's a whole family of notebook computers at MITAC. You can choose the one that best fits your needs.

MITAC is a registered trademark of MITAC International Corporation. Intel is a registered trademark and 486DX-33 is a trademark of Intel Corporation. All specifications subject to change without notice.

MITAC INTERNATIONAL CORP. Tel:886(2)501-8231 ■ MITAC EUROPE LTD. Tel:44(952)670-370/676-676 ■ MITAC JAPAN CORP. Tel:81(3)5420-2822 ■ MITAC AUSTRALASIA PTY LTD. Tel:61(3)585-1055

MITAC DE MEXICO Tel:52(5)703-1023/703-3932

APAC DISTRIBUTORS: ■ KOREA—Daido Tel:2-2157066 ■ SOUTH AFRICA—UNIDATA Tel:11-7926220 ■ KENYA—C.C.S. Tel:2-448200 ■ SAUDI ARABIA—Nahil Tel:1-4645373

■ U.A.E.—Al-Yousuf Tel:4-260000 ■ JORDAN—Concent Tel:962-6-644246 ■ EGYPT—E.G.O.S. Tel:2-2588392 ■ BAHRAIN—MAZIN Tel:973-244544 ■ NEW CALEDONIA—Barrau Bureau Tel:273734

■ THAILAND—Innotech Tel:559-2419 ■ INDONESIA—Multipolar Tel:380-7509 ■ PHILIPPINES—L.C.S. Tel:722-4111 ■ BRUNEI—DA System Tel:2244640 ■ KUWAIT—Zaid Al-Kazemi Tel:245-1680/2


■ IRAN—ISIRAN Tel:628-691 ■ SRI LANKA—Dynamic Ram Tel:1-436749

MITAC

People Committed To InfoTech

Circle 551 on Inquiry Card

What's New International Software



LAN-BASED VOICE PROCESSING

VMX (London, U.K.) has added the following features to version 2.0 of VMXMail: gateway speed enhancements, mailboxes for voice-mail-only users, a multimedia driver, and support for Rhetorix and Dialogic voice-processing cards. The LAN-based and group-oriented voice-processing software provides faster access to voice mail in Microsoft Mail and Lotus cc:Mail through the VMXMail gateway. The

multimedia driver lets any PC on the LAN use its desktop telephone for audio I/O instead of a Sound Blaster card. Version 2.0 (per line, £1250; per user or mailbox, £25) also provides a modem for remote configuration, diagnostics, and support.

Phone: +44 71 589 1036.

Circle 1033 on Inquiry Card.

BUILDING DESIGN

G-Series release 2.05 (£1000 to £4500) includes nine integrated software modules that provide architectural drafting, 3-D modeling, 3-D architectural design and management, surveying capabilities, ground-modeling functions, facilities management, a costing package, a raster-file

viewer and editor, and an optional visualization tool. The package from Gable CAD Systems (Sheffield, U.K.) also features list labels, which provide access to data sets and applications outside G-Series release 2.05; a macro facility; and update registers, which let you group assets with common characteristics on a drawing and store them in a separate drawing.

Phone: +44 742 700696.

Circle 1472 on Inquiry Card.

TOOLKITS FOR WINDOWS

Logic Programming Associates (London, U.K.) offers two toolkits, Portable Dialog Manager and Database Interface, for its Windows range of software tools for 386 and 486 PCs. Portable Dialog Manager (Mac and Windows versions: Programmer Edition, £500; Developer Edition,

£1000) supports high-level development of portable screens across Mac, Windows, and Unix machines. A specification system helps you describe screen input and output, which guarantees portability across the operating systems, GUI drivers, and hardware platforms under which each Prolog implementation runs. Features include the provision of style sheets, generic forms, database integration, default handling, and best-fit layouts.

Database Interface (Programmer Edition, £500; Developer Edition, £1000) supports seamless integration of rules and data, allowing Prolog-based applications to access remote data from databases such as dBase, Oracle, and Btrieve.

Phone: +44 81 871 2016.

Circle 1468 on Inquiry Card.

Ligature 2.1 for Windows

OCR with Text Appeal

Ligature offers the best OCR software for your desktop, in either Omnifont or Trainable mode. This 32-bit application scans your document, analyzes the layout, reads all Western European and Hebrew character sets and returns all text attributes directly to your application software.

Take the Ligature Challenge!

- Revolutionary accuracy due to Neural Network technology
- Enhanced page analysis with full retention of character & page attributes
- Improved OCR engine for degraded fax images
- Compact footprint
- WYSIWYG editor with pop-up verifier
- HP AccuPage & TWAIN support

A Software Development Kit for quick and easy integration of the OCR engine into specific applications, as well as an optional form-removal capability, are also available.

For further information, please contact:

Ligature Ltd., 3 Beit Hadfus St., Givat Shaul Industrial Zone, Jerusalem 95483 Israel, Tel: +972-2-513553, Fax: +972-2-513395
Ligature Inc., 25 Burlington Mall Rd., Suite 300, Burlington MA 01803 USA, Tel: (617) 238-6734, Fax: (617) 272-3085




People Committed To InfoTech

See Us At



COMDEX/Fall '93

Booth #1534 (Compac Microelectronics)



ISO-9001

UPGRADABLE POWER THAT SHOWS

S3 Windows accelerator chip

What good is power if it doesn't show? That's why MITAC UPStation Series lets you see its real power—thanks to our built-in S3 Windows™ accelerator chip.

Two VL-Bus slots

That's not all. To make things even faster, our PC comes with the latest VL-Bus Technology. Because the VL-Bus has an intelligent way to access information from your drives, it makes your software run faster—much faster.

ZIF Socket

When you want more power, the ZIF socket makes upgrading easy. Just plug in the CPU of your choice—from Intel® 486SX-25™ to 486DX-66™.

MITAC. Increasing your computer's power in a way that shows.



MITAC is a registered trademark of MITAC International Corporation. Windows is a trademark of Microsoft Corporation. Intel is a registered trademark and 486-25 and 486DX2-66 are trademarks of Intel Corporation. *Intel Inside Logo* is a trademark of Intel Corp.

■ MITAC INTERNATIONAL CORP. Tel:886(2)501-8231 ■ MITAC EUROPE LTD. Tel:44(952)670-370/676-676
 ■ MITAC JAPAN CORP. Tel:81(3)5420-2822 ■ MITAC AUSTRALASIA PTY LTD. Tel:61(3)585-1055
 ■ MITAC DE MEXICO Tel:52(5)703-1023/703-3932
 APAM DISTRIBUTORS: ■ KOREA—Daido Tel:2-2157066 ■ SOUTH AFRICA—UNIDATA Tel:11-7926220
 ■ KENYA—C.C.S. Tel:2-448200 ■ SAUDI ARABIA—Nahil Tel:1-4645373 ■ U.A.E.—Al-Yousuf
 Tel:4-260000 ■ JORDAN—Comcent Tel:962-6-644246 ■ EGYPT—E.G.O.S. Tel:2-2588392
 ■ BAHRAIN—Mazin Tel:973-244544 ■ NEW CALEDONIA—Barrau Bureau Tel:273734
 ■ THAILAND—Innotech Tel:559-2419 ■ INDONESIA—Multipolar Tel:380-7509
 ■ PHILIPPINES—I.C.S. Tel:722-4111 ■ BRUNEI—DA System Tel:2244640
 ■ KUWAIT—Zaid Al-Kazemi Tel:245-1680/2 ■ IRAN—ISIRAN Tel:628-691
 ■ SRI LANKA—Dynamic Ram Tel:1-436749

Circle 552 on Inquiry Card.

What's New International Software



UNIX APPLICATIONS DEVELOPMENT

Based on Smalltalk, Enfin for AIX is an object-oriented client/server applications development tool for the IBM RS/6000. The program, which is from Easel U.K. (Bracknell, U.K.), lets you build client/server applications in the AIX multiuser, multitasking environment that you can seamlessly port to Windows and OS/2. You can also port Enfin

applications developed for Windows and OS/2 to AIX. Enfin for AIX (no price available at press time) provides a WYSIWYG screen designer, a point-and-click database query editor, a visual database browser/editor, a WYSIWYG report writer, a visual financial model editor, a class browser, and advanced debugging facilities with a source code execution profiler.

Phone: +44 344 304611.

Circle 1479 on Inquiry Card.

PHOTOGRAPHY SOFTWARE

The Photographer's DataGuide (£60) contains useful tables for depths of field, hyperfocal distances, and infrared focusing. It includes almanacs for the U.K., U.S., Canada, and Australia that

show the time of the sun/moon rising/setting and other practical data for photographers. The program comes with a selection of lenses. Other tables provide print perspective, angle of view, light-source conversion, equipment listing, projection formula, and the close-up menu, which lets you determine what supplementary lenses you need.

An optional CineGuide (£40) covers 8mm, Super 8mm, 9.5mm, 16mm, 35mm, and 70mm film. Douglas Software (Winchester, U.K.) also offers the Photographer's DataBase, which consists of FotoFile Standard (£60), for storing text screens, and FotoFile Plus (£90), for displaying and storing images. The programs let you export image files with data and send images by modem.

Phone: +44 962 880495.

Circle 1467 on Inquiry Card.


DRAW PEDIGREES

Cherwell Scientific Publishing (Oxford, U.K.) says Cyrillic lets geneticists in molecular genetics laboratories and genetic counselors draw pedigrees as easily as with pencil and paper. The Windows package (£399) lets you import data or draw on-screen with the mouse and add genetic marker data using familiar notation. Cyrillic gives you complete control over line widths; colors; fonts; symbol sizes, appearances, and positions; and scaling of drawings, while automatically managing the details of the connections between individual symbols. You can export pedigree drawings using the Windows Clipboard and print them with full annotation and control over the display.

Phone: +44 865 784800.

Circle 1473 on Inquiry Card.

If You Need to Communicate...



Sample of DEC VT-340 ReGIS graphics, configurable toolbar, and keyboard mapper.

DynaComm 3.1 Includes:

- ♦ DEC VT-340
- ♦ 16 terminal emulations
- ♦ 19 network connectors including TCP/IP
- ♦ 10 transfer protocols
- ♦ 300+ script commands
- ♦ Technical support

Also distributed by Dynamic Communications(UK) (0272) 255465

WINDOWS is a trademark of Microsoft Corporation. FutureSoft and DynaComm are registered trademarks of Future Soft Engineering, Inc.



FutureSoft

1001 South Dairy Ashford, Suite 101 • Houston, Texas 77077
713.496.9400 713.496.1090 FAX

And who doesn't? Today's fast moving corporate world demands quick, easy access to mainframes, minis or other PCs.

DynaComm®

provides the most powerful WINDOWS™-based communication features. Microsoft® agrees: they selected DynaComm as their worldwide standard for data communications. So if you need to be in touch with the rest of the world or just the rest of your company...

...We Need to Communicate.

Fortran 90 Tools and Compilers

Whether you are actively developing Fortran programs or maintaining existing applications in Fortran, the future has finally arrived. NAG has Fortran 90 compilers for PCs, Workstations and other platforms.

With development begun in 1987, the NAGWare Compilers are the result of careful monitoring of the developing Fortran 90 standard plus months of extensive testing. The compilers have been in use worldwide for 2 years and Version 2 is now shipping with many enhancements and improvements. They offer remarkable efficiency, extensive error messages, and a high degree of portability and reliability to meet the needs of today's heterogeneous computing environment.



In addition to the compilers there are the NAGWare f90 Tools - a new suite of tools for processing, analysing and transforming Fortran 90 source code.

NAG Ltd Wilkinson House Jordan Hill Road OXFORD OX2 8DR UK
Tel: +44 (0)865 511245 Fax: +44 (0)865 310139
NAG Inc 1400 Opus Place Suite 200 Downers Grove IL 60515-5702 USA
Tel: +1 708 971 2337 Fax: +1 708 971 2706
NAG GmbH Schleibheimerstr. 5 D-85748 Garching Deutschland
Tel: +49 (0)89 3207395 Fax: +49 (0)89 3207396

NAG®

Your network buy for today's business technology market.

McGraw-Hill TechNet



McGraw-Hill Magazines. Your Best Business Partners.

- 4- Architectural Record ■ 7- A/C Flyer, Aviation Week & Space Technology, AW & ST China Quarterly, AW & ST USSR, Business & Commercial Aviation, World Aviation Directory and Buyer's Guide ■ 20- Business Week, Business Week China, Business Week Hungary, Business Week International, Business Week USSR
- 28- Chemical Engineering ■ 32C- BYTE, Data Communications, Data Communications International, LAN Times, UnixWorld ■ 39-Electrical World ■ 41- ENR, Construction News Publishing Network (11 magazines, 4 newspapers) ■ 46- Global Finance ■ H6- The Physician & Sportsmedicine, Postgraduate Medicine
- 114- Modern Plastics, Modern Plastics International ■ 117- Power, Power International



CLIPPER PROGRAMS FOREVER FIT

CLText



CLText - A full-featured, linkable word processor for Clipper. Supports WYSIWYG, printer attributes, form letters, search/replace, cut/paste/copy, documents > 64K. Configure to emulate MemoEdit(), WordPerfect, Word (5 and 5.5), Brief, or DOS Edit.

CLReport - A fully relational, linkable WYSIWYG report writer, written specifically for Clipper. Royalty free report designer. Even include Clipper UDFs in your report specification!


CLTools



CLTools - A low level function library for Clipper. Supports string handling, communications, compression, directory management, windowing, print spooling, and much more.

CLGraph/CL3D - 2 and 3 dimensional charting library for Clipper. Supports all resolutions up to 1024*768 in 256 colors. Design 3D charts interactively with the supplied chart designer. Print full page on laser and dot matrix printers. Full PCX support.

CLGraph/CL3D



ExoSpace - DOS Extender for Clipper. Lets your Clipper apps run in protected mode with direct access to 16 meg. of memory.

CLWindow - An SAA/CUA compliant Graphical User Interface for Clipper. Works with existing code, supporting Windows, Mouse, Radio Buttons, Check Boxes, Menus, Combo Boxes etc. even Windows .ICO files.

"I have absolutely no hesitation in recommending the CL products as the best Clipper add-ons".
Rick Spence,
Original Co-developer of Clipper

CLWindow



SOFTWARE DESIGN CONSULTANTS
The Barn, New Street,
GB-Painswick Glos GL8 6JN
Phone (44) (0) 452-812 733
Fax (44) (0) 452-813 918

Dr. Huggle & Partner GmbH
Heinrichsallee 41
D-52062 Aachen
CIS #100010,1131
Phone (49) (0) 241-403114
Fax (49) (0) 241-403117

What's New



SOFTWARE DEMONSTRATIONS

An X Window System event recorder, the Xrecorder lets you prepare software demonstrations that include text, graphics, and sound. While you record the demonstration, the Xrecorder records any changes sent to the Xserver. You can then play the demonstration on supported hardware platforms independently of the vendor's software. Available from Productivity Through Software (Runcorn, U.K.), the Xrecorder (single-user, floating network license, from £3300) runs on Sun, Hewlett-Packard 700, and IBM RS/6000 platforms.

Phone: +44 928 579700.

Circle 1022 on Inquiry Card.

NETWORK DISC MIRROR

Twincom International's (Oost-erhout, The Netherlands) Network Disc Mirror for Unix mirrors all operations from one disk to a disk unit located on a remote system in a LAN for protection against data loss due to hardware failure. The remote system can take over if the primary system fails, providing uninterrupted information access. Network Disc Mirror (US\$2995 to US\$5000) runs with standard Unix configurations.

Phone: +31 1620 23936.

Circle 1470 on Inquiry Card.

TWO CLIENT/SERVER TOOLS

Neuron Data's (London, U.K.) latest tools for client/server applications development, Open Interface Element (development license, from £7000) and C/S Elements (development license,

from £8000), deliver rapid cross-platform development, object-oriented classing and subclassing, and a message-based, extensible script language. Both products are portable across more than 35 hardware platforms and their native windowing environments, and you can easily customize them by

extending the GUI module and the script language. In addition to all the features and functionality of Open Interface Element, C/S Elements adds a data-access module for transparent access to flat-file, relational, and object-oriented DBMSes and other data sources.

Phone: +44 71 344 9711.

Circle 1474 on Inquiry Card.

WINDOWS BAR CODE CREATOR

To create bar code images with BarMan 1, you simply fill in the code box and the bar code appears, ready for copying to the Clipboard or pasting into other applications. The software from dL Soft (Essex, U.K.) supports a variety of coding schemes, and it automatically calculates and includes checksums for those codes that use them. BarMan 1 (£49) lets you paste bar code images into popular applications.

The company also offers BarMan VBX (£89), which lets you create pictures of bar codes within your Visual Basic or Visual C++ applications. You can use simple statements to set the code, code type, size, font details, and background and foreground colors, and to enable or disable text characters. The package generates a metafile picture containing the bar code image and the code text. You can display, print, or pass the picture to the Clipboard using the SetData function and, from the Clipboard, paste the image into popular applications.

Phone: +44 81 559 0049.

Circle 1029 on Inquiry Card.

The Lighter Alternative



VANDA 386SX/486 COLOR NOTEBOOK

Discover the lighter alternative with the VANDA NOTEBOOK. Weighing just 6.2 lbs (2.9kgs) including battery, the VANDA NOTEBOOK offers all the performance of a desktop PC in a compact 12.2" x 10" x 1.7" (310 x 155 x 44mm) package. Choose either a 386SX mono with up to 5MB of on-board memory, and VGA graphics in 32 gray scales; or a 486SX/DX/DX2 color model with up to 12MB RAM and 10" LCD with VGA color graphics. Either choice provides you with the power to run high level applications including MS Windows 3.1. An 80, 120 or 240MB hard disk and a 1.44MB floppy disk ensure enough space to run practically anything, an internal fax/modem and a full suite of interfaces complete the package.



International Distributor:

Europe	Sweden	Jet Data AB	Tel: 46-8-960985	Fax: 46-8-960069	U.K.	Centerprise Int'l Ltd.	Tel: 44-256-463754	Fax: 44-256-834174
	Norway	Excess Norge A/S	Tel: 47-4-883100	Fax: 47-4-883333	Holland	LEO Benelux b.v.	Tel: 31-73-134640	Fax: 31-73-131945
	Finland	Tehokivi OY	Tel: 358-0-7541022	Fax: 358-0-7543541	Greece	C.H. Theodossis SA	Tel: 30-1-9580109	Fax: 30-1-9596015
	France	A.E.E.	Tel: 33-1-46720909	Fax: 33-1-46704901	Pakistan	LEO COMPUTER (PVT.) LTD.	Tel: 92-51-564737	Fax: 92-51-564737
Middle East/Asia	Jordan	Al Raed Arabi Computer Corp.	Tel: 962-6-664343	Fax: 962-6-655092	Iran	Iran Computer Control Center	Tel: 98-681537	Fax: 98-865800
	Oman	Oman Computer Services Llc.	Tel: 968-698352	Fax: 968-698356	Thailand	Good Luck Import & Export Ltd.	Tel: 66-2-2110965	Fax: 66-2-2125810
	U.A.E.	Emirates Electronics Company	Tel: 971-4-245073	Fax: 971-4-245534	Indonesia	PT. Intikom Berlian Mustika	Tel: 62-21-5203501	Fax: 62-21-5203504
	Qatar	Computer Arabia	Tel: 974-428555	Fax: 974-420600				
Africa	Egypt	Mesjdoo Computer Center	Tel: 20-3-5457133	Fax: 20-3-5456833				

First International Computer, Inc.

6F, FORMOSA PLASTICS REAR BUILDING 201, TUNG HWA NORTH ROAD, TAIPEI, TAIWAN
Tel: 886-2-7174500 Fax: 886-2-7182782 Telex: 23056 CHARLENE



FIC EUROPE BV	Tel: 31-73-148555	Fax: 31-73-145546	FIC SPAIN	Tel: 34-1-3070343	Fax: 34-1-3071463
FIC USA	Tel: 1-510-683-9200	Fax: 1-510-683-9207	FIC HK	Tel: 852-677-3713	Fax: 852-677-4055
FIC AUSTRALIA	Tel: 61-2-821-2055	Fax: 61-2-821-2857			

Circle 529 on Inquiry Card.



Real-Time Multitasking

for Microsoft C, Borland C, Turbo Pascal

Develop Real-Time Multitasking Applications with RTKernel

RTKernel is a professional, high-performance real-time multitasking kernel. It runs under MS-DOS and supports Microsoft C, Borland C++, Turbo Pascal, and Stony Brook Pascal*. RTKernel is a library you can link to your application. It lets you run several functions / procedures as parallel tasks. RTKernel offers these advanced features:

- pre-emptive, event-/interrupt-driven scheduling
- number of tasks only limited by RAM
- task-switch time of 6 µsecs (33-MHz 486)
- speed independent of the number of tasks
- up to 64 priorities (changeable at run-time)
- time-slicing can be activated
- timer interrupt rate of 0.1 to 55 ms
- high-resolution interval timer (1 µsec)
- activate or suspend tasks out of interrupt handlers
- programmable interrupt priorities
- supports math coprocessor and emulator
- inter-task communications using semaphores, mailboxes, and message-passing
- keyboard, hard disk, floppy disk idle times usable by other tasks
- interrupt handlers for keyboard and COM ports included with source code
- supports up to 36 COM ports (DigiBoard and Hostess boards)
- full support of NS16550 UART chip
- fast, inter-network communication using Novell's IPX services
- runs under MS-DOS 3.0 to 6.0, DR-DOS, LANs, or without operating system
- call DOS without re-entrance problems
- resident multi-tasking applications (TSRs)
- runs Windows or DOS Extenders as a task
- supports CodeView and Turbo Debugger
- ROMable
- full source code available
- no run-time royalties
- free technical support by phone or fax

RTKernel-C (MSC 6.0/7.0/8.0, BC++ 1.0/2.0/3.x) **DM 795** (Source Code: add DM 695)
RTKernel-Pascal (TP/BP 5.x/6.0/7.0, SBP 6.x) **DM 695** (Source Code: add DM 595)

For international orders, add DM 50 for shipping and handling.
MasterCard, Visa, check, bank transfer, COD accepted.



FREE DEMO DISK

On Time
MARKETING

Professional Programming Tools

Karolinenstrasse 32 · 20357 Hamburg · Germany
Phone +49 - 40 - 43 74 72 · Fax +49 - 40 - 43 51 96 · CompuServe 100140,633

What's New

TYPEFACE CD

Available for the PC and Mac, version 3.3 of Monotype Typography's (Redhill, U.K.) CD-ROM typeface library adds 266 typefaces, for a total of 2152 unlockable fonts. The CD features an extensive collection of typefaces from the Berthold Exklusiv range, including Berthold Baskerville, Berthold Bodoni, Berthold Caslon, and Berthold Garamond. The Monotype Typeface CD 3.3 (Standard Pack, from £49.95; whole package, from £249) also has 600 classic Monotype typefaces; 1519 Adobe typefaces; and a selection of popular typefaces from ITC, Font Bureau, and Linotype.

Phone: +44 737 765959.

Circle 1020 on Inquiry Card.

GUI BUILDER FOR MOTIF

Protek (Maidenhead, U.K.) announces UIM/X 2.5, the latest version of the GUI builder for Motif environments. Features include GUI object-class components, a C++ code generator, cross-platform development capabilities, and advanced UIM/X palettes. The software lets you build interfaces using drag-and-drop GUI object-class components that comply with the Object Management Group's Corba C API specification. Version 2.5 (single-user license, £3495) also includes automated documentation of GUI structures; enhanced customization capabilities, performance, and memory management; more options for code generation; and enhanced UIL (user interface language) I/O facilities.

Phone: +44 628 75959.

Circle 1021 on Inquiry Card.

PRODUCTIVITY TOOLS FOR ARCHITECTS

AE Tools provides architects with a range of productivity tools, symbols, and layers that they can run within CADvance for Windows. These utility programs from IsiCAD (Wokingham, U.K.) let you use up to 13 types of plans within each layer;

you can manage over 50 layers at one time. Also included are enhanced zoom in and out display capabilities, a library of 600 architectural symbols, a routine that cuts dimensioning time by 400 percent, and a set of macros that cuts operational time. AE Tools (single-user version, £300) lets you combine several scales in the same drawing.

Phone: +44 734 781500.

Circle 1023 on Inquiry Card.

SMALL-BUSINESS ACCOUNTING

An all-in-one small-business accounting package, M.Y.O.B. (Mind Your Own Business) 3.0 includes back-order handling, wider data-export options, auto-balancing transactions, debt aging based on established credit terms, more customization options, and wild-card functions used when searching for data in reports. Soft Numbers (Hoddesdon, U.K.) has set up the software (£249) to distinguish between delivery items, quantities, and back-order amounts. You can export data from M.Y.O.B. 3.0 in tab- or comma-delimited format to other programs that accept those formats.

Phone: +44 992 451551.

Circle 1025 on Inquiry Card.

TRANSFER IMAGES

With the Telegrafix system, you can rapidly transfer images over a telephone or ISDN link between two PCs. Both ends of the link can simultaneously view the image, discuss it, and locally and remotely highlight and annotate areas of interest. The basic system (prices vary depending on configuration) provides import for more than a dozen file formats and uses VGA screens for image display. Telegrafix lets you draw with a mouse or tablet, and you can upgrade it to ISDN operation or full-broadcast TV-quality display. Available from Gee Broadcast Systems (Basingstoke, U.K.), Telegrafix lets you transfer images off-line for a later design review on-line.

Phone: +44 256 810123.

Circle 1026 on Inquiry Card.

One Party!


Why get bogged down with third party DOS extenders and C compilers, when all you want is to write 32-bit Windows programs? With LPA 386-PROLOG 2.0, you get everything you need to write really stunning applications:

- True 32-bit stacks, heaps, programs & data
- Fully programmable dialogs, menus & windows
- High level access to the GUI and operating system
- Two-way data exchange through DLLs

Not to mention the integrated source level debugger, multi-file program editor, incremental and optimising compilers, and full Prolog predicate library.

All this, and much more, without the need to buy any third party DOS extenders or C compilers.

386-PROLOG is your one party, 32-bit applications development environment for Windows 3.1!



Logic Programming Associates Ltd
Studio 4, RVPB, Trinity Road, London, SW18 3SX, England
Phone: +44 (0)81 871 2016 - Fax: +44 (0)81 874 0449
Email: lpa@cix.compulink.co.uk - CompuServe: 100135,134

The Green Monitor With A Big Screen From



WHY KFC? KFC OFFERS A FULL LINE OF MONITORS.

Your best source for monitors is KFC, since our complete line from 9", 14", 15", 17", 20" & 21" monitor, advance function like full Screen, Pincushion, Trapezoid and Rotation Adjustment is also available. Allow you to do one stop sourcing efficiently. So there is no need to waste time calling different vendors for different types of monitors. Just call KFC, and you are sure to find what you wants.

WHY GREEN MONITOR? SAVE YOUR MONEY & LOVE OUR WORLD

Today, many governmental agencies and independent organization are involved in setting limits or goal in power consumption. The Green Monitor build in a intelligent power management. When PC is in idle state, After 5 minutes then the green monitor will power off automatically.

KFC has already had a serial green monitor with this function.



See Us At

COMDEX/Fall '93

Sands Expo & Convention Center
Booth #S2537 (CALIFORNIA, USA)
Booth #S2656 (TEXAS, USA, OEM)



SMILE

Circle 517 on Inquiry Card.

HEADQUARTER CALIFORNIA USA TEXAS, USA (OEM)
TEL: 886-2-7548353 TEL: 714-5460336 TEL: 512-8356776
FAX: 886-2-7548498 FAX: 714-5460315 FAX: 512-8356779

SMILE GERMANY
TEL: 49-2154-9280
FAX: 49-2154-1032

SMILE HOLLAND
TEL: 31-10-4460316
FAX: 31-10-4625271

SAVE on Discount Software We Ship Worldwide!

**Fax 916/676-8524 Today
For Rock Bottom Prices**


- Popular & Hard-to-Find titles
- Many scientific & medical titles
- Latest CD-ROMS
- All software guaranteed new and vendor sealed
- Fast, courteous service
- Low shipping rates



**Omni^{Plus}
Discount Software**

2934 Gold Pan Court, Suite 14
Rancho Cordova, CA 95670

**Voice processing is hot
and getting hotter.
Ask Dialogic.**



What is the revolution that is saving companies thousands of dollars and hours? Voice processing. Dialogic, the industry leader, will be delighted to get you involved on the ground floor.

Dialogic is now offering European value-added resellers our full range of PC-based voice processing products and components, from four-channel voice processing boards to voice recognition technology. All are mutually compatible, and all are PTT-approved to operate in Europe.



Interested in voice messaging, telemarketing and telephone access to computer databases? Dialogic can help with products designed for easy applications development. They allow you to grow and expand within a compatible product family, adding capabilities as you and your customers need them. And we support our products locally with expert European technical staff.

For everything in voice processing, turn to the market leader. Turn to Dialogic. Call or fax us today:

Dialogic Telecom Europe, Brussels, Belgium
Tel: +32 (2) 725 08 90 Fax: +32 (2) 725 42 75

What's New

FAX SOLUTION FOR PCS

Wordcraft International (Derby, U.K.) has added support for a wider range of plain-paper fax machines, fax cards, and modems to Laserfax 2.5. Operating under DOS and Windows, the package (with fax card, £495; without fax card, £275) provides fax solutions for stand-alone PCs, network PCs, and non-PC systems (e.g., minicomputers and mainframes). Laserfax 2.5 can intercept print output from existing applications.

Phone: +44 332 371428.

Circle 1027 on Inquiry Card.

LIFE-CYCLE ASSESSMENT

With SimaPro 2.0, you can assess the life cycle of products. PRÉ Consultancy's (Amersfoort, The Netherlands) package offers comparison of environmental impacts of products, analysis of environmental impacts and their origins, and a choice of methods for calculating environmental impacts. SimaPro 2.0 (designer version, 960 Dutch guilders; analyst version, 2400 DG) includes a revised database containing figures of 350 industrial processes that you can add to and edit.

Phone: +31 33 611046.

Circle 1028 on Inquiry Card.

MACHINE TRANSLATION

Globalink Translation Software from Prestige Network (Bracknell, U.K.) provides sentence-by-sentence bidirectional translation for Spanish, French, German, and Russian. Two versions are available: Power Translator (£249) and Professional Translator (£695), which adds subject-specific dictionaries. Both packages can translate 20,000 words per hour and include a 250,000-word dictionary.

Phone: +44 344 303800.

Circle 1031 on Inquiry Card.

VERSION CONTROL

Designed for developers who need software-configuration management, 9k version 2.0 (single-user, £149; five-user license, £449) helps you manage projects

and resolve conflicts in multiple development environments. Available from QBS Software (London, U.K.), version 2.0 provides password and access control, file locking and ownership, file refresh, integrated software inventory and version control, roll-back recovery, and text-, binary-, and dBase-format file support.

Phone: +44 81 994 4842.

Circle 1034 on Inquiry Card.

OCR INTEGRATION TOOLKIT

With the Integration Development Toolkit, you can integrate OCR functions into Windows 3.0/3.1 and DOS applications. Szki Recognita's (Budapest, Hungary) toolkit is a small object module containing more than 20 entry functions. The functions let you change parameters, initiate a recognition from inside an application, store an image, get information about the scanner, and save and load settings. The toolkit (3500 deutsche marks) consists of the copy-protected object code of the Recognita Plus OCR engine, the toolkit, and a copy of Recognita Plus, the OCR software.

Phone: +361 156 3211.

Circle 1478 on Inquiry Card.

UNIVERSAL TRANSACTION MONITOR

The IBM RS/6000 Unix version of Siemens Nixdorf's (Bracknell, U.K.) Universal Transaction Monitor 2.1 allows organizations with mission-critical applications to combine transaction processing with an open systems environment. Version 2.1 (128-user license, about £5000, depending on number of users and configuration) provides transaction-oriented management of resources, message distribution and program control via transaction codes, and distributed transaction processing between Universal Transaction Monitor applications.

Phone: +44 344 862222.

Circle 1477 on Inquiry Card.



Object Magazine

Object Magazine is the first publication devoted exclusively to identifying, articulating, and advising readers on real-world object development projects. It is written both for experienced users and newcomers to the language.

Object Magazine covers technical, business, and organizational issues involved in adopting object-orientation. Six times a year you will receive ground-breaking information on:

- Language and Environments
- Databases
- Methodology
- Product Management
- Wall Street Objects
- Education and Training

Yes, Please enter my subscription to *Object Magazine* at the following term: 1 Year (6 Issues).

- ☐ Individual \$53
☐ Institutional \$83

E3KZ

☐ Payment Enclosed

Charge my credit card:

☐ Visa ☐ MasterCard

☐ American Express

Card# _____ Exp. _____

Signature _____

OBJECT
magazine

All orders must be prepaid in U.S. dollars drawn on a U.S. bank. Make checks payable to OBJECT Magazine, or fax completed form to 1-212-274-0646.

Sell Your Product Direct to BYTE's 275,000 Technically Advanced Business Buyers in the U.S. for Only \$4,700 when you advertise in the BYTE Deck!

The BYTE Deck is indispensable for high-quality sales leads at low cost! To place your order in the next BYTE Deck, or for more information, call Brad Dixon in the U.S. at 603/924-2596 or fill in the reverse side and return today!

Next Mailing: December 30, 1993

Materials Due: December 1, 1993

BYTE DECK



Here's What Our Advertisers Say:

"We received over 625 good, qualified leads from the two cards we ran in 1992."

—Lori Howe
Rational Systems, Inc.

"The BYTE Deck does very well for us — we've been in for over two years — and will continue advertising in '93."


—Karen Tacy
Rainbow Technologies, Inc.

"We received more than 160 responses from the card we ran in the BYTE Deck. Sales have been very good."

—Denise Gutzmer
Unlimited Systems, Inc.

COMPUTER-BASED INSTRUMENTATION

1994



IEEE 488 and VXIbus Control, Data Acquisition, and Analysis



Hardware

- IEEE 488.2 Interfaces
- DAQ Boards
- VXI Controllers
- DSP Boards
- GPIB Support Products
- SCXI Signal Conditioning

Software

- LabVIEW®
- NEW! LabWindows®/CVI
- LabWindows
- NI-488.2™
- NI-DAQ®
- NI-VXI™



For your **FREE** catalogue, return this card or call
 Tel: (512) 794-0100
 Fax: (512) 794-8411



FREE CATALOGUE

Name _____
 Title _____
 Company _____
 Address _____
 City _____ Postal Code _____
 Country _____

Postage
Required

OBJECT magazine

TNT Mailfast
 FRG/BOS/700251/MO1
 P.O. Box 66
 Hounslow
 TW5 9RT
 England

Use these Postcards for Fast Response

For information on how to
 advertise in the BYTE Deck,
 fill in the information below
 and return this card.

Name _____
 Company _____
 Street _____
 City _____
 Country/Code _____
 Telephone _____
 Fax _____
 Product/Service _____

Contact Brad Dixon
 at 603-924-2596,
 (FAX 603-924-2683) for
 MORE INFORMATION

PLACE
STAMP
HERE

BYTE DECK

Attn: Brad Dixon
 One Phoenix Mill Lane
 PO Box 809
 Peterborough, NH 03458-0809
 USA

Name _____	City _____	Country _____
Title _____	Postal Code _____	Phone _____
Company _____	Fax _____	
Address _____		


© Copyright 1993 National Instruments Corporation. All rights reserved.
 Product and company names listed are trademarks or trade names of their respective companies.



TNT Mailfast
 FRG/BOS/700252/MO1
 P.O. Box 66
 Hounslow
 TW5 9RT
 England

Place
Postage
Stamp
Here

Hawking Returns



HUGHES PACK

Stephen Hawking's *Black Holes and Baby Universes and Other Essays* is a collection spanning 16 years of fascinating scientific thought. Cleanly written, it lets you examine the progress of Hawking's work and study from 1976 to the present day. Hawking describes this book as writings ranging from "autobiographical sketches through the philosophy of science to attempts to explain the excitement I feel about science and the universe." No small subjects here.

The first portion of the book is devoted to personal glimpses into Hawking's life and attitudes in essays titled "Childhood," "Oxford and Cambridge," "My Experience with ALS,"

and "A Brief History of A Brief History." Readers who are not among the elite Hawking fans will enjoy learning more about this person many are calling "the most brilliant theoretical physicist since Einstein." After this insight into his personal history, Hawking delves into a discussion of a "theory of everything." He then proceeds to take potshots at philosophers of science, labeling many of them "failed physicists."

Physicists, astronomers, and cosmologists who don't live in a cave will not find any new physics in the more technical essays, but they may find a new way to understand physics. Hawking acknowledges in the preface that "there is inevitably a certain amount of repetition" among this collection of essays. Despite the repetition, the presentations are not identical, and each is phrased slightly differently. These differences can be extremely valuable to those who seek a more concrete grasp of highly abstract concepts. Each presentation can serve to patch a small hole in the wall of understanding, and as these holes are filled, one's knowledge ends up on a more solid foundation.

One recurring topic, the uncertainty principle, appears in "Is the End in Sight for Particle Physics?" to explain the lack of radiation from an accelerating electron in the ground state of an atom. "Is the End in Sight" is actually a reprint of Hawking's essay given when he was inaugurated as Lucasian Professor of Mathematics at Cambridge in 1980. The uncertainty principle reappears in "The Quantum Mechanics of Black Holes," when Hawking finally gives in to the realization that black holes can indeed emit particles.

In the essay "Black Holes and Baby Universes," the uncertainty principle is used again to deal with the emission of particles from black holes, but this time we get into a little-known science fact of faster-than-light travel. Does this mean *Star Trek* has it right? No, it simply means that many seemingly strange things aren't that strange after all, especially when brilliant minds work the laws of physics.

The reader must keep in mind that these are short essays, and most of the topics covered in the scientific essays are covered much more thoroughly in Hawking's previous book, *A Brief History of Time*. For those who have not read the earlier work, this winning collection of essays will very likely provide the stimulus to go on. ■

Hughes Pack is the Theodore R. Carpenter faculty fellow in science at Northfield Mount Hermon School in Northfield, Massachusetts. He is involved with the Hands-On Universe Project, which is attempting to bring astronomical image processing into the high school classroom via personal computers. You can reach him on BIX c/o "editors."

**BLACK HOLES AND BABY
UNIVERSES AND OTHER ESSAYS**

Stephen Hawking,
Bantam Books
ISBN 0-553-09523-4

\$21.95



MULTIMEDIA BEATLES

A HARD DAY'S NIGHT

The Voyager Co., 1351 Pacific Coast Hwy.,
Santa Monica, CA 90401, (310) 451-1383, \$39.95

The Voyager Co. has garnered a reputation for its innovative approaches in transferring books to electronic media. Its latest CD-ROM, the Beatles' *A Hard Day's Night*, breaks new ground by proving how effective this technology is with a movie. This CD-ROM contains the Fab Four's entire 1964 film of the same name—all 90 minutes of it—as a QuickTime movie. You can view, stop, or pause the black-and-white movie's action and sound in a 160- by 120-pixel screen from within a HyperCard stack. A button lets you expand the movie to a 320- by 240-pixel screen, but the image becomes grainy—enough so that my test subjects switched to the smaller window. A pop-up menu lets you jump to different spots within the movie, similar to the chapter feature on laserdisc players.

Also included in the HyperCard stack is an essay by Bruce Eder, as well as the movie's original script. The script's text can be displayed beside the QuickTime window, and it stays in sync with the movie's action with hardly a glitch. Bracketed text indicates lines or scenes that were never used, while text in parentheses indicates improvised dialogues. The script supplies a fascinating glimpse of the creative process involving the Beatles and Richard Lester, the movie's director.

Today, Lester's nearly 30-year-old visual montages and stop-frame trickery seem remarkably prescient of MTV. *A Hard Day's Night*, the CD-ROM movie, shows how far CD-ROM has come and where it will go.

—Tom Thompson



IMAGE FROM A HARD DAYS NIGHT CD-ROM

PROTECT YOUR SOFTWARE

FREE!

Authorization Button.
Call 800-258-5061



NO BUTTON, NO ACCESS.

Dallas Semiconductor is re-shaping the world of software protection and distribution control with a new family of microchips called Buttons. We put the lid on software piracy by packaging microchips in button-shaped, stainless steel cans. The chips contain missing but critical information to make the software run.

We offer a variety of Authorization Buttons and features so you can select the level of protection and price point that are right for you.

Security Continuum

Button Type	Unique Serial #	Read/Write Memory	Password Protection	Expiration Timer	Decoy Responses
DS1420 ID Button	X				
DS1427 Time Button	X	4K bits		X	
DS1425 Multi Button	X	2K bits	X		X

Snap In, Snap Out

Authorization Buttons interface to the installed base of 100+ million PC's via the DS1410 Button Holder. They simply snap in and out. The DS1410 accepts two Buttons concurrently.

Toward a Dongleless World

New computers that accept Buttons directly, including palm and notebooks, are being designed at OEM's today. Our Dongle Trade-In Program will help in your transition to this world. With an approved application, we'll pay you \$7.00 for each dongle that you trade in for an Authorization Button and Holder. This offer is good until December 31, 1993. The one-piece price for the DS1420 is \$4.35; volume discounts apply.

**Dongle
Trade-In
Program**

We're Serious About Security

At Dallas Semiconductor, we design and manufacture our own microchips. And we're the only ones in the software protection business who do. Sixty intricate process steps and a 64-bit unique registration number lasered into each chip prevent duplication.

To learn how to button down your software, give us a call.

**DALLAS
SEMICONDUCTOR**

4401 South Beltwood Parkway, Dallas, Texas 75244-3292
Telephone: 214-450-8170 FAX: 214-450-3715

Books & CD-ROMs

WINDOWS DISSECTED

WINDOWS INTERNALS by Matt Pietrek Addison-Wesley,
ISBN 0-201-62217-3, \$29.95


When I run Windows from a DOS prompt, I type WIN, and in a few seconds, the Windows user interface appears. I had a pretty good idea of what happens in between, but I was never quite sure. *Windows Internals* solved that mystery for me. From the moment I opened this book, I was transformed from a mere programmer to a Windows systems designer. It explains every aspect of Windows, including start-up and shutdown, memory management, program loading, the windowing system, the GDI (Graphical Device Interface), the scheduler, messaging, and dynamic linking. Each component is examined in great detail with the aid of C p-code.

Reading the first chapter was a real education for me, as it explains how the system goes from a simple DOS-based configuration to a complex multitasker while still relying on DOS. Each sentence is like tracing into a line of code, and this chapter provides a step-by-step process of explaining exactly how Windows works.

I was pleased to see that, unlike similar books, *Windows Internals* does not contain a discussion of basic programming fundamentals such as protect mode and selectors. It assumes that you are already familiar with them. Beginning programmers or readers not familiar with Windows programming should probably start with something more basic before reading this book.

The text is balanced with just the right amount of humor, and the book is surprisingly easy to read for such a highly technical subject. It includes listings for some handy little programs, but don't look for fancy diagrams or pictures—this is hard-core development material. Every experienced Windows programmer should read *Windows Internals* and keep it on the shelf for future reference.

—Steven J. Mastrianni



WARM AND FUZZY LOGIC


FUZZY THINKING: THE NEW SCIENCE OF FUZZY LOGIC
by Bart Kosko Hyperion, ISBN 1-56282-839-8, \$24.95

Fuzzy logic, more than any recent technical topic, is in dire need of a marketing overhaul to make it more understandable to a wider audience. Bart Kosko's *Fuzzy Thinking: The New Science of Fuzzy Logic* is not the required solution. Although I found the book stimulating, provocative, informative, and thought-provoking, it does a much better job of explaining the philosophy of fuzzy logic to the believer than to the skeptic.

Although Kosko's scientific arguments and explanations are

Computing Know How Books


for advancing your business skills



PC Intern

A literal encyclopedia of DOS knowledge. This book is a completely revised edition of our bestselling *PC System Programming* book which has been read by over 225,000 programmers worldwide. Whether you want to program in Assembly Language, C, Pascal or BASIC, you'll find dozens of practical working examples for each of these languages.

\$59.95 with companion disk.




EXCEL for Science & Technology

focuses on the power of Excel beyond the spreadsheet. Learn about Excel Solver, Scenario Manager, Mathematics Functions, Physics, Chemistry, Technology Conversion and many other topics.

This book and its companion disk allow you to immediately apply what you learn by using the macros and worksheets on the disk. *Excel for Science and Technology* is more than a book; it's an indispensable professional work tool.

\$34.95 with companion disk.



DOS 6.0 Complete • Special Edition

This is *the* practical user's guide to DOS 6.0. Over 1100 pages of helpful hints cover everything from installation to DOS 6.0's new utilities - MemMaker, DoubleSpace, Anti-Virus and Defrag.

The companion disk includes free software, *Tempest* - the graphic shell for DOS 6.0 that lets you click, drag and drop! If you often find yourself stuck at the C> prompt trying to figure out what to type next, you need Tempest. All DOS commands are executed with just a click of the mouse.

\$39.95 with companion disk.



PKZIP, LHARC & Co.

Learn the basics of data compression and then the specifics of using the major shareware and freeware programs. Covers features and commands for using PKZIP, LHARC.

\$19.95.

DataCruncher Software-

Fair Safe way to save disk space


A Windows shell for using any of the above software.

\$17.95.

AutoCAD 12 Programming

See how to integrate custom functions and commands into AutoCAD. Learn batch file programming, for user defined startup; script files, for specific drawing sequences; and custom commands with AutoLISP or ADS. Diskette contains menus and programming examples to help you learn fast.

\$44.95 with companion disk.



The 486 Book

See why the 486 is the processor of choice; how it works and how you can set up your system for maximum performance - even with DOS 6.


Info on new Overdrives, DX2s and even the pentium. Includes *SystemSleuth Professional* and *PCINFO* software on companion diskette.

\$34.95 with companion disk.

Upgrading & Maintaining Your PC

Turn your PC into a high performance screamer! Whether you're adding memory or a hard drive, a CD-ROM or a sound board or upgrading an XT to a 386 or 486, this book shows you how. Includes companion diskette of utilities and *System Sleuth™* diagnostic software that helps you analyze your systems performance.

\$34.95 with companion disk.



Multimedia Mania

Learn the basics from adding CD-ROMs and sound boards to making an MPC system. Includes CD-ROM with over 400 megabytes of sounds, graphics, animations, samples and techniques. Experiment with several commercial multimedia demos. Valuable coupons from major software publishers worth over \$600 inside.

\$49.95 with companion CD-ROM.

The SoundBlaster Book

This bestselling book is *the* complete guide to Sound Blaster™, from installation to custom programming. Discusses different Sound Blaster™ cards, commercial, public domain and shareware software products available.

\$34.95 with companion disk.

**Order Toll Free
1-800-451-4319**

Available at: B. Dalton, Barnes & Noble, Bookstar, Bookstop, Waldenbooks, Crown Books, Software Etc., CompUSA, Computer City Superstores, Fry's Electronics, Computer Literacy, Tower Books, Stacey's, and other retailers nationwide.

In Canada at: Coles, W.H. Smith Books, Classic Bookshops, and London Drug. Call or write for our free catalog of PC Books.

Abacus
Dept. B10, 5370 52nd Street SE, Grand Rapids, MI 49512
Phone: (616) 698-0330 • Fax: (616) 698-0325

Circle 61 on Inquiry Card
(RESELLERS: 62).

Please rush me the following books:

PC Intern\$59.95 ea.
Excel for Science & Tech\$34.95 ea.
DOS 6.0 Complete SE\$39.95 ea.
PKZIP, LHARC & Co.\$19.95 ea.
AutoCAD 12 Programming\$44.95 ea.
DataCruncher\$17.95 ea.
The 486 Book\$34.95 ea.
Upgrading & Maintaining ...\$34.95 ea.
Multimedia Mania\$49.95 ea.
SoundBlaster Book\$34.95 ea.

Subtotal:

MI orders include 4% sales tax:

In US & Canada add \$5.00 shipping:

Foreign orders add \$13.00 per item:

Total amount (US funds):

For fast delivery Order Toll Free 1-800-451-4319 ext. 210, or FAX (616) 698-0325

Or mail this coupon to: Abacus, 5370 52nd Street SE, Grand Rapids, MI 49512

Method of Payment: ☐ Visa ☐ Master Card ☐ Am.Express ☐ Check / M.O.

Card#: _____ Expires: ____/____/____

Name: _____

Company: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone#: _____ Fax#: _____

☐ Yes, please rush your free catalog of PC books and software.

Dept. B10

Ever seen a grown pirate cry?
Just plug this in ... and watch



MEMOPLUG™

The amazing Software protection system based on a hardware plug. Contains read-write programmable memory. This system is practical and easy to use for both programmer and end-user. Supports various programming languages, operating systems and types of computers.

U-PLUG™

The premiere protection plug for UNIX systems that connects the standard serial port of computers and workstations.



LANPLUG™

Comprehensive network protection starts with a single plug. The LANPlug lets you operate protected software from any workstation on the network, while supervising a number of authorized simultaneous operation applications.



CLOCKPLUG™

This unique Time-limited software protection system is based on a plug containing a real-time clock. It allows users limited execution times for leasing and demonstration applications. A password system allows you to rewind the clock by telephone

U.S. office: Tel: 1 (800) 677 1587
Tel: (407) 682 1587 Fax: (407) 869 1409
South Africa: LionSoft Tel: 011 640 6002
Holland: M.H.P. Tel: (31) 440612916
France: C.T.I. Tel: (1) 47 38 16 17
Spain: Economic Data Tel: (34) 1 442 28 00
Czech Republic: PC Kompas Fax: (42) 2 43 11 88

EliaShim
MICROCOMPUTERS LTD


5 Haganim, P.O. Box 8691
Haifa 35022 ISRAEL
Tel: 972-4-516111, Fax: 972-4-528613

Currently looking for international distributors

See us at COMDEX Fall '93, Location S 3031

Design: Zamir studio

Books & CD-ROMs



stellar, he discounts his credibility by glibly assuming that everyone raised under a Western philosophy is fundamentally unable to deal with "the Tao of fuzzy," while those raised in a predominantly Eastern culture will take to it naturally. An insult to both cultures. Kosko is at his best when he tells how certain mathematical principles can be applied to make smart decisions in smart products, such as a washing machine that knows for each load how much soap to use and how hot the water needs to be.

Kosko believes that the slow acceptance of fuzzy-logic design techniques in the U.S. as compared to the rapidly increasing practical usage of the technology in Japan is directly related to deep-seated cultural differences. Western culture and science have long been based on truth. Statements are true or false. An item is or it isn't. Computer bits are on or off. Rarely (even in the depths of political debate) is there a middle ground, a degree of truth, a concept of *almost*. Eastern philosophy is more accepting of shades of gray—degrees of truth, existence, and reality.

In recent years, the bivalent Western world view has started to shift. We now describe the world in terms of fractals and chaos theory—neither of which have well-defined borders. Our view of the world has become more accepting of imprecision. Fuzzy logic is simply another method of coping with this increasingly complex world view. *Fuzzy Thinking* ranges from philosophy through hard science to metaphysical futures. The book is not an introduction to fuzzy logic, the science. Rather, it is an introduction to fuzzy logic, the mind-set.

I thoroughly enjoyed *Fuzzy Thinking* and the ideas it has generated. Linking fuzzy logic with Eastern philosophy, however, will do little to convince the advocates of "hard" facts that it is a solution who's time has come.

—Raymond GA Côté

Introducing SST A New Standard in Multimedia Software that will make your presentations soar!



suggested
retail price
\$149.95

Now you can develop any sales presentation, school report, or even a family scrapbook using the power of multimedia. With **SST**, you can produce dynamic presentations complete with scrolling text, sound, narration, graphs, pictures, video—even interactive capabilities. **SST** works like a slide carousel and a VCR player with point & click and drag & drop controls. Plus it utilizes two revolutionary operating techniques that no longer require you to learn complicated script languages or deal with time-based editing systems. In fact, it's so easy to use, you'll create a multimedia presentation in less than 60 minutes. **GUARANTEED.**

Get into the multimedia action with SST.

For the distributor nearest you, or to order, call **(612) 531-0603**

AskMe
Multimedia Center

7100 Northland Circle Suite 401
Minneapolis, MN 55428
FAX (612) 531-0645

SST
SUPER SHOW & TELL

MPC
Multimedia PC

Microsoft
WINDOWS
COMPATIBLE


POWERBOOK BY THE BOOK

THE POWERBOOK COMPANION, 2d ed., by Richard Wolfson and Sharon Zardetto Aker Addison-Wesley, ISBN 0-201-62621-7, \$24.95

For those MacFolk who never leave home without their PowerBooks, *The PowerBook Companion* should be packed along with the computer. It provides a technical overview of the PowerBook line (remarkably, it was up to date on the PowerBook 165c and 180c), with numerous tips on paring down the essential operating system (to conserve disk space) and extending battery life. If your PowerBook mysteriously conks out, the step-by-step troubleshooting chapter can be a lifesaver.

Based on my own travel experiences, the advice for connecting to a variety of telephones with or without RJ-11 jacks is right on. Highly recommended. ■

—Tom Thompson



UNITED HEALTHCARE PURCHASE REQUISITION

REQUESTION NO. 163438

DATE 12-10 REQUESTED BY *John* DEPARTMENT NEW ORDER TO BE USED FOR

QUANTITY	DESCRIPTION	DATE REQUIRED	DATE PROMISED	TOTAL COST
1	Tektronix Phaser 200 Color printer			\$3,695.00
	✓ laser paper			
	✓ 2pp/min			
	✓ Adobe PSL Level 2			

APPROVED

RECOMMEND *Recommend dual-tray option* COST \$3,695.00

☒ WITHIN BUDGET ☐ OUTSIDE BUDGET

SUPERVISOR *John* DIRECTOR CONTROLLER PRESIDENT *Handwritten signature*

Our new color printer not only looks great on paper, it looks great on paper.

True, the brilliant color produced by the new Tektronix Phaser® 200 is captivating. But the price is equally attractive. And though we've become the award-winning leader in color printers by frequently outdoing the competition, this time we've even outdone ourselves. Introducing our newest business work group color printer.



The Phaser 200 is compatible with virtually any business software and can print two colorful pages per minute. No, not two minutes per page—two pages per minute. And even at a speed like that, it still manages to print eye-catching color on common laser paper or transparencies using a separate input tray for each. You select the medium you want at your computer keyboard. And it switches automatically from user to user just as easily, using its parallel, serial, AppleTalk™ or optional EtherTalk™ and Ethernet™ ports.

It has all the advantages of a laser printer. True Adobe PostScript™ Level 2, networkability, Pantone® colors, speed and price. (Did you notice it's only \$3695, slightly below unheard of?) And when you add to that extremely high materials capacity and sparkling TekColor™ output—not just any color, but the indisputably best color in the business—you've got something even better than our previous best. Which is quite a feat.

So stop by your nearest Tektronix dealer or call us at 800/835-6100, Dept. 28J for a free output sample. For faxed information call 503/682-7450, ask for document # 1223. You won't find another business investment that looks this good on paper.



Tektronix

Phaser is a trademark of Tektronix, Inc. PostScript is a trademark of Adobe Systems, Inc. All other marks are trademarks or registered trademarks of their respective companies.

Circle 145 on Inquiry Card.

Guaranteed Best Prices!

ProBas 5.5 by TeraTech

ProBas has 938 routines to make your programs faster and more professional. Includes routines for: virtual screens, a complete GUI, file compression, extended/EMS support, improved file I/O mouse, windowing, sorts, string and numeric, hundreds more...1200 pages of docs. No royalties. Requires QuickBASIC, BASIC PDS 7, or VB for DOS. Hard disk required. 3-5 MBS space.

List: \$195 Ours: \$149
FAXcetera # 1972-0004



Symantec C++ Professional 6.0 by Symantec

Reach new levels of programming power with Symantec C++ for Windows, DOS, and Win32s. Breakthrough new IDBE revolutionizes the way you work. Includes optimizations and tools, OPTLink linker and Blue Sky visual tools, with MFC 2.0 and Win32s, and 8000 pages of documentation. Your productivity will increase so much you can go on vacation; an included coupon for two travel certificates to Hawaii will get you there. **Competitive Upgrade for Borland or Microsoft customers \$199.95.**

List: \$499 Ours: \$189
FAXcetera # 2132-0038



WindowsMAKER Professional 5.0 by Blue Sky Software

Next generation of the most powerful C/C++ Code Generator and Prototyper for Windows 3.1, NT & Win32s. The fastest way to create full-featured Windows apps. This product stands out, does everything—even a toolbar can be created with 1 click! Test run your design, make changes interactively, generate code for multiple platforms—ANSI C, MFC, OWL, etc.; widest compiler support in industry. TrueCode technology—user code is 100% preserved. Highly recommended!

List: \$995 Ours: \$839
FAXcetera # 2602-0003

CA-dBFast™ for Windows 2.0 by Computer Associates

The complete standalone dBASE/Xbase development language for MS Windows. Create fast, powerful, easy-to-use graphical applications with over 200 extensions to the dBASE III PLUS language. It also includes an interactive editor, compiler, and linker. Challenge your creativity and imagination! Design multiple windows, pull-down menus, check boxes, list boxes, radio buttons, bit-map pictures, and more!


List: \$249 Ours: \$199
FAXcetera # 1004-0003



CA-Clipper 5.2 Competitive Upgrade by Computer Associates

Yes, the newly released CA-Clipper version 5.2 is being offered to Xbase language product owners at the low retail price of \$199. This competitive upgrade is available for a short time only! What a great opportunity to get the power of CA-Clipper, at a super price! And now when you buy, get your choice of dBFast, Clipper Tools or dBASE Compiler Kit—FREE from CA when you register!

List: \$199 Ours: \$149
FAXcetera # 5400-0001



Allegro CL/PC 1.0 by Franz, Inc.

An object oriented development system for Microsoft Windows. Allegro CL/PC is based on Common Lisp, a unique and powerful programming language, and includes CLOS, the Common Lisp Object System. Allegro CL/PC offers advanced development tools that enhance programming productivity in an integrated user-friendly environment. Allegro CL/PC also contains an integrated runtime generator with royalty-free application delivery.

List: \$995 Ours: \$759
FAXcetera # 3010-0001

Q+E Database Library (QELIB) for Windows by Q+E Software

Now you can use your favorite Windows development tool to write your own multi-database applications. Any tool that can call a DLL (Dynamic Link Library) can use QELIB! QELIB's database API makes it possible to write one application that simultaneously accesses, queries, and edits information stored in any of these database formats: Oracle, DB, dBASE, Ingres, Sybase, SQL Server, NetWare SQL, Paradox, Btrieve, XDB, SQL Base, ASCII. Distribution agreement may apply.

List: \$399 Ours: \$339
FAXcetera # 2625-0004



800-444-5799

Programmer's Paradise®

Programmer's Paradise®
Phone: 39-2-480-16053
FAX: 39-2-480-16039

MetaWare High C/C++ by MetaWare, Inc.

NEW RELEASE! High C/C++ version 3.1. MetaWare's 32-bit compiler is shipping. Includes a 32-bit source-level debugger, and a 32-bit Application Developers Kit for Windows. The "Incremental Strengths" feature enables gradual migration from C to C++ one block at a time. High C/C++ provides optional ANSI conformance, eight levels of global optimization and a full implementation of C++ templates.



List: \$795 Ours: \$669
FAXcetera # 1590-0008

WATCOM™ C/C++³² v9.5 by WATCOM

C/C++³² is a professional, multi-platform C and C++ development system supporting 32-bit extended DOS, OS/2 2.x, Windows 3.x, Windows NT, Win32s, and AutoCAD ADS/ADI. The complete toolset includes: C and C++ optimizing compilers, royalty-free DOS extender with VMM support, licensed components from the MS Windows 3.x SDK, interactive source-level debugger, linker, profiler, Supervisor for executing 32-bit applications and DLLs under Windows 3.x, 32-bit run-time libraries for extended DOS, OS/2 2.x, Windows 3.x and Windows NT, and more.



List: \$599 Ours: \$349
FAXcetera # 1683-0003

WATCOM™ SQL for Windows by WATCOM

WATCOM™ SQL for Windows is a complete client/server DBMS including a standalone single-user SQL database server. WATCOM SQL for Windows allows you to develop and deploy single-user standalone applications, and to develop applications for use within the WATCOM SQL Network Server Edition. WATCOM SQL for Windows includes support for the Microsoft Open Database Connectivity (ODBC) standard for database applications.



List: \$395 Ours: \$299
FAXcetera # 1683-0013

Lahey F77L - FORTRAN Compiler by Lahey

Version 5.01 includes FORTRAN 90 features: ALLOCATABLE Arrays, CASE Constructs, Cycle and Exit, Construct Names, and many other new features. Package includes Editor, Make Utility, Profiler, Debugger, SLR Linker, Opus Make, Video Graphics, and Excellent Diagnostics. 386/486 users have the option of generating 32-bit instructions.



List: \$295 Ours: \$249
FAXcetera # 1476-0001

NEW THIS MONTH

Defect Control System for Windows by The Software Edge

Take control of what's bugging you! Defect Control System is the award-winning bug tracking tool that gathers software defect data and generates practical management reports used to monitor the health of your software project. Complete Submit, Notification, Update, Query, and Report features help you deliver quality software on time. And easy customization means DOS won't change the way you work.



List: \$695 Ours: \$495
FAXcetera # 6011-0001

Multi-Edit Professional by American Cybernetics

A richly featured, easy-to-use programmer's text editor. Multi-Edit's flexibility and sheer power combine to provide you with unparalleled productivity. Features



include: intuitive user interface, mouse support, syntax highlighting, cross directory multiple file search AND replace, color templates, and much more! Finally, a text editor that thinks like a programmer! Free demo disk available.

List: \$199 Ours: \$139
FAXcetera # 1846-0001

ORDER
Version 7.0
NOW!

BASIC Network Library Network C Library by Automation Software Consultants, Inc.

The most comprehensive libraries available for NetWare software development, supporting all versions of advanced NetWare including 3.11. Over 450 C functions and 300 BASIC functions. Include any features from the NetWare command line utilities and menu utilities and menu utilities in your C or BASIC program. No licensing hassles. C library source code available.



BASIC Library List: \$295 Ours: \$259
C Library List: \$295 Ours: \$259
FAXcetera # 1004-9201



GUARANTEED BEST PRICES! (Call for Details)

To order call: 800-445-7899
Corporate (CORSOFT): 800 422-6507
FAX: 908 389-9227
International: 800 389-9228
Customer Service: 908 389-9229

For more information on the products featured on these pages call:
FAXcetera®: 908 389-8173

Programmer's Paradise®

1163 Shrewsbury Avenue
Shrewsbury, NJ 07702

• All prices are subject to change without notice.

Circle 111 on Inquiry Card.

8
0
0
4
4
5
-
7
8
9
9

**In a World of Imitation...
Trust in the Original!**

VALITEK®



Why risk your critical data to portable backups that may or may not work, when reliable Valitek® tape drives are guaranteed to perform?

Valitek not only invented the parallel-serial port tape drive, we perfected it. Our intelligent microprocessor interface offers better than 99% compatibility with all PCs through the parallel port (100% through the serial port). A single Valitek PST² tape drive can back up all your IBM compatible PCs or Macintosh.

Choose from 525MB or 1.2GB models with transfer rates of 12MB per minute (higher capacities and transfer rates can be achieved if using data compression). With no preformatting, Valitek saves you time and frustration. And while others cut corners with unreliable tape drives that require preformatting and secondary verification, Valitek drives have an intelligent interface providing advanced CRC error checking with read-after-write capability and ECC correction to ensure your data integrity.

In the world of portable backup, reliability is priceless. Don't trust your data to anything less than Valitek. Call TOLL-FREE 1-800-VALITEK or (413) 549-2700; FAX (413) 549-2900

Valitek and PST are registered trademarks of Valitek Corporation. US Patent #5130923.
All other products herein mentioned are trademarks or registered trademarks of their respective corporations.

Circle 153 on Inquiry Card.

Keeping Time on Your PC

MICHAEL A. LOMBARDI

If you've ever relied on your computer's clock for timekeeping, you know that it's not particularly accurate. Most people aren't concerned if their computer's clock is off by a few seconds (or even minutes, or hours) so long as they can tell when a file was last revised. However, many applications, such as manufacturing process control, synchronous communications, and financial recordkeeping, require timekeeping that's accurate to the nearest second or better.


How can you make your computer keep accurate time? The answer lies in setting your clock to a reliable time source and then frequently polling that source for time updates and resetting your clock as often as necessary.

Accurate time information is easy to get through your modem or a network time service. You can also "keep time all the time" using a radio clock or a precision real-time clock board to capture accurate time information broadcast by government agencies. Whatever method you choose, you no longer have to be satisfied with your PC's marginal timekeeping abilities.

Accurate Time by Modem

Since 1988, the National Institute of Standards and Technology, or NIST, a branch of the U.S. Department of Commerce, has operated ACTS (Automated Computer Time Service) out of Boulder, Colorado. Anyone can access ACTS through a modem and simple telecommunications software (see the text box "How to Set Your PC Clock by Modem"). When you connect to ACTS via modem, it sends out a highly accurate and reliable time code that you can use to set your computer clock to the correct time according to NIST's clock.

ACTS is referenced to an atomic clock located at NIST that functions as the U.S. national standard for civilian time and frequency. ACTS provides far more accuracy than your typical PC



JAMES ENDICOTT © 1993

Your PC's clock was never meant to be an accurate timepiece. But that doesn't mean you can't turn it into one.

clock can handle (see the text box "The Clocks Inside Your PC"). It's capable of setting your computer clock to within 1 millisecond of NIST time. The software clock in your PC, however, ticks about once every 55 ms. Thus, you can be assured only that your clock has been set to within 55 ms of the correct time. Even then, your clock won't stay set properly for long. For example, a PC clock that gains 5 seconds per day advances 1 ms every 17 seconds.

You can also set your computer clock to NIST time through the Internet at the following address: time_a.timefreq.bldrdoc.gov (absolute Internet address 132.163.135.130). You can access the server and obtain the software and documentation needed to use the Internet time service. This service is less accurate than the modem service, since it is difficult to estimate network delays. However, it's well suited for keeping your clock set to the nearest second.

continued

The Clocks Inside Your PC

Every DOS-based computer has a built-in software clock. Generally, it's driven by a Motorola 146818 real-time clock chip, Intel 8253/8254 timer-counter chips, or equivalent devices. Your BIOS tells the chip to generate an interrupt every 54.936 milliseconds, or about 18.206 times per second. Another BIOS routine counts the interrupt requests and generates a time-of-day clock that can be read or set by other software. DOS uses the software clock to date- and time-stamp files.

The software clock is a poor timekeeper. Its accuracy is limited by the stability of the interrupt requests. Any change in the interrupt-request rate by, say, an ill-behaved application causes the clock to gain or lose time.

Further, the clock's time can drift by a minute or more each day you leave your computer on.

Another problem is that your software clock cannot display all possible time-of-day values. Its resolution is limited to the interval between interrupts. Only times that are even multiples of 54.936 ms can be displayed. For example, your clock cannot display 00:00:01.00; the closest it can get to this is 00:00:00.98 or 00:00:01.04.

Since the 286, PC-type computers have come with battery-backed hardware clocks that are considerably more accurate than software clocks. But these, too, have problems. For example, they cannot display fractions of a second, so they cannot be read or set with any

degree of accuracy better than a second.

A hardware clock's accuracy is determined by the quality of its time-base oscillator, which typically is a 32.768-kHz crystal. These crystals are economical, costing less than \$1 in single quantities. However, they offer only marginal timekeeping performance, and they are sensitive to temperature changes, voltage fluctuations, and vibrations.

Even under the best conditions, these oscillators are not likely to be stable to better than 1 part per million—about 0.1 second per day. In actual operation, most hardware clocks seem to gain or lose time at a rate of about 1 to 15 seconds per day, with 5 or 6 seconds per day being typical.

ACTS isn't the only source of accurate time accessible by modem. The USNO (U.S. Naval Observatory) operates a computer time service similar to ACTS. USNO time is available via modem at (202) 653-0351 (1200 bps only). Several commercial software packages enable you to call the USNO service, including TimeChecker from Zephyr Services (Pittsburgh, PA).

Time All the Time

A shortcoming of modem services is that you have to make a telephone call (often a toll call) to set your clock. But by using a radio clock, you can get accurate time all the time, without the expense.

Radio clocks are designed to receive and decode time signals broadcast over radio by many national governments. Your applications can use the radio clock to constantly set your computer's clock, or they can get all timing information directly from the radio clock, ignoring your computer's clock entirely.

Radio clocks cost anywhere from as little as under \$500 to as much as \$5000 or more. Some are stand-alone devices with a digital display, while others are plug-in expansion cards. Stand-alone units connect to your PC, Macintosh, or other computer through RS-232, RS-422, or IEEE-488 interfaces.

All radio clocks provide enough accuracy for PC timekeeping, and most provide greater accuracy than ACTS. However, you need to make sure that the radio signal of the clock you choose can be received in your area. Also, nearly all radio

clocks require an outdoor antenna to operate properly, so you'll need to make sure that you can mount the right type of antenna for your radio signal.

Time Through Airwaves

In the U.S., you can set your radio clock to receive broadcasts from at least four different radio time signals, although not all are receivable throughout the country. In Germany, the official time signal from the Physikalisch-Technische Bundesanstalt is broadcast over a long-wave transmitter, DCF 77. The signal is aired from the Frankfurt/Main area and can be received throughout Germany and in a number of neighboring countries.

In the U.S., NIST broadcasts time information over radio stations WWV and WWVH in Colorado and Hawaii, respectively. You can tune in to either station with an ordinary shortwave radio set to 2.5, 5, 10, or 15 MHz. WWV is also aired on 20 MHz.

Under the right conditions, WWV and WWVH can be heard just about anywhere in the world, including the Southern Hemisphere. However, 5, 10, and 15 MHz are allocated for time and frequency stations by international agreement. Consequently, at least 15 other stations broadcast on these frequencies, often blocking out WWV's signals. For example, near India you'd hear the Indian Republic's broadcast, not WWV, on 5 MHz.

When you tune in to a WWV/WWVH broadcast, you hear audio tones that sound like a clock ticking. At the beginning of

each minute, a voice announces the current time. WWV and WWVH also broadcast a binary-coded decimal time code on a 100-Hz subcarrier that can be read and decoded only by a radio clock. The time code provides the current hour, minute, second, month, day, year, and other information. The time is accurate to within 1 to 50 ms, depending on your distance from the transmitter and signal-propagation conditions.


Radio clocks designed specifically to receive WWV/WWVH signals, such as those from Odetics (Anaheim, CA), are an economical source for obtaining accurate time. However, they have limitations. One potential shortcoming with using a WWV/WWVH radio clock is that you may need a large outdoor antenna to get good reception.

Another limitation is that, since these stations use shortwave radio signals, reception can be difficult during some parts of the day. As a general rule of thumb, frequencies above 10 MHz work best during daylight hours, while lower frequencies work best at night. Some radio clocks, such as the one from Chrono-Log (Havertown, PA), get around this problem by taking advantage of the fact that WWV and WWVH broadcast on several frequencies. They scan these frequencies and tune in on the one currently providing the best reception.

Other Time Sources

Some radio clocks, such as those from Spectracom (East Rochester, NY) and

IF THERE WERE ONLY ONE KIND OF COMPUTER SYSTEM, YOU'D ONLY NEED ONE KIND OF PROTECTION.



MINUTEMAN LANMASTER SOFTWARE

Bi-directional
Communication
Power Monitoring
Shutdown
Software



MINUTEMAN CP SERIES TRUE ON-LINE

500VA to 10KVA
Starting at \$899



MINUTEMAN POWERMIND SERIES LINE-INTERACTIVE

600VA to 1250VA
Starting at \$579



MINUTEMAN ALLIANCE SERIES STANDBY AND LINE-INTERACTIVE

300VA to 750VA
Starting at \$159



MINUTEMAN AUTOMATIC VOLTAGE REGULATOR

650VA to 1800VA
Starting at \$149

All models available
in 120V, 220V, 50Hz or
60Hz versions

Too many companies go out into the hazardous world of business with the wrong UPS protection, or none at all. At MINUTEMAN, we know that different systems face different dangers.

That's why MINUTEMAN offers five different safeguards, the most comprehensive line in the industry.

Like the new MINUTEMAN LANMASTER power monitoring shutdown software. It combines all the features of similar competitive products and features the most sophisticated diagnostic techniques available.


Or the MINUTEMAN LINE-INTERACTIVE MODELS, the most economical protection of their kind on the market. Each comes with a MINUTEMAN Platinum Protection Plan covering up to \$25,000 and a two-year warranty.

So call MINUTEMAN today. Our skilled professionals worldwide are ready to answer your questions and help you find the perfect UPS for your system.

MINUTEMAN. It's all the protection you need. Whatever you need.

MINUTEMAN
UNINTERRUPTIBLE POWER SUPPLIES
(800) 238-7272

© 1993 Para Systems, Inc.
1455 LeMay Drive,
Carrollton, Texas 75007
(214) 446-7363 fax (214) 446-9011



How to Set Your PC Clock by Modem

You can dial in to ACTS (Automated Computer Time Service) at (303) 494-4774. Set your communications software for 300 or 1200 bps, with 8 data bits, 1 stop bit, and no parity. The 1200-bps time code is transmitted every second (see "The 1200-bps ACTS Time Code"). It contains more data than the 300-bps time code, which is transmitted every 2 seconds.

After you connect with ACTS, it sends you a simple ASCII time code. The last character in the time code is an asterisk (*), which is called the OTM (on-time marker). The time values sent by the time code refer to the arrival time of the OTM. In other words, if the time code says it is 12:45:45, this means it is 12:45:45 when the OTM arrives at your computer.

ACTS assumes telecommunications delays between the time the OTM leaves Colorado and when it arrives at your computer. Consequently, it sends the OTM out 45 milliseconds early. This 45-ms figure represents the sum of the following conditions: 8 ms for transmitting the OTM at 1200 bps, 7 ms to allow for the OTM to travel to the average caller in the U.S., and 30

ms for modem-processing delays.

The 45-ms OTM advancement typically removes most telecommunications delays. Say you are calling ACTS from Chicago, and the actual delay is 50 ms. The OTM then arrives at your computer only 5 ms late, with about 90 percent of the delay already removed.

But if you are making an overseas call or if your call goes through a satellite, the delay can be 300 ms or more. Fortunately, ACTS lets you measure the actual line delay, so you can remove as much of the delay as possible.

To measure your actual delay, your software must return the OTM to ACTS after receiving it. Each time the OTM is echoed back, ACTS measures the actual delay. After four consecutive measurements, ACTS begins advancing the OTM by an amount of time equal to the delay. Thus, if your actual delay is 50.4 ms, ACTS sends out the OTM 50.4 ms early instead of 45 ms early. Once ACTS begins using the measured delay, the OTM changes from an asterisk to a pound sign (#). Now the OTM arrives at your computer within 1 ms of the correct time.

In rare instances, ACTS can't mea-

sure the actual delay. For example, if the modem connection goes by satellite (i.e., a long delay) in one direction and by land (i.e., a short delay) in the other direction, the standard 45-ms advancement is used, even if your software returns the OTM.

A number of commercial and shareware software packages are available for calling ACTS. Among them are TimeSet from Life Sciences Software (Stanwood, WA) and Time-Sync from SolaCamp Software (Lutherville, MD).

ACTS uses UTC (Coordinated Universal Time). UTC is a 24-hour clock based on the local time in Greenwich, England. It differs from your local time by an integral number of hours only; the minutes and seconds remain the same.

A call to ACTS takes just seconds (see editor's note). Since the time-setting process is so quick, ACTS limits your on-line time to 56 seconds, or 28 seconds if all incoming lines are in use.

Editor's note: NIST-developed MS-DOS and QBasic programs for accessing ACTS are available electronically. See page 5 for details.

The 1200-bps ACTS Time Code

After you connect with ACTS, your screen will display the following information, which is explained below:

JJJJ YR-MO-DA HH-MM:SS TT L UT1 msADV UTC(NIST) <OTM>

JJJJ is the MJD (modified Julian date). The MJD is the last five digits of the Julian date, which is simply a count of the number of days since January 1, 4713 B.C. To get the actual Julian date, add 2.4 million to the MJD.

YR-MO-DA is the date. It shows the last two digits of the current year, month, and day.

HH-MM:SS is the time in hours, minutes, and seconds. The time is always sent as UTC. An offset needs to be applied to UTC to obtain local time in the U.S. For example, mountain time in the U.S. is seven hours behind UTC during ST (standard time), and six hours behind UTC during DST (daylight saving time).

TT is a two-digit code (00 to 99) that indicates whether the U.S. is on ST or DST. It also indicates when ST or DST is approaching. This code is set to 00 when ST is in effect, or to 50 when DST is in effect. About 48 days prior to a time change, the code starts counting the days until the change. When ST is in effect, the code counts down from 99 to 51 in the 48 days prior to the time change. When DST is in effect, the code counts down from 49 to 01 in the 48 days prior to the time change.

L is a one-digit code that indicates whether a leap second will be added or subtracted at midnight on the last day of the current month. If the code is 0, no leap second will occur this month. If the code is 1, a positive leap second will be added at the end of the month. This means that the last minute of the month will contain 61 seconds instead of 60. If the code is 2, a second will be deleted on the last day of the month. Leap seconds occur at a rate of about one per year. They are used to correct for irregularity in the earth's rotation.

UT1 is a correction factor for converting UTC to an older form of universal time that is still used in navigation. It is always a number ranging from -0.8 second to +0.8 second. This number is added to UTC to obtain UT1.

msADV is a five-digit code that displays the number of milliseconds that NIST advances the time code. It is originally set to 45 ms. If you return the OTM four consecutive times, it will change to reflect the actual line delay.

The label **UTC(NIST)** is contained in every time code. It indicates that you are receiving UTC from NIST (National Institute of Standards and Technology).

The on-time marker (**OTM**) is a single character sent at the end of each time code. The OTM is first an asterisk (*). It changes to a pound sign (#) if ACTS has successfully measured the line delay.

Power Packed Upgrades.

POWER SUPPLIES

SOLID-STEEL CASES

CPU COOLER

"The premier power-supply maker"

John Dvorak, *PC Magazine*, March 30, 1993

"The only company to go to for a power supply"

Jerry Pournelle, *Byte*, April 1993


STANDARD UNITS

These UL/CSA approved, fully tested power supplies are the best basic units available.

STANDARD 205 SLIM \$89

STANDARD 220 DESK/TOWER \$89

ULTRA-QUIET UNITS



Unrattle your nerves with a **Silencer** power supply, recognized since 1986 as the industry's quietest. They're cooled by custom, high-efficiency fans that are virtually inaudible!

A must for home office or *multimedia* applications.

SILENCER 205 SLIM \$119

SILENCER 220 DESK/TOWER \$129

SILENCER 270 DESK/TOWER \$179

HIGH-PERFORMANCE UNITS



Upgrade your computer with one of our premium **Turbo-Cool** power supplies—the choice of PC professionals. You'll get 50% - 100% more power, built-in line conditioning, super-tight regulation, ultra-clean output, a high-capacity **ThermaSense** variable-speed fan (300W models), UL/CSA/TUV approvals, and a no-hassle 2-year warranty! Ideal for high-end workstations and network file servers.

TURBO-COOL 300 SLIM/BABY \$169

TURBO-COOL 300 DESK/TOWER ... \$189

TURBO-COOL 450 DESK/TOWER ... \$349



Give your computer a professional, high-tech look with one of our premium-quality, **American-made** all-steel cases. They're rigid—unlike light-weight imports—so motherboards, cards, and drives are always properly aligned and grounded. And, with **up to 18 drive bays**, they offer real expandability! Ideal for commercial and industrial applications.

CASE SPECIFICATIONS

	Desktop	Tower	Monster
Exposed Drive Bays:	3	6	13
Total Drive Bays:	5	8	18
Motherboard Capacity:	1	1	2
Power Supply Capacity:	1	1	2
Cooling Fan Capacity:	2	3	6
Filtered Air Inlet:	Yes	Yes	Yes
Lockable Front Door:	Yes	No	Yes
Professional Controls:	Yes	Yes	Yes
All-Steel Construction:	Yes	Yes	Yes
Beige or Black Finish:	Yes	Yes	Yes
Meets FCC-B Specs:	Yes	Yes	Yes
Made in USA:	Yes	Yes	Yes

SOLID-STEEL DESKTOP CASE \$295

SOLID-STEEL TOWER CASE \$395

SOLID-STEEL MONSTER CASE \$895



It's a fact. 486 chips run hot, often exceeding 185°F! Now, you can cool your 486 to a safe 85°-95°F with our popular **CPU-Cool**. It prevents random system errors and other heat-related problems. Consists of a mini-fan embedded in a sculptured heat sink that easily mounts on the CPU. Powered by a spare drive connector. Effective, inexpensive insurance!

■ cools CPU 70° - 100°F

■ prevents system errors

■ adds years to CPU life


■ thinner, quieter, and

better-built than cheap

imported imitations.

■ safe, simple installation

CPU-COOL \$29



REDUNDANT POWER

Eliminate the risk of network downtime or data loss due to power supply failure with the **TwinPower 900** redundant power system. It delivers high-capacity, fault-tolerant power to your entire network server. Consists of two **Turbo-Cool 450** power supplies in parallel, utilizing a special power-management interface module. A must for mission critical LANs.

■ 900 watts peak power

■ 100 X more reliable than a single-unit

■ load-sharing design

■ hot-swap capability

■ allows dual UPSs

■ monster-case compatible

TWIN-POWER 900 \$995



PC POWER & COOLING, INC.

5995 Avenida Encinas, Carlsbad, CA 92008 • (619) 931-5700 • (800) 722-6555 • Fax (619) 931-6988

Most orders shipped same day. We accept Visa, MC, COD, or PO on approved credit. Turbo-Cool, TwinPower and CPU-Cool models guaranteed for 2 years. All other products guaranteed for 1 year. Hours: 7 a.m. - 5 p.m. (PT) Mon. - Fri. Silencer, Turbo-Cool, ThermaSense, TwinPower, and CPU-Cool are trademarks or registered trademarks of PC Power & Cooling, Inc. ©1993 PC Power & Cooling, Inc.

Circle 123 on Inquiry Card (RESELLERS: 124).

Franklin Instrument (Warminster, PA), receive signals from WWVB, a NIST radio station transmitting from Colorado. WWVB is a low-frequency station, broadcasting on 60 kHz. No voice or other aural announcements are made on WWVB. WWVB broadcasts a time code capable of 0.1-ms accuracy.

The coverage area of WWVB is smaller than that of WWV and WWVH. However, you can receive its signals in nearly all of the contiguous 48 American states with only a small antenna and equipment that's easy to set up and use.

You can also get NIST time from GOES (Geostationary Operational Environmental Satellites), which is operated by the National Oceanic and Atmospheric Administration. GOES broadcasts from two different satellites on a frequency of about 468 MHz. Only a small antenna is necessary to receive the signal in most parts of North and South America. The signal includes a time code accurate to about 0.1 ms. Arbiter Systems (Paso Robles, CA) makes a radio clock that is capable of receiving GOES signals.

The most accurate radio clocks available can tune into signals relayed by the U.S. Department of Defense's GPS (Global Positioning System) satellites. GPS provides worldwide coverage. With the aid of only a small outdoor antenna, a GPS radio clock can receive time accurate to within less than 1 microsecond, which is about 1000 times the accuracy you can get from ACTS.

The price of GPS radio clocks has fallen dramatically over the past few years, to about \$1000 from highs of well over \$10,000, and their use is becoming widespread as a timing source for both computer and telecommunications networks. Many new GPS products have been released recently, ranging from hand-held navigation receivers to receivers that plug into a PC or AT expansion bus. In fact, a recent survey in the January issue of *GPS World* lists more than 50 manufacturers of GPS receivers, including Odetics and TrueTime (Santa Rosa, CA).

More Stable Clocks

To keep the most accurate time on a PC, you can replace its clock with a precision real-time clock board. These boards, such as those from Bancomm and Guide Technology (both in San Jose, CA), include high-quality time-base oscillators. They also let you use an external oscillator to get superior results. This means that if you have access to a frequency standard, such as a quartz, rubidium, or cesium oscillator, you can use it as your time base by connecting it to your real-time clock board.

performance of a precision real-time clock is unequalled. If you work in a laboratory or industrial setting where a frequency standard is already available, this may be the ideal method for getting accurate time.

Smarter Clocks

NIST recently invented its Smart Clock technology, the basic premise of which is simple: If a clock knows the rate at which it gains or loses time, it can correct itself. Clocks usually drift at about the same rate from day to day. A microprocessor-controlled Smart Clock, however, automatically corrects your clock's drift based on the clock's past performance. For example, if you call ACTS at the same time each day, you might discover that your PC's clock is always fast by 4 seconds. Using this information, your Smart Clock, working much like a memory-resident program does, would gradually move the time back 4 seconds per day (i.e., $\frac{1}{6}$ second every hour).

Software that uses concepts similar to those of Smart Clock is starting to appear on the market. For example, RightTime from Air System Technologies (Dallas, TX) is a memory-resident program that automatically adjusts your PC's clock, keeping it on time to within a half-second per week.

Whether you use RightTime's algorithms, your modem, or a precision real-time radio clock board augmented with an external oscillator, it's easy to change your PC clock into a reliable timekeeper. But you have to adjust your clock and measure its performance against a trustworthy time source. That's the benefit provided by ACTS and other time services. ■

Editor's note: *NIST wants you to know that the mention of products in this article does not constitute a NIST endorsement.*

Michael A. Lombardi is a computer specialist for the Time and Frequency Division of the U.S. Department of Commerce's National Institute of Standards and Technology in Boulder, Colorado. You can contact him on BIX c/o "editors."

APPLICATIONS FOR PRECISION TIMEKEEPING

	ENTERPRISE	ASSIGNMENT	TASK EXAMPLE
	Aviation	Air traffic control	Air traffic can be routed through air corridors at precise intervals
	Finance	Record keeping	Provides a legal audit trail of the dates and times when transactions are completed
	Laboratories	Data acquisition	Temperatures can be monitored over a defined time slice
	Navigation	Position location	Locations can be determined by observing a star's position at precise times
	Power utilities	Power flow	Synchronized power-flow networks send electricity where and when it is needed the most
	Radio/TV	Communications	Satellite linkups for network news feeds can be coordinated
	Surveying	Measurement	Provides the accurate time required to measure distances and locations
	Transportation	Vehicle control	Synchronizes mass-transit vehicle dispatch, location, and schedule control

Precision clock boards greatly increase the stability of your PC clock, but you still need to set and check on the time using ACTS or another service. But if you use a good oscillator as a time base and your system is undisturbed, these boards will keep the correct time for many years. You may never need to set your PC clock again.

Precision clock boards are expensive, costing from \$1000 to \$2000. External frequency-standard oscillators can cost thousands of dollars more. But the potential

The New Generation 21" Monitor. Incredible Performance. Incredible Price.



ViewSonic continues its advancement into the future with the powerful and full-featured ViewSonic 21. This flat square 21" monitor offers a picture-perfect image with unsurpassed clarity and brightness.

Designed for the discriminating user, the ViewSonic 21 offers some incredible features including an ultra-fine 0.25mm dot pitch, resolution up to 1,600 x 1,280 non-interlaced and a maximum refresh rate of 152Hz. It also has a double dynamic focus gun which provides a crisp focus even in the corners.

ViewSonic has added the ARAG™ coating to reduce annoying screen glare and ViewMatch™, a color control system that tunes colors to closely match printer output. Its two page display makes this monitor the perfect choice for all windows, 3-D graphics and CAD/CAM applications.

All of this for a suggested list of only **\$2,399**? Unbelievable, but true. ViewSonic has indeed come up with another incredible monitor. In fact, VAR Business ranked ViewSonic as the "first place" monitor company (Products and Business Features) in a survey of high resolution monitor companies.

The ViewSonic 21 meets MPR-II certifications for low radiation and is backed by a three year limited warranty*. Call **800-888-8583** or visit your dealer today for information on the full line of ViewSonic monitors.

Welcome to the New Generation.

ViewSonic®

20480 Business Pkwy Walnut, CA 91789
Tel. (909) 869-7976 Fax (909) 869-7958

ViewSonic 21 screen image by SPATIEL
TECHNOLOGY INC., Boulder, CO.
Created with ACIS™ Geometric Modeling
and rendered with Visualization Husk.



ViewSonic 17
July 1993



ViewSonic 17
June 1993



ViewSonic 7
June 1993



July 1993



ViewSonic 15
June 1993



ViewSonic 15
June 1993

*Three years parts (including CRT) and one year labor.

All products and brand names are registered trademarks of their respective companies.

Circle 157 on Inquiry Card (RESELLERS: 158).



Give your power-hungry sof

The OverDrive™ processor.
The single-chip upgrade that maxi-
mizes your PC's performance.



Want to see a
spectacular per-
formance? Then
add an i486™
DX2 OverDrive


processor to your Intel486™ SX or DX
CPU-based system. And watch *all*
your power-hungry software take off.

The OverDrive processor
improves the performance of all your
applications. So you can fly through
your overwhelming workload with
the greatest of ease.

How does the OverDrive processor
do it? Using Intel's innovative DX2
“speed doubling” technology, it runs
internally at twice the speed of the
rest of your system. So if you had a
33 MHz SX or DX Intel processor,
you would now have a 66 MHz DX2
Intel processor.



ware up to 70% more ka-boom.



Plus, the OverDrive processor is easy to install. Depending on your system, you can either plug it into the OverDrive socket or swap it with your original microprocessor. No problem.

To get a better idea of how the OverDrive processor boosts perfor-

mance of your software, call 1-800-354-3112, Ext. 5719, for a free demo disk. It could be the greatest show on earth.

intel®

Circle 103 on Inquiry Card.

PDA's ARRIVE But Aren't Quite Here Yet

Technically impressive, Apple's Newton MessagePad and the Tandy/Casio Zoomer are the first true Personal Digital Assistants. Their potential is tantalizing, but the reality leaves something to be desired. Prices are high, handwriting recognition is marginal, and communications are incomplete. Yet with technology advances, PDAs may yet fulfill their original vision.


TOM R. HALFHILL

The first personal computers all looked the same: a box with a video screen and a keyboard. Beneath the surface, however, were significant differences in terms of microprocessors, operating systems, and system architectures. Likewise, the first pen-based PDAs (Personal Digital Assistants) all look very much the same, too: a tiny box with an LCD screen and a stylus.

But appearances, once again, are deceiving. Some devices that claim to be PDAs aren't PDAs at all without absurdly stretching the definition. They're aimed at widely different markets, and they have little in common but portability.

Their differences become even more apparent after a technical analysis of their underlying architectures. Some PDA-type devices are scaled-down desktop computers, while others explore bold new territory. Constraints of cost, compatibility, memory, CPU power, size, weight, and battery life have forced their designers to make very different sets of compromises and trade-offs. Even if you isolate the two devices that appear almost identical—the Apple Newton MessagePad and the Tandy/Casio Zoomer—you discover that their supporting architectures are sharply divergent, though perhaps in ways that won't become obvious to casual users until future iterations.

At the same time, the early PDAs also have several things in common. They're all rather pricey compared to other electronic gadgets aimed at the mass consumer market. They all squeeze large amounts of computing power into amazingly small packages, but in some cases it's not enough power to satisfy their ambitious aspirations (handwriting



recognition in particular). They all come with a suite of useful applications, such as notepads, address books, and appointment calendars, but no "killer application," such as VisiCalc or WordStar, that dramatically reveals new possibilities.

Are PDAs ready for prime time? Are they worth the price? Can they justify their existence by doing anything important? Or will they be doomed to early failure, banished to their design labs until the technology catches up with our expectations?

This partially depends on what you expect from a PDA and how much you're willing to pay. Most people will probably be disappointed with the early PDAs or will guard their wallets until prices drop. But a remarkable number of companies are gambling on hopes that thousands of people will think PDAs are the best thing since sliced silicon.

PDAs are seeking a niche, but they're not just niche products. They're ultimately aimed at the millions of people who will probably never buy a personal computer, and they're destined to have a major impact on personal comput-

ing at large. PDAs already are accelerating the trend toward wireless communications and will encourage the on-line distribution of software. More important, one of these tiny devices adopts a new approach to system software that foreshadows the object-oriented operating systems that will be coming to desktops later in the decade.

What's a PDA?

Not surprisingly, there is no industrywide consensus on what constitutes a PDA. Because Apple chairman John Sculley coined the term in January 1992 and guided the Newton architecture's development, it's tempting to let Apple define the grounds of this debate. However, that wouldn't be fair to Apple's competitors, and it may not take into account the expectations of users.


Apple's MessagePad, the first in a family of products based on the Newton architecture, is the most interesting early example of the genre. If successful, the Mes-

sagePad will be widely imitated because, unlike the proprietary Macintosh, the Newton architecture is openly licensed to all comers. The list includes Cirrus Logic, Matsushita, Motorola, Sharp, and Siemens. Sharp, which manufactures the MessagePad for Apple, is also selling a variant called the ExpertPad.

However, Sharp is hedging its bets with a tablet-size device called the PT 9000 that isn't based on Newton technology (see the text box "Sharp's Non-Newtonian PDA"). Instead, the PT 9000 uses the GEOS operating system from GeoWorks (Berkeley, CA).

Another important GEOS-based system is the result of a partnership between Tandy (Fort Worth, TX) and Japan-based Casio, with significant input from GeoWorks and Palm Computing (Los Altos, CA). Nicknamed the Zoomer (the Tandy version is actually called the Z-PDA; the

Casio model is called the XL-7000), it is



perhaps the MessagePad's closest competitor in terms of appearance, user interface, and intended audience (see "Ease of Use Is Relative" on page 89).

Eo, Inc. (Mountain View, CA) makes the Eo 440 and 880 Personal Communicators, a pair of clipboard-size pen computers based on AT&T's Hobbit chip and Go Corp.'s PenPoint operating system. The Eo 440 and 880 perform many of the same functions as the MessagePad and the Zoomer, and in some ways they do a better job of it. For instance, their larger screens are more suited for creating documents, they can receive faxes as well as send them, and they can be equipped with cellular phones. Nevertheless, the Eo devices are not PDAs. Unlike the Zoomer and the MessagePad, they make no pretense about being consumer products.

Other contenders in this category include the Hewlett-Packard 100LX, a DOS-based palmtop computer; pocket-size personal organizers, such as the Sharp Wizard OZ-9600 and the Casio Boss; and content-oriented reference tools, such as Franklin's Digital Books. For various reasons, however, they fall short of what we expect from a true PDA (see the table "What Makes a PDA?" on page 72).

Sculley risked inflating those expectations over the past two years by making Newton the most visible work-in-progress in Apple's 17-year history. But users' expectations have also been influenced by Gene Roddenberry, the late creator of *Star Trek*.

Roddenberry first introduced PDAs to the public in 1966. When *Star Trek* was still in its conceptual stages, he decreed that no paper or pencils were to appear anywhere on the sets of the starship *Enterprise*. Instead, crew members jotted notes on electronic tablets that eerily resemble an Eo 880, and they used a handheld device called a tricorder to gather, process, and display information. On *Star Trek: The Next Generation*, the sequel to the original series, crew members communicate remotely by speaking into active-badge-like devices worn on their tunics.

This futuristic vision of multifunction hand-held computers, wireless communi-

cations, and an effortless user interface is the inspiration for today's PDAs, even if some designers do not acknowledge or are not consciously aware of the pop-culture source. Unfortunately, they have to meet twenty-fourth-century expectations with twentieth-century technology.

Still, the vision yields a practical definition of a PDA. At a minimum, a PDA should have significant computing power and be capable of performing a number of different functions, which rules out high-end calculators and dedicated language translators.

It should be easily held in one hand, usable almost anywhere while you are standing or sitting, and capable of running on battery power for extended periods of time, which rules out laptop and notebook computers. It should offer flexible communications, at least within the bounds of today's rapidly evolving but still-limited infrastructure, which rules

out most personal organizers. And, most challenging of all, it must be so affordable and easy to use that it will attract the millions of people who have thus far steadfastly resisted desktop PCs.

"We're not talking about a downsized personal computer," says Michael Tchao, manager of product planning and strategy for Apple's Newton Group. "We're not talking about Lotus 1-2-3 in the palm of your hand. We're not talking about pocket PageMaker. We're not talking



Apple's MessagePad is promised to be the first in a family of products based on the Newton architecture. Newton licensees are planning to introduce everything from smart telephones and fax machines to advanced cable TV converters.

about a little-bitty Microsoft Word with little-bitty keys and little-bitty menus. We're talking about a new class of device and a new category of users."

However, no device currently available meets all these criteria, especially at an affordable price. Like color TVs, VCRs, CD players, and other consumer electronics gadgets, PDAs won't become genuine mass-market

items until prices drop below \$300, and ideally even lower.


The Mighty Pen

Not everyone will agree with this definition, however, particularly those whose PDA-like products it excludes. For example, the Eo 440 and 880 are capable machines, but at \$2000 to \$3300, they're clearly not intended for mass consumption. The HP 100LX and Sharp Wizard are often considered PDAs, but they have QWERTY keyboards. Although there's disagreement on this point, those who target the mass market convincingly argue that keyboards are simply too intimidating for the computer-illiterate.

"If you're designing a device for broad consumer acceptance, you've got to have a pen interface," says Joe Ratner, Zoomer project manager for Radio Shack. "From the very beginning, we decided the Zoomer had to have a pen interface. It couldn't have a keyboard."

Ratner explains that it's impossible to fit a touch-typeable QWERTY keyboard on a pocket-size device, and crowded keyboards that have dozens of multifunction keys are even more intimidating to consumers than a full-size desktop keyboard. His counterparts at Apple, who interviewed more than 1200 consumers while designing the MessagePad, came to the same conclusion.

Gerry Purdy, vice president and chief analyst for mobile



Tandy and Casio collaborated on the Zoomer, a PDA that strongly resembles the Apple MessagePad but is built on a completely different hardware and software architecture.



The Eo 440 Personal Communicator is too big and too expensive to be a true PDA. However, it handles wireless communications in a complete and compelling manner.

Sharp's Non-Newtonian PDA

ED PERRATORE

When it comes to hand-held computing, Sharp seems determined to cover all the bases. The company is largely responsible for building the personal organizer market with its Wizard series, and it is the first Newton licensee to announce a MessagePad-type product, the PT-7000 ExpertPad. Sometime in October, Sharp will announce another type of small computer with PDA-like functionality aimed at current PC users, the PT 9000.

This system is a cross between a subnotebook and a true PDA in size, operating system (GeoWorks' GEOS), and applications. Sharp believes that many prospective buyers will have difficulty with the PDA concept—that of a semicomputer consumer product—so they might be inclined to go with a more familiar form factor.

The PT 9000 measures about 9 by 7 by 1½ inches and weighs roughly 2 pounds with six AA batteries installed; its size approximates that of the Dauphin DTR-1 subnotebook PC. It has a 7½-inch, super-twist nematic, black-and-white, 640-by-400-pixel (eight gray shades), non-backlit screen. The PT 9000 screen is both pen- and touch-capable. In other words, you can use, say, your finger rather than a stylus, although for some menu choices anything larger than a stylus point would frequently make incorrect selections.

Around the outside edge are one PCMCIA Type 2 slot and one Type 3 slot (on opposite ends of the unit), serial and parallel ports, an external keyboard connector, an external floppy drive connector, and an AC adapter port. Sharp will sell an external floppy drive, an AC adapter, and a subnotebook-size external keyboard.

Inside is a Vadem VG230, a 16-MHz 8086-class (16-bit) processor that incorporates functions such as a memory controller through VLSI technolo-

gy. Standard are 1 MB of RAM, which is upgradable by way of plug-in cards to 3 MB, and 6 MB of ROM for the operating system and applications. The power button takes you to suspend mode only.

Sharp claims the six AA batteries give you a cumulative 22 hours of typical use—that is, turning the unit on and off at regular intervals. Sharp will also sell rechargeable lithium-ion batteries, which are currently used in some video camera equipment and manufactured by a company called ATI (not the video-card maker). Sony is

also making this type of



The Sharp PT 9000

provides several ease-of-use features, such as the column of assignable icons on the right that allow you to turn immediately to a particular application or file.

battery under license from ATI; Panasonic will begin selling it next year. In the PT 9000, two lithium-ion batteries fit where the six AAs would go and provide you with a claimed 24 hours of typical use.

Bundled GEOS software includes the usual GeoWorks group: a word processor, a spreadsheet, communications software, and a database manager. Also in ROM, but not a part of GEOS, is a personal information manager from Palm Computing that's very similar to what Palm wrote for the Zoomer. Other mini-applications include an address

book, a scheduler, a note taker, a to-do list, a calendar, a calculator, and a world clock. Relevant mini-applications let you invoke a sketch pad with a mini-toolbar of editing functions. Traveling Software's LapLink and America Online access software are included as well.

A column of buttons runs down the side of the screen—three of the buttons are assigned, five are customizable. You can use these five for shortcuts to commonly used applications, and you can even assign an icon to a file.

Early Impressions


The beta unit of the PT 9000 I looked at appears significantly faster than the 8-bit Tandy/Casio Zoomer. Handwriting recognition, like the Zoomer's, is disappointing, but you have the choice of keeping text you've scribbled as ink or having the software translate it. In fact, you can toggle between a bit map and a botched recognition job. The software recognizes block letters only.

One nice feature is the ability to delete previous strokes of the stylus—the vertical line of a T, for example—to keep you from having to write something all over again. Thanks to the GEOS operating system, the PT 9000 offers multitasking and multi-threaded execution.

For now, Sharp will say only that the PT 9000 will be priced below \$1000. Like true PDAs, however, it's a risky venture at any price—the first keys to mass-market acceptance are more wax than gold. But by sticking closer to existing notebook technology than to new architectures from the MessagePad and other PDAs, Sharp's hybrid offering may help sell the overall concept of hand-held computing for the entire industry.

Ed Perratore is a BYTE news editor based in New York. You can contact him on BIX as "eperratore," on MCI Mail as "eperratore/byte," or on the Internet at 539-9130@MCIMail.com.

It all started
when you asked them
to share an HP LaserJet



printer.



HP's JetDirect card solves the problems of shared printing.

Shared printing has been a great way to make the most of your resources. Unfortunately, it also made printing a hassle. Until now.

With HP's JetPrint utility, printing status is delivered to each user's PC.


This powerful Windows™-based utility for Novell Netware networks, included with HP's JetDirect card, provides users easy access to printer information. Users no longer have to jog over to the printer to check on job status. Just a simple click of the mouse and they can find out everything they need to know:



- Online/offline.
- Paper out/paper jam.
- Toner low.
- Printer cover open.
- Print job queues and priorities. And more.

No more hassles for them. No more complaints for you.

And no more network performance degradation or PC parallel-port bottlenecks. Print data zips along. Even graphics move along at breakneck speed. Network printer performance is maximized. It just doesn't get any better. Or faster.



HP's JetDirect card makes your printer easy to manage.

How easy? Installation takes just minutes. And implementation is a breeze.

HP's JetAdmin utility provides remote management capabilities for Novell networks. Now printers can be placed anywhere on your network. Users can even automatically download Windows drivers for most popular PC applications. Which all makes the HP JetDirect card the preferred solution. With users. And with people like you.

Next time you buy an HP LaserJet printer, get an HP JetDirect card. Call 1-800-533-1333, Ext. 7569.

After all, why suffer with problems, when HP offers the perfect solution?



HP JetDirect Card

HP Printer Compatibility:

JetDirect Cards -
LaserJet 4Si, 4Si MX, 4, IIISi, III, IIID, II, IID •
PaintJet XL300, DeskJet 1200C • DesignJet,
DesignJet 600, 650C

JetDirect EX Interface -
LaserJet IIP, IIP plus, IIIP, 4L • other HP
peripherals with a parallel port

Network Topologies:

Ethernet (IEEE 802.3): 10Base-T, 10Base2 •
Token Ring (4/16 Mbps) • Apple LocalTalk

Network Operating Systems:

Novell Netware • Microsoft® LAN Manager •
Windows for Workgroups • Windows NT •
IBM LAN Server • HP-UX, SunOS, Solaris, SCO
UNIX™ • Apple EtherTalk • Apple LocalTalk

Supports industry-standard SNMP-based network management software.

*Multiple network operating systems are supported simultaneously with the HP JetDirect card when installed into an HP LaserJet 4Si or 4Si MX printer.

†Only NOS supported by JetDirect EX interface.

**Not supported with Token Ring topology.



**HEWLETT
PACKARD**

WHAT MAKES A PDA?

	Portability	Battery life	Low price	Mass market	Ease of use	Wireless communications	Applications	Pen
Apple Newton MessagePad	●	○	●	●	●	●	●	●
Tandy/Casio Zoomer	●	●	●	●	●	●	●	●
Eo Personal Communicator 440/880	●	○	○	○	●	●	●	●
Sharp PT 9000	●	●	●	●	●	●	●	●
Organizers (Sharp Wizard, Casio Boss)	●	●	●	●	●	○	●	○
DOS-based hand-helds (HP 100LX, Fujitsu Poquet PC)	●	●	●	○	○	●	●	○

●=well suited ○=adequate ○=not well suited

PDAs are defined as highly portable, easy-to-use computing and communications devices aimed at the mass market. To be highly portable, the unit must be easily held in one hand and able to be carried in a pocket. Long battery life is also an important portability factor; you don't want to worry about being near a power outlet all the time. Ease of use assumes no keyboard; most people don't type well. For now, a pen interface is the preferred means of input, although someday voice input might supplement it. To appeal to the mass market, PDAs must be low in cost, preferably \$300 or less, and they must come with a good suite of general-purpose applications. Finally, PDAs must deliver seamless two-way wireless communications for fax and data access.

computing at Dataquest (San Jose, CA), predicts that QWERTY-based devices such as the 100LX and Wizard are "going the way of the slide rule:" PDAs will eventually replace them.

The point is that PDAs aren't substitutes for PCs; they're different devices aimed at a different market. "I'm not expecting to replace my desktop computer or my laptop with a PDA, but I'm definitely going to have a PDA," says Jeff Hawkins, founder of Palm Computing, who first conceived the Zoomer while working at Grid Systems. "For heavy-duty text writing, pen input won't replace a keyboard."


PDA designers think their devices are more likely to be used by *consumers* of information than by *creators* of information. Therefore, user input will tend to be brief and frequently limited to selections from menus. Those who need to enter lots of data will use conventional computers, although some PDAs, such as the Sharp PT 9000, will offer keyboards as an option.

"But a pen interface doesn't necessarily mean the same thing as handwriting recognition," Ratner points out. "For some applications, you don't need recognition. Digital ink is good enough."

Digital ink—storing the image of the user's handwriting instead of translating it into ASCII text—is one of the trade-offs juggled by designers of today's PDAs (see the text box "Ink vs. ASCII").


PDAs tend to look alike, so one way of telling them apart is to peel back the surface. Their underlying architectures deter-

mine not only what they can do now, but also what they'll be capable of doing in the future as the technology advances.



PenPoint, like Newton Intelligence, is object-oriented, but it maintains ties to a file-based structure.

Newton Architecture



Newton Intelligence is object-oriented from the ground up. Most programmers will access MessagePad resources and write applications using NewtonScript.

Operating Systems of the Future

Some operating systems running on PDA-type devices are descended from those of desktops: DOS, GEOS, Windows for Pen Computing. Others are dedicated to proprietary hardware and don't attempt to duplicate the functionality of a full-fledged operating system: These include those of the Sharp Wizard and Casio Boss. Some operating systems, such as Magic Cap from General Magic and WinPad from Microsoft, look promising but haven't yet appeared in actual products.

Only two operating systems currently available were designed from the ground up to support PDAs: Go's PenPoint and Apple's Newton Intelligence. Both are heavily object-oriented and depart from the traditional model used by today's operating systems for desktop computers.

Newton Intelligence borrows a few of its components from the Mac: Portions of QuickDraw (the Mac imaging engine) handle the MessagePad's display, and an AppleTalk protocol stack supports name lookup, zones, data streams, and printing,

although there's currently no support for AppleTalk Remote Access. Newton Intelligence is multitasking and extensible, and Apple plans to distribute software updates and extensions via on-line services.

The Newton operating system consists of four major components: the Recognition Architecture, the Communications Architecture, the Information Architecture, and the Intelligent Assistance. Most of it is written in C and C++, with a small portion of the low-level kernel written in assembly language. The


Outrageous Upgrade.

\$199

Competitive Upgrade Offer!

New Competitive Upgrade Can Save dBASE, FoxPro, Paradox, Access And ARAGO Users Up To \$1,291!

\$199 Includes Your Choice Of Any One Of These Absolutely FREE! Offer Good For Users Of Any Competitive DBMS – Call Today!



The Complete, Professional Programming Environment.


CA-Clipper® 5.2 is a robust language, an efficient linker, a flexible preprocessor and a high-performance compiler. It includes: an editor, debugger and make utility for creating PC and LAN-based applications.

Faster Access, Faster Screen Writes, Faster Performance.

Address up to 32 megabytes of virtual mem-

Feature	CA-Clipper	FoxPro	dBASE IV
Lexical Variable Scoping	YES	NO	NO
User-defined Commands	YES	NO	NO
Code Blocks	YES	NO	NO
Nested Multidimensional Arrays	YES	NO	NO
Predefined Object Classes	YES	NO	NO
Variables Modifiable in Debugger	YES	NO	NO
Customizable Reactive Error Handling	YES	NO	NO
Reads and Writes FoxPro (.CDX) Files	YES	YES	NO
Reads and Writes dBASE IV (.MDX) Files	YES	NO	YES
Reads and Writes Paradox (.DB/.FX) Files	YES	NO	NO


Comparison based on FoxPro Version 2.5 for DOS and dBASE IV Version 1.5.



Over 550 time saving, problem-solving functions in one high-performance package. Raise your productivity with this valuable library.



Compile almost any dBASE IV application in three easy steps – and produce executable (.EXE) files with the efficiency of CA-Clipper.



dBASE apps come alive with new CA-dBFast 2.0 – the first dBASE-compatible database and language for Windows.

ory – with shorter access times. New Expanded Memory System (EMS) capabilities including LIM 4.0 support, plus a Virtual Memory Manager that uses dynamic overlays to let you exceed available RAM.

New RDDs For FoxPro, Paradox and dBASE IV.

Replaceable database drivers for all the most popular development systems. Plus you can customize Clipper with user-defined commands and functions. And seamlessly

integrate modules from languages such as C, Assembly, dBASE and Pascal. There are no runtime fees, no additional licenses, no LanPaks.

So what are you waiting for?

Call right now and upgrade to the new standard in Xbase development.

COMPUTER ASSOCIATES
Software superior by design.



DBA readers rated CA-Clipper 5.01 Best Development Language, Best Xbase Compiler and Best Development Product.



PC Magazine Editor's Choice for Xbase Development.



DBMS Reader's Choice winner for client/server development system.

SEE YOUR LOCAL DEALER TODAY OR CALL 1-800 CALL CAI EXT. 176.

Operators are standing by to take your order. Offer good for a limited time only, so don't wait. Call today!

New CA-Clipper® 5.2.

user-interface layer is coded in C, C++, and NewtonScript, a new language that combines features of C and Pascal. NewtonScript is the development tool for all Newton applications software, including the programs that are burned into the Mes-

sagePad's ROMs. Drivers and other low-level functions that access the MessagePad's hardware directly are best written in assembly language.

The Recognition Architecture has a recognizer engine that translates your printing,

cursive writing, or any combination of the two. The recognizer was designed by ParaGraph International, a U.S./Russian joint venture based in Moscow and Sunnyvale, California (see "Pen Computing Catches On" on page 105). It's trainable, automat-

Ink vs. ASCII

It'll be a long time before handwriting recognizers are as good as pharmacists at interpreting anybody's sloppy scrawl. Therefore, the designers of today's PDAs must compromise the ideal of always recognizing everything a user writes. One alternative is to minimize freehand pen input by offering selections in menus. Another is to capture an image of the user's handwriting without attempting the difficult translation into ASCII text.

The latter approach is known as *digital ink*. Some PDA designers contend that digital ink is not a compromise or a workaround. For certain applications, they say, ink is an entirely appropriate data type. Often-cited examples include brief reminder notes and entries in appointment calendars. In neither case, they argue, is a user likely to need full-text searching or sorting, the main advantages of ASCII text.

"There's an underlying assumption that 'before I can do useful work, it's gotta be in ASCII,'" notes Gregory Stikeleather, president of Aha Software (Mountain View, CA), which makes an ink-oriented word processor called InkWriter. "That isn't always the case."

Still, it's hard to believe that universal recognition wouldn't be implemented if it were reliable, adaptable, and didn't tax a PDA's resources. For one thing, byte-coded text requires less storage space than digital ink—an important consideration for hand-held devices with small RAM-based file systems. And there's always the chance that a user might indeed want to search a series of reminder notes for a key phrase or look for a particular name in a large appointment book.

For the immediate future, though, digital ink will be an integral feature of PDAs, and designers are taking different approaches to it. These differences are typified by Apple's Mes-

sagePad and Tandy/Casio's Zoomer.

Both of these PDAs let you tap an icon to switch the handwriting recognizers off. This lets you write freely in digital ink, which the computer captures and stores as a graphical image. This image is not a simple bit map of pixels, however. Both PDAs save your writing as vectorized strokes, similar to the difference between bit-map fonts and outline fonts. When compressed, the strokes require less storage space than bit-map images and also preserve information that could be useful later (see the text box "Jot Defines Electronic Ink" on page 110).

The Zoomer makes the best use of this information. It supports *deferred recognition*, the ability to translate ink into text anytime after it's captured. You merely select the ink, turn on the recognizer, and confirm that you want to translate the writing into text.

This is where saving penstrokes becomes important. It's much easier for a recognizer to interpret stroke data instead of a plain bit map, because the strokes preserve the way in which a character is written, not just its image. If nothing more than a bit map were saved, the recognizer would be reduced to optical character recognition, which is not very reliable for handwriting.

The MessagePad doesn't support deferred recognition, although nothing in the Newton Recognition Architecture precludes it from being added in the future. Apple gives two reasons for this decision: Real-time recognition saves storage space, and usability testing has showed that people tend to write much sloppier when the recognizer is off, making it more difficult to recognize.

As a result, the MessagePad's approach to digital ink is somewhat less flexible than the Zoomer's. In truth, however, the Zoomer probably needs digital ink more than the MessagePad.

The Zoomer's recognition is noticeably slower (a consequence of the Zoomer's 8088-compatible CPU versus the MessagePad's ARM610 RISC chip); it's less adaptive (it recognizes only printing, not cursive writing, and it isn't trainable); and it is somewhat less accurate (based on results of preliminary tests).

A key difference between the two recognizers is that the Zoomer interprets words character by character, while the MessagePad lets you choose between a dictionary-based system, character-by-character recognition, or a combination of the two. Normally, the MessagePad tries to find each word you write in its 10,000-word dictionary. If it can't find a match, and if the character-by-character option is off, the MessagePad makes a guess—often a very wild guess. For example, the MessagePad stumbled badly on the proper name *Halfhill*, even though both parts of the compound word were in its dictionary. Five attempts yielded these five guesses: *florists*, *teachers*, *forecasts*, *four their*, and *Clarence*.

One solution to the problem is to add the word to the dictionary by spelling it on a pop-up QWERTY keyboard. Once I added *Halfhill*, the MessagePad got it right every time. The other alternative is to activate the character-by-character option, which works fairly well but slows down the recognizer and reduces overall accuracy.

The Zoomer's answer is to always offer the option of digital ink—unlike the MessagePad, which offers it only in certain applications. "If I were writing poetry, a dictionary-based recognizer would be great," comments Jeff Hawkins, founder and chairman of Palm Computing. "But when you start writing names and other words that aren't in the dictionary, you start running into problems."

Why some software sells more than others.



Success. All software developers strive for it. Now, Don Gall was on top of the world. Software protection made all the difference. Especially in Europe and Asia. Sales were four times better than before. He is the founding father of Sentinel — the guru of software success.

Struggling Software Sales

One day, trekking through the coffee fields of Java, Don ran into his old college buddy Simon Seagull. "Don, my sales are well below expectations." Simon explained his plight, "My software should sell like yours, Don!" Yet despite critical acclaim Simon's company, SimonSays Software, teetered on a financial tightrope. "What's your secret, Don?"

They spent hours analyzing potential problems. They looked at everything.

The Key to the Problem

Finally, Don leaned back and asked the assumptive question, "What about protection — are you using Sentinel?"

Nervously, Simon sipped his coffee. His hands shaking as his eyes darted the room. "No. I didn't think I needed to."

Don's chair slid out from under him and he crashed to the floor. Amazed in disbelief, Don cried, "You What?!" Grabbing his tattered scrapbook, Don pulled out photos of his travels. "Ever been to Seoul? Prague? Anywhere? Ten bucks will buy you anything, even bootlegged copies of software."

Don's Road to Success

Thumbing through the scrapbook, Don shared his experiences. "Back in the '80s, I was in your shoes — beaten, battered and bruised." Simon listened. "Then, after a heart breaking trip around the world, I called the Software Publishers Association (SPA)."

"I could hardly believe it. They told me developers lose billions of dollars each year. Why? Illegally copied software. In some countries there are nine pirated copies for each legal copy sold."



Simon was disgusted, "It's just not fair."

"That's why I committed myself to solving the piracy problem," explained Don.

Simon's eyes lit up. "The dongle!" he shouted. Don corrected him, "Not just any dongle — the dongle that paved the road to success for over 10,000 developers worldwide — Sentinel."

Successful Developers Use Sentinel

Don pulled a stack of letters out of his gunny sack. "All of these people tell the same story." Don read about a successful developer from California who swears she wouldn't be in business without Sentinel. Another company says protection costs less than litigation, plus they don't have to spend time and money supporting illegal users.

Others confessed they wouldn't market products internationally without protection.

The hours flew by, story after story, Simon learned Don Gall's secret. To succeed is to protect. To protect is to secure with Sentinel.



Most Advanced and Widely Used Dongles in the World

Backed by the world leader in software protection, Rainbow Technologies, the Sentinel Family of hardware keys is the most diverse and comprehensive selection available. For DOS, Windows, OS/2, Macintosh, LAN, UNIX and others. They're simple to install, and are the most reliable and compatible available.

Rainbow offers just-in-time delivery and the largest technical support and engineering staff in the software protection industry.

Call Don Gall today for a free copy of "The Sentinel Guide to Securing Software." Or better yet, ask him for a low cost Sentinel Evaluation Kit — complete with a working dongle!

For your free guide to securing software, call your local office or distributor listed below.

SENTINEL
Securing the future of software

When you need a dongle, you need Sentinel. The only dongle Don Gall will use.



RAINBOW LTD./U.K. 44 932 570066 ■ RAINBOW MICROPHAR/France 33 1 47 38 21 21 ■ RAINBOW GmbH/Germany 49 89 961 3051 ■ PACIFIC RIM/USA 714/454-2100

Worldwide distributors: ARGENTINA: Agri-Aid, S.A. 54 1 46 8364 • AUSTRALIA: Loadplan 61 3 690 0455 • BENELUX: Introcom Security Key 31 74 430 105

BRAZIL: Mips Sistemas Ltda. 55 21 507 1839 • BULGARIA: KSIMETRO 3592 79 14 78 • CHILE: ChileSoft Ltda. 56 2 639 8892 • COLOMBIA: Construdata 57 1 610 8549

CZECHOSLOVAKIA: ASKON International Ltd. 42 2 36 44 25 • GREECE: Byte Computer S.A. 30 1 923 2335 • HONG KONG: Computers and Peripherals 852 515 0018

HUNGARY: Polyware Kft 36 76 481 236 • IRAN: Gam Electronics 982 122 2374 • ITALY: BFI IBEXSA SPA 39 23 31 00535 • ITALY: Siosistemi 39 30 24 21074

JAPAN: Giken Shoji Co., Ltd. 81 52 972 6544 • JORDAN: CDG 962 6 818360 • KOREA: Genesis Technologies Corporation 82 2 578 3528 • MEXICO: Impex Computacion, S.A. de C.V. 52 66 210 291

MOROCCO: Futur & Soft 212 2 40 03 97 • PHILIPPINES: Techno Products and Services 63 2 732 5174 • POLAND: DAGMA SP.ZO.O 48 32 525 200 • PORTUGAL: HCR 35 1 135 61865

SAUDI ARABIA: ZEDAN 966 2665 1904 • SCANDINAVIA: Perico A/S 47 22 49 1500 • SPAIN: MECCO 34 3 422 7700 • SWITZERLAND: IBV AG 41 1 741 2140 • Safe Compad S.A. 41 2 421 0385

THAILAND: BCS International 66 2 319 4451 • TUNISIA: ICS 216 1 334 417 • TURKEY: BIMEKS, Ltd. 901 348 3508 • VENEZUELA: HRT-M Osers 58 2 261 4282

© 1993 Rainbow Technologies, Inc. All product names are trademarks of their respective owners.

Circle 133 on Inquiry Card (RESELLERS: 134).

ically adapting to your handwriting style over time.

Similarly, a graphics interpreter detects specific objects and penstrokes as you sketch on the display. For example, it automatically transforms a round scribble into a perfectly formed circle; four perpendicular lines become a precise rectangle. Both the handwriting recognizer and the graphics interpreter detect several predefined gestures for manipulating words and shapes. You can move objects, resize them, and cut and paste them on a system clipboard.

Newton's Communications Architecture supports a wide variety of I/O devices via the MessagePad's RS-422 serial port, PCMCIA slot, and 19.2-Kbps infrared transceiver. The serial port connects to printers, fax modems, and desktop PCs. The Type 2 PCMCIA slot accepts wireless communication cards and other add-ons. The infrared link lets you beam data to another MessagePad or a Sharp Wizard OZ-9600. This architecture is extensible, so new communications options can be added in the future.

A Central Data Bank

What sets Newton Intelligence apart from the typical desktop operating system is the Information Architecture. It's datacentric, not filecentric, a radical departure from DOS, System 7, Unix, and other common operating systems. PenPoint has a very similar structure, although it doesn't go quite as far as Newton in abandoning the old file-oriented model. Both Newton and PenPoint give us a likely preview of the object-oriented operating systems from Microsoft (Cairo) and Taligent (Pink) that are coming to desktops.

Instead of storing data in discrete files organized in a hierarchical file system, Newton Intelligence lumps everything together in an object-oriented central repository that's accessible to all applications. Technically, this is known as a *persistent object store*, and it promotes data-sharing among applications without the complex plumbing that's now being retrofitted to operating systems for desktops.

Because conventional operating systems segregate information in files, applications can't share live data until the operating system is equipped with a mechanism such as Microsoft's DDE or OLE, or Apple's Publish/Sub-

scribe or Amber/OpenDoc. Although these mechanisms work, they add yet another thick layer of code that wasn't anticipated in the original architecture of the operating system. They also force developers who want to take advantage of the new features to modify their code to expose internal objects to other applications. If the code isn't already object-oriented, extensive rewriting may be necessary. Both Microsoft and Apple are in the process of pulling their respective developer communities in these new directions.

Newton's Information Architecture takes a different approach to data storage and sharing. When data enters the MessagePad, the Information Architecture automatically tags (i.e., names), compresses, and saves the data in an object called a *frame*. A frame is a structure composed of tagged locations called *slots*. Slots can contain user data, program code, and even other frames. As objects, high-level meanings can be attached to frames: for example, address can represent "1 Phoenix Mill Lane."

A collection of related data frames is known as a *soup*, and soups reside in physical locations called *stores*. For instance, a soup of contact names might exist in a store located on a PCMCIA RAM card. Soups automatically maintain indexes to their frames.

This unified model means that all information stored in the MessagePad automatically becomes part of an object data-

base that Newton applications can search, modify, and display in countless ways. It eliminates the overhead of data translation and the redundant copies that often result from translation. Furthermore, because all information is processed as Unicode, the MessagePad readily adapts to foreign languages.

It's in the Soup


All of this dovetails with the final component of Newton Intelligence, the Intelligent Assistance. This component takes advantage of the data soup to make plausible connections between the information and your actions. For example, if you ask the MessagePad to "fax to Lisa," the Intelligent Assistance automatically assumes the sketch you just drew on the screen is what you want to send. Next, it locates all people named Lisa in the object database. If there's more than one, the MessagePad prompts you to make a choice. Then it retrieves Lisa's fax number and generates a fax document. The next time you connect your modem to a phone line, the MessagePad sends the fax. The Intelligent Assistance is also extensible.

Although all these capabilities can (and will) be bolted onto existing operating systems, Newton Intelligence was designed around this datacentric model in the first place, making it considerably more compact and efficient. For example, it easily fits within the MessagePad's 4 MB of ROM, leaving ample room for several other system components and all the built-in applications software.

Different Approaches to Objects

PenPoint is built on a similar object-oriented structure, but it doesn't appear to go as far as Newton toward discarding the traditional file-oriented model. PenPoint applications can store data as objects, much like Newton does, but they also have the option of saving documents in conventional file formats such as WKS or RTF. A systemwide import/export architecture translates those files as necessary when they are called by a PenPoint application. Newton applications, on the other hand, might provide backward compatibility with conventional file formats by encapsulating a file within a slot or a frame in the object store.

All these structural details will probably remain transparent to users—unless something goes



The GEOS operating system is based on the familiar DOS architecture, but it does make use of some high-level objects for the sake of reducing code requirements for programmers.


The World's FASTEST CD-ROM.

Yes it is the world's fastest... and no one else comes close!



Pioneer's DRM-604X, featuring its exclusive *Quadraspin* technology, has jumped past double speed drives to a new transfer rate of over 600 KB/sec. That's four times the speed of standard drives and twice the transfer rate of double speed drives.

DATA TRANSFER RATE (KB/SEC)



In an independent Test*, Pioneer ranked number one in overall performance. The DRM-604X searched databases, retrieved files and read CD's faster than any other drive.

Highest Capacity

Not only is this drive fast, it's also the industry's only 6 disc mini-changer.

The DRM-604X holds 6 CD's and can change CD's in an amazing 5 seconds. If you need more than 6 CD's you can manually change magazines or daisy chain up to 7 mini-changers to automatically access up to 42 discs and more than 5 million pages of data.

Best Flexibility

The DRM-604X is compatible with most operating systems and hardware platforms and has the latest features including multisession technology. Multisession makes it 100% Kodak Photo CD compatible and ready for new applications in the future.

For a fast response, call Pioneer at 1-800-LASER ON.

*MacWorld, July 1993

Circle 129 on Inquiry Card.

Pioneer New Media Technologies, Inc.
 **PIONEER**[®]
 The Art of Entertainment

horribly wrong. That's when the subtle differences between Newton and PenPoint might become more obvious. Newton critics say that its centralized object database could backfire by compromising data integrity and that PenPoint has better safeguards in this respect.


Data integrity is paramount in a RAM-based system, because a crash could corrupt all of a user's accumulated data, not just a single file associated with a single application. PenPoint was designed with extensive memory protection, so applications are effectively "walled off" from each other. The walls keep one application from interfering with another application's data or from crashing the whole system. To keep those thick walls from impeding IAC (Interapplication Communication), PenPoint has a system-level messaging mechanism that allows PenPoint applications and their objects to interact with each other.

Memory protection is receiving close attention in the design of multitasking operating systems, and it's a key feature of Microsoft Windows NT and IBM's OS/2 2.1. But Apple says the kind of memory protection found in PenPoint adds too much overhead to data-sharing between applications and that Newton's Storage Manager protects the integrity of the central repository in better ways.

Newton applications never access the object database directly, explains Larry Kenyon, principal engineer of Newton Intelligence. Instead, all reads and writes are handled as transactions and funneled through the Storage Manager's I/O system, where a sentry verifies the data before updating the object store. "Applications can't even touch the data," says Kenyon. "The sentry is always in place to keep that from happening."

Even if a system crashes or is switched off during a transaction, no data will be corrupted, he claims. Of course, no operating system can prevent loss of data if the hardware is physically damaged or if the MessagePad's main batteries and lithium cell go completely dead. Prudent users still need to back up their data.

The NewtonScript development language provides additional safeguards, says Apple's Michael Tchao. Unlike C, it automatically handles memory management and garbage collection. Applications programmers no longer have to allocate memory, and all references are to objects, not to handles or pointers. Tchao says 80 percent of crashes are caused by memory



A store is the physical location of data storage, either main memory or a PCMCIA RAM card. A soup is a collection of related data. Entries are tagged frames of information in a soup. Soups automatically maintain indexes to their entries and can update or remove them on demand.

management problems and that NewtonScript makes the programmer's nightmare of memory leaks and dangling pointers a thing of the past.

NewtonScript objects also have latent typing, and all operations are type-checked before they're performed. This nails argument errors before they have a chance to trash the stack and cause problems dozens of instructions later.

Even if NewtonScript makes life easier for programmers and contributes to data integrity, will developers embrace the new language? Critics say that because NewtonScript is nonstandard and bucks the industry trend toward C and C++, porting code won't be as easy.

But Tchao predicts that programmers will adapt quickly to NewtonScript's hybrid C/Pascal syntax. Based on early experience, he claims development will be faster on the Newton than on other platforms, mainly because there's less code to write. Developers won't have to recompile their applications to run on Newton devices built around other microprocessors, because NewtonScript code is executed by a run-time interpreter. Apple has already received inquiries from about 1500 "serious" developers, says Tchao, and about 50 applications written in NewtonScript will be introduced by Christmas. By the end of 1994, Apple predicts that about 300 applications will be available.

"Anytime you invent a new language, the language zealots—and there are a lot

of language zealots out there—run screaming from the room," says Tchao. "But we haven't found that to be the case with NewtonScript."

A New User Interface

Another consequence of Newton's datacentric architecture is that it discards the old data-processing model of booting an operating system, running and quitting application programs, loading and saving documents, and maneuvering through hierarchical file systems that mirror the layout of mass-storage devices. Although this model has served us well for decades, it assumes a certain familiarity with a computer system's underlying structure—the difference between an executable file and a data file, for instance, and the hierarchy of directories, subdirectories, and files. If PDAs are to successfully penetrate the mass market, these assumptions have to be abandoned.

The MessagePad has no start-up sequence, and you never explicitly load or run a program on it as you do on a desktop PC. Instead, you simply flick on the power switch, and you automatically return to the same application and document that was active during your last session. You move smoothly from one application to another by tapping its icon. To the casual user, it appears that all applications are always running, although actually the operating system is transparently swapping chunks of code in and out of the computer's RAM (640 KB on a standard MessagePad).

When you move to a different application, you find yourself at the exact spot in the last document that you created with that application. To switch documents, you simply tap on an icon. You never have to explicitly load or save a document; any changes you make are automatically updated in the central database.

Nor must you deal with a file system that exposes the detailed structure of the system's mass storage. You can call up a scrolling list of notes that you've created, but you can't view a "disk directory" that mixes data files with executable and auxiliary files. Newton saves documents chronologically, and you can organize them into folders if you want to do so, but the nuts-and-bolts framework of the storage system always remains hidden. This is a greatly abstracted extension of the Mac's file system, which shows only one icon for an executable file, even though it actually consists of separate files for the

POOR OLD MOUSE.



Come and see us at COMDEX,
Las Vegas (Nov 15-19, 93)
— South Annex Pavilion, Booth A 1930 —
and bring your old mouse too!



Most of the time all mice are nice and fine for pointing around. But when it comes to inputting graphics or logos into any application or any CAD package, they are hopeless. They just can't — and so you can't. No way. Problem? Yes and no. It depends — you may shrug your shoulders and say "Well, I'll never do CAD and I just never want to input any sketches, logos, or photos into my computer anyway." Or — you feel that isn't good enough after all the money you have invested and all the nice things you know you could do today with your own graphics once they were in the computer.

PROBLEM SOLVED.

Here comes the mouse that lets you input all your graphics as well. How?: That's what they all want to know, but we're not telling. It's a new invention. It's a universal combination of a true mouse and an independent manual drawing board that becomes a precision full-featured digitizer tablet once you just place the mouse onto the board. It's all in one or all separate as required. Simply unplug your poor old mouse, plug in our mouse and have the real all purpose input device to your PC always at hand. At a price poor mice can afford too.



ARISTO

ARISTO *College Board \ digital*

ARISTO Graphic Systems
A Division of KOH-NOOR Inc.
100 North Street, P.O. Box 68,
Bloomsbury, NJ 08804 - 0068
Tel: (908) 479 - 4124
Fax: (908) 479 - 1110

Europe:
ARISTO Graphic Systeme GmbH & Co. KG.
Schnackenburgallee 41
D - 22525 Hamburg (Germany)
Tel: (040) 853 97-221
Fax: (040) 850 04 25

ALL IN ONE.

Mouse, Digitizer Tablet, Drawing Board

Circle 191 on Inquiry Card (RESELLERS: 192).

PDA CPUs: New Form Demands New Functions

DICK POUNTAIN

The new battery-operated, hand-held PDAs demand a new class of CPU, and semiconductor manufacturers are all rushing to pick up a piece of this potentially huge market. It seems like vendors announce new PDA-class chips every week, all offering different and non-Intel-compatible architectures. To understand how this has come about, consider the features a PDA processor chip should have.

Low cost. PDAs are aimed at the consumer market. In a unit that costs only a few hundred dollars, the CPU cannot cost more than \$25 to \$30. Thus, PDA designers can forget about using 486DXs and Pentiums, which cost hundreds of dollars each.

Smallness. Printed-circuit-board space is at a premium in any hand-held device.

Very low power requirements. Battery life for a PDA needs to be an order of magnitude better than that of a laptop PC, allowing weeks or months between battery changes. Another important threshold that PDA designers are aiming for is operation on just two AA-size batteries.

Power. Although PDAs are pocketable, don't confuse them with pocket calculators; the kinds of applications promised by, for example, Apple's MessagePad require as much processing power as a high-end desktop PC. Handwriting recognition in particular consumes lots of real-time computing power.

High integration. The chip should contain a lot of peripheral functionality, such

as RAM, ROM, and various controllers, that would otherwise require external chips.

Ability to run compact code. This reduces the amount of ROM and RAM needed to store the software.

These requirements are not wholly independent; for example, smallness and low cost go together, as a chip's price in volume production is related to its die size (i.e., the amount of silicon it contains). On the other hand, smallness and

announced. The two first-generation PDA processors are the U.K.-designed ARM610 (Advanced RISC machine), which is used in Apple's Newton MessagePad, and the AT&T 92010 Hobbit, which is used in Eo's Personal Communicators. Both are 32-bit RISC designs, but the Hobbit is unusual in its use of an on-chip hardware stack, which is optimized for executing C function calls, instead of the large register file typical of a RISC CPU.


Both chips contain a cache and a memory management unit to support virtual-memory operating systems, but otherwise they show only modest integration. The Hobbit, for example, is part of a five-chip family that together make a PDA.

The second-generation PDA chips, which come from Japan, are Hitachi's SH7000 series and NEC's V800 series. While the ARM610 and the Hobbit are general-purpose RISC CPUs, these newcomers resemble microcontrollers on steroids. Both are based on 32-bit RISC cores with greatly simplified architectures.

Hitachi's SH7034 chip is a highly integrated device, with 4 KB of on-chip RAM and 64 KB of PROM,

a DRAM controller, a four-channel DMA engine, twin serial ports, an eight-channel A/D converter, and a whole slew of timers and pulse generators. The SH7032 has no PROM, but it has a total of 8 KB of RAM. Both SH CPUs feature a 16- by 16-bit integer multiply-and-accumulate instruction that executes in one to three cycles, enabling fast digital signal processor-style signal and image processing. You could build a simple PDA around the SH by adding only display and PCMCIA controllers.

NEC's V810 is not as integrated, but it includes a single-precision FPU; a 16-bit-bus version, called the V805, is probably the smallest and lowest-powered



high integration fall on opposite ends of the spectrum and call for trade-offs. "Small and powerful" nowadays means RISC, and almost all the PDA chip designers start with a compact RISC processor core (typically one with 30,000 to 40,000 transistors) and then add peripheral units to taste. Because PDAs represent a completely new software market in which PC or Mac compatibility is arguably not necessary, CPU makers are free to use leading-edge technology.

The Players

Although very few PDAs have actually been shipped so far, a second generation of processors is already being

CPU chip currently available. The forthcoming V820 will have DMA, with serial ports and timers located on-chip, like the Hitachi SH series. Nintendo is rumored to be designing the V810 into a forthcoming CD-ROM games machine.

CISC chips are not entirely excluded from the PDA scene: Motorola designed its 68349 Dragon 1 in collaboration with General Magic for use in PDAs based around General Magic's Magic Cap operating system. The Dragon is 68000 compatible and has integrated data RAM and DMA and serial ports. However, Motorola also plans a fast RISC PDA chip based on the PowerPC.

CMOS a Must

All these chips are implemented in fully static CMOS so that you can slow or stop the clock and then restart it without losing the processor state. The Hitachi SH and Motorola Dragon chips include special sleep instructions that stop the CPU but continue to time the peripherals; the SH also has a standby mode that stops everything and reduces power consumption to a few microwatts. The Hobbit, ARM610, and V810 can be put into a similar state by external clock logic. All the chips come in low-power 3.3-V versions, but only NEC's V810 can currently operate reliably on the 2.7 V you get from two tired AA batteries.

Hitachi and NEC have made code density an issue for PDA processors, a reflection of their experience with embedded processors, where much of the software is held in on-chip ROM. The Hitachi SH employs a 16-bit instruction format, so its programs are only 60 percent to 70 percent the size they'd be on RISC chips with 32-bit instructions. The downside of these short instructions is some awkwardness, particularly with address arithmetic.

The NEC V810's instructions are mostly 16-bit with just a handful of 32-bit, while the Hobbit uses a variable-length encoding scheme that also yields good code density. The ARM610 uses all 32-bit instructions but shortens its code by condensing condition tests and operations into a single op code (e.g., ADDEQ, add if Z flag set).

Benchmark figures are even more contentious than usual in the PDA arena, as there's little agreement about the conditions under which power consumption, speed, or MIPS per watt should be measured. Rather than step into this hornet's nest, I'll just quote ballpark figures. Power consumption for the CPUs mentioned here all lie in the range bounded by the NEC V810's 100 milliwatts and the Dragon's 300 mW (all at 3.3 V), an order of magnitude less than the 3 to 5 W consumed by a typical desktop 486. NEC claims the V805 consumes only 28 mW at 2.2 V and 10 MHz. Apart from the Dragon, all the chips can process at 15 to 20 MIPS, placing them squarely in the 486 league.

Most observers agree that the NEC V805 offers the best MIPS-per-watt rating right now, but expect the lead to change continually as the CPUs are fabricated in better processes and with different degrees of integration. When comparing power consumption between a highly integrated CPU such as the Hitachi SH and one with fewer functions such as the NEC V805, you should add in the likely consumption of all the extra support chips that the latter chip requires. However, this is rarely feasible in practice.

An Integrated Future?

Adding more functions increases a chip's die size and hence its price, but so long as all those functions are useful there should

be a net savings, thanks to the reduced external chip count. A highly integrated chip like the Hitachi SH will be cost-effective so long as you design a PDA precisely around the functions that it provides.

Another possible strategy, however, is to go with custom integration. Both ARM and NEC are offering their tiny RISC cores as macro cells for embedding into customized application-specific ICs, which could contain a set of peripheral functions precisely matched to a particular PDA's design. For example, by migrating to a 0.6-micron CMOS process, ARM should be able to fit most of the MessagePad's functionality (i.e., graphics, LCD, and PCMCIA controllers) onto a future CPU chip.

Intel and VLSI Logic recently revealed two PDA chip sets they're developing as a joint venture, based on Intel's 386SL and 486SL power-managed CISC processor cores. Code-named Polar (386) and Draco (486), both are twin-chip sets with one chip containing the CPU core, cache, memory and bus controllers, and a Windows-compatible graphics accelerator subunit, while the other holds keyboard, mouse, serial I/O, pen, and floppy and hard disk controllers and an HP-SIR infrared link.

Power management circuitry will be able to switch off individual peripherals according to demand, although no power or speed figures were available at press time. VLSI's high-bandwidth 25-pin ML bus is used to connect the chips together, which keeps the total pin count for the set to a reasonable 276. When the Polar and Draco chip sets become available this fall, you'll be able to design a PDA by just adding a PCMCIA controller chip.

In the end, it's likely to be consumer acceptance of PDA software that will determine the winners and losers among these CPUs, rather than their relative technical excellence. Those that achieve sales volume will survive. As PDAs come with most of their software built-in, the after-market for software may be small, making portability less of an issue than it is in the PC market. You might even see three or four different CPUs become established.

PDA PROCESSORS COMPARED


	ARM610	AT&T Hobbit	Hitachi SH series	NEC V810	Motorola Dragon	Intel Pentium
Die area (square mm)	71	92	92	53	100	294
Transistors	359,000	419,000	593,000	240,000	550,000	3.1 million
Cache	4K	3K	8K*	1K	1K	16K

* On-chip RAM.

Compared to the Pentium, PDA CPUs seem puny in size, yet many deliver considerable punch. Small size and high performance are necessary for these small, battery-powered devices.

Dick Pountain is a BYTE consulting editor based in London. You can reach him on BIX as "dickp" or on the Internet at dickp@bix.com.

Newton MessagePad Motherboard



resource and data forks.

PDA designers consider such details extremely important. Apple says it went so far as to hire a cultural anthropologist to observe people and notice how they use such things as Post-it Notes and other traditional tools. "You have to go beyond ease of use and provide assistance to the user," says Shifteh Karimi, user studies manager for Apple's Newton Group.

Again, PDAs are giving us a peek at the future. Desktop computers are moving toward the same datacentric philosophy, although retrofitted solutions such as OLE 2.0 and Amber/OpenDoc are not as elegant. Desktop PCs could also benefit from Newton's abstract file system, as mass-storage devices with gigabyte capacities strain users' ability to find individual files in deeply nested stacks of folders and sub-folders.

The Zoomer's Architecture

Apple is by no means alone in recognizing the value of a new user interface for a product aimed at the masses. The Zoomer takes

a strikingly similar approach, even though it's built atop an entirely different architecture.

While Apple spent millions of dollars infusing the MessagePad with the latest technology—an advanced operating system, an optimized development language, an ARM610 (Advanced RISC machine) RISC chip—Tandy tried to reduce costs by building the Zoomer with tried-and-true parts. Casio designed an Intel-compatible CPU that's equivalent to a 7.5-MHz 8088. GeoWorks adapted its desktop GEOS environment to reside in ROM. Palm Computing wrote almost all the applications software in assembly language and created an extremely compact handwriting recognizer that fits in 48 KB. Intuit contributed Pocket Quicken, a mobile version of its best-selling money management program.

But despite their different evolutionary paths, the MessagePad and the Zoomer could appear very much alike to casual users. Not only do they look like twins, but they'll also hit the street at about the

same price (\$700), and both conceal their internal complexities with remarkably similar user-interface layers.

Both the MessagePad and the Zoomer are instant-on/instant-off devices that automatically drop you at the same spot in the same document from your previous session. Both allow you to move transparently between applications by tapping on a row of "hard icons," affixed to the bottom of the screen, or "soft icons," displayed on the LCD. Both shield you from their underlying file systems, although the Zoomer lets advanced users run a File Manager that exposes the realities of DOS. Both have similar communications capabilities and a suite of applications in 4 MB of ROM.

Structurally, however, they're worlds apart. GEOS has high-level objects that save a lot of coding for applications programmers, but it has nothing like Newton's object-oriented database.

Applications share data the traditional way: by exchanging (and, if necessary, translating) discrete files or by sending

TO WIN THE PAPER CHASE

Fax

Print

Scan

Cut
and
Paste

Copy

STOP CHASING PAPER



DOC-IT INCREASES YOUR PRODUCTIVITY AT WORK.

We've just brought the paper chase to a resounding and refreshing halt with the invention of DOC-IT, the revolutionary, desktop document processor that combines a multitude of talents.

With DOC-IT, Okidata has integrated faxing, printing, copying, scanning, cutting and pasting in one unit with a footprint so compact, it takes up just a corner of your desk. Incorporating graphics capability compatible with Windows™ and most major software, DOC-IT lets you create and communicate finished presentation-quality documents—complete with visuals—without having to get out of your chair.

No more standing in line. Everything sits on the corner of your desk: simple, handy, productive and private; and incredibly easy to use. If DOC-IT looks good to you on paper, come see it in action at your nearby authorized Okidata DOC-IT dealer. **TO RECEIVE YOUR OWN ON-SCREEN DEMO DISK, OR THE NAME OF A DEALER NEAR YOU, CALL 1-800-OKI-TEAM, EXT. 264.**

THE SMARTEST
CORNER OF
YOUR DESK.
DOC-IT™ BY
OKIDATA®
a Division of Oki America, Inc.

The Wireless Factor

BOB RYAN

Before they can be more than just expensive electronic organizers, PDAs must let you communicate with other people and computers no matter where you are. Your PDA should let you send and receive E-mail messages, faxes, and even files and data from your desktop computer, network server, or other repository without having to be connected to a telephone jack. In fact, the lack of two-way wireless data communications ability is one of the biggest disappointments in the Apple Newton MessagePad and Tandy/Casio Zoomer.

At present, the most widespread, general-purpose two-way wireless communications network is the analog cellular phone network. You access this network with a PDA or a personal computer the same way that you access the wired analog phone system: by using a modem that translates between the digital world of your computer system and the analog signals used by the telephone system. Of course, using a cellular modem is not as simple as using a wired one. Modems today depend on carriers and other signals generated by central telephone switches. Using a standard modem with a cellular phone requires a special adapter that can supply these signals to the modem.

In addition, most modems today are not designed to work in a mobile environment. The slight interruption in your connection that occurs when you move from one cell to another is unimportant in terms of a voice connection, but it can wreak havoc with a modem connection. Also, wireless connections are subject to a greater amount of interference than wired ones, meaning that cellular modems require far more robust error detection than wired ones.

One company that's addressing these problems is Microcom, which has developed the MNP 10 protocol for cellular connections. MNP 10 supports smooth handoffs, has a lot of error checking, and can negotiate bit rates in real time as a cellular connection de-

teriorates or improves. Unfortunately, none of the currently available PDA devices use MNP 10.

Upgrading Cellular

Coming soon is CDPD (cellular digital packet data), originally developed by IBM and backed by a formidable group of companies, including Ameritech Cellular, AT&T, McCaw Cellular Communications, Motorola, and Nynex Mobile Communications. CDPD is a specification that lets you send data over an enhanced cellular network. CDPD uses a full voice channel, but it can move your connection from one channel to another to avoid congesting voice communications. At 19 Kbps, it offers a lot of bandwidth.

The drawback to CDPD is that it requires that you have a CDPD modem and that your cellular supplier upgrades its base stations to CDPD. Thus far, only Ameritech, Bell Atlantic Mobile, and McCaw have announced plans to deploy CDPD throughout their networks. McCaw plans to have CDPD up and running in its 105 markets in the U.S. by mid-1994. On the end-user side, IBM and Eo are developing CDPD capability for their machines, while Motorola is developing a CDPD modem on a PCMCIA Type 2 card.

Competing directly with CDPD and analog cellular are the Ardis and RAM Mobile Data digital RF data networks. Unlike CDPD, Ardis and RAM are digital technologies from the ground up. They offer inherently better data transmission facilities than analog services. Ardis, jointly owned by Motorola and IBM, supplies dedicated radio communications networks to large corporate customers. RAM Mobile Data, with base stations in major metropolitan areas in the U.S., sells its services to anyone. It provides a wireless bridge to public data networks and services. Besides using digital technology, Ardis and RAM have one other advantage over CDPD: They're available today.

The User Experience

Whether you use digital RF or analog cellular, the connection you make over

current wireless networks looks just like the wirebound connection you make with any terminal-based telecommunications program. Given that telecommunications remains the most arcane, unfriendly application in personal computing, this is a major problem for PDA vendors and service providers. If PDAs require their computer-ignorant target audience to learn the equivalent of even one of the easier-to-use packages, such as Procomm Plus, to communicate, then Apple, Eo, Tandy, and all the rest may as well fold their tents now. "Without ease of use," says Gerry Purdy, chief analyst for mobile computing at Dataquest, "[wireless providers] will always be selling to early adopters."

Luckily, both Newton Intelligence and Go Corp.'s PenPoint are built with communications in mind, as is Magic Cap, a software communications platform for PDAs under development by General Magic. In addition, General Magic has developed Telescript, a portable programming language designed to make it easy to develop communications applications. General Magic has revealed little technical information about Telescript, but both Apple and Eo have licensed it for use in future versions of their PDAs. In addition, AT&T is developing a network service that incorporates Telescript. General Magic hopes to make Telescript the lingua franca that spans and binds together applications, operating systems, and networks that support personal communications.

Today, the hardware and networks are in place to enable wireless mobile data communications, although the software and services that are needed to make such communications easy is not yet here. This imbalance is not very important now, as most early PDA adopters will likely be PC users. In the future, however, the success of PDAs will hinge on the success of technologies like Telescript.

Bob Ryan is a BYTE technical editor. You can reach him on BIX as "b.ryan" or on the Internet at b.ryan@bix.com.


CA-REALIZER—Now For A Limited Time Only \$99.

Above And Beyond Basic.

INTRODUCING
THE EASIEST BASIC
DEVELOPMENT
SYSTEM FOR
WINDOWS.

Compared to Visual
BASIC, CA-REALIZER® is
half the cost and twice
the product.

Develop applications
using the familiar proce-
dural language model and
a large array of powerful
tools. You don't need to
learn all kinds of confus-
ing new techniques. Just
type in programs or
design them visually with FormDev. It's an interactive



WYSIWYG, point and click tool
that generates code. With a single
command you can add
Programmable Application Tools
like spreadsheets, charts, text edi-
tors, animation, graphics tablets
and user-friendly forms. And
CA-REALIZER offers many fea-
tures other BASICs don't, like
automatic array processing.


royalty-free with the run-
time module that's includ-
ed. And you can generate
an installation disk with
the push of a button.

PC Computing said, "No
other Windows BASIC can
match it for power and
breadth of features."



And at \$99, they can't
match the price either.

So call 1-800 CALL CAI
today for more information
and the name of your nearest dealer.



design them visually with FormDev. It's an interactive
WYSIWYG, point and click tool
that generates code. With a single
command you can add
Programmable Application Tools
like spreadsheets, charts, text edi-
tors, animation, graphics tablets
and user-friendly forms. And
CA-REALIZER offers many fea-
tures other BASICs don't, like
automatic array processing.

Arrays are re-dimensioned and processed automatically.
Algorithms can be written as formulae instead of com-
plex looped expressions.

Once an application is complete, you can compile it
into a stand-alone Windows application and distribute it

and the name of your nearest dealer.

	REALIZER	Visual BASIC
Interactive WYSIWYG Application & Form Designer	✓	✓
Generates User Accessible & Modifiable BASIC Code	✓	
Familiar Procedural Programming Model	✓	
Integrated Full-Featured Debugger	✓	
Single-Stepping, Call-Tree, Variable Display	✓	
Automatically Expandable Dynamic Arrays	✓	
Full Range Of Fast Array Operators & Functions	✓	
Mathematical, Statistical, Date-Time Functions	✓	
Dynamic Addition & Removal Of Form Objects	✓	
Fully-Integrated Programmable Application Tools:	✓	
Charts, Spreadsheets, Text Editors, Graphics, Animation, Scheduler	✓	
Ability To Run Multiple Applications Simultaneously	✓	
Full Support For DDE & DLLs	✓	✓
Direct MDI Support & Serial Communications Library	✓	
Import/Export Of 1-2-3, Excel, CA-SuperCalc Files	✓	
Extensive Context-Sensitive On-Line Help	✓	✓
Clip Art Library With Over 250 Bitmaps	✓	
QuickBASIC Version 7.0 Compatibility Libraries	✓	

Don't waste another day trying
to figure out Visual BASIC.
Leave that for your competition.

COMPUTER ASSOCIATES
Software superior by design.

CA-Realizer

© Computer Associates International, Inc., One Computer Associates Plaza, Islandia, NY 11788-7000. All product names referenced herein are trademarks of their respective companies.
CA-REALIZER Release 1.0 and Visual BASIC Release 1.0 compared 10/92. Cost comparison based on Visual BASIC Release 1.0 Suggested Retail Price. PC Computing quote appeared 10/91, pg. 90.

Circle 81 on Inquiry Card.

messages. Although GEOS is not chained to the DOS file system, it maintains the link to DOS for file compatibility. Yet the Zoomer cannot run DOS programs; with the exception of Grid PenRight applications, the ability to run DOS executables was deliberately disabled because of limitations imposed by the 320- by 256-pixel screen.

Naturally, GeoWorks CEO Brian Dougherty doesn't view these differences as a handicap. The Newton architecture is unproven, he points out, and GEOS provides a rich operating environment for PDAs that is being widely licensed to several vendors (including Apple's Newton partner, Sharp). Programs written for the desktop version of GEOS can be ported to the Zoomer without recompiling, because GEOS decouples the user interface from the application code.

The PDA version of GEOS crams plenty into 1.5 MB of ROM: about 40 printer drivers, an imaging engine, IAC, multithreading, on-line help, PCMCIA support, high-level objects for programmers, and peer-to-peer networking via the serial and infrared ports. Approximately 1 MB of this ROM-based code must be bank-switched into RAM, because only the low-level kernel is XIP (executable in place). Dougherty says the next version of GEOS will keep more XIP code in ROM to minimize bank-switching, thus taking some load off the slow CPU.

If the Zoomer's 8088-class CPU wasn't limited to real mode, GEOS could run in protected mode, mapping the ROM into flat address space. With additional RAM, this could eliminate bank-switching altogether and speed up the machine considerably.

Dougherty would love to see this happen. In fact, from the very beginning he pushed Casio to build the Zoomer around a more powerful 80x86-compatible CPU, such as Chips & Technologies' PC/Chip, but he says Casio insisted on using a less powerful chip to maximize battery life. However, future versions of the Zoomer could escape that trade-off. Intel and VLSI Logic are developing a family of highly integrated chips that combine the logic cores of the 386SL and 486SL with other system components to make a two-chip solution for 80x86-compatible PDAs (see the text box "PDA CPUs: New Form Demands New Functions"). Neither Tandy nor Casio has announced plans to use the Intel/VLSI option, however.

Early Adopters or Suckers?

Although the MessagePad and the Zoomer fall short of some expectations and are rel-

atively costly, from a purely technical standpoint they are both undeniably impressive. Compared to their distant ancestors that also broke new ground—the Apple I and the Tandy/Radio Shack TRS-80 Model I—they are remarkably mature products.

They also have bigger ambitions. With sub-\$1000 prices, soon to drop below \$500, there's not much profit in PDAs. To succeed as mass-market consumer items, PDAs ultimately must move in volumes measured in the millions.

Apple in particular has a lot riding on this gamble. Newton is one of Apple's answers to Microsoft's "Windows everywhere" strategy (see "Windows, Windows Everywhere?" in the June BYTE), and it's one of the two major projects on which Apple is betting its future. If Newton flops, and if the Mac doesn't make the transition to the PowerPC chip, Apple may not survive the 1990s. At the very least, it could lose its seminal position as a leading-edge computer company.

It may be years before PDAs match the sales volumes of desktop PCs, and whether Apple and others can wait that long depends partly on how many "early adopters" are willing to go out and purchase the first PDAs and fund the ongoing evolution. Nearly everyone agrees that those early adopters won't be the same people who are the eventual targets of PDAs. "We see the early adopters being PC users, but [sales] quickly moving to people who never considered buying a computer," says GeoWorks' Dougherty.

Dougherty envisions a not-too-distant future when PDAs are as ubiquitous as radios. "The average household has seven radios, and most people don't even realize they have seven radios until they start counting their clock radio, their Walkman, the stereo system, the car radio, and so on. We see the same thing happening with devices like the Zoomer as they get down to calculator prices. And that will happen sooner than you think," he predicts.

Dougherty estimates the bill of materials for a Zoomer-type device to be about \$150, with the LCD being the most expensive component (about \$30). Those costs will drop as volumes grow. Within two years, he says, a Zoomer could sell for as little as \$300. That would put it in direct competition with personal organizers and pocket pagers. Dougherty points out that the current market for organizers is approximately 5 million units per year and that pagers are selling at a rate of approximately 2 million units a month. Dataquest projects that PDA unit sales in the U.S. will grow from 70,000 this year to 3.62

million in 1997.

Like the primitive personal computers of the 1970s, the MessagePad and the Zoomer have an air of future potential, of something young that's just on the verge of making it big. It's only a matter of time before their handwriting recognition improves and new applications are invented for them. They fit well into today's busy lifestyles, and they're perfectly positioned to ride the rising waves of wireless communications and data superhighways. In 10 years, these unassuming little devices could conceivably become the dominant personal computer platform. Desktop PCs will still be around, as mainframes and minicomputers are today, but most "personal computing" will probably happen on PDAs.

"There's a major intimidation factor with a computer," says Michael Reimer, chief operating officer of ParaGraph. "It has a scary-looking keyboard and a big monitor that stares back at you. The Newton is a very different kind of device: It's small, it's soft. It doesn't intimidate. It's like a Walkman."

However, there are some naysayers, too. Michael Homer, Go's vice president of marketing, predicts that consumers will find the MessagePad and the Zoomer too expensive and disappointing. "I don't think the Newton and the Zoomer are viable machines. There's no magic going on here," he says.

The future of PDAs isn't riding solely on the Newton MessagePad and the Zoomer. Both are promised to be only the first in wide-ranging families of products, and other contenders are poised to enter the race as well. Among the leading challengers will be the first PDAs to be based on Microsoft's WinPad and General Magic's Magic Cap. The millions of R&D dollars spent by Apple, Tandy, Casio, GeoWorks, Palm, Eo, Go, and other pioneers will not be wasted. Eventually someone will leverage the investment into a successful product.

Let's just hope we don't have to wait until the twenty-fourth century for that to happen. ■

ACKNOWLEDGMENTS

BYTE West Coast bureau chief Andy Reinhardt, news editor Ed Perratore, senior technical editor at large Tom Thompson, and senior editor Michael Nadeau also contributed to this article.

Tom R. Halfhill is a BYTE senior news editor based in San Mateo, California. You can reach him on BIX as "thalfhill" or on the Internet at thalfhill@bix.com.

When protecting your software against piracy and unauthorized use, make sure that your protection system has all the following qualities:

A GOOD HARDWARE KEY

Hardware-based software protection systems are now the standard worldwide. However, not all keys are the same. A good key should have all the following features:

- ✓ Compatibility and transparency. The key should work without any problem on your customers' computers. The user should be able to forget the key after connecting it.
- ✓ Unbreakable electronics. A customized ASIC (Application Specific Integrated Circuit) component should be integrated in the key. This prevents reverse engineering and makes cracking virtually impossible.
- ✓ A unique and inaccessible software developer's



code burnt into the ASIC. (This code should not be held in the key's memory, where it can be read and altered.)

- ✓ A Read/Write Memory inside the key should be available on demand. The memory should be writable in the field, on any PC, without any special programming equipment.
- ✓ Very low power consumption, enabling the key to work even under the worst power conditions, on PCs and laptops, with or without a printer.

POWERFUL SOFTWARE

- ✓ A Linkable Protection Module with which calls can be made to the key from any point in the protected program.
- ✓ An "Envelope" installation program. Such programs enhance security while making it possible to protect a software even without its source code.
- ✓ Sophisticated antidebugging and encryption mechanisms.



HASP® - The Professional Software Protection System

HASP® OFFERS YOU ALL THESE FEATURES AND MORE:

HASP was designed by a team of computer experts, professional cryptologists, and electrical engineers. As a result, HASP keys are supported by what is probably the best software in the market, and the HASP system has worked on every computer it has been tried on. In addition to all the features mentioned above, HASP provides:

- ✓ A Full Authorization System for protecting dozens of programs using only one key.
- ✓ A Pattern Code Security System (PCS) enabling parallel processing of multiple calls by the Linkable Protection Module.
- ✓ A Virus Detection option that can be incorporated in the protected program to check whether it has been infected by a virus.
- ✓ Several HASP keys can be connected one behind the other. Small physical size ensures maximum convenience for your customers.

NETHASP- THE ULTIMATE SOFTWARE PROTECTION FOR NETWORKS

- ✓ Only one NetHASP key is needed to run a protected program from many stations in a network. NetHASP provides full support for protecting DOS and WINDOWS software under network environments, including Novell dedicated & non-dedicated servers, Lan Manager, Lantastic, Banyan, DLink, and NET-BIOS based LANs.

WHAT OTHERS ARE SAYING ABOUT US:

In all the products we tested, except the HASP, we could see through the encrypting and questioning procedures... and crack them.

CT Magazine (Germany)

MemoHASP: ...of all the protection devices tested is without any doubt, the one which combines the best features.

PCompatible (Spain)

Trying to crack a program... that was protected utilizing all of HASP's features - is like searching for the Holy Grail.

Micro Systems (France)

PC dongles... come with varying claims as to their transparency. The majority suffer from problems when a printer is connected... the DESkey and HASP-3 are not affected...

Program Now (Britain)

Of all keys tested, HASP is the most ambitious one... the quality of HASP manufacturing seems excellent.

PC Compatible (France)



OPERATING ENVIRONMENTS

PC: DOS, WINDOWS, **WINDOWS-NT**, OS/2, SCO UNIX, SCO XENIX, INTERACTIVE UNIX, AIX, AUTOCAD, DOS EXTENDERS, LANS
MAC (ADB port): System 6.0.5 and up
NEC (Serial Port): DOS, WINDOWS

AND THE BOTTOM LINE:

We offer some of the most competitive prices in the market. There are no hidden costs! Since 1984, HASP has enabled thousands of software producers in more than 40 countries, including several Fortune 500 companies, to protect their software.

Please call us for our HASP evaluation package.



ALADDIN SOFTWARE SECURITY INC.

North America: 200 Broadhollow Rd., Suite #207
 Melville, NY 11747, USA
 Tel: 800-223 4277
 516-424 5100
 Fax: 516-424 8300

International Office: **ALADDIN KNOWLEDGE SYSTEMS LTD.**
 15 Beit Oved St., Tel-Aviv, Israel
 P.O.Box:11141 Tel-Aviv 61110
 Tel: 972-3-5375795
 Fax: 972-3-5375796

France: **ALADDIN FRANCE S.A.**
 Tel: 33-1 40 85 98 85
 Fax: 33-1 41 21 90 56


member of



■ Australia Conlab Pty. Ltd., 3 8985685 ■ Belgium Akkermans bvba, 3 2338826 ■ CZECH ATLAS Ltd., 2 766085 ■ Chile Micrologica S.A., 562 222 1388
 ■ Denmark SC Metric a/s, 42 804200 ■ Germany CSS GmbH, 201 7498640 ■ Greece Unibrain SA, 1 6856320
 ■ Holland Akkermans BV, 45 241444 ■ Italy Partner Data S.r.l., 2 33101709 ■ Japan Athena, 3 58 213284 ■ Korea Dae-A Engineering, 2 848 4481
 ■ New Zealand Training, 4 5666014 ■ Poland Systherm 61 475065 ■ Portugal Futurmatica Lda., 1 4116269 ■ South Africa D Le Roux, 11 886 4704
 ■ Spain PC Hardware, 3 4493193 ■ Switzerland Opag AG, 61 7112245 ■ Taiwan Teco Ltd., 2-555 9676 ■ Turkey Mikrobeta Ltd., 4-4677504

Circle 67 on Inquiry Card.

Building Permit.



Introducing LabWindows®/CVI for Windows and Sun

Constructing an instrumentation system? Whether it's data acquisition, process monitoring, or automated test, you'll have to integrate your system hardware and software, on time and under budget. Welcome to LabWindows/CVI – the software tools to take your system from blueprint to reality.

Industry-Standard Foundation

LabWindows/CVI is based on industry standards – so it's flexible enough for any job. Program in C. Run under Windows or UNIX. Acquire data and control your instruments using the standard NI-488.2™, NI-VXI™, and NI-DAQ® driver software. Simplify instrument control with the 300+ drivers in the growing LabWindows GPIB, VXI, and RS-232 instrument libraries.

Open Software Architecture

LabWindows/CVI is built on an open soft-

ware architecture. You can integrate external DLLs, object modules, or libraries into your LabWindows/CVI programs. Or, use the DDE or TCP/IP libraries to communicate with other applications and computers. And, you can run all of your programs created with LabWindows for DOS.

Interactive Programming Tools

LabWindows/CVI combines the productivity of interactive code generation with the speed and flexibility of ANSI C programming. Whether you are a casual developer or a professional software engineer, you'll assemble instrumentation systems faster, easier, and more effectively with LabWindows/CVI.



**NATIONAL
INSTRUMENTS®**
The Software is the Instrument®

Call now for a
FREE brochure!
(800) 433-3488
(U.S. and Canada)



6504 Bridge Point Parkway • Austin, TX 78730-5039 • Tel: (512) 794-0100 • 95 (800) 010 0793 (Mexico) • Fax: (512) 794-8411

Branch Offices: Australia 03 879 9422 • Austria 0662 435986 • Belgium 02 757 00 20 • Canada 519 622 9310 • Denmark 45 76 26 00 • Finland 90 527 2321 • France 1 48 65 33 70 • Germany 089 714 50 93
Italy 02 48301892 • Japan 03 3788 1921 • Netherlands 01720 45761 • Norway 32 848400 • Spain 91 640 0085 • Sweden 08 730 49 70 • Switzerland 056 27 00 20 • U.K. 0635 523545

© Copyright 1993 National Instruments Corporation. All rights reserved. Product and company names listed are trademarks or trade names of their respective companies.

Circle 520 on Inquiry Card.

Ease of Use Is Relative

**TOM THOMPSON,
TOM R. HALFHILL, AND
MICHAEL NADEAU**

No matter what hardware is inside or how the operating system works, PDAs (Personal Digital Assistants) must provide valuable applications and be easy to use if they are to succeed. In general, the Apple Newton MessagePad and the Tandy/Casio Zoomer have accomplished both, but perhaps not well enough for their ultimate target audience, the computer-illiterate consumer.


The pen interface, with its finicky handwriting recognition, requires patience. The number of applications is limited for now. And communications capabilities are still incomplete; you can only send faxes, and the wireless infrastructure that will provide many of the promised information services is still being built.

The Eo Personal Communicator is not a true PDA, but it provides an example of how well a portable, wireless communications device can be built using the technology and services available today.

MessagePad Stretches to Fit

Using the MessagePad is like breaking in a new pair of shoes. You might experience a few pinches at first, but eventually they stretch to fit you.

The MessagePad fits snugly in the hand, measuring 7/4 by 4 1/2 inches and three-quarters of an inch thick. The unit weighs nine-tenths of a pound. It's equipped with 4 MB of ROM that contains the Newton Intelligence and the following applications: Notepad, Date, and Name. The 640 KB of static RAM holds the Newton Intelligence's working data, and about 200 KB is free for your use. It's powered by a 20-MHz ARM610 (Advanced RISC machine) RISC processor.




Hands-on evaluations of the Apple Newton MessagePad, Tandy/Casio Zoomer, and the Eo 440 Personal Communicator

The text interpreter works well. It recognized the first three words of the message "handwriting recognition fairly hit-and-miss," but it came up with gibberish for the last phrase. The reason for this error was the two hyphens. According to a draft copy of the MessagePad Handbook, punctuation must be placed close to the words to be recognized properly. Because the recognizer uses dictionaries and name lists (i.e., your own additions to the dictionary) for the recognition process, the results of its handwriting interpretation are frighteningly accurate or a hodgepodge of obscure words and numbers. Nevertheless, the recognizer is very adept at handling certain writing idiosyncrasies. For instance, we found that dotting all the *i*'s after writing a word didn't bother the recognizer a bit.

A Handwriting Practice section gives you practice words to write so that Newton Intelligence can adapt to your writing style. It takes about 150 words to train the text interpreter. When you use

ROGER GOODE © 1993



The MessagePad features a row of "hard icons" at the bottom of the screen that provide access to frequently used functions.

a MessagePad for the first time, it pays off to spend a half-hour or more in this section giving the recognizer time to study your penmanship. In the Handwriting Styles section, a slider lets you specify how much of your writing is cursive, printed, or a mixture of the two. A Recognition Preferences section lets you fine-tune both the handwriting recognizer and graphics interpreter for certain situations (e.g., in text, to recognize numbers and punctuation; in graphics, whether to connect shapes in a drawing).

Once the MessagePad was trained to recognize an individual's handwriting, its text recognition was more impressive than that of the Zoomer or Eo 440. Still, be prepared to use Undo and practice the gestures you must use to make corrections.

Another nice feature of the MessagePad is that you can select an object (e.g., a chunk of text or a drawing), "park" it by dragging it to the screen's edge, flip to another Newton application, and drag the object into that application. It's a nice visual metaphor for a clipboard that should be easy for the noncomputer user to grasp. Also, programs can control what type of information gets placed in an object. For example, when you enter your phone number in the Personal area, the window you write in accepts only digits. This goes a long way toward reducing user errors.

To test printing capability, we first scribbled a note in Notepad and then plugged the MessagePad into a LocalTalk node on BYTE's AppleTalk network. From

the Outbox, a printer-selection window showed the various network zones and PostScript printers. We tapped on a printer name, tapped on the Close box, and then tapped on a Print button. A minute later, a duplicate of the note appeared on a page coming out of a LaserWriter Pro 630.

An attempt at faxing the note didn't fare so well, however. Lacking a MessagePad fax modem, we plugged a Global Village TelePort/Gold fax modem into the MessagePad's serial port. According to the status window that appeared, the MessagePad was attempting to connect to the modem, but it never succeeded. So much for using third-party modems at the moment, but remember, we were looking at beta hardware and software.

For third-party hardware, we received a 2-MB PCMCIA RAM card from Epson. We put it into the card slot and switched the MessagePad on. Although this card was originally designed for PC notebooks, the MessagePad recognized it and asked us to erase it. After several seconds, we had an additional 2 MB of memory—a good show for Apple PIE (Personal Integrated Electronics), Epson, and hardware standards. The Newton Intelligence allows you to file individual schedules and notes to the RAM card or make a backup of all the MessagePad's data to it.

From the Notepad application, we wrote "See Rob Monday at 10"; after we tapped on the Assist button, Newton Assistance opened the Date Scheduling application, found the upcoming Monday's date, and then dropped a note saying "See Rob" into the 10:00 a.m. slot on the appropriate day.

Judging from just the built-in Notepad, Name, and Date applications, the MessagePad doesn't seem much of a win. After all, you can use a low-tech schedule book and business cards to arrange meetings and stay in touch. However, a MessagePad equipped with a fax modem and a Messaging Card changes the situation: You can fire off a diagram or a note to a contact's fax or E-mail address from nearly anywhere. The Messaging Card—actually a wireless pager that receives text messages—in turn lets your contacts get back to you immediately. For those folks who are on the road constantly but must still make quick business decisions, the MessagePad might be a solution.

Third-party Newton applications may make a case for owning a MessagePad. Fodor's 1994 Travel Manager program from GeoSystems lets you call up maps of the eight largest cities in the U.S., locate hotels, and obtain their phone numbers (see the screen on page 92). Selecting a hotel in, say, Boston gets you a map of the


city with a diamond icon pointing out where that hotel is located. Tapping on the diamond zooms you in on a map of the city block, complete with street names.

You can then summon a From/To window, where you can drop in the hotel's name and the name of a restaurant you've already located. You then get either street-by-street directions or a line on the map tracing the route from the hotel to the restaurant. The ability to navigate through a new city using the MessagePad shows its value as a general-purpose device, given the proper software.

For vertical markets, the MessagePad's light weight, combined with the ability of Newton Intelligence to restrict the types of data entry it will allow, makes it suitable for forms handling. For example, an insurance company's accident form might allow text entries in some sections and only numbers in other sections and provide an area where a field agent can sketch an accident scene using only ink.

The synergy of Newton's Intelligent Assistance together with the object database is what makes the MessagePad a winner. The ability of Newton Intelligence and applications to locate information within the system and then act on it in rational ways is a major improvement over desktop operating systems. Once a contact's relevant information (i.e., address, phone number, fax number, and E-mail address) is captured in a MessagePad loaded with communications options, you can call that person, fax him or her, schedule appointments, or send the person E-mail with a few stylus strokes.

Newton Intelligence eliminates the many redundant operations (i.e., launching



The Zoomer emphasizes ink capture over handwriting recognition, which suffers from a slow, 8-bit processor.

ONLY FASTBACK PLUS 6.0



Concerned about reliability? Then you'll be relieved to know that our Advanced Error Correction™ ensures the safest backups possible. You can destroy up to 11% of the data on a backup diskette (up to 50% on a tape) and Fastback Plus will recover every last byte, error-free.



Truly efficient backup is a combination of speed *and* compression. Since you don't want to spend a second more than you have to on backup, you'll be glad to know that only Fastback Plus 6.0 achieves *both* an average compression rate of 66-68% *and* speeds as high as 19MB per minute.



Fastback Plus 6.0 supports more drives than anyone—from QIC 40 and QIC 80 to large capacity SCSI devices, whether they use controller cards with ASPI interfaces like Adaptec, a Microchannel bus, or even a Future Domain card. And yes, Fastback Plus is certified compatible with Colorado Memory Systems.



If you'd love to back up from your laptop directly to your desktop's tape drive (or any other device, for that matter), you'll have to get Fastback Plus 6.0. Then you can enjoy our full range of convenient features, including scheduling and unattended backups.



If you've got better things to keep on your desk than a bulky tape drive, get Fastback Plus 6.0. If there's a tape drive anywhere on your network, you can back up to it with Fastback Plus—and only with Fastback Plus.



Fastback Plus 6.0 isn't the only backup software that scans for viruses. But it's the only one that does it *while your backup is in progress*. No waiting.

Backup of the people, by the people and for the people.

If you wanted to create an important new version of the world's best-selling backup software, who would you ask for advice?

How about people who'll use it? That's what we did.

We surveyed over 2,000 people and based the prototype of our new Fastback Plus Version 6.0 on their input.

Then we invited 40 users—novices, propeller-heads, people who swear by Fastback, people who swear at it, and people who swear

they've never seen it—to visit our offices and work with us personally.

During 30 days of interface design and usability testing, we ran up some hefty hotel bills. And learned some valuable lessons.

We learned, for example, that our installed base is nostalgic for the simple, straightforward, everything-available-at-a-glance interface we used way back in Version 2.0.

We learned that while some prefer to select files by typing in specs and others prefer to point and click, everyone wanted a choice.

What's more, they wanted immediate access to every option upon loading—the way it's done in Direct Access™

ASK US ABOUT OUR NEW WINDOWS VERSION WITH TAPE SUPPORT

our best-selling menuing software.

They wanted an Express menu with improved screens, simplified file selection and a Compare function. With separate menus for Backup and Restore.

And while they were on the subject, our subjects insisted that restoring should be as simple and as effortless as possible.

They weren't kidding, either.

After they'd selected the file they wanted, they figured Fastback ought to tell them when it was backed up, what type of media it was backed up to and what type of backup it was.

"Anything else?" we asked.

"Sure," they said,


and asked if Version 6.0 could do dishes and take out the trash.

We said it couldn't, but when we told them it could do all the things listed in the box on the far left, they were delighted.

Call us at 800-926-4289 Ext. 77 and you will be, too.



Choosing files for backup couldn't be more flexible. From a single screen, you can type in specs for the files you want and back them all up at a keystroke, or simply point and click.



Offer Expires Dec. 31, 1993

FIFTH GENERATION SYSTEMS, INC.

Outside U.S. & Canada
call: (414) 494-4422/3



Circle 176 on Inquiry Card (RESELLERS: 177).


APPLICATIONS ON THE WAY

Although the MessagePad, Zoomer, and Eo Personal Communicator come bundled with several applications, you will most likely see more by the end of the year. Below is a representative sampling of what to expect.

Apple Newton MessagePad

(all application titles come from Apple's Starcore division)

- Fodor's 1994 Travel Manager: Top U.S. Cities: Contains detailed interactive maps highlighting destinations and routes in eight U.S. cities.



GeoSystems' MessagePad application, *Fodor's 1994 Travel Manager*, in use. The diamond at the lower left is your current location. The other diamonds indicate the locations of restaurants, selected by search criteria such as distance, cost, ethnic cuisine, and other parameters.

- Fortune 500 Guide to American Business: An expanded electronic version of the Fortune 500 and Service 500, with information on all aspects of America's largest companies.

- Money Magazine Financial Assistant: Includes calculation templates for evaluating a number of the most common financial decisions.

- Money Magazine Business Forms: Makes it easier to fill out the most commonly used financial forms, including expense reports, project plans, and loan calculations.

Eo Personal Communicator

- Gnosis, from Deskin Research Group, is a document retrieval and information management package.

- Pensil, from First Software, is a C development tool for PenPoint.

- Letter Express, from PenMagic Software, is a database of canned letters for use in business correspondence.

- SimCity, from Ink Development, is a PenPoint version of the popular simulation game.

- Pen Op, from Peripheral Vision, is a signature recognition and verification package.

the MessagePad are different animals. The Zoomer has a 7.5-MHz 8088-compatible CPU made by Casio and runs a pen-based version of GEOS, a desktop operating system from GeoWorks. The Zoomer has a character-by-character handwriting recognizer that reads only block printing, not cursive writing, and it is not trainable. It has a little more RAM than the MessagePad (1 MB instead of 640 KB) and sets aside more of that RAM for storing user data (384 KB, versus about 200 KB for the MessagePad).

The Zoomer also has more built-in software—particularly content-oriented software. Standard applications (all written by Palm Computing) include a date book, an address book, a notebook, a to-do-list manager, a calculator, a dictionary with 60,000 definitions, a 100,000-word spelling checker, a 660,000-word thesaurus, translation dictionaries (1000 words in 26 languages), world clocks, a form calculator (including measurement and currency conversions), and an almanac listing U.S. holidays, area codes, information on cities around the world, and even the complete text of the U.S. Constitution and the Declaration of Independence.

Intuit contributed Pocket Quicken, a mobile version of its best-selling personal finance program, and America Online provided a terminal program that lets users send E-mail, access on-line information, and download software.

Of course, to get on-line you'll need a modem. A PCMCIA fax modem for the Zoomer is in the works, but you can connect just about any external modem via the RS-232 port. An optional adapter cable converts the subminiature 10-pin D-type connector into a standard DB-9 connector. With appropriate software, this will also allow the Zoomer to exchange files with desktop computers.

The Zoomer is powered by three AA batteries, and alkalines are rated for about 100 hours of use. Two CR2032 lithium cells preserve your RAM-based data if the main batteries go dead or need changing.

Flipping back a protective plastic cover reveals the Zoomer's 320- by 256-pixel passive-matrix LCD screen, which measures 80 by 100 millimeters. Contrast is rather low, but the screen is readable in normal light. There's no backlighting, so you can't use the Zoomer in the dark.

The screen, of course, doubles as your input device. Writing on the Zoomer is easy—almost too easy. Because the plastic stylus glides across the slick surface with less resistance than that of a pencil on paper, it feels a little strange at first. But you'll adjust quickly. If you lose the

an application, locating a file, opening the file, and then searching for the desired data within the file) that you have to do on a desktop computer to accomplish the same thing, and it's a model that desktop computers should adopt. The MessagePad's implementation of this intelligent assistant is by no means perfect, but it's a huge step in the right direction.

Zoomer: Hands-On

Tandy's version is called the Z-PDA, and Casio's model is known as the XL-7000, but the two are virtually identical PDAs known collectively as the Zoomer. Software, peripherals, and accessories bearing the Zoomer name are compatible with ei-

ther device, and a pair of Zoomers can exchange information via their 9600-bps wireless infrared transceivers.

The Zoomer bears a strong resemblance to Apple's MessagePad, and indeed they have several features in common: a touch-sensitive LCD screen with a passive stylus; 4 MB of ROM, containing all the system software and built-in applications; a simplified pen-oriented user interface; a Type 2 PCMCIA slot for add-in cards; and an infrared transceiver for sharing data with compatible devices. The Zoomer measures 6½ by 4½ inches and is 1 inch thick. It weighs 1 pound. On the street, both PDAs sell for around \$700.

Internally, however, the Zoomer and

At last, new software provides Windows users all the advantages of DOS...

"How to get the flexibility, speed, and power of DOS while using Windows."

If you like DOS commands, but work in Windows anyway, then you need Landmark's new **DOS for Windows™**. DOS for Windows is a fully functioning, scalable window that operates virtually all the DOS commands right from within Windows.



No more switching from Windows to the DOS shell!

With **DOS for Windows** you can instantly access virtually all DOS commands right IN Windows. No more switching to the DOS shell prompt. DOS command access is quick as a mouse click (or alt-tab). You'll really appreciate the time saving, speed, and ease of use.

Run DOS internal commands from Windows!

Now you can run DOS internal commands like DIR, pipes, and redirects. **DOS for Windows** makes writing power BATCH files a breeze. And, **DOS for Windows** includes 23 new commands like GETINI and SETINI for command line .INI file editing.

Eliminate memory overload.

The DOS shell requires 256K of RAM and doesn't even know Windows is running! **DOS for Windows** is a true Windows program whose memory size and location is entirely controlled by Windows. You'll get all the benefits of DOS (and more) without suffering the 'out of memory' message.

Run DOS and Windows apps from the command line.

With **DOS for Windows** you get the best of both worlds - DOS power and flexibility and Windows graphics and features. You can run either DOS or Windows applications right from the command line. You can even use your mouse to click on the application name or associated file to launch the program. And, for real power BATCH files, you can launch both DOS and Windows applications in any sequence right from within Windows.

Perform superior multitasking safely.

Since **DOS for Windows** is a true Windows application, it doesn't depend on the risky time-slice multitasking of DOS in Windows 386 enhanced mode. The result is much smoother and safer multitasking.

Increase operating speed and save time.

With the flexibility of DOS commands available right in Windows you'll dramatically increase your operating speed and slash wasted time waiting and switching between the DOS shell and Windows. Time is money, **DOS for Windows** makes you much more productive!

Dozens of new DOS commands!

- **DATECOPY:** Perform quick and easy daily backups by today's date.
- **FF:** Find File quickly locates any file or group of files by name.
- **TS:** Search files for specific text when you forget the file name.
- **CDD:** Change the drive and directory in one command.
- **TOUCH:** Resets the DOS date/time on all files described to the current date and time (works great before DATECOPY for flexible backups).
- **MOVE:** Move subdirectory and contents to another directory.
- **DELDIR:** Delete an entire subdirectory and its contents in one command.
- **NUKE:** Delete and overwrite any file for security (cannot be un-deleted).
- **GETINI:** Reports any .INI files that match input variable.
- **SETINI:** FAST command line editing of your .INI.
- **And much, much more.**

Order Today!

ONLY \$49

- 90 Day Performance Guarantee
- Toll-Free Technical Support
- NEW HOURS EST:

Mon - Thur: 8AM - 9PM

Fri: 8AM - 6PM

Sat: 10AM - 3PM

TO ORDER, OR FOR THE
DEALER NEAREST YOU,

CALL (800) 683-6696 TODAY!

FAX: (813) 443-6603

Int'l (813) 443-1331

LANDMARK
RESEARCH INTERNATIONAL CORPORATION
703 Grand Central Street • Clearwater, FL 34616

stylus, any implement that isn't too sharp will work just as well. (The programmers at Palm seem to favor wooden chopsticks.)

How good is the Zoomer's handwriting recognition? That's the gritty question everyone asks about pen-based devices, even though many PDAs (including the Zoomer) are designed to minimize free-hand translation. On the Zoomer, for example, you can navigate through most functions merely by tapping icons with the stylus, and you can switch off the recognizer to save your writing as digital ink.

But eventually you will want to write something and see it translated, because that's the only way to create information on the machine, unless you pop up the on-screen QWERTY keyboard. Some Zoomer proponents are enthusiastic about tapping letters on the keyboard; they say it's easy to learn and is often faster than relying on the recognizer.

Their first point may be true, but it raises the question of why you'd want to use a QWERTY keyboard on a pen-based PDA when the market is already crowded with similar devices that have real QWERTY keyboards. And the second point, unfortunately, also appears to be true: Handwriting recognition on the beta version of the Zoomer we tested was slow and not as reliable as we'd hoped.

It usually takes several seconds for the recognizer to convert a word into text. After you write a few words, the delay begins to add up, and you have to wait until it's finished converting, because there's no room on the screen to write anything more. Then you have to go back and correct the words it misinterprets.

The Zoomer's recognizer isn't trainable, but you are. Don't be surprised if you start bending to the Zoomer's demands. For example, one of us normally prints an uppercase *M* by drawing two vertical strokes joined with a *V*. The Zoomer got it wrong every time; it prefers to see an *M* drawn with a single zig-zag line. He soon began pleasing the Zoomer by changing his style, which has been burned into his ROM since the first grade.

Although the Zoomer's architecture can accommodate a different recognition engine, such as the ParaGraph recognizer on the MessagePad, that's not likely to happen until the hardware gets more powerful. The Zoomer's PalmPrint recognizer needs only about 48 KB of memory, and it's one of the few engines that runs on a CPU as slow as the Zoomer's 8088-class chip. A faster Zoomer would not only eliminate the annoying translation delays, but it would also enable Palm—or another company—to build a better recognizer.

Aside from the handwriting-recognition problems, we found the Zoomer a joy to use. The user interface is simple and straightforward. The date book and address book are logically organized, and we especially liked the ability to attach a hand-drawn map of directions to an address entry. The content-oriented material adds a lot to the Zoomer, although we wonder if there aren't better uses for the ROM than throwing in such things as birthstones, zodiac signs, and historical documents. We would vote for a generic terminal program that isn't dedicated to America Online, or even a chess game.

The Zoomer lends itself to games, of course. Its front panel has a directional pad and a pair of control buttons, just like a Nintendo Game Boy. The Zoomer will probably ship with a couple of simple games to get you started.

Considering their radically different hardware and software architectures, it's remarkable how closely the Zoomer compares with the higher-tech Newton. Their hidden differences will undoubtedly become more apparent as they evolve. And further evolution is mandatory before either platform is likely to reach its goal of bringing personal computing to the masses.

Eo: The Road Less Traveled

The smallest Eo, the 3-pound 440, dwarfs true PDAs. It's roughly the size of a sub-notebook PC, measuring 10½ by 7⅞ inches and nine-tenths of an inch thick. Eo calls its systems Personal Communicators, which emphasizes their greatest strength. Portability and battery life (about an hour) were sacrificed to optimize the system for wireless communications.

For on-the-road communications, Eo's Personal Communicators are armed to the teeth. Both have a 14.4-Kbps cellular modem with 9.6-Kbps fax capability, along with Go Mail and Go Fax software. Sun-Select's PenTops provides connectivity to your desktop and to LANs. Eo Sound allows you to voice-annotate a document. The unit's larger screen aids in creating and viewing faxed forms and documents. A detachable phone headset provides voice connections. To top it off, you get a free subscription to AT&T Mail. Of course, you'd *better* get extras like this: Prices for the Eo 440 start at \$2800 with a hard drive and modem.

Go Corp.'s PenPoint operating system provides the pen-centric interface. If you've used PenPoint on, say, a 386 system, be prepared for a surprise when you run it on the Eo 440—performance is dramatically better. That's because of the Eo 440's 20-MHz AT&T Hobbit CPU. With 13 MIPS

to work with, PenPoint runs at a snappy pace. If you need even more speed, the Eo 880's 30-MHz Hobbit processor cranks out 20 MIPS, but the cost is a bigger unit that weighs 4 pounds.

Using the Eo's communications features is easy, but not completely foolproof. Even though we received a crash course in sending a fax via the Eo's cellular modem, we had trouble repeating the process later—without reading the documentation.

To fax a note from the Eo 440, you go to the Document menu item and select Send. Send gives you the option of choosing Go Fax or Go Mail (for selecting AT&T Mail). Selecting Go Fax brings up a cover sheet form on which you can write a note. After you fill in the name and number of the person you're sending the fax to—data you can either select with a few pen taps from a database or write in—Go Fax places the note in the Outbox.

From here, it becomes unclear what you need to do, as no prompt appears on the screen. To finish sending the fax, you go to the Outbox and tap on the Enabled box. A Dialing Location box then appears so that you can confirm or change information such as where you're dialing from, whether you wish to use a calling card, and so on. From this point, things are pretty automatic. Go Mail follows a similar process, but it has options such as selecting a file format for sending your fax.

This is not an onerous procedure for the Eo's target business user. But Apple and other PDA vendors cannot expect customers who have never used a cellular phone or a modem to embrace this kind of a ritual. Immediate gratification is key; PDA users should only have to make a couple of selections to make the connection they desire.

The PenPoint interface is easy to use, but a little less so than that of the MessagePad or the Zoomer. PenPoint has more menu and file layers. With its book-like table of contents, however, PenPoint could be easily adapted to provide a familiar interface metaphor for novice users. Our hands-on experience with these first PDAs shows that their ease of use is relative to the expectations of the user. Savvy computer users would say that the MessagePad, Zoomer, and Eo 440 are highly intuitive. Yet all have too many quirks and rough edges to make it in the mass consumer market. ■

Tom Thompson is a BYTE senior technical editor at large. Tom R. Halfhill is a BYTE senior news editor. Michael Nadeau is a BYTE senior editor. You can reach them on BIX as "tom_thompson," "thalfhill," and "miken," respectively.

V.32b42i:

The ideal modem for good data over bad lines



With signal-to-noise performance of -43db , near- and far-end echo cancellation, adaptive line equalization and trellis coding, the Motorola/UDS V.32b42i becomes the modem of choice when data-comm capability outstrips line quality. It has already been selected for applications in China, in Egypt, and in other areas where the telephone infrastructure has not kept pace with datacomm developments.

The modem is fully compatible with CCITT V.32 *bis* for 14.4 kbps communication. MNP[®] level 5 data compression increases throughput to 28.8 kbps; V.32 *bis* compression pushes it all the way to 57.6 kbps. For error control, users may select MNP levels 2-4 or V.42 LAP-M.

The V.32b42i automatically senses the speed of the remote modem it's connected to and adjusts to that speed. It has auto-dial and auto-answer capability for synchronous communication. When installed on private networks, it provides automatic dial back-up in the event of leased-line failure. It is available as a standalone unit or as a plug-in card.


Modem configuration and performance are user controlled from a front panel that includes a liquid crystal display and just three set-up buttons.

For detailed specifications and pricing on this remarkable new modem, or for information on becoming an authorized distributor contact Motorola/UDS in
Belgium: 32-2-253-2010,
Brazil: 55-11-815-4200,
Canada: 1-416-495-0008,
France: 33-1-4117-4130,
Germany: 49-611-3611-850,
Hong Kong: 852-512-4471,
Japan: 81-3-3280-8442,
Mexico: 525-280-4146,
Singapore: 65-4745011,
U.K.: 44-628-39121 or
U.S.: 1-205-430-8000.

Registered trademarks are the property of their respective owners.



MOTOROLA
UDS



AT 9 A.M. HE DIDN'T KNOW HOW TO WORK WITH A DATABASE.

When Don Glor came to work on the morning of September 15,* he'd never used a database before. Two hours later he'd developed his first application — it looks like a fire truck:

actually it's a customized inventory and billing management system for the South County Fire Department, San Mateo County, CA.

Don was using Lotus® Approach™ — the only database designed for fire fighters. And lawyers and doctors and business people. And anyone who isn't necessarily a computer expert.

world is no good if you can't use it. Approach is expressly designed to be easy. There's no programming to learn. No endless documentation to study. And according to independent

it. It was just too difficult to get a handle on. That's not surprising considering the 543 page supplemental language reference for programmers Don would've had to pore

through. Which looks like light reading next to Paradox's 1300 pages of programming instruction.

The difference is that their products were not designed for general business users.

With Approach you have database power that



Approach lets you get to work right away in familiar, easy to understand desktop items. You can generate reports, forms or form letters — you can even print mailing labels to match any specification.

INTRODUCING APPROACH 2.1. THE RELATIONAL DATABASE ANYONE CAN RELATE TO.

All the power and functionality in the

research, "The average Approach user produces real results with their database in 2 hours."[†]


This will surprise anyone who has tried to work with databases like Paradox® or Access®.

According to Don, I tried Access and shelved

really is accessible, and you work in one of four familiar, desktop items — reports, forms, mailing labels or form letters — that look and work just like you expect them to, to help you be productive right out of the box.



Approach has won over 25 major industry awards and accolades.



AT 11 A.M. HE WASN'T SURE HOW HE'D EVER WORKED WITHOUT ONE.

NOTHING THIS EASY HAS EVER BEEN THIS POWERFUL.

Just because Approach is easy to use doesn't mean it's not powerful. This is a fully relational client/server database that received a perfect 5.0 score from *PC Week Labs* in both "ease of use" and "performance."**


And with Approach, access to existing databases is only a mouse click away. Our PowerKey™ technology lets you work with dBASE® Paradox, FoxPro®, Oracle® SQL, SQL Server and DB2® data in its native format. With no filters and no imports involved.

Letting you transparently share data across multiple databases and all popular networks with unsurpassed speed and flexibility.

NOTHING THIS POWERFUL HAS EVER BEEN THIS AFFORDABLE – JUST \$99.

For just \$99*** you can experience the database that *PC/Computing* called "the most usable Windows™ relational database ever."*** But this great introductory price for new Approach 2.1 won't last forever. Call **1-800-TRADEUP, ext. 9074** today or visit your Lotus Authorized Reseller to take advantage

of this limited time offer. And discover the powerful relational database expressly designed for end users. Like Don Glor. And you.



Lotus
Working Together™


*1992. Using Release 2.0. **Market Probe International, New York, NY, February, 1993. ***PC Week Labs, 11/2/92. **Requires MicroDecisionware Gateway. ***PC/Computing, August, 1993. ***Plus shipping and handling if applicable. Offer good through 12/31/93. ©1993 Lotus Development Corporation, 55 Cambridge Parkway, Cambridge, MA 02142. Lotus and Working Together are registered trademarks of Lotus Development Corporation. Approach and PowerKey are trademarks of Approach Software Corporation, a wholly-owned subsidiary of Lotus Development Corporation. Microsoft Access and FoxPro are registered trademarks and Windows is a trademark of Microsoft Corporation. Paradox and dBASE are registered trademarks of Borland International Inc. Oracle is a registered trademark of Oracle Corporation. DB2 is a registered trademark of International Business Machines Corporation. In Canada call 1-800-GO-LOTUS.

State of the Art

PEN AND VOICE UNITE

Adding pen and voice input to today's user interfaces opens the door for more natural communication with your computer

HEWITT D. CRANE AND DIMITRY RTISCHEV



The 1990s will be remembered as the decade in which large numbers of users began to communicate with computers through speech and writing. Held back in the past by immature technology and a lack of portable and desktop processing power, speech and handwriting recognition will break down the barriers that keyboards, mice, and GUIs present to natural communication with your computer.

"These input methods will be used in tandem, just like you use your fingers and your voice together," says Larry Dooling, president of Verbex Voice Systems (Edison, NJ), a manufacturer of desktop and portable speech systems (see the text box "Matching the Input Mode to the Task" on page 100). You can expect to see computers that combine some form of pen and voice input within a year, say several system manufacturers.

Raj Reddy, dean of the School of Computer Science at Carnegie Mellon University (Pittsburgh, PA) and a man with 30 years of speech research experience, predicts that about half the small, personal computers sold will use pen and voice input within five years. During that time, companies and research groups will be developing a wide range of joint pen and applications.

The underlying technologies of computing via pen and voice are more complementary than they might seem. Both perform what are basically pattern-recognition and matching tasks. Techniques such as Hidden Markov Modeling, neural networks, and template matching are used in both (see "Talk to Your Computer" on page 113).

Annotating Documents

One of the most obvious and easiest-to-implement applications of pen and voice input involves annotating documents on-

line. For example, suppose you are reading someone's draft on your screen. If your computer and software could take input from both a pen and a microphone, you could write editing marks, sketch a drawing, and record your comments. Later, when the author looks over your suggestions, he or she can listen to you and see your markups.

Implementing such a capability is relatively low-tech: The computer simply captures and stores in digital form the raw "ink" and speech signal, associating each with a place in the document. Yet the benefits are substantial, since both you and the author can save time by using speech to communicate something like "this paragraph needs more details on the historical ramifications of philosophy" and using a drawn-in arrow to indicate two words or paragraphs that need switching. You may even want to sketch in a freehand graph to suggest adding another figure. Software packages that integrate such annotation capability are already coming on the market, such as Microsoft Word 5.0. Some of the latest videoconferencing systems offer "white boarding" features that provide similar functions.

Information Entry and Control

Consider a typical spreadsheet application. It is easy to imagine entering data either by speaking or by writing in the cells. For instance, to enter a long-digit string, you could voice it to avoid repeatedly shifting your eyes between the paper and the screen. To enter a name that is unknown to the speech recognizer, you could write it to avoid spelling aloud, since spoken letters easily confuse the speech recognizer because so many sound similar.

However, because it is as hard to point with voice as with a keyboard, speech input would have to be supplemented in some way to indicate where the spoken

input should go. A good solution is to point with a pen to a particular cell while speaking its contents. Yet rather than letting the applications developer decide in advance where pen or voice input is better, the choice should be left to the user to be made on a case-by-case basis. Sometimes it will be easier to write or point to some input and other times easier to say; the choice might well change from one instance to another, even for the same user. In addition, you could use the pen not only for touching the tablet and pointing to the place of input but also for activating the microphone, thereby decreasing the risk of extraneous speech confusing the speech recognizer.

Pen/Voice Typewriter

An important, longer-range goal in speech research is to use voice to generate text documents without having to type. Building a widely acceptable voice dictation system will require efficient and flexible editing and control mechanisms. Pen input will provide the editing and control capability that is needed.


General dictation is a daunting speech-recognition task. Misrecognitions will be frequent in early speech-to-text systems not just because of algorithmic and modeling limitations but also due to other difficulties. For example, speech-to-text systems must deal with a wide range of homophones—words that sound the same but have different meanings. And spontaneous speech is unpredictable; it is often full of false starts, repetitions, and hesitation noises.

Using a pen to correct misrecognitions as they occur could make an otherwise tedious system acceptable. For instance, as you speak and notice a wrong word come up, you could simply cross it out; a short list of the computer's best alternative guesses appears and you circle one.

continued


Pen and Voice Unite

Soon, speaking and writing will be an effective way for you to interact with your computer.....**98**



Pen Computing Catches On

Thanks to a number of advances, pen-assisted computing is becoming a reality for many users.....**105**



Talk to Your Computer

Voice technology adds new dimensions and provides greater flexibility to the user interface.....**113**



Matching the Input Mode to the Task

ALEX RUDNICKY

While you perform a wide variety of tasks on a computer, the ways you can do them fall into a small number of classes. Different input modes support these activities to a greater or lesser degree. A well-designed interface will supply those input modes that best support the expected activities.

Most complex applications incorporate several distinct activities; for example, window-based applications combine both keyboard and pointer input. Word processing includes both text

entry and editing and thus benefits from the availability of at least two input modes.

Newer input modes such as speech or stylus allow for a better fit between mode and activity. In addition, multiple input modes permit the use of parallel inputs using, for example, voice for mode switching in a graphics application while using a stylus to make changes on an image.

Spoken language is the best choice for queries, since natural language allows efficient specification of arbitrary constraints ("show all employees younger than 25 who have been employed less than a year"). As an input mode, speech is more efficient and eas-

ier to use than a keyboard.

Commands are more constrained than queries ("open file foo.bar"); they may need to follow a specific syntax and often can be made quite terse through the use of context. Choosing the best mode for item selection depends on the number of items from which to select. For small sets, such as yes/no choices or short menus, a pointing device might be best since a simple mechanical action (e.g., pressing a key or clicking a mouse) completes the transaction.

For larger sets, as might be found in a large vocabulary dictation task, speech may be best, since speaking a word is a simple one-step operation. Stylus devices appear to be best in situations that require a combination of positional and symbolic input, such as the markup of text or the entry of short notes or figures. Stylus entry is inefficient for the entry of extended text.

Pointing provides direct access to a location in space, which otherwise would have to be selected by coordinate specification (spoken or typed) or step-wise positioning (e.g., by arrow keys).

MATCHING INPUT MODE TO ACTIVITY

Some input modes suit particular activities better than others. A ● indicates that the input mode is a good choice for the activity; a ● indicates that the input mode is merely adequate; and a ● indicates that the input mode is inappropriate for the activity.

ACTIVITY	SPEECH	STYLUS	KEYBOARD	POINTER/MOUSE
Editing (markup)	●	●	●	●
Note-taking, dictation, and annotation	●	●	●	●
User verification	●	●	●	●
Creating graphics	●	●	●	●
Form-filling	●	●	●	●
Check-off lists	●	●	●	●
Command and control, communications, and networking	●	●	●	●
Spreadsheet and financial computation	●	●	●	●
Scheduling, planning, and organization	●	●	●	●

Alex Rudnicki studies speech input and multimedia interaction at Carnegie-Mellon University (Pittsburg, PA). You can reach him on BIX c/o "editors" or on the Internet at air@cs.cmu.edu.

Or you could just repeat the word, and the speech recognizer places it in context and assumes that its original choice is wrong. It then quickly zeroes in on the word you want. To enter a term or acronym that is unfamiliar to the speech recognizer, you could write it; you could also then say it a number of times, and the speech recognizer would know it from then on.

Integrating Writing and Speech

In the examples above, the use of pen and voice alternates as you either speak or write to the system. Looking further ahead, more interesting possibilities arise

that rely on *simultaneous* speech and writing, which better mimicks human interactions. For example, while editing on the screen, you might say the following: "Move this sentence [indicating what 'this sentence' refers to by simultaneously circling the sentence] to the beginning of this paragraph [simultaneously circling the paragraph]; then move the whole works [pointing to where the paragraph begins] and change the formula to read as follows [writing out the equation]." To execute such a mixed speech and writing instruction properly requires an intimate integration of spoken-language and written-language technologies.

Imagine someone with poor handwriting and a strong accent trying to communicate to you the spelling of some long foreign city name. The communication would be a lot easier if the person could both say it and write it.

This analogy carries over to computers struggling to understand our writing and speaking without the benefit of sharing our common-sense knowledge about the world and the context. Concurrent writing helps the computer to better transcribe the speech signal, and vice versa. For instance, saying "Move this sentence over here" concurrently with circling a sentence and then pointing elsewhere in the text can

You Name It.

TAKE YOUR CHOICE OF DESKTOP, LAPTOP OR NOTEBOOK



25mm Trackball
with duplicate controls
on rear of keyboard

KEYBOARDS WITH INTEGRATED POINTING

DEVICES IN

AWARD-WINNING

DESIGNS.



25mm Trackball
above the LED



February 25, 1992
Lexmark Enhanced
101 Key Keyboard



PORTABLE KEYBOARDS IN MULTIPLE LAYOUTS CUSTOMIZED FOR YOU.

AVAILABLE IN 35 LANGUAGES AND VIRTUALLY

LANGUAGES

You name it.

Demandez, vous l'aurez

Sagen Sie uns,
was Sie brauchen

Basta chiedere, e l'avrete

Usted dira

Слово за Вами!


Plus 29 others.



ANY COLOR OR

GRAPHICS.

MADE IN THE U.S.A.



Portable
Keyboards

We'll Make It.

Whatever kind of keyboards you need, Lexmark has your solution. Keyboards that are 101-key, 102-key, 84-key, 122-key or 84-key with detachable numpad. You name it. We'll make it. Deliver it on time. And back it up with unmatched technical support.

For more information and OEM pricing, call 1-800-777-4886; in Europe, call (33) 38 83 4308. Retail customers call 1-800-438-2468. To give your system a competitive edge, call us now!

Lexmark International, Inc., a former division of IBM®, is an independent, worldwide company that develops, manufactures and markets IBM personal printers, IBM typewriters, related supplies and keyboards.


LEXMARK™

Make Your Mark

IBM is a registered trademark of International Business Machines Corporation in the United States and/or other countries, and used under license. PC Magazine Editors' Choice logo, ©1985 Ziff Communications Company. PC Magazine and PC Magazines Editors' Choice are registered trademarks of Ziff Communications Company. Lexmark is a trademark of Lexmark International, Inc. © Lexmark International, 1992.

Circle 173 on Inquiry Card (RESELLERS: 174).

State of the Art Pen and Voice Unite



Speech and writing recognition in computers of the future will be integrated above the low-level feature extraction stage, enabling both input signals to be jointly decoded into a single recognition result that is consistent with the current context set by the application program.

alert the speech recognizer to expect a command that involves a sentence and a point in the text. The actual timing of pointing relative to speaking the words could alert the speech recognizer when you are talking about the sentence and when you are referring to a place in the text. The computer can use the constraints derived from one input signal to help decode the other input, making both inputs more reliable.

A technological challenge occurs in moving from an alternating use of pen and voice inputs to concurrently interpreting both as a single message. No longer can the handwriting recognizer and the speech recognizer operate as independent software processes, each concerned only with its own signal (writing or speech), each examining only its own search space for likely hypotheses, and each outputting the most probable string of characters and words.

To accommodate concurrent multimodal input in which one modality can affect the recognition of the other, the two recognition technologies will have to be

fused at some yet-to-be-determined underlying linguistic/semantic level. These fused writing/speech-recognition algorithms will need to model and analyze the temporal sequencing and interleaving of writing and speaking events to determine the single message the end user wants to communicate.

Combining pen and voice technologies will enhance the communication between humans and computers by allowing the strengths of one input method to overcome the weaknesses of the other. The results will be obvious in products that are easier, and more natural, to use. ■

Hewitt D. Crane is a senior scientific advisor at SRI's Sensory Science and Technology Center. He is also codeveloper of handwriting-recognition technology at SRI.


Dimitry Rtischev is a computer scientist in SRI's Speech Research and Technology Program. He is currently working on how speech recognition and natural-language technologies can lower linguistic and cultural barriers. You can contact them on BIX c/o "editors" or on the Internet at crane@sri.com and dimitry@speech.sri.com, respectively.

THE EASIEST, FASTEST, MOST ACCURATE AND DIRECT INPUT DEVICE

LIGHT PENS BY DESIGN TECHNOLOGY

- ▶ As natural as pen to paper
- ▶ Drag and drop with precision and speed
- ▶ "Draw" right on the screen
- ▶ No searching for the cursor
- ▶ No desktop real estate consumed
- ▶ No hand/eye coordination or training required
- ▶ Supports DOS 3.3+, Windows 3.1+
- ▶ Single pixel resolution to 1280 x 1024
- ▶ The world leader in light pen technology. The only whole system designer and manufacturer of light pens, interfaces, and holders
- ▶ Interfaces: Internal and external
- ▶ Pens: Anodized aluminum, stainless steel, plastic sheathed
- ▶ Switches: Nosetip or sideswitch
- ▶ Over a quarter of a million units in the field.

▶ **CALL FOR A SPECIALLY PRICED EVALUATION SYSTEM**



Circle 285 on Inquiry Card.
design technology

11489 Woodside Avenue
Santee, CA 92071-4724
619 448-2888 Fax: 619 448-3044

**WORLD'S LARGEST DESIGNER AND
MANUFACTURER OF LIGHT PENS**

SOFTLANDING LINUX SYSTEM

SLS: POSIX UNIX clone for the 386
As reviewed in March "UNIX WORLD"

Includes: • full kernel source • X11R5 Openlook • TeX
• emacs • TC/PIP, NFS & SUP • complete C & C++
development environment • 600+ utilities • SVR4 ELF binary
compatibility • Windows 3.1 API & ABI • DOS Emulator

Price: • \$99 U.S. plus \$15 S&H for 30 disk distribution,
or QIC 150 tape, or CD (CD includes full source) or
• \$199 U.S. plus \$15 S&H for quarterly subscription



Softlanding Software
Gentle touchdowns from DOS bailouts

• Cheque • Money Order • Dealer Inquiries Welcome • *Motif available
910 LODGE AVENUE, VICTORIA, B.C. V8X 3A8 CANADA
PHONE (604) 360-0188 FAX (604) 385-1292

Circle 193 on Inquiry Card (RESELLERS: 194).

*We probably won't live
to tell about it. But hey,
our data will.*

LOOK FOR
FREE MICROSOFT®
GAMES PROMOTION
WITH VERBATIM
PRODUCTS

Verbatim® tapes, optical and floppy disks. Your best defense against data loss.

Circle 154 on Inquiry Card (RESELLERS: 155).





SOFTLINE® THE BEST BUYS IN OVER 170 COUNTRIES.

S O F T W A R E

Word Processors/Editors

Lotus AmiPro 3.0	\$273
Microsoft Word 2.0 I/Windows	319
Microsoft Word 6.0	322
WordPerfect 6.0 for DOS	295
WordPerfect 5.2 I/Windows	288
WordStar 7.0	275

Project Management

Microsoft Project 3.0 I/Windows	459
CA Superproject 2.1	599

Database & Tools

Asksam 5.1	219
Clarion Professional Devel 2.1	479
Clipper 5.01	500
Dataease 4.5	529
Borland Database IV 1.5	549
Dbfast I/Windows 1.7C	335
Foxpro 2.5 I/Windows	335
Microsoft Access I/Windows	99
Paradox I/Windows	132
Superbase 4 Windows rel 1.3	500

Statistics

SPSS PC+ Adv Statistics 4.0	525
SPSS PC+	
Base Pkg, Code Book, DBMS	312
SPSS PC+	
Categories, Graphics, Statistics	419

Desktop Publishing

Adobe Type Manager I/Windows	170
Aldus Persuasion I/Windows	339
Aldus Pagemaker 5.0	539
Aldus Pagemaker 5.0	555
Microsoft Publisher	
Disc & CD I/Windows	132
Perform Pro w/Design+Filler	190
Ventura Publisher Gold 4.01 I/Windows	529
ZSoft Pub Type Endry 1.5 I/Windows	340

Graphics

Adobe Illustrator 4.0 I/Windows	445
Adobe Streamline 3.0 I/Windows	130
Charisma 2.1	335
Corel Draw for OS/2 2.5	395
Corel Draw 3.0	
Media & CD I/Windows	135
Corel Draw 4.0 I/Windows	395
Designer 3.1 I/Windows	385
Drawfax I/Windows 2.1	429
DrawPerfect 1.1	292
Freelance Graphics 2.0 I/Windows	360

Spreadsheets

Borland Quattro Pro I/Windows	108
Lotus 1-2-3 rel 4 I/Windows	315
Lotus 1-2-3 rel 3.4	415
Lotus for Mac	310
Microsoft Excell 4.0 I/Windows	319
Microsoft Excell Mac	319
Microsoft Excell V052	319

Desktop Environments

Desiqview 386 2.4	133
HP New Wave I/Windows	85
Microsoft Windows 3.1	100
Microsoft Windows NT 3.5 & CD	325
Microsoft Windows NT lic Pack Sngl	250
Microsoft Windows NT Upgrade -3.5	290
Microsoft Windows NT Upgrade -3.5	118
Norton Desktop for DOS	119
Norton Desktop I/Windows	

H A R D W A R E

Display Boards

ATI Graphics/Ultra w/1MB (PCAO)	1496
Diamond Stealth VRAM w/1MB	275
Hercules Graphics STN w/1MB	444
Orchid Fahrenheit 1280 w/1MB	297
Paradise Accel Crd I/Win w/1MB	137
Video 7 WIN VGA w/1MB (PCA)	127

Facsimile Hardware

Boca Bocalfax 9624 Internal (PCS)	79
Bocamodem 14.4/14.1 v.3.2 int	200
Intel Satisfaction 400 14.4 Int	425
Megahertz Fax/Modem	
for Compag, Toshiba	

Multimedia

Creative Sound Blaster (PCA)	85
Creative Sound Blaster Pro (PCA)	199
Creative Sound Blaster Voice Editor	59
MS Sound System I/Win w/sw	199
Turtle Beach Multisound	625
Turtle Beach Multisound 16 Bit	595

Printers & Accessories

Canon Bubblejet Printer BJ10EX	265
Canon BJ10EX Auto Stk Feeder	74
HP Deskjet 500C (110V)	535
HP Laserjet 4 (110V)	1,475
HP Color Printer (110V)	756
Pacific 25-In-One (all models)	275
Pacific 2MB Exp (2P, 3P, 3D)	132
Pacific 2MB Exp (351/14)	110

Multimedia

Asymetric Multimedia Toolkit-CD 1.5*500	
MS Multimedia Beethoven I/Windows	63
MS Multimedia Bookshelf I/Windows	
MS Multimedia Devt Kit I/Windows	129
MS Office I/Windows	569
MS Encarta V1992 CD	279

Network Interface Cards

3COM Etherlink II TP 16 bit (PCA)	175
3COM Etherlink II TP 16 bit 5 Pk	748
Eagle NE1000 88bit Ethernet Crd	
w/o cable	110
Eagle NE2000 Plus 16bit Eth	
w/cable	135
Eagle NE2000 Plus-3 16-bit Ethernet	159
Eagle NE3200A 32bit Eth (EISA)	698
Eagle Nwre Lite Ad Kit NE2000+	210
Eagle Nwre Lite Ad Kit NE2000+	422
SMC PC600FS Arcnet Serv 16bit TP	205
SMC PC600WS Arcnet Wkstn 16bit CX199	

Scanners & Input Devices

Caere Typist+Graphics	290
ext OCR Scanr (PCA)	
Logitech 3-button Ser Mouse w/Win	116
Rt Hand	249
Logitech Scanman Model 256 (PCS)	156
MHS Bus or Ser Mouse w/Win 3.1	
MS Bus or Ser Mouse 5-Pk	389
(H/W only)	
SummaSummSketch II 12x12 16bit 290	

OCR

Caere Omnipage 386 I/Windows	449
Caere Omnipage Pro Windows 3.1	635
Caere Wordscan I/Windows	179
Caere Wordscan Plus I/Windows	439

Languages & Programming Tools

ABC Flowchart I/Windows 2.0	1318
Asymetric Toolkit I/Windows 1.5	291
Borland C++ Appn Framework I/Windows 3.1	539
MS Basic Pro Compiler (DOS/OS/2) 7.1	325
MS C with C++ & 7.0	339
MS Cobol Compiler (DOS/OS/2)	595
MS Device Driver I/Windows 3.1	335
MS Pascal Compiler (DOS/OS/2) 4.1	216
MS Quick Basic 4.5	132
MS Visual Basic I/Windows	132
MS-DOS 6.0 Upgrade	59
MS-DOS 6.0 Upgrade 3 Pk	125
MS-DOS 6.0 Upgrade 18 Pk	1039

Integrated Packages

Lotus SmartSuite I/Windows 1.1	469
Lotus Symphony 3.0	499
MS Office I/Windows 3.0	499

Network/Multiuser

MS Windows Workgroups I/DOS usr	175
MS Win Workgroups Add on I/Win	77
MS Win 3.0 Upg to Win Workgroup	108
Novell NetWare 2.2 5 Users	494
Novell NetWare 3.11 5 User	605
Novell NetWare 4.0 10 User CD	2,022
Novell Lite (Software only)	79

Productivity Tools

Dan Brickins Demo II	205
Dan Brickins Demo II Prof	799
MS Money I/Windows 2.0	21

Communications

Carbon Copy I/Windows 1.0	139
Carbon Copy Plus	139
Close-up Customer/Terminal 3.0	131
Crosstalk 3.0 I/Windows	115
Dynacomm Te Asynch I/Windows	166
Dynacomm Elite Windows	331
Procomm Plus I/Windows 1.0	108
Relay Gold 5.0	208
Smartterm 240 3.1	210
Winconnect	73
Winfax Pro	90

Utilities

386 Max Pro 6.01	73
Back-it 4 I/Windows	64
Central Point Antivirus I/Win	100
Central Point Backup I/Windows 7.2	100
CheckIt Plus 3.0	92
Fastback I/Windows	109
HDC Icon Designer I/Windows	45
Laplink Pro 4.0	110
Norton Antivirus (DOS/Windows)	94
Norton Backup I/DOS	108
Norton Backup I/Windows	108
PC Tools International Edit	139
QEMM 386 Exp Mem Mgr	73
Stacker I/DOS & Windows 3.0	103
Xtree Gold 2.5	105

Workgroup/Group Productivity

CC-Mail Windows Platform Pk	343
CC-Mail MS-DOS Platform Pk	210
CC-Mail 10 User Pak 3.2	245
MS PC Mail 3.0 + 5 User Lic Pk	275
MS PC Mail 3.0 Remote Wkstn	129

Please call for items not listed

SOFTLINE MAKES BUYING AS SIMPLE AS ...

1.

Ordering



Fax your order & inquire to us 24 hours a day

1-718-438-2315



Call us at

1-718-438-6057

(9:00 to 17:00 U.S. EST, Mon.-Fri.)
All prices and payments are in U.S.D.,
and do not include shipping, insurance,
and other fees. VAT and duties will be
collected at delivery. Please confirm
prices, availability, shipping costs and
other fees at time of order. Please
specify 3 1/2" or 5 1/4"
diskette size.

2.

Shipping



Ask for
Federal Express,
DHL or UPS,

if you want 2 to 4 day service through
customs to your door.



For large orders, we also ship via economic
Air Freight, with 1 week delivery.
Please confirm shipping costs when placing
your order.

3.

Payment



For fastest Ordering,
use your Visa, MasterCard,
American Express, or EuroCard.
Simply provide us with your credit card
number, expiration date, shipping and
billing addresses when ordering.
A 3% surcharge is added.

Or you can...

Wire Transfer funds directly to our
account at Manufacturer's Hanover Trust
(ABA# 021000306)
4901-13th Ave., Brooklyn, NY 11219
Account No. 1042063596065. Please add
\$15.00 wire transfer fee and applicable
shipping charges. Allow 1 week for
confirmation of transfer.



We accept bank checks in US Dollars
payable on a US Bank. Send your order
with payment.

TERMS: All prices are subject to change without notice.
We do not charge your credit card until your order is
shipped. All returns require prior authorization and RA
number from our customer service department.
(Minimum 20% restocking fee on returns). All returns
are to be shipped prepaid and insured.



Circle 523 on Inquiry Card.


Softline International Division

1333 60th Street, Brooklyn, NY 11219 FAX: 1-718-438-2315

PEN COMPUTING CATCHES ON

After a slow start, pen computing is establishing itself in a number of businesses. Currently, it is on the verge of entering the mainstream.

DAN MEZICK



Pen computing has experienced a rough childhood. Born to great expectations, the technology sputtered in 1992 as a lack of usable hardware and less-than-acceptable handwriting recognition left many people wondering if pen computing would survive infancy. But new and better pen-based hardware and software are starting to bring pen input into the mainstream.

As little as one year ago, available pen PCs, such as the NCR 3125, were shipping with less-than-acceptable disk storage and poor display quality. This year, choices in pen hardware are plentiful, with over 30 different pen-based PCs available. Active-matrix color displays are now appearing in pen units (e.g., NEC's Versa) and drive capacities are exceeding 200 MB. Other hardware features (e.g., bridge batteries) make it easier to utilize a pen computer in the field by letting you swap a new battery without requiring a reboot.

Pens and digitizers are now supported in desktop operating systems (e.g., IBM's OS/2 2.1), laptops (e.g., Apple's PowerBook), and hybrids (e.g., Grid's Convertible). A new class of systems called PDAs (Personal Digital Assistants) (e.g., Apple's Newton series and the Tandy/Casio Zoomer) feature the pen as the sole input method.


The primary advantage of the pen is not the ability to write but the ability to point, to manipulate the user interface without requiring a surface to rest the device. The pen enables mobility, and mobility opens up vast untapped domains for automation by computer. Any worker who collects information while walking or standing is a candidate for pen-driven automation.

For example, data collection during, say, facility or vehicle inspections, requires long battery life and light weight. It is also forms-based, letting you simply check off boxes or enter a few characters. And pen-based sales automation software allows


State of the Art Pen Computing Catches On

How Pen Digitizers Work

Overlay technology



Underlay technology



Both overlay and underlay digitizers work similarly. First, the pen interrupts a sensor field, sending an analog signal of the x, y coordinates to the system. The system translates the signal from analog to digital and lights the appropriate pixel.

for data entry and note-taking that is less intrusive than typing on a keyboard.

Pen technology is beginning to creep into mainstream applications. Bill Lempe, publisher of the newsletter *PenVision News* (Pleasanton, CA), predicts that "pen, mouse, keyboard, and voice will coexist on the desktop of the future. No one input option will dominate. You'll select your input device based on applications and personal preferences."

Hardware Makes It Happen

Digitizer technology makes pen computing happen. A digitizer is a planar grid, capable of generating x, y coordinates when the pen is placed on or near it. A pen is said to be *in proximity* when you hold it close enough for the digitizer to detect it.

At interrupt time, digital ink may or may not appear. If you touch the pen in a region in which an application accepts writing, such as a data field, video display drivers handle the magic of making digital ink appear on the screen. If the pen touches a control such as a button, which does not expect writing or gestural commands, inking does not take place. In this case, the application recognizes the pen as a pointing device only.

Digitizer technology is varied. One type

of technology uses direct-contact resistance (overlay) digitizers, which are mounted above a unit's display; physical contact from the pen generates the interrupt. In this technology, the pen is connected via an electrical cable to the unit itself. A second type of technology uses transparent-resistive (underlay) digitizers, which generate interrupts when the pen tip temporarily forces the two conductive layers together; Apple's Newton uses this technology. A third type uses electromagnetic digitizers, which are mounted beneath the unit's display; the pen in proximity of the tablet display generates a hardware interrupt.

Pen computers are characterized by the type of digitizer they use. For example, Grid's GridPad uses a tethered pen because of its overlay technology. On the other hand, the Newton's pen isn't tethered to a unit, and it contains no electronics since it only momentarily connects two conductive layers. Units such as the Grid 2260 use electromagnetic digitizers, which require a specialized pen containing batteries, resistors, or capacitors to interact with a unit's digitizer.

Digitizers have resolution granularity, like video displays, and the two (more often than not) don't map precisely to the same x, y location. For this reason, pen-

input data that the digitizer reports must be calibrated to approximate the location of the video pixels that you view. This calibration often makes correct recognition more difficult than it would be if the digitizer and the video display coordinates were precisely the same.

How the pen "handles" also influences recognition rates: Recently, some pen systems have been equipped with etched display glass, which provides more paper-like drag on the pen. Users are more comfortable writing on glass, and characters are formed more precisely as a result.

Beyond the special hardware support for pen input, pen systems are nearly indistinguishable from conventional laptop computers. Hardware options—including PCMCIA slots, processors, rotating disks and CPUs—are virtually the same as those available in current laptop devices. While hard drives with capacities under 80 MB are common, many new pen models contain 200-MB or larger hard drives, making it possible to use one pen computer for all computing tasks, both desktop or nomadic.

User Interfaces

Pen computing is influencing the current state of the art in computer user-interface design. Norm Francis, president of pen

Now Even Bad Reports Can Look Good.

New CA-RET™ 1.0: The Friendliest, Most Powerful Report Writer Ever.

Add bitmapped images anywhere in your report for graphic impact.

Create exciting output from your CA-Clipper, dBASE and text files.

Dozens of built-in number-crunching functions are available for powerful data analysis.

Using different fonts adds pizzazz to your reports. CA-RET makes it a snap.

The allure of color: You get it in an easy, WYSIWYG environment.

You can even turn your data into eye-catching graphs.

The United States House Of Representatives
THE HOUSE BANK MONTHLY BANK STATEMENT-APRIL, 1993

Phil A. Buster Acct. # D 3320 67 55509
14 E. Pork Barrel Lane, Potomac, MD 20519
(301) 555-0269
District: 153 Party: Frequently
Campaign Slogan: "A Vote For Buster Is A Vote For Me"

YTD SUMMARY		AMOUNT
Total Number of Bad Checks		6014
Average Daily Balance		-\$41,449.00
Average Amount of Bad Checks		\$19,242.00
Largest Overdraft		\$49,650.00
Outstanding Loans		\$85,320.00
Overdraft Fees (Waived)		\$1,250.00
Interest Owed (Waived)		\$5,360.43

ACTIVITY SUMMARY

Date	No.	Memo/Category	Payment	Deposit	Balance
3/17	5261	The Watergate Hotel	1,586.38		-\$6,889.00
3/21	5262	The Hair Club For Men	21,530.00		-47,159.00
3/28	5263	Club Med	3,850.79		-51,009.79
4/7	5264	Larry's Lexus Dealer	49,650.00		-97,659.79
4/15	5265	Burning Tree Country Club Annual Dues	10,000.00		-107,659.79
4/17	5266	American Express	23,400.09		-131,059.88

PREVIOUS BALANCE	\$25,623.00	TOTAL PAYMENTS	\$0.00
NEW BALANCE	\$131,053.88	AMOUNT DUE	\$0.00

Employee Of The Month
Bill Overdu
VP Bounced Checks Dept.

On The House
123 4567 8910 0000
J. Humphrey, Windows

House Bank Special of the Month!
This month we're offering a special no-interest, no-fee credit card that offers you unlimited credit without the inconvenience of monthly payments. In fact, you'll make no payments whatsoever with your new approved House Bank Credit card. Order extra for the family.

Whatever the news, make it look great with new CA-RET/Xbase, the visual report writer for Windows.

With drag and drop, WYSIWYG design, it's as easy to use as a word processor, yet powerful enough to produce stunning results. Choose a wide variety of pre-formatted tabular layouts, labels and form letters — or create your own. Now you can add dazzling color, fonts and bitmaps to any report.

Place database fields, computed fields and aggregate computations anywhere and use the more than 40 built-in functions for extensive analysis.

CA-RET/Xbase works with top databases (or text files) and acts as a DDE server so you can include reports in other Windows applications. And the unlimited use runtime license lets you distribute report applications for free.

To order, just call 1-800-531-5236 (in Canada: 1-800-665-5449). Competitive offer available for just \$79 (\$89 in Canada). Ask the operator for details.

Call today and find out how easy it is to turn the mundane into the magnificent.

And CA-RET's single-pass computation engine is the most efficient available.

From dBASE to Clipper,



COMPUTER ASSOCIATES
Software superior by design.

© Computer Associates International, Inc., One Computer Associates Plaza, Islandia, NY 11788-7000.
All product names referenced herein are trademarks of their respective companies.

Circle 80 on Inquiry Card.

State of the Art Pen Computing Catches On

software vendor PenMagic Software (Vancouver, British Columbia, Canada), credits Go Corp.'s PenPoint paper metaphor with furthering the evolution of user interfaces. Unlike the desktop, he says, "this new metaphor is more intuitive and simple: the document."

Novice computer users might not understand buttons, menus, and modal dialog boxes, but they do understand paper, forms, and notebooks. Microsoft's intention to implement a document model in future versions of Windows, says Francis, acknowledges that this metaphor eases the learning curve.

One largely undefined issue in pen applications design is the navigation from window to window. Microsoft's design guide included with its SDK (Software Development Kit) has little to say about navigation; Go's design guide is much the same. The reality is that developers are on their own until a market force or large vendor identifies acceptable alternatives to standard menu-command and command-button navigation.

For example, the Microsoft design guide doesn't discuss the use of a check box for navigating to a dialog box or other window: Menu commands or buttons are preferred for navigation. However, many pen applications automate paper forms. But often, forms have check boxes indicating that you must enter further information. On their way to standardizing pen applications, vendors must address problems such as this type of ambiguity.

Several interface issues are common to all pen applications. First, because forms on standard 8½- by 11-inch paper don't map directly to the smaller video displays, pen systems designers must segment the form into hidden and visible portions, with hidden windows accessible via a button or (perhaps) a check box. How to navigate gracefully from window to window and which windows to hide become issues for the pen user-interface designer.

Readability is another important component of navigation. The text and graphics must be easy to follow and view on the relatively low-contrast LCDs and where poor lighting conditions exist. Readability becomes even more important in face-to-face interaction with other people, when you must deftly navigate

a pen device while maintaining eye contact with another person. Good user-interface design for pen applications mandates enlarged controls; bold and oversized fonts; and consistent use of navigation controls.

Digital Ink, Gestures, and Jot
Pen input can include handwriting and gestures. *Digital ink* is written user input, which is saved in a data structure. *Gestures* are handwritten symbols that function as application commands. For example, writing and circling the letter *H* tells your application to hide the window on which it is drawn.

Gestures embody both the command (e.g., Hide) and the parameters (e.g., "Hide this form"). Where a gesture is written is important because command parameters are derived from the precise location of the gesture. For example, the circled *H* may be ignored if written in your application's data field but recog-

BASIC GESTURES

Pen input lets you perform tasks with simple gestures. Below is a sampling of gestures available with Go Corp.'s PenPoint operating system.



Caret opens a writing pad in text or creates a document.



Check displays options for whatever you draw it on.



Circle opens an edit pad.



Insert space adds a blank space in text or boxed pads.



Cross out deletes whatever is beneath it.

nized if written elsewhere within a window.


Gesturing capability provides you with a concise command interface. On the other hand, handwriting is typically used to enter characters in the absence of a keyboard. In this context, handwriting is immediately translated or saved in a digital-ink data structure for later recognition.

Support for digital ink requires a data structure to store the handwriting and an API for manipulating it. Digital ink is much more than a mere bit map. Stroke order and a time stamp, for example, are part of the data structure. In addition, optional information—if supported by hardware—includes tip pressure, tip angle, the state of buttons


on the pen, and more. Recognizing the need for a standard data type for ink, industry leaders have partnered to create Jot. This standard will accelerate support for ink, even on platforms that don't currently support pen input (see the text box "Jot Defines Electronic Ink" on page 110).

The difficulty of implementing accurate handwriting recognition has caused vendors to promote digitized ink as a replacement for recognition. Project leader Ken Notestine co-developed the first pen application, which automates loss-control representatives in the field, for insurer ITT Hartford Insurance Group (Hartford, CT). Field personnel collect risk data for analysis by property-casualty underwriters. "Our intention was to minimize the use of digitized ink," says Notestine. "It became, however, the only practical way to capture the required information. Support for digital ink ultimately became a subsystem within our application."

However, digitized ink has its own set of problems. Compared to ASCII text, digitized ink is bulky to store, and until Jot is widely implemented, digitized ink doesn't port well across platforms. For example, attempting to render ink captured from a Windows application in the IBM 3090 mainframe environment will be an



Ink Development's Notetaker captures, indexes, and manipulates digital ink. It can highlight or boldface handwritten text. You decide when to recognize handwritten text.



\$425



\$3,280

KINGSTON PROCESSOR UPGRADES. SAVE YOUR SYSTEM AND A BUNDLE.



Significant Savings, Equivalent Performance.
Kingston's IBM designed SLC/Now! plus SX/Now!, 486/Now! and MCMaster processor upgrades make existing systems perform like new 386SX, 486SX or 486DX models. They provide the power needed for today's software, perform comparably to new systems and cost at least 70% less.

Upgrade	Before	After	New System	System Supported
SX/Now!	IBM-AT	With SX/Now! 25	PS/2 Model 57SX-045	SX/Now!
Landmark Speed 2.0:	8 MHz	35 MHz	22 MHz	286-based systems from AST, Compaq, Epson, Everex, Hewlett-Packard, IBM, NEC, Toshiba and Zenith
Recount:	5:44 Min.	1:51 Min.	1:54 Min.	
Retail Price:		\$215	\$1,545	
SLC/Now!	PS/2 Model 50	With SLC/Now! 50	PS/2 Model 90-0H9	SLC/Now!
Landmark Speed 2.0:	13 MHz	114 MHz	84 MHz	IBM PS/2 Models 50, 50Z and 60
Recount:	3:34 Min.	:29 Sec.	:38 Sec.	
Retail Price:		\$425	\$3,280	
486/Now!	PS/2 Model 70-25MHz	With 486/Now! SX 25	PS/2 Model 90-0H9	486/Now!
Landmark Speed 2.0:	39 MHz	84 MHz	84 MHz	IBM PS/2 Models 70 and 80, Compaq Deskpro Models 386/16, 386/20, 386/20e, 386/25, 386/25e, 386/33
Recount:	:55 Sec.	:39 Sec.	:38 Sec.	
Retail Price:		\$495	\$3,280	
MCMaster	PS/2 Model 55SX	With MCMaster SX 25	PS/2 Model 90-0H9	MCMaster
Landmark Speed 2.0:	16 MHz	84 MHz	84 MHz	IBM PS/2 Models 55, 56, 57, 65, 70, 80 and 90
Recount:	2:47 Min.	:36 Sec.	:38 Sec.	
Retail Price:		\$795	\$3,280	

All systems tested with 16MB installed except MCMaster, tested with 8MB on-board and 8MB on mother board. All system prices are MSRP at standard configuration as of 4/1/93. Recount conducted on 3MD Excel for Windows spreadsheet generated by Kingston Technology.



Quality is Assured.

Bench testing of each and every product with the original system diagnostics and certification by the National Software Testing Laboratory provides the maximum assurance of individual product quality and compatibility.



Full Compatibility.

Kingston's processor upgrades are tested to be fully compatible with today's most popular operating environments including MS DOS, Microsoft Windows, IBM's OS/2 and Novell Netware.

More Information.

Contact your nearby Kingston dealer or give us a call at (800) 835-6575 to find out which processor upgrade is best for you.

[800]



Kingston Reliability.

Like our memory products, every processor upgrade is individually tested prior to shipping, supported by free comprehensive technical assistance and backed by a five-year warranty.



THE INSIDE NAME IN UPGRADES

17600 Newhope Street, Fountain Valley, California 92708 (714) 435-2600 Fax (714) 435-2699

All Trademarks, Registered Trademarks and Logos are of their respective holders. Kingston and Kingston Technology are Registered Trademarks of Kingston Technology Corporation. MCMaster is a Trademark of Aox, Inc. Both SXNow! and 486Now! are currently certified by The National Software Testing Laboratory. Certification for recent introductions, MCMaster and SLC/Now!, is pending. Developer tested only. Novell makes no warranties with respect to these products.

Circle 108 on Inquiry Card (RESELLERS: 109).

Jot Defines Electronic Ink


DAN BRICKLIN

Jot is a data-interchange standard with a difference: The data it defines is ink. Ink is not a traditional system data type, but it is an increasingly important one. Ink is the information your pen computer captures when you "write" on it.

Electronic ink is information you create when you use a stylus to draw strokes on the screen of a pen computer. The built-in digitizer captures the strokes and renders them to the screen, thus imitating how a pencil leaves marks on paper. The writing—whether it's words or shapes—may be kept as ink forever or later translated to ASCII text or graphics objects. Some obvious examples of ink are notes, signatures, sketches, and annotations on other documents. The ink data type lets you capture personal, unstructured data that your computer can store, manage, and communicate.

An important point is that ink is not just bit-map data. Although ink is represented as a bit map when it is rendered to the screen, the ink data type itself retains much more information than the *x, y* coordinates of "on" pixels. Ink stores how the information was created, as well as how it appears on the screen. Thus, ink data can include such components as the individual pen strokes, the timing of the strokes, the pressure used to create each stroke, the color of each stroke, and the relative scale and position of a stroke. Ink stores the direction and movements of the pen. In this regard, ink has much in common with MIDI data, which communicates information about what note to play and the pressure and duration used to play it as opposed to a straightforward

Jot-Supported Ink Properties



Jot captures a surprising number of ink properties, in addition to the coordinates of the path the pen takes, and stores them in an application-specific record. Besides the properties shown in the figure, Jot supports multiple strokes of ink combined into single objects, bounds, scale, offset, numbered groupings of strokes, color and opacity, and timing information.

ward recording of the sounds produced.

The Jot ink standard is a joint effort of Slate, Microsoft, Go Corp., Apple, Lotus, and General Magic. It is a platform- and applications-independent format. It can be implemented on any platform whether or not the platform supports a pen device; thus, it solves the problem of sharing ink throughout an organization. Ink stored in the Jot format can be retrieved by any application that needs to display the ink, print it, translate it to ASCII text or some other format, or even to perform special functions such as signature verification.

The Jot standard is designed to meet the following goals:

Keep it simple. Jot makes it easy to handle the most common ink operations (e.g., reading stroke coordinates). You can ignore complex information if your application doesn't require it.

Compact. If optional information such as color specifications are absent, the data definition does not devote any storage space to it.

Storage saving. The standard sup-

ports optional compression for stroke data.

Inclusive. Jot supports every current property of ink.

Expandable and compatible. You can add new properties to the standard without affecting the operation of current applications.

Putting Ink to Work

Jot has many uses. For example, Jot lets you store and transmit signatures electronically. Many companies want to preserve a person's signature (e.g., a doctor's) by using the pen at the time of a transaction. This signature may be written on a tablet-style system but need to be sent back into a corporate database for storing,

analyzing, or reporting. Jot makes it possible to gather the signature on one system and move it to another without any loss of data, all in a standard format.

Jot also plays a key role in letting people scrawl a handwritten E-mail message on their PDA (Personal Digital Assistant) device, send it to a colleague, and have it displayed on a desktop system that doesn't have a pen interface. It also lets you receive an E-mail message, mark it up with your handwritten response, and send it off again.

Jot is a rare example in the personal computer industry of companies establishing a standard in anticipation of customers' needs. The Jot specification is available to anyone, and any developer can incorporate and use the specification in its products. Developers can obtain a free copy of the specification from the Software Publisher's Association Mobile and Pen special-interest group by calling (202) 452-1600 ext. 336.

Dan Bricklin is vice president of new technology at Slate (Scottsdale, AZ). You can reach him on BIX c/o "editors."

State of the Art Pen Computing Catches On

effort, because functions equivalent to Microsoft's Windows for Pen Computing API functions must be created to manipulate the Windows data structure in the host environment.

Nevertheless, entire applications are built on the notion that digital ink is adequate for data capture, storage, and retrieval. NoteTaker from Ink Development (San Mateo, CA), for example, is best described as a digital ink manager: The application captures, indexes, and manipulates digital ink on your behalf. NoteTaker recognizes text only when necessary to index digital ink for storage or when you indicate recognition is desired.

All pen operating systems support digitized ink and gestural command recognition. They handle hardware interrupts by passing x, y axes data to video device drivers capable of rendering digital ink. In addition to ink, video drivers must support reorientable displays (i.e., portrait or landscape orientation based on the application). Systems like PenPoint support dynamic reorientation of the screen, while systems with historical ties to the desktop (like Windows) require a reboot to affect the reorientation.

As hardware evolves to support pen input, vendors are positioning operating system offerings. Several choices are available: GEOS from GeoWorks (Berkeley, CA), OS/2 from IBM (Armonk, NY), PenDOS from Communication Intelligence Corp. (CIC) (Redwood Shores, CA), PenPoint from Go (Foster City, CA), PenRight from PenRight (Westlake, TX), and Windows for Pen Computing from Microsoft (Redmond, WA).

Technology planners must consider a range of issues including effective battery life and the relative sophistication of users when selecting an operating environment to utilize. GEOS, PenDOS, and PenRight bring pen input to lower-powered 808x devices; this is a plus for applications that require long battery life. PenPoint is one of the easiest systems to adopt, with its intuitive easy-to-learn user-interface "notebook" metaphor. It is best for new users and new applications. Microsoft's Windows for Pens is most attractive to corporate technical planners considering pen input for selected applications. Developers working with familiar Windows tools can slip-

Expense Report

Date	Description	Category	Amount
04/27/93	Travel to Los Angeles	Travel	150.00
04/28/93	Travel to Los Angeles	Travel	150.00
04/29/93	Travel to Los Angeles	Travel	150.00
04/30/93	Travel to Los Angeles	Travel	150.00
05/01/93	Travel to Los Angeles	Travel	150.00
05/02/93	Travel to Los Angeles	Travel	150.00
05/03/93	Travel to Los Angeles	Travel	150.00
05/04/93	Travel to Los Angeles	Travel	150.00
05/05/93	Travel to Los Angeles	Travel	150.00
05/06/93	Travel to Los Angeles	Travel	150.00
05/07/93	Travel to Los Angeles	Travel	150.00
05/08/93	Travel to Los Angeles	Travel	150.00
05/09/93	Travel to Los Angeles	Travel	150.00
05/10/93	Travel to Los Angeles	Travel	150.00
05/11/93	Travel to Los Angeles	Travel	150.00
05/12/93	Travel to Los Angeles	Travel	150.00
05/13/93	Travel to Los Angeles	Travel	150.00
05/14/93	Travel to Los Angeles	Travel	150.00
05/15/93	Travel to Los Angeles	Travel	150.00
05/16/93	Travel to Los Angeles	Travel	150.00
05/17/93	Travel to Los Angeles	Travel	150.00
05/18/93	Travel to Los Angeles	Travel	150.00
05/19/93	Travel to Los Angeles	Travel	150.00
05/20/93	Travel to Los Angeles	Travel	150.00
05/21/93	Travel to Los Angeles	Travel	150.00
05/22/93	Travel to Los Angeles	Travel	150.00
05/23/93	Travel to Los Angeles	Travel	150.00
05/24/93	Travel to Los Angeles	Travel	150.00
05/25/93	Travel to Los Angeles	Travel	150.00
05/26/93	Travel to Los Angeles	Travel	150.00
05/27/93	Travel to Los Angeles	Travel	150.00
05/28/93	Travel to Los Angeles	Travel	150.00
05/29/93	Travel to Los Angeles	Travel	150.00
05/30/93	Travel to Los Angeles	Travel	150.00
05/31/93	Travel to Los Angeles	Travel	150.00
06/01/93	Travel to Los Angeles	Travel	150.00
06/02/93	Travel to Los Angeles	Travel	150.00
06/03/93	Travel to Los Angeles	Travel	150.00
06/04/93	Travel to Los Angeles	Travel	150.00
06/05/93	Travel to Los Angeles	Travel	150.00
06/06/93	Travel to Los Angeles	Travel	150.00
06/07/93	Travel to Los Angeles	Travel	150.00
06/08/93	Travel to Los Angeles	Travel	150.00
06/09/93	Travel to Los Angeles	Travel	150.00
06/10/93	Travel to Los Angeles	Travel	150.00
06/11/93	Travel to Los Angeles	Travel	150.00
06/12/93	Travel to Los Angeles	Travel	150.00
06/13/93	Travel to Los Angeles	Travel	150.00
06/14/93	Travel to Los Angeles	Travel	150.00
06/15/93	Travel to Los Angeles	Travel	150.00
06/16/93	Travel to Los Angeles	Travel	150.00
06/17/93	Travel to Los Angeles	Travel	150.00
06/18/93	Travel to Los Angeles	Travel	150.00
06/19/93	Travel to Los Angeles	Travel	150.00
06/20/93	Travel to Los Angeles	Travel	150.00
06/21/93	Travel to Los Angeles	Travel	150.00
06/22/93	Travel to Los Angeles	Travel	150.00
06/23/93	Travel to Los Angeles	Travel	150.00
06/24/93	Travel to Los Angeles	Travel	150.00
06/25/93	Travel to Los Angeles	Travel	150.00
06/26/93	Travel to Los Angeles	Travel	150.00
06/27/93	Travel to Los Angeles	Travel	150.00
06/28/93	Travel to Los Angeles	Travel	150.00
06/29/93	Travel to Los Angeles	Travel	150.00
06/30/93	Travel to Los Angeles	Travel	150.00
07/01/93	Travel to Los Angeles	Travel	150.00
07/02/93	Travel to Los Angeles	Travel	150.00
07/03/93	Travel to Los Angeles	Travel	150.00
07/04/93	Travel to Los Angeles	Travel	150.00
07/05/93	Travel to Los Angeles	Travel	150.00
07/06/93	Travel to Los Angeles	Travel	150.00
07/07/93	Travel to Los Angeles	Travel	150.00
07/08/93	Travel to Los Angeles	Travel	150.00
07/09/93	Travel to Los Angeles	Travel	150.00
07/10/93	Travel to Los Angeles	Travel	150.00
07/11/93	Travel to Los Angeles	Travel	150.00
07/12/93	Travel to Los Angeles	Travel	150.00
07/13/93	Travel to Los Angeles	Travel	150.00
07/14/93	Travel to Los Angeles	Travel	150.00
07/15/93	Travel to Los Angeles	Travel	150.00
07/16/93	Travel to Los Angeles	Travel	150.00
07/17/93	Travel to Los Angeles	Travel	150.00
07/18/93	Travel to Los Angeles	Travel	150.00
07/19/93	Travel to Los Angeles	Travel	150.00
07/20/93	Travel to Los Angeles	Travel	150.00
07/21/93	Travel to Los Angeles	Travel	150.00
07/22/93	Travel to Los Angeles	Travel	150.00
07/23/93	Travel to Los Angeles	Travel	150.00
07/24/93	Travel to Los Angeles	Travel	150.00
07/25/93	Travel to Los Angeles	Travel	150.00
07/26/93	Travel to Los Angeles	Travel	150.00
07/27/93	Travel to Los Angeles	Travel	150.00
07/28/93	Travel to Los Angeles	Travel	150.00
07/29/93	Travel to Los Angeles	Travel	150.00
07/30/93	Travel to Los Angeles	Travel	150.00
07/31/93	Travel to Los Angeles	Travel	150.00
08/01/93	Travel to Los Angeles	Travel	150.00
08/02/93	Travel to Los Angeles	Travel	150.00
08/03/93	Travel to Los Angeles	Travel	150.00
08/04/93	Travel to Los Angeles	Travel	150.00
08/05/93	Travel to Los Angeles	Travel	150.00
08/06/93	Travel to Los Angeles	Travel	150.00
08/07/93	Travel to Los Angeles	Travel	150.00
08/08/93	Travel to Los Angeles	Travel	150.00
08/09/93	Travel to Los Angeles	Travel	150.00
08/10/93	Travel to Los Angeles	Travel	150.00
08/11/93	Travel to Los Angeles	Travel	150.00
08/12/93	Travel to Los Angeles	Travel	150.00
08/13/93	Travel to Los Angeles	Travel	150.00
08/14/93	Travel to Los Angeles	Travel	150.00
08/15/93	Travel to Los Angeles	Travel	150.00
08/16/93	Travel to Los Angeles	Travel	150.00
08/17/93	Travel to Los Angeles	Travel	150.00
08/18/93	Travel to Los Angeles	Travel	150.00
08/19/93	Travel to Los Angeles	Travel	150.00
08/20/93	Travel to Los Angeles	Travel	150.00
08/21/93	Travel to Los Angeles	Travel	150.00
08/22/93	Travel to Los Angeles	Travel	150.00
08/23/93	Travel to Los Angeles	Travel	150.00
08/24/93	Travel to Los Angeles	Travel	150.00
08/25/93	Travel to Los Angeles	Travel	150.00
08/26/93	Travel to Los Angeles	Travel	150.00
08/27/93	Travel to Los Angeles	Travel	150.00
08/28/93	Travel to Los Angeles	Travel	150.00
08/29/93	Travel to Los Angeles	Travel	150.00
08/30/93	Travel to Los Angeles	Travel	150.00
08/31/93	Travel to Los Angeles	Travel	150.00
09/01/93	Travel to Los Angeles	Travel	150.00
09/02/93	Travel to Los Angeles	Travel	150.00
09/03/93	Travel to Los Angeles	Travel	150.00
09/04/93	Travel to Los Angeles	Travel	150.00
09/05/93	Travel to Los Angeles	Travel	150.00
09/06/93	Travel to Los Angeles	Travel	150.00
09/07/93	Travel to Los Angeles	Travel	150.00
09/08/93	Travel to Los Angeles	Travel	150.00
09/09/93	Travel to Los Angeles	Travel	150.00
09/10/93	Travel to Los Angeles	Travel	150.00
09/11/93	Travel to Los Angeles	Travel	150.00
09/12/93	Travel to Los Angeles	Travel	150.00
09/13/93	Travel to Los Angeles	Travel	150.00
09/14/93	Travel to Los Angeles	Travel	150.00
09/15/93	Travel to Los Angeles	Travel	150.00
09/16/93	Travel to Los Angeles	Travel	150.00
09/17/93	Travel to Los Angeles	Travel	150.00
09/18/93	Travel to Los Angeles	Travel	150.00
09/19/93	Travel to Los Angeles	Travel	150.00
09/20/93	Travel to Los Angeles	Travel	150.00
09/21/93	Travel to Los Angeles	Travel	150.00
09/22/93	Travel to Los Angeles	Travel	150.00
09/23/93	Travel to Los Angeles	Travel	150.00
09/24/93	Travel to Los Angeles	Travel	150.00
09/25/93	Travel to Los Angeles	Travel	150.00
09/26/93	Travel to Los Angeles	Travel	150.00
09/27/93	Travel to Los Angeles	Travel	150.00
09/28/93	Travel to Los Angeles	Travel	150.00
09/29/93	Travel to Los Angeles	Travel	150.00
09/30/93	Travel to Los Angeles	Travel	150.00
10/01/93	Travel to Los Angeles	Travel	150.00
10/02/93	Travel to Los Angeles	Travel	150.00
10/03/93	Travel to Los Angeles	Travel	150.00
10/04/93	Travel to Los Angeles	Travel	150.00
10/05/93	Travel to Los Angeles	Travel	150.00
10/06/93	Travel to Los Angeles	Travel	150.00
10/07/93	Travel to Los Angeles	Travel	150.00
10/08/93	Travel to Los Angeles	Travel	150.00
10/09/93	Travel to Los Angeles	Travel	150.00
10/10/93	Travel to Los Angeles	Travel	150.00
10/11/93	Travel to Los Angeles	Travel	150.00
10/12/93	Travel to Los Angeles	Travel	150.00
10/13/93	Travel to Los Angeles	Travel	150.00
10/14/93	Travel to Los Angeles	Travel	150.00
10/15/93	Travel to Los Angeles	Travel	150.00
10/16/93	Travel to Los Angeles	Travel	150.00
10/17/93	Travel to Los Angeles	Travel	150.00
10/18/93	Travel to Los Angeles	Travel	150.00
10/19/93	Travel to Los Angeles	Travel	150.00
10/20/93	Travel to Los Angeles	Travel	150.00
10/21/93	Travel to Los Angeles	Travel	150.00
10/22/93	Travel to Los Angeles	Travel	150.00
10/23/93	Travel to Los Angeles	Travel	150.00
10/24/93	Travel to Los Angeles	Travel	150.00
10/25/93	Travel to Los Angeles	Travel	150.00
10/26/93	Travel to Los Angeles	Travel	150.00
10/27/93	Travel to Los Angeles	Travel	150.00
10/28/93	Travel to Los Angeles	Travel	150.00
10/29/93	Travel to Los Angeles	Travel	150.00
10/30/93	Travel to Los Angeles	Travel	150.00
10/31/93	Travel to Los Angeles	Travel	150.00
11/01/93	Travel to Los Angeles	Travel	150.00
11/02/93	Travel to Los Angeles	Travel	150.00
11/03/93	Travel to Los Angeles	Travel	150.00
11/04/93	Travel to Los Angeles	Travel	150.00
11/05/93	Travel to Los Angeles	Travel	150.00
11/06/93	Travel to Los Angeles	Travel	150.00
11/07/93	Travel to Los Angeles	Travel	150.00
11/08/93	Travel to Los Angeles	Travel	150.00
11/09/93	Travel to Los Angeles	Travel	150.00
11/10/93	Travel to Los Angeles	Travel	150.00
11/11/93	Travel to Los Angeles	Travel	150.00
11/12/93	Travel to Los Angeles	Travel	150.00
11/13/93	Travel to Los Angeles	Travel	150.00
11/14/93	Travel to Los Angeles	Travel	150.00
11/15/93	Travel to Los Angeles	Travel	150.00
11/16/93	Travel to Los Angeles	Travel	150.00
11/17/93	Travel to Los Angeles	Travel	150.00
11/18/93	Travel to Los Angeles	Travel	150.00
11/19/93	Travel to Los Angeles	Travel	150.00
11/20/93	Travel to Los Angeles	Travel	150.00
11/21/93	Travel to Los Angeles	Travel	150.00
11/22/93	Travel to Los Angeles	Travel	150.00
11/23/93	Travel to Los Angeles	Travel	150.00
11/24/93	Travel to Los Angeles	Travel	150.00
11/25/93	Travel to Los Angeles	Travel	150.00
11/26/93	Travel to Los Angeles	Travel	150.00
11/27/93	Travel to Los Angeles	Travel	150.00
11/28/93	Travel to Los Angeles	Travel	150.00
11/29/93	Travel to Los Angeles	Travel	150.00
11/30/93	Travel to Los Angeles	Travel	150.00
12/01/93	Travel to Los Angeles	Travel	150.00
12/02/93	Travel to Los Angeles	Travel	150.00
12/03/93	Travel to Los Angeles	Travel	150.00
12/04/93	Travel to Los Angeles	Travel	150.00
12/05/93	Travel to Los Angeles	Travel	150.00
12/06/93	Travel to Los Angeles	Travel	150.00
12/07/93	Travel to Los Angeles	Travel	150.00
12/08/93	Travel to Los Angeles	Travel	150.00
12/09/93	Travel to Los Angeles	Travel	150.00
12/10/93	Travel to Los Angeles	Travel	150.00
12/11/93	Travel to Los Angeles	Travel	150.00
12/12/93	Travel to Los Angeles	Travel	150.00
12/13/93	Travel to Los Angeles	Travel	150.00
12/14/93	Travel to Los Angeles	Travel	

State of the Art Pen Computing Catches On

and neural networks.

During recognition, elastic matching and neural networks work in parallel to obtain an output decision represented as a voting result. Because the technologies are complementary, the accuracy prior to training is substantially better than any known single-technology approach. User training further improves accuracy and can also reduce the number of computations necessary during the recognition process.

This hybrid approach allows user training to have a great impact on the recognition process. "Users want immediate increases in recognition rates after a short training session—no more than 15 minutes," says Fujisaki. A flexible, probabilistic algorithmic approach allows immediate responsiveness to a user's brief training session, he adds. But there is a price to pay: Robust support for training requires more computational power.

Pen systems designers recently discovered that electrical interference from the digitizer itself interfered with the "raw material" going to the recognizer. The latest systems compensate for this. This compensation combined with the use of etched-glass displays, which help you write more precise characters, is boosting overall recognition rates.

Tools

Selecting development tools is critical to successful pen applications. Like operating systems, development tool selection is highly dependent on the problem and on the issues of performance and maintainability. Not all tools run on all operating systems, making tool selection dependent on the operating-system platform.

You can program 808x devices with PenPal from PenPal Associates (Los Altos, CA) or with PenRight. PenPal supports a high-level language popular with non-technical users. PenRight includes a DOS run-time module and an SDK for C; the tool is popular with vertical developers. For applications designed for existing users, database applications, or applications developed to corporate specifications, Windows for Pens is an option. Tools under Windows include its SDK, as well as C language, PenApps for Windows, and Microsoft Visual Basic.

Databases must support digitized ink storage and seamless data exchange with existing systems. This means support for the binary large object and robust import/export facilities. Mobile databases must recover gracefully from sudden pow-

er disruptions and operate robustly on a resource-lean mobile device. Watcom SQL by Watcom (Waterloo, Ontario, Canada) and the relational database manager Quadbase-SQL from Quadbase Systems (Sunnyvale, CA) are especially suited for the mobile pen environment.

Slate's PenApps is the first to bridge Windows and PenPoint. Properly coded, PenApps applications port across platforms. One disadvantage here is that you must code to the lowest common denominator, forgoing features like PenPoint's EDA (Embedded Document Architecture) and Window's DDE, because these fea-

The pen computer is a very personal device, and tailoring should be simple for everyone, not just programmers.

— Norm Francis, president,
PenMagic Software

tures aren't common to both platforms. PenApps generates applications rich in pen capabilities. Gesture support is fully integrated into the tool's design, along with many other innovative features.

For example, Input targeting is a feature that recognizes where you intended to write, even if the input extends beyond the boundary of an input region. Markup mode is a feature that provides the ability to capture and store user annotations written on your application's windows.

Despite PenApp's pen-oriented features, corporate developers are gravitating toward Visual Basic. IIT Hartford's Notestine says, "Visual Basic's attractiveness is that it is extendable, and not just through custom controls. The availability of the Windows for Pens API functions gives the developer a great deal of flexibility."

Visual Basic 3.0, released earlier this year, is gaining momentum. Its new features are of interest to pen developers. Microsoft's Access 1.1 database engine, included with Visual Basic 3.0, supports digital-ink storage via the binary data type. Visual Basic's enhanced support for OLE 2.0 provides the ability to create applications with embedded instances of other executable files, such as spreadsheets and graphics applications. These new features, paired with Visual Basic's adequate support for pen input, are attractive to devel-

opers considering a Windows for Pens application.

Visual Basic supports pen computing primarily through two controls: the handwriting edit (Hedit) and the boxed edit (Bedit), included in its Professional Toolkit. Using Visual Basic for pen input, however, poses challenges. Programming gestural commands requires knowledge of the Windows API, Windows for Pens API, and the RCRESULT event unique to Hedit and Bedit. The RCRESULT event, specific to pen control, provides an opportunity to examine (and possibly alter) recognition results just before the application gains access to them.

In contrast, PenApps offers pen-centric and cross-platform capabilities, but it is relatively immature (in release 1.0), doesn't support custom controls, and takes longer to master. Both tools use BASIC and support external function calls via DLLs.

Who's Buying What?

According to *PenVision News*' Lempesis, pen-based products are segmenting into four domains: deskbound devices, pen-only tablet machines, convertible (i.e., pen and keyboard) systems, and PDAs. Lempesis projects sales of all devices with pen input to hit \$740 million this year and \$8.7 billion in 1996. Lempesis expects that all laptops will support pens within four years.

Recently, the notion of "diagonal" applications has taken root. Diagonal applications are horizontal products that allow you to easily configure them to your specific needs. For example, PenMagic's Numero, a highly intelligent financial application, combines a rich features set with a visual scripting facility called MagicScript.


PenMagic's Francis notes that "the pen computer is a very personal device, and tailoring should be simple for everyone, not just programmers." MagicScript is not limited to automating Numero documents; it automates any routine task, providing a batch facility for PenPoint users.

Pen computing has finally left infancy behind. Hardware and software improvements have freed users and technical planners to make real the promise of pen technology. For mobile workers, pen-enabled computing has indeed arrived. ■

Dan Mezick is the president of New Technology Solutions (North Haven, CT). He has provided developer training and pen systems engineering to corporate clients since 1991. You can reach him on BIX c/o "editors," on the Internet at dmezick@world.std.com, or on CompuServe at 71773,3612.



The Choice Is
No Longer
Black And White.



is one of the thinnest color notebooks on the market — 1.77 inches. Its footprint measures only 11.7 x 8.5 inches, and it weighs under 5.7 pounds.

486 Power

You don't have to sacrifice performance to have color, either. ColorBook models are based on SL Enhanced Intel486® CPUs. Both ColorBook models include a floppy drive, 4MB of RAM (upgradeable to 20MB), and a large, fast removable hard drive. These notebooks are powerful enough to become your only computer!

Integrated Track Ball And PCMCIA Slots

The ColorBook includes a built-in track ball, which is much easier to use than a mouse in most portable situations. You also get two PCMCIA Type II card slots so you can plug in dozens of available PCMCIA peripherals.



Greener Pastures

The grass is greener on the ColorBook side of the fence! It's an extraordinary value even by Gateway's standards — and we wrote the book on value! We have a reputation for offering the best prices on high-quality products with exceptional service from friendly folks in the Midwest. That's why the choice of a computer supplier is black-and-white, even when you're buying a color notebook! Give us a call.



8 0 0 - 8 4 6 - 2 0 1 0

Introducing The ColorBook!



For the same money, you can have a black-and-white 486 notebook. Or you can have a color 486 notebook. Which is it going to be? Hay, it's not too hard to spot the best deal: the ColorBook from Gateway 2000! The new ColorBook has everything you're looking for in a portable at a price you'd expect to pay for a monochrome system. That's a special breed!

Exploding The Myth

Why do you expect to pay so much more for a color portable? Because other manufacturers always charge a plump premium for color. They've been milking the market, brainwashing you into thinking high-quality color costs a lot more to manufacture. It doesn't! We're selling the ColorBook for our usual cost-plus-small-margin. Now other companies will have a hard time perpetuating the color portable price myth. (Competitors absolutely *hate* us! Isn't it great?)

Experts' Reaction

We gave several PC trade publication editors a sneak preview of the ColorBook. Here's what they said about it: "Way cool!" "Dead on." "You won't be able to make enough of these."


Dazzling Color Display

The editors were impressed by the bright, crisp color graphics from the latest-technology, dual-scan STN display. It's a 9.4-inch VGA LCD, backlit for use in any lighting conditions. The editors said the ColorBook has the best STN color display they had ever seen! When they learned one model was priced *less than \$2,000*, they were convinced the ColorBook will cause a stampede in the industry.

No Compromise On Size

Adding color to a portable usually means adding weight and bulk. Not so with the Gateway 2000 ColorBook. The ColorBook

Introducing The ColorBook!



The ColorBook is one of the thinnest color notebooks on the market — 1.77 inches. Its footprint measures only 11.7 x 8.5 inches, and it weighs under 5.7 pounds.



You'll appreciate the convenience of using PCMCIA cards. They're as easy to carry as credit cards, and they plug right into your ColorBook.



The integrated track ball slides out from a compartment by the space bar on the keyboard. You simply pull it out and go to work. Finished? Just slide the track ball back into the ColorBook.

FEATURES

Size

With the ColorBook, you get great color at a great price while maintaining excellent portability.

SL Enhanced Intel 486® Processor

ColorBook notebooks are based on Intel's new SL technology 486 microprocessors, which makes them powerful enough to serve as your desktop PC with an external mouse, keyboard and monitor. Supports simultaneous video on an external monitor at 640 x 480 resolution.

Dual-Scan STN Color Display

Dual-scan STN color is the latest technology in portable color displays, and it looks fabulous! You get 256 colors with the ColorBook running in VGA mode.

PCMCIA Type II Slots

Add a modem, network card or any of dozens of available PCMCIA-compatible peripherals. The ColorBook's two Type II slots can also be used for one Type III PCMCIA card.

COLORBOOK

- Weight: Under 5.7 Lbs.
- Dimensions: 11.7" x 8.5" x 1.77"
- SL Enhanced Intel 486 Processor
- 4MB RAM (expandable to 20MB)
- 3.5" 1.44MB Diskette Drive
- Removable Hard Drive
- 9.4" Backlit VGA Dual-Scan STN Color Display
- NiMH Battery & AC Pack
- Suspend/Resume Feature
- 2 PCMCIA Type II Slots
- Integrated Track Ball (2 Buttons)
- 85-Key Keyboard
- Parallel, Serial & PS/2 Mouse Ports
- External CRT Port
- MS-DOS® 6 and Windows™ 3.1

486SX-25

- 25MHz SL Enhanced Intel 486SX Processor
- 80MB IDE Hard Drive

\$1995

486SX-33

- 33MHz SL Enhanced Intel 486SX Processor
- 170MB IDE Hard Drive

\$2395

486DX-33

- 33MHz SL Enhanced Intel 486DX Processor
- 170MB IDE Hard Drive

\$2695

TRAVELER'S PACK

- Carrying Case
- Extra NiMH Battery

With PCMCIA 96/24 Fax/Modem

\$329

With PCMCIA TelePath™ Fax/Modem

\$449

COMBO PACK

- 124-Key AnyKey Keyboard
- MS Mouse
- 15" Color CrystalScan 1572FS

\$499

Options include: PCMCIA fax/modem cards, PCMCIA network cards, 4MB or 16MB RAM upgrades, carrying case and extra NiMH batteries. Call for details.



8 0 0 - 8 4 6 - 2 0 1 0


610 Gateway Drive • P.O. Box 2000 • North Sioux City, SD 57049-2000 • Phone 605-232-2000 • TDD 800-846-1778 • Fax 605-232-2023 • FaxBack 605-232-2561

Sales Hours: 7am-10pm Weekdays, 9am-4pm Saturdays (Central Time)

TALK TO YOUR COMPUTER

Voice technology lets you verbally command your computer or convert speech to text

WILLIAM S. MEISEL



Attach a microphone to a personal computer, and it has a whole new set of capabilities. It can store voice notes or act as a telephone. It can use the content of the speech to verify the speaker's identity for security purposes or to recognize the words in the speech. Of these functions, speech recognition has the greatest potential for fundamentally changing the way you interact with your computer. The technology is producing a new human-computer interface.


"Speech recognition is one of the business consumer's hot buttons," says Bob McBreen, product manager for Microsoft's Windows Sound System. He believes that speech recognition will be "an integral part of computing in the future."

To date, speech recognition has been largely confined to niche applications. But a new generation of powerful speech-recognition technology is becoming commercially available in software that's low cost and that runs on standard PC hardware. The focus now for developers is to move from basic technology to the development of good applications software.

Hardware and Software

The minimal hardware required to support speech is a microphone and an ADC (A/D converter) chip. A DSP (digital signal processor) is not strictly required, but if used, it at least doubles the processing power for speech recognition. Gene Frantz, applications manager for DSP at Texas Instruments (Houston, TX), points out that DSPs are better than general-purpose microprocessors for real-time signal processing.

Developers creating voice systems choose different types of DSPs depending on their specific needs. Some DSPs serve a number of purposes, acting as a fax or a modem, performing video data compression, or processing speech, while the CPU is free to do what it does best (see "Inside



The speech-recognition hardware must convert the analog speech into digital form. Once in digital form, the speech is data that a DSP, a microprocessor, or both can process.

Signal Computing," November 1992 BYTE). Apple chose AT&T's DSP for its new Macintosh AV series in part because

it serves multiple purposes, according to Chester Anderson, technical marketing director for AT&T's Center of Excellence

for Voice Processing (Middletown, NJ).

DSP manufacturer Analog Devices (Norwood, MA) has created a Personal Sound Architecture. Many firms such as Borland International, Lotus Development, and Microsoft have announced support for it. Analog Devices is trying to make it easy for systems developers to assemble a system by choosing modular hardware and software. Lernout & Hauspie Speech Products (Woburn, MA) and Dragon Systems supply speech-recognition software for the Personal Sound Architecture. AT&T is similarly using speech algorithms developed at Bell Labs to motivate use of its chips. IBM and Texas Instruments have teamed to create the MWave architecture with similar goals.

In any case, the minimal hardware for

Voice Recognition over the Telephone

DAVID B. ROE

Voice interactions with computers are often more practical than data connections, because there might be no visual display or keyboard available. Voice telecommunication is universally accessible to anyone, from anywhere, at any time. Speech-recognition technology offers a way to go beyond existing voice messaging and voice response services, to the concept of "voice information."

For example, if you were lost on the highway, you could telephone a "Directions Hot Line" and ask the computer questions about the simplest route. Or to keep track of that hot stock you are watching, you could call an up-to-the-minute stock price system and get a quote just by speaking the name of the stock. Not only will you be able to control your system by voice commands when you are physically present, but ultimately, you will be able to call and command your computer over the telephone.

Speech recognition is still an imperfect technology, and the errors that speech recognizers inevitably make are magnified over the telephone network.

Line quality varies considerably, especially in cellular or cordless telephones and with speakerphones. Telephone calls are often made from noisy places, and the background noise of other people talking can confuse a speech recognizer.

Most over-the-telephone applications must be speaker-independent, and recognizers must cope with a wide variety of voice types (e.g., male, female, or child), as well as regional dialects and foreign accents. These applications must also face practical difficulties of understanding speech. For instance, a voice-dialogue system has to recognize when people become confused and don't say the "right" thing, and a recognizer should start listening when people try to interrupt the machine.

Hidden Markov Modeling, or HMM, has been the most successful technique for speech recognition on the telephone because it is able to model a number of types of speech variability that are encountered. Starting with speech recorded from a wide variety of speakers and a number of types of telephone conditions, the HMM technique builds a statistical model of the speech sounds (or phonemes) and the expected variations of those sounds. Techniques like *word spotting* allow the recognizer to

lock in on the keyword in a phrase, which can help deal with "ums" and "ahs." Another technique called *barge-in* uses echo cancellation, which removes spurious signal reflections over the telephone line, to eliminate the speech prompt from the machine when the caller interrupts.

Some systems already use speech recognition successfully. AT&T has deployed voice-recognition call-processing systems throughout much of the U.S. These systems recognize a vocabulary of seven phrases, including "collect," "operator," "person-to-person," "yes," and "no." Collect calls can now be fully automated, and the operator is involved only if the caller says "operator" or if the caller fails to speak one of the keywords. Word spotting and barge-in are important technologies in this application because a high percentage of the callers say phrases like "operator, please," or they speak before the end of the prompt. These systems have already handled over 1 billion long-distance calls.

A newer system is a stock-quotation prototype called StockTalk that Bell Northern Research built in conjunction with Northern Telecom. StockTalk provides current quotes on any stock traded on the New York, Toronto, or NASDAQ


State of the Art Talk to Your Computer

speech input is becoming ubiquitous on desktop computers. Sun Microsystems' workstations come with a microphone port and A/D conversion. Silicon Graphics also has a DSP in its workstations; in fact, its new Indy system comes standard with voice-recognition capability. The latest Macintoshes, the Centris 640AV and Quadra 840AV, also recognize speech out of the box (see "Apple, SGI Blaze Video Trail," September BYTE). Some Compaq PCs come with built-in speech hardware support and include Microsoft's Voice Pilot speech-recognition software as part of the Windows Sound System. For PCs without built-in speech input, audio boards are available for a few hundred dollars. Sierra Semiconductor, which supplies sound chips, estimates that 3 million sound

markets. You simply speak the name of the company, say "General Motors." This speaker-independent recognizer uses phoneme HMMs to build up the pronunciation models for over 5000 stock names. Because this system gives a response quickly, you can easily correct the occasional confusion between similar-sounding company names by repeating the name of the stock or saying "wrong stock" and hearing a list of alternatives.

As speech-understanding accuracy continues to improve, more sophisticated telephone applications will be deployed. Voice access to "yellow pages" information and voice directory assistance will only be the first steps. Ultimately, the challenges that face speech recognition over the telephone will be overcome, and people will converse with machines on the telephone just as fluently and easily as they talk with people.

David B. Roe is a supervisor in the speech-research department of AT&T Bell Laboratories (Murray Hill, NJ). His work includes the development of single-chip speech-recognition algorithms for cellular telephone and of speech recognition on massively parallel systems. You can reach him on BIX c/o "editors" or on the Internet at roe@hoggpb.att.com.



Speech-recognition software first converts the speech into its frequency components. It then uses stored models of expected word order to make a good guess as to what was said. The applications software can then display the text or take an action consistent with what was said.

boards will be sold this year. Several of these boards now ship with limited speech-recognition software.


Speech-Recognition Software

Speech-recognition software operates on a digitized speech signal to perform one of two tasks: convert spoken words to text or perform a spoken command. First, a preprocessing step converts the speech signal into a form that exposes its spectral content. The spectral representation of each basic speech sound—each phoneme—has a characteristic form that shows up in the spectrum. Then, the spectrum of the incoming speech is compared to a library of word models—acoustic models of how the word sounds—to see which it matches best.

Acoustic models usually show how the spectrum of the speech varies over the duration of the word. The simplest acoustic model describes a single typical way in which a word is pronounced. This *template* represents a frequency time picture of the word. An unknown spoken word can then be identified by comparing it to templates of all the words in the vocabulary and finding the best match.

But a word varies slightly each time you pronounce it (e.g., you can say it quickly or slowly). In an attempt to handle this variation, the first generation of speech-recognition software mathematically distorted the time axis of each template until it best fit the unknown speech, a technique called Dynamic Time Warping, or DTW.

DTW proved too limited an approach




When an unknown word is spoken, it is compared to stored templates (i.e., frequency time pictures) of each word to get the best match. Dynamic time warping allows a match to be made so that the best-matching parts of each word align, making the match less sensitive to the speed of speaking.

NEW!
version 4.0

We slash interface development time across DOS, UNIX, POSIX, VMS...

(and we can prove it)



More features, more flexibility, and full emulation of GUI functionality in text-based modes. That's what you'll get with new Vermont Views® v4.0.

If you want to create sophisticated user interfaces—and save tremendous time and effort doing it—Vermont Views is exactly what you need. Vermont Views gives you the ability to emulate GUI interfaces for both DOS and terminal systems and provides you with seamless portability among DOS, UNIX, and VMS.

Vermont Views® allows you to add more of the features today's end users want—in a fraction of the time.

- Powerful menu driven WYSIWYG screen painter
- Contains a library of over 630 C functions
- Includes over 90 tutorials
- Unsurpassed portability
- No run-time fees or royalties

NEW! Vermont Views® PLUS

An enhanced version of Vermont Views for DOS. Develop multi-megabyte, graphic-enhanced C applications with support for all popular DOS extenders and graphic libraries.

**Call 1-800-848-1248 for a
free demo of the ultimate
application interface!**



Vermont
Creative
Software

Offer #449

1 Pinnacle Meadows, Richford, VT 05476 FAX 802-848-3502

State of the Art Talk to Your Computer

for larger vocabularies, continuous speech, and speaker independence—a single template could not describe the full variability of pronunciations. A second generation of technology put the variability in the model instead of in the matching process, using a technique called Hidden Markov Modeling, or HMM.


An HMM is created from as much speech data as possible, statistically modeling the variation seen in that data. HMM methods have led to steady accuracy improvements, as measured in yearly workshops of the Speech and Spoken Language program of the U.S. Department of Defense's ARPA.

An HMM can create word models from examples of full words, or it can create them by putting together models of the phonemes composing the word. In the latter case, to add new words without spoken examples, you enter a phonetic spelling. To complicate the matter, the "a" sound in *bake* looks quite different acoustically than the "a" sound in *rain*. Researchers who use phonetic models have found they can further improve performance by modeling such variation.

If the speech from which the word models were created comes from many speakers, the system will be speaker-independent—you can walk up to the system and use it immediately. A speaker-dependent system requires that you give examples of your speech before using the system. Some systems start out with a speaker-independent model and adapt to an individual's idiosyncrasies.

A language model is used to improve recognition accuracy. The simplest form of a language model is a list of words or phrases that you can speak legitimately in the current context. If the system asks how many copies to print, it is expecting a number. If the system asks for verification of a command to delete a file, it is expecting a "yes" or a "no."

A more complex language model as-



An HMM is a statistical model that represents how a word's spectrum varies over time, essentially a flexible template of a word. An HMM has parameters that are estimated from spoken examples of a word to best model the observed variations. Once the parameters are estimated, any path through an HMM graph has a certain probability. In taking a path, each transition generates a spectral slice of speech that could have come from speaking the word. The most likely path through the graph and the most likely spectral slices generated taking that path create a likely spectrum-time picture of the word. An observed unknown word can be compared to the HMM of a known word to get the likelihood that the unknown word is modeled by the HMM. Likelihoods of HMMs for different words are compared to get the best match.


signs a likelihood to word sequences. A language model can indicate that "they read" is more likely than "they red," allowing the speech-recognition algorithm to use word context to improve accuracy.

Speech into Text

You can use speech to create text. You say something and the computer types an exact transcription. Speech-to-text is often thought of as a keyboard alternative, particularly for those who have difficulty typing or for small systems without a full-size keyboard.

Dragon Systems (Newton, MA), IBM, and Kurzweil Applied Intelligence (Waltham, MA) offer general speech-to-text systems. Dragon's DragonDictate offers complete hands-free operation, making it particularly suitable for use by the physically disabled. In part for this reason, IBM sells a version of the Dragon system, as well as its own. These systems require that you speak one word at a time. No commercial systems can transcribe continuous speech for general dictation, although Dragon and other researchers have demonstrated limited prototypes.

The systems differ in vocabulary size, price, the platforms on which they run,



*You want the features of a
laser printer.*

*You require the output size
of a large format plotter.*

It's small enough to sit on your desktop. At 360 dpi, it prints crisp text, precise lines and the smoothest of curves. Its speed is undeniable. And its price — unheard of in the world of CAD.

Called ProTracer™ II, it's a large format inkjet plotter that brings something new to CAD. Versatility. Because not only does ProTracer II produce impressive drawings up to 17"x 22" in size, but it also delivers sharp, high quality text documents.

ProTracer II has an abundance of new features and capabilities all aimed at making you more productive. Like its speed enhancements. And its expanded plotting capabilities including a larger printable area, auto-centering, best fit, replot, and long axis plotting functions.

What you need is the new ProTracer II.

If you're an AutoCAD® user you'll want the ProTracer II base unit, priced at \$1599. It comes with ADI® drivers for AutoCAD as well as an AutoCAD 12 for Windows driver. Also included is a C-size Windows 3.1 driver and IBM ProPrinter and Epson emulations.

Our new ProTracer II-GL model combines the base unit with resident HP-GL® and HP-GL/2 emulations, and 2 MB memory. It provides support for all major CAD applications and is priced at only \$2149.

ProTracer II is backed by a full one year warranty and optional extended warranties. You'll also receive unlimited access to our expert technical support.

To receive your FREE sample output packet, locate a dealer near you, or to order direct, call Pacific Data Products at (619) 625-3643, Fax (619) 552-0889.



**PACIFIC DATA
PRODUCTS**

DISCRETE VOICE-CONTROL SYSTEMS

Simple discrete-command voice-control capability is offered on a number of sound boards and systems, each using one of several standard packages:

- Microsoft, Media Vision, Articulate Systems, and IBM use a voice-control package with technology from Dragon Systems.
- Creative Labs uses technology from Voice Processing in some of its Sound Blaster boards.
- Several board manufacturers that use an audio processor from Sierra Semiconductor (e.g., Diamond Computer Systems) offer Aria Listener voice-control software from Scott Instruments.
- Silicon Graphics' Indy workstation also bundles a version of Scott Instruments' technology.

and features. The vocabulary size ranges from 7000 words to 50,000 words; some of the words you add as you use the system. The Dragon and Kurzweil systems are speaker-adaptive; the IBM system requires that you spend about an hour of your time providing speech examples before you use the system. In return for the hour of time, the IBM system gives high accuracy immediately; it also improves over time by adjusting its language model as it learns how you use words.

DragonDictate and Kurzweil run under DOS on a PC. IBM's Speech Server Series, or ISSS, requires a Unix workstation, but IBM says a PC version will be available within a year. Elton Sherwin, IBM's manager of Speech Recognition Market Development, said that IBM had chosen to use an approach that required more computation to get more accuracy. According to Sherwin, ISSS uses more complex preprocessing and a more complex language model than the other commercial systems. He indicated that the IBM system gets better than 95 percent accuracy with an active 20,000-word vocabulary. IBM's research, he added, shows that only highly motivated people will use a system with less accuracy.

Prices range from \$2000

for a single-user software package to \$8000 for a complete system including hardware. Consequently, the installed base of such systems has only recently topped 1000. But prices will drop. "As DSP chips are built into computing platforms—be they palmtops, PCs, or workstations," says

Janet Baker, president of Dragon Systems, "even the most sophisticated speech technologies will be available as simple software solutions."

Sherwin would like the 486 version of ISSS to ship bundled with PCs and be priced accordingly. The idea is intriguing. Dictating one word at a time is analogous to typing one letter at a time. If computers come standard with the ability to voice-type and touch-type, many people might prefer voice to the keyboard.

General speech-to-text systems usually come with a macro feature. For example, a trigger phrase like "finish letter" might print out the closing and signature line of a letter. Some of these systems are report generators; they extend the concept of macros to accelerating the preparation of a report. The defining characteristic of report generators is that you speak fewer words than appear as final text. Most speech-based report generators have been developed for medical dictation and cost \$15,000 and up. Most of that price, according to Ray Kurzweil, chairman of Kurzweil, is for the applications design and embedded knowledge rather than the speech recognition.

AT YOUR COMMAND

The ability to use continuous speech allows a more flexible command language than using discrete commands. For example, you can do the following:

- PC system control: "Change display to 24-bit color."
- PC application control: "Open spreadsheet, expand it to fill the screen."
- Word processing: "Make this paragraph Palatino font, 12-point italic."
- Graphics: "Change line width to two points."
- Calendar management: "Schedule an appointment on Friday at 10:00 a.m. with John Doe."
- Order execution: "Buy 400 ABC Corp. at 48½, good till canceled."
- Telecommunications control: "Send fax to George."
- Voice dialing: "Call home."
- Factory inspection: "Dent in right front fender."
- Data entry: "Nine of model 4A96."

Continuous Speech-Command Systems

Apple's PlainTalk—standard on new Mac AV-series systems.

The IBM Continuous Speech Series—\$299 per user for AIX, OS/2, and Windows.

Hark from BBN Systems and Technologies (Cambridge, MA)—\$3000 per user, running on various workstations.

Decipher from SRI—price varies, runs on workstations.

PE400 from Speech Systems (Boulder, CO)—\$3495 for Intel-based PCs.

Listen for Windows from Verbex Voice Systems (Edison, NJ)—\$495 for Intel-based PCs.

Speech as a Command

The defining characteristic of general dictation systems is their broad scope, creating the need for huge vocabularies. If you specialize the application, however, you can use speech recognition effectively with smaller vocabularies.

Data entry is an application that sometimes allows for small vocabularies. If you fill out a form, each space on the form asks for different information. Although the entire form may require a large vocabulary, each space has a much smaller vocabulary than the whole. If the system knows which space is being filled in, it can constrain the grammar for that space. For example, it can limit an entry to only numeric or alphabetic data.

You can use speech to control a system, as well as to enter information. The simplest voice-control software uses

With MusicTime™ Your Sound Card Plays More Than Games.

**FREE
PASSPORT
TRAX™**
MIDI Recording
Studio with the
purchase of
MusicTime™
For a limited time only.

Create Songs on Your Sound Card with MusicTime.

Whatever your musical ability, MusicTime will inspire you to create your own breathy love songs, foot-tapping jazz or head-slammin' rock 'n' roll. With MusicTime and either a sound card or a MIDI instrument, you can compose, edit, play back and print sheet music on your PC.

Bring Your Music to Life.

Use your mouse to click musical notes and symbols onto a staff sheet. If you've got a Miracle™ or MIDI keyboard, MusicTime will record and transcribe your live performance into music notation in real time—right before your eyes!


Easy to Play Back, Edit and Print.

Play back instantly through your sound card or MIDI gear. Editing is easy with MusicTime's cut, copy and paste commands. Automatically transpose notes into any key. Add guitar chords. Write beautiful lyrics. Print out publishing-quality sheet music.

MusicTime couldn't be easier to use.

Windows, Mac and MIDI Compatible.

MusicTime is available for PC's with Windows™ or the Macintosh®, and is compatible with The



MusicTime

Miracle Keyboard, Sound Blaster Pro®, Media Vision Pro Audio Spectrum™ and Thunder Board™, AdLib

Gold™ and most popular PC sound cards.

For your copy of MusicTime, call Passport or visit your nearest computer or music store. If you're tired of just playing games with your sound card, get MusicTime and turn your beeps and blasts into be-bop and hip-hop.




PASSPORT.

Passport Designs, Inc. • 100 Stone Pine Rd. • Half Moon Bay, CA 94019 USA • Phone: (415) 726-0280 • Fax: (415) 726-2254

Passport MusicTime is a trademark of Passport Designs, Inc. All other products and brands are trademarks or registered trademarks of their respective holders.

Circle 122 on Inquiry Card.

Just Add Code.



Award-winning 32-bit Fortran language system for writing or downsizing Fortran applications as large as 4 GB.
\$795

Special Offer: EM/32 owners can now pre-purchase a copy of our Fortran 90 for only \$400.



Designed for professionals writing Fortran programs running under DOS. This Language system's tools include an editor, debugger, profiler, linker, library manager, and make utility.
\$595



This fast ANSI 77 compiler comes with an editor and debugger at an unbeatable price.
\$99

(800) 548-4778

Free, Unlimited Technical Support
30-Day Money Back Guarantee
Same-Day Shipping

Lahey
Computer Systems, Inc.

Fortran is our forte

(702) 831-2500

Fax: (702) 831-8123


P.O. Box 6091

Incline Village, NV 89450

State of the Art Talk to Your Computer

HOW PLAINTALK WORKS

Apple PlainTalk Speech Recognizer



PlainTalk Interface Manager

Speech rules for context 1 converted to a recursive graph structure

Language models

- Context 1
- Context 2
- Context n

Interface

Application

```

Speech rules
%define style
  bold
  italic
  underline
%end
%rule
  <s:style>
    change to <s:style>
  %context application "word"
  %action
    tell application "word"
      set style of selection to (meaning of s)
    end
  %end
  
```

Category used later (points to %define style)

What can be said (points to %rule)

What happens when it is said (points to %action)

Apple's PlainTalk speech-recognition software allows continuous speech for command and data entry. An applications developer can use data structures called "speech rules" to define what speech the systems will understand in specific contexts (e.g., within a specific application). The resulting action is also specified within the rule.

isolated word or phrase recognition—discrete voice control. For example, you can voice the name of a menu in a Windows application and then voice an item from that menu. Speech allows a much longer list of active commands than it is feasible to put on a menu. Typically, discrete voice-control software can distinguish more than 60 words at one time, but it can handle over 1000 words by switching context (see "Discrete Voice-Control Systems" on page 118).

Continuous speech-command systems are more powerful and natural than discrete-control systems (see "At Your Command" on page 118). Typical continuous speech-command systems are speaker-independent, allow fluent speech, and let you spell or say each new word you want to add. These systems typically let you use several hundred words in each context.

Companies that sell continuous speech-command systems provide development software that lets you create vocabularies and language models to turn the raw recog-

nition system into a useful product. Even with tools, developing a good speech-recognition application can be difficult. "If the software controlling the speech-recognition engine isn't highly tailored to the application, you will frustrate the user," says Adithya Padala, CEO of Umecorp (Novato, CA), a speech-recognition system developer. For example, in building workstations for Wall Street traders, developers must be aware of how a broker voices stock names and prices.

Customers and developers are just beginning to understand where speech recognition will really pay off. The creativity of applications developers will determine whether a microphone on a computer is just a novelty or whether it fundamentally changes the way we use our machines. ■

William S. Meisel, Ph.D., of Encino, California, wrote the first textbook on computer pattern recognition and ran a speech-recognition company for 10 years. He publishes Speech Recognition Update, a newsletter on the speech-recognition industry. You can reach him on BIX c/o "editors" or on the Internet at 72162.3175@compuserve.com.

Mathematica

New...
Mathematica Notebooks
For The X Window System


POWERFUL CALCULATION. EFFECTIVE COMMUNICATION.

The Mathematica Notebook

Add introductions, explanations, and conclusions to your computations just as you would with a word processor.

Cut, paste, or edit your calculations or formulas at any time and your answers, plots, and graphics will be re-calculated or re-graphed right in the notebook.

Solve problems with custom solutions that you create using Mathematica's high-level programming language.



You can exchange your notebooks with co-workers even if they use another type of computer, because Mathematica notebooks are compatible across multiple platforms.

Use notebook cells to organize your document into sections. You can collapse and re-open cells to control what sections you want to see on the screen as you work.

Create full-color 3D graphics and animation from functions and lists of data. You can easily import graphics into your notebook or export Mathematica graphics in PostScript and other standard graphics formats.

You've done the work, now it's time to let everyone know. Colleagues, your manager, the department head, your own students—they all need to understand what you've put together.

Mathematica already brings today's most powerful technical computing system to your desktop. But beyond that, the Mathematica notebook enables you to communicate quickly and clearly, either electronically or on paper. As you work in Mathematica you automatically create your own notebook—an electronic Mathematica document.



Live computations, plots, animated graphics, and text that you assemble in this notebook are then easily organized in an outline format for an impressive technical report, a personal record of your work, class courseware, or even book publishing. When your work is done, simply print it out, send it over the network, or present your notebook directly from your computer.

Print your report directly from your electronic notebook, controlling font styles, font sizes, and line spacing as you wish.

Use Mathematica to get work done faster and Mathematica notebooks to make a professional impression with your results. Nothing could communicate your ideas more convincingly.

For the latest information, call:

1-800-441-MATH
(U.S., Canada)



Wolfram Research

Wolfram Research, Inc.

+1-217-398-0700; fax: +1-217-398-0747; email: info@wri.com

For European inquiries:

Wolfram Research Europe Ltd.

+44-(0)993-883400; fax: +44-(0)993-883800; email: info-euro@wri.com

©1993 Wolfram Research, Inc. Mathematica is a registered trademark of Wolfram Research, Inc. Mathematica is not associated with Mathematics Inc., Mathematica Policy Research, Inc., or MathTech, Inc. All other product names mentioned are trademarks of their producers.

For Macintosh information circle 163, For IBM/Compatible information circle 164, For UNIX information circle 165 on Inquiry Card.

IF THIS IS HOW YOU



● Datapro on CD-ROM

Now you gain virtually instant access to Datapro's product and technology services from your own PC, with Datapro on CD-ROM.

Menu-driven software makes it simple to browse through the table of contents or search by keywords and subject to get fast answers to all your technology questions. And you can simultaneously view multiple reports and cut and paste between applications to custom-tailor analyses. Available in both Windows and DOS.

KEEP PACE WITH THE NEWEST INFORMATION TECHNOLOGIES, YOU NEED PROFESSIONAL HELP

PRESENTING THE FULL LINE OF DATAPRO INFORMATION SERVICES

Downsizing. Wireless. Client-server computing. Multimedia. ATM. Strategic planning and sound business decisions depend upon keeping up with the latest information technologies.

But you probably need a supercomputer to sort through all the publications that end up on your desk. Sure, consultants can help, as long as you're willing to pay as you go.

Isn't it time you turned to Datapro information services?

For over two decades Datapro's unmatched information services have helped users, buyers, and managers of information technology plan effectively. And Datapro has been there every step of the way—from mainframes and dumb terminals, through the PC revolution, to the rise of internetworks.

Today, with its staff of over 400 specialists and more than 100 expert analysts, Datapro has the resources to address virtually every critical issue in computing and communications.

An essential resource for anyone who must evaluate, implement, or manage technology.

Whether you want a quick overview or are looking to build a complete library of research materials, Datapro's comprehensive information technology services can help you make decisions quickly. Charts, tables, and graphs make it a snap to compare product features, functions, and prices. And once your system is up and running, Datapro is there to help you manage and maintain it.

That's why IT professionals use Datapro to stay up to date. Sales and marketing professionals count on us to help them track trends. And vendors turn to Datapro to size up the competition.

Datapro's line of comprehensive information services can meet all your needs.

With Datapro's complete line of information services, you're always in the know no matter what your concerns.

Product and Technology Services

● **First Looks.** Keep tabs on major developments in information technology

● Available on CD-ROM.

until a complete report is available.

● **User Ratings.** Get beyond the hype and find out which vendors can really deliver on their promises.

● **Technology Concepts.** Stay ahead of the game when it comes to vendor strategies and other vital issues.

● **Market Overviews.** Discover the market's promising vendors and products.

● **Comparison Columns.** The effortless way to make side-by-side appraisals.

● **Competitive Outlooks.** Put products and underlying technology in perspective.

● **Product Reports.** An in-depth look at specs, features and functions, pricing, interoperability, and other issues.

● **Management Reports.** Practical advice from professionals that takes the mystery out of managing information technology.

Business Services

Datapro Online. Tap into three online databases from the office, at home, or even on the road.

Reprints. A cost-efficient way to deliver your product message and verify product features and benefits.

Feature Reports. Cull just what you need from Datapro's database of information services and put a sharp focus on strategic business decisions.

Custom Publishing. Package the latest product information in a convenient, single source tailored to keep sales personnel one step ahead of the competition.

Consulting Services

Help Desk. A telephone inquiry service to help you make the best use of your Datapro information service.

Assist On Demand. Pay only for the

information you need about a specific product, vendor, or technology.

Surveys. Determine the strengths and limitations of your products—and your competitors'—from actual users.

On-Call Consulting. Fast answers to most inquiries within minutes—via phone, fax, or electronic mail.

Educational Services

On-Site Seminars. Custom-tailor a curriculum in any aspect of information technology right where you do business.

Computer-Based Training. Get a grounding in the fundamentals or master advanced topics right on your own PC.

Teleconsulting. Let a conference call between students and instructors address implementation issues that come up in later stages of a project.

International Services

● **Datapro International.** Get up-to-the-minute industry analyses and in-depth evaluations into the hands of professionals whose responsibilities extend beyond the U.S.

Market Research Services

Northern Business Information. A Datapro subsidiary, Northern Business Information is the world's foremost strategic telecom research company.

Send for a free demo disk today.

DATAPRO

Datapro USA, 600 Delran Parkway, Delran, New Jersey USA
08075, Tel: 800-328-2776, Fax: 609-764-2812

Datapro International, McGraw-Hill House Shoppenhangers
Road, Maidenhead, Berkshire, England SL6 2QL
Tel: +44 (0) 628 773277, Fax: +44 (0) 628 773628



Please send me more information on the following Datapro services:

Product & Technology Services

- ☐ Computer Systems
- ☐ Communications
- ☐ Free Demo Disk

Business Services

- ☐ Datapro Online
- ☐ Reprints and Feature Reports
- ☐ Custom Publishing

Consulting Services

- ☐ Help Desk
- ☐ Assist On Demand
- ☐ Surveys
- ☐ On-Call Consulting

Other Services

- ☐ Educational Services
- ☐ Datapro International
- ☐ Northern Business Information

☐ I'm interested in learning more about Datapro on CD-ROM ●

Name.....Title.....

Organization.....Telephone.....

Address.....

City.....Code.....Country.....

Personal Databases

For many applications, an inexpensive Windows database will get the job done more easily than traditional solutions

MATT TRASK AND DON SORENSEN

Personal databases form one of the hottest product categories on the market today. The term *personal* does not denote recipe files or other home uses; it simply means that the products in this category usually reside on a local hard disk and track information that is not used corporatewide.

Databases can be intimidating things: They're big, complex, expensive, and programmable. Complex databases can hold megabytes of the most mission-critical data in an organization; such an organization needs to have a database administrator to keep track of it all. When something goes wrong, you call the database administrator to straighten it out.

Personal databases can take some of the burden off the database administrator and return control of the data to a department or workgroup. Personal databases work well for an individual who must track information that the entire organization does not need to access regularly, or for a department or workgroup that needs to access interdepartmental data and doesn't require a customized application.

For the purposes of this review, we define a personal database as one that is useful for a workgroup, department, or small business; has no programming language (macros are permitted); and carries a retail price of under \$400. All the databases we reviewed run under Windows 3.1.

What to Look For

So you think you've got an application that's suitable for a personal database. You want to get a package that's easy to use, but you don't want to sacrifice any of the features you'll need. Once you've determined the application, you need to ask some questions about the database you're considering.

Is the package relational? Arguments persist over what constitutes a true relational database. In general terms, a *relational* database can join two or more database tables using a common field. For example, a personnel file could contain ZIP codes for each record, and a different file could hold the city and state informa-

DataEase International's DataEase Express for Windows permits wild cards in its search criteria. One of the wild cards, Soundex, ignores vowels within a portion of the search argument. DataEase supports both OLE and DDE, enabling embedded multimedia objects and dynamic updating of shared data.

Scandinavian PC Systems' SPCS PrimaBase supports seven bar code standards. You can use input from a bar code reader in search arguments applied to the database.


Timeworks' Data Manager supports password protection and encryption at the field level. With encryption applied, the field displays an asterisk in place of each character entered. You can also make a field invisible when you don't want to display its contents.

With OLE support, Approach Software's Approach lets you embed multimedia objects within your database. These objects include graphics, documents, charts, pictures, sound, and animated videos. The "soundslike" function enables phonetic searching of records.

Clar's FileMaker Pro for Windows is the only database in this review that will share files with a Mac across a network. It is also alone in its bundling of a built-in spelling checker. Unfortunately, the spelling checker is not optional for those who already have too many on their hard drive.

ButtonWare's ButtonFile organizes data as cards in a card file and provides templates for many applications, from cataloging to tracking prospects. The integrated phone dialer will optionally maintain a log of calls.

With View Sets and Crosstab Views, Ace Software's AceFile lets you look at a database in a variety of ways. You can also display the data graphically with the built-in graph generator.



tion for each ZIP code. When city and state information is required, the database could perform a join of the two tables using the ZIP code field as a key. Relational capabilities are particularly useful when you need to reuse your database in many different ways—reentering the data multiple times requires much more disk space than is otherwise necessary.

Does the personal database you're considering provide ready-to-use templates for forms and reports? Such templates make it easier to set up a database and to produce good-looking reports. The template should be easy to modify to match your particular requirements.

Is mail merge available to combine names and addresses with letters? Sometimes a database exports names and addresses to a word processor for this purpose. Can labels be formatted and printed? These features eliminate the need for reentering data for mailing and shipping applications. Is auto-dial available? For applications requiring a lot of phone activity, automatic dialing can add up to a meaningful savings of time and energy.

How well does the database work over a network? When multiple users access the same database, data integrity becomes an important issue. If two people change the same field at the same time, integrity is lost. Features such as read-only fields and record locking prevent such problems and guarantee the integrity of the database. And you may need password and encryption features if you're tracking sensitive information, such as your personal stock portfolio or employee salary records.

Group Overview

All the personal databases reviewed here have much in common—database programs are all expected to do certain things. For example, every package can apply filters, sort entries, and search for a match to a supplied argument. And all of them can import and export data to and from common file formats (see the table "Personal Database Features").

All are also easy to use. They share a common form-building orientation, which focuses on letting you quickly build forms for data entry or browsing.

You'll find that most of what differentiates these packages is around the periphery: a card stack metaphor, unusual data types, or bar code support.

As a result, our individual reviews will concentrate only on the aspects of each database that make it stand out from the rest of the pack.

AceFile 2.0



AceFile features two views in addition to the typical list and form views. The View Set consists of one or more views from one or more databases that have been saved together. For instance, you could use a View Set of an appointment schedule, a phone book, and a to-do list as a PIM (personal information manager). If your monitor has a large enough screen, you can simultaneously open up to 20 views from up to 10 databases with up to 10 index files each.

A Crosstab View is a matrix displaying the relationship between two fields. The relationship may consist of summarized data or calculated minimized, maximized, or averaged values portraying trends or patterns in the data. You can display or print Crosstab information in 16 styles of graphs, including variations on column, area, bar, line, and pie graphs (many in either two or three dimensions).

AceFile, like all these personal databases, reads .DBF files directly, and .DBF files are AceFile's native format. However, you can't create a form to connect fields from several databases.

You can record repetitive sequences of keystrokes and mouse movements as macros and play the sequences back at any time. The main toolbar has icons for recording, stopping, and playing macros. Macros can simulate virtually any repetitive task.

AceFile provides a large number of operators and functions that you can use, along with wild-card characters, in expressions. Expressions combine one or more fields in a formula for defining index keys and filters. Add a number of provided field macros (not to be confused with the recorded macros described above), and you have all the tools you need to format displays and reports.

This feature, along with mail merge, label printing, the auto-dialer, and DDE support, make AceFile a fairly comprehensive package. Its \$199 price puts it in direct competition with less fully featured systems such as Data Manager and PrimaBase. We do wish AceFile used the standard Open dialog box from Microsoft's Common Dialog library, however. If databases are maintained in different directories, it's sometimes difficult to reach the database desired. Use of the standard Open dialog box would have made this task much easier.

Approach 2.0 for Windows



Approach's support for OLE permits a database to contain not only graphics but also documents, charts, pictures, sound, and animated videos. A special PicturePlus field contains these multimedia elements.

Networks are supported with file and record locking, password protection, and read-only fields. Record locking can be full or optimistic (which is the default setting) when dealing with either Paradox or dBase databases. Full record locking prevents all other users from updating a record for as long as the record is "out" for modification. Optimistic record locking allows two users to modify the same record simultaneously, locking the record when one person writes it back to the network and giving the other person an error message with an override option.

Using the many provided operators and functions, you can write formulas to analyze fields and display the results in a calculated field. These calculations can summarize data in a group of records, an entire database, or several databases. We particularly liked the "soundslike" function: When you're unsure of a word's correct spelling, you can search for the record phonetically.

The package supports mail merge, label printing, and macros. Buttons on a form or a report can launch user-defined macros. One small complaint: We found the tiny font used on the status bar nearly unreadable, even at 640- by 480-pixel resolution, and the font is not configurable.

ButtonFile 1.0



This package is the definitive easy-to-use information manager. ButtonFile's database is called a Deck; a record is called a Card; and a field is known as a Data Box. For a work space, ButtonFile uses the Microsoft MDI (Multiple Document Interface). Cards are displayed in a traditional list view, or in a continuous loop like a Rolodex. Just below the menu bar is an optional Index Button row (consisting of A through Z and 0 through 9). Clicking on an Index Button quickly positions you at the point in the Deck where the index starts with that character. A ButtonFile Deck is compatible

PERSONAL DATABASE FEATURES

Personal databases are very affordable and surprisingly powerful. These databases support a wide range of file formats and networks.

(● = yes; ○ = no.)

	ACEFILE 2.0	APPROACH 2.0 FOR WINDOWS	BUTTONFILE 1.0	DATAEASE EXPRESS FOR WINDOWS 1.1
Company	Ace Software	Approach Software	ButtonWare	DataEase International
Price	\$199	\$399	\$89	\$395
Minimum requirements				
Processor	286 or higher	286 or higher	286 or higher	286 or higher
Memory	2 MB	2 MB or higher	1 MB or higher	2 MB or higher
Hard disk	3 MB	2 MB	2 MB	6 MB or higher
Mouse/pointing device	Required	Required	Optional	Required
Maximums				
Records per file	1 billion	1 to 2 billion*	Limited by disk space	2 billion
Fields per record	254	255	40	255
Characters or notes per field	5120	4,294,967,295	8192	4000
Indexes per database	10	255	1	Unlimited
Files open at once	60	30 to 60*	Limited by memory	100
Database features				
Operators	●	●	○	●
Relational	○	●	○	●
Password protection	○	●	●	●
Encryption	○	○	●	●
Read-only fields	●	●	○	●
Automatic record locking	●	●	● (network version)	●
DDE support	●	○	○	●
OLE support	○	●	○	●
Mail-merge letters	●	●	Export to word processor	○
Print labels	Avery predefined	Avery predefined, custom	●	●
Templates provided	●	●	●	●
Auto-dial phone	●	○	●	○
Functions	●	●	○	●
Create new macros	●	●	○	○
Report generation	●	○	●	●
Graphs	●	○	○	○
Store pictures/graphics	●	●	○	●
Store sound	○	●	○	●
Other databases supported				
DB2	○	●	○	Optional
dBase	III Plus import/export	●	III import/export	File access via ODBC
DRDA Access	○	○	○	●
EDA/SQL Access	○	○	○	●
FoxPro	○	●	○	○
Microsoft SQL	○	●	○	Optional
ODBC Access	○	●	○	●
OS/2 Database Manager	○	○	○	Optional
Oracle SQL	○	● (versions 6.0 and 7.0)	○	Optional
Paradox	○	●	○	File access via ODBC
Rapid	○	○	○	○
AS/400	○	○	○	Optional
Sybase	○	○	○	Optional
ASCII text files	●	Import/export	Import/export	●
Lotus 1-2-3	Import/export	Import/export	○	●
Microsoft Excel	Import/export	Import/export	○	○
Symphony	Import/export	Import/export	○	○
Image formats				
BMP	●	●	○	●
CGM	○	○	○	○
DIB	○	○	○	○
DRW	○	○	○	○
EPS	○	●	○	●
GIF	○	●	○	●
PCT	○	○	○	○
PCX	●	●	○	●
PIC	○	○	○	○
TIF	●	●	○	●
WMF	○	●	○	●
Networks supported				
3Com 3+Open	●	●	○	●
Banyan Vines	●	●	○	●
IBM PC LAN Program	●	●	○	●
LANtastic	●	●	○	●
Microsoft LAN Manager	●	●	○	●
Novell NetWare	●	●	○	●
Novell NetWare Lite	●	●	○	●

*Lower limit = dBase/FoxPro; upper limit = Paradox.

tection and encryption at the field level. With encryption applied, the field displays an asterisk in place of each character entered. You can also make a field invisible if you don't want to display its contents.

There were two things we didn't like about this product. One is that the oversize icons on the menu bar left less room on the screen and required frequent use of the vertical scroll bars to access the entire database form. We also disliked the message that appears every time you tell Data Manager that you wish to exit. The message tells you how long the program has been active and asks if you *really* want to exit. After a while, this becomes irritating. Worse, if you have an unsaved modified database loaded and answer "yes" to this question, you lose all your changes. We'd much prefer to receive a warning that the modified database had not been saved and otherwise be able to exit with no questions asked.

FileMaker Pro 2.1 for Windows



FileMaker Pro has two features that are unique among this group of products: a spelling checker and cross-platform file sharing. The program's spelling checker can check a selected word or passage, all the text in the current record or a set of records, or field names on the current layout. When it finds a questionable spelling, it provides a list of possible replacements. You can replace the word with a selection from the list, add the word to the dictionary, skip the word without adding it to the dictionary, or cancel.

While this feature may be very desirable if you're a particularly bad speller, the installation routine should give you the option of refusing to load it. With hard disks already littered with the huge spelling checkers included with word processors and other programs, the last thing many people need is another spelling checker.

Cross-platform file sharing can take place between FileMaker Pro for Windows and its Mac version running on a Mac on the same network. For network security, password protection is available, and fields within records can be defined as read-only or hidden.

FileMaker Pro understands an unusually large list of file formats, making it possible to import and export files with Microsoft Word and Excel, BASIC programs, VisiCalc, Lotus 1-2-3, dBase III

and IV, and many other programs accepting tab- or comma-delimited text files. This makes it possible to perform a mail merge by exporting necessary fields from your database to a word processor.

The package's ScriptMaker feature enables you to write scripts that perform a series of actions. Scripts can execute subscripts (which are like subroutines) or external scripts (from other database files).

Although OLE is not directly supported, similar functionality permits graphics, pictures, or sounds to be stored in a picture/sound field. You can use the bundled form templates as is or modify them to suit your own requirements.

SPCS PrimaBase 3.1



SPCS PrimaBase supports seven bar code standards: the full ASCII Code 39, the numeric Interleaved 2/5, three U.S. standards (UPC/A, UPC/E, and U.S. Postnet), and two Euro-

pean standards (EAN/13 and EAN/8). You can print bar codes, and if your hardware includes a bar code reader, you can use bar codes as input to search for records in a database.

You can use the instant-search feature at any time in either form or list mode. You just type in a character, and the current record pointer goes to the record whose key begins with that letter. Enter a second character, and the pointer again moves to the key beginning with the two typed characters, and so on. This feature gives you fast access to a desired record.

Network support includes passwords with various levels of protection. You can set access rights to read/write or read-only, and you can determine whether a user can authorize exclusive access or modify forms and reports. PrimaBase can also encrypt files.

PrimaBase's mail-merge support is unique—other database managers have simple word processors or export formatted data for use by other programs. PrimaBase can perform merges with letters created by Windows Write or within PrimaBase's report generator. Expressions are supported for calculated fields with provided operators and functions.

A Personal Preference

These database packages have many interesting features, ranging from bar code support to custom-defined functions to an integrated spelling checker. If you have specific requirements, your choices may be limited. For a rich feature set and both DDE and OLE support, the only choice is DataEase. FileMaker Pro is the way to go if you require a spelling checker or Mac file sharing. And SPCS PrimaBase is the only database package in the group with bar code support.

If ease of use is important to you, ButtonFile is a good choice. Predefined templates make it ideal for tracking and cross-referencing simple lists such as business contacts or small inventories. For the best mix of features and ease of use, we like FileMaker Pro. ■

Matt Trask is president of Communicia, Inc., a Cape Cod-based consulting firm that specializes in system software for PCs. Don Sorensen is a senior software engineer at Communicia and has done independent database contract programming for over 10 years. You can contact them on BIX as "matt.trask" and c/o "editors," respectively.

Company Information

Ace Software Corp.

(AceFile 2.0)
1740 Technology Dr.,
Suite 680
San Jose, CA 95110
(408) 451-0100
fax: (408) 437-1018
Circle 1060 on Inquiry Card.

Approach Software Corp.

(a subsidiary of Lotus Development Corp.)
(Approach 2.0 for Windows)
311 Penobscott Dr.
Redwood City, CA 94063
(415) 306-7890
fax: (415) 368-5182
Circle 1061 on Inquiry Card.

ButtonWare, Inc.

(ButtonFile 1.0)
P.O. Box 96058
Bellevue, WA 98009
(206) 454-0479
fax: (206) 454-1838
Circle 1062 on Inquiry Card.

Clarix Corp.

(FileMaker Pro 2.1 for Windows)
5201 Patrick Henry Dr.
P.O. Box 58168
Santa Clara, CA 95052
(408) 987-7000
Circle 1063 on Inquiry Card.

DataEase International, Inc.

(DataEase Express for Windows 1.1)
7 Cambridge Dr.
Trumbull, CT 06611
(203) 374-8000
fax: (203) 365-2317
Circle 1064 on Inquiry Card.

Scandinavian PC Systems, Inc.


(SPCS PrimaBase 3.1)
P.O. Box 3156
Baton Rouge, LA 70821
(800) 487-7727
(504) 338-9580
fax: (504) 338-9670
Circle 1065 on Inquiry Card.

Timeworks, Inc.

(Data Manager for Windows)
625 Academy Dr.
Northbrook, IL 60062
(708) 559-1300
fax: (708) 559-1399
Circle 1066 on Inquiry Card.

BREAKTHROUGH!

Client/Server SQL Database for Windows Applications



WATCOM™ SQL for Windows is a high-performance SQL database engine for Windows applications. The package includes everything required to begin using WATCOM SQL immediately from many popular Windows applications, supporting interfaces ranging from ODBC and DDE to the Windows clipboard. Everything necessary for application development in C/C++ (using compilers from WATCOM, Microsoft or Borland) is also included.

Installation in Under 10 Minutes The easy installation and setup reduce the time and expense traditionally required by client/server technology. Further, WATCOM SQL lets you achieve high performance results right out of the package without the need for performance setup and tuning by expert personnel.

Performance and Reliability WATCOM SQL's cost-based query optimizer and efficient data representation combine to deliver high performance. Transaction processing and declarative referential integrity protect the consistency of your data. The client/server architecture reduces network traffic, resulting in increased performance for your multi-user applications.

Scalable SQL for Now and the Future WATCOM SQL applications can be designed to run without change in environments ranging from standalone PCs to large multi-user networks. The 32-bit WATCOM SQL Network Server Edition unleashes the power of 386/486 PC's to deliver high performance for large networks with many clients.

The Best Value in SQL Database Engines WATCOM™ SQL for Windows has a suggested retail price of \$795* but for a limited time you can get it at the introductory price of only \$395*. Even better, as a registered user of WATCOM SQL you'll be able to get a copy of the 6-user Network Server Edition for only \$99* (Suggested retail price: \$795*).

Royalty-Free Runtime for only \$99* As a registered user you can get royalty-free runtime support for just \$99*, enabling you to distribute our standalone single-user runtime SQL database engine with your applications royalty-free.

Highlights

- ▶ ODBC Level 2 support
- ▶ Built-in declarative referential and entity integrity
- ▶ Visual Basic Interface
- ▶ Bi-directional, scrollable, updatable cursors
- ▶ Row-level locking
- ▶ ANSI SQL and IBM SAA compatible
- ▶ Full transaction processing support with checkpoint log and forward transaction log
- ▶ Multiple simultaneous application connections
- ▶ Symmetric multi-threading of concurrent requests
- ▶ Import data from popular file formats including DBF
- ▶ Automatic use of expanded and extended memory to improve performance
- ▶ Static and dynamic embedded SQL interface for use with WATCOM's 16 and 32-bit C/C++ compilers, and other popular C/C++ compilers

Also available:

WATCOM™ SQL Developer's Edition for DOS

Complete Client/Server Development Tools Package for DOS including Standalone Single-user SQL Database Engine. Enables development and deployment of single-user standalone applications, and development of applications for use with the WATCOM SQL Network Server Edition.

WATCOM™ SQL Network Server Edition

High-performance Multi-user SQL Database Server for PC LANs. Supports multiple concurrent DOS or Windows clients in a network environment.


WATCOM

1-800-265-4555

The Leader in Development Tools

WATCOM, 415 Phillip Street, Waterloo, Ontario, Canada, N2L 3X2. Telephone: (519) 886-3700, Fax: (519) 747-4971. *Prices do not include freight and taxes where applicable. Authorized dealers may sell for less. WATCOM, and the Lightning Device are trademarks of WATCOM International Corporation. Other trademarks are the properties of their respective owners. Copyright 1993 WATCOM International Corporation.

Circle 160 on Inquiry Card.



Everyone makes claims. We make sure.

When the industry wants product testing taken to the nth degree, they take it to NSTL.

In every field, one name sets the standard. In microcomputer testing, the name is NSTL, the leading independent testing lab.

The NSTL compatibility certification seal on a product says that it withstood the toughest lab in the industry — and it's ready for your business.

The seal saves you a lot of comparison and guesswork. It says you'll find the product compatible with a wide range of business applications and hardware. It helps you make the right choice.

Real-world testing for real-world use.

Beyond compatibility testing, we access nearly every conceivable

problem — from engineering-level hardware bugs to the everyday usability of business software.

And we test with the end-user in mind, in a real-world environment, just the way your staff uses equipment. Except our trials are more punishing.

Our publications, and others that publish our work.

In a separate facility we also do comparison testing for our own Ratings Reports: *Software Digest*®, *PC Digest*® and *LAN Reporter*®. They're read by people who purchase an average of more than \$500,000 in microcomputer hardware and software annually.

And because of the respect we've earned, some of the industry's leading publications, like *Data Communications*,

LAN Times, *Unix World* and *Datapro Research Group* publish our test results.

Look for the NSTL seal and be sure.

Experts rely on the NSTL name: now you can, too. The final test of a product is its compatibility in a business environment. The NSTL mark tells you it's already met that test. Look for it when you compare products.

NSTL

Plymouth Corporate Center
Box 1000, Plymouth Meeting, PA 19462
215-941-9600

Micro Channel™ and OS/2™ are trademarks of the IBM Corporation.

THE FOCUSED, FULL-TEXT DATABASE WITH MCGRAW-HILL CREDIBILITY...

McGraw-Hill Publications Online

Business Week
Aerospace Daily
Airports
Aviation Daily
Aviation Week & Space Technology
Biotechnology Newswatch
Byte
Chemical Engineering
Clean-Coal/Synfuels Letter
Coal Week
Data Communications
Electric Utility Week
Electrical World
Engineering News-Record
Federal Technology Report
Hazardous Waste Business
Independent Power Report
Industrial Energy Bulletin
Inside Energy/with Federal Lands
Inside F.E.R.C.
Inside N.R.C.
Integrated Waste Management
Lan Times
Modern Plastics
Nucleonics Week
Platt's International Petrochemical Report
Platt's Oilgram News
Platt's Oilgram Price Report
The Physician & Sportsmedicine
Postgraduate Medicine
S&P's Emerging & Special Situations
S&P's Review of Banking & Financial Services
S&P's Review of Securities & Commodities
Regulation
Securities Week
Utility Environment Report
The Weekly of Business Aviation
Unixworld

And More...

It's all there, word for word, an unedited electronic library containing the full-text of articles (except graphics) exactly as they are published in McGraw-Hill magazines and newsletters. And because it's from McGraw-Hill, the world's leading provider of information services, you also get unparalleled excellence and reliability of content.

Plus, you can search the entire McGraw-Hill database (over 45 leading publications) faster with more user-friendly ease than any other text. There are no cumbersome indexes, no summary words to look up and learn...so you can get right into your hunt for the information you need about companies, people, and products on any topic.

Make the connection to McGraw-Hill Publications Online today. For more information and our latest, complete list of publications, contact Andrea Broadbent at **(609) 426-5523**. Or fax this coupon to **(609) 426-7352**. Or send it to the address below.

**Available through • Dialog® • NewsNet®
• Dow Jones News/ Retrieval® • Lexis/Nexis®
• F.T. Profile (U.K.)**

McGraw-Hill Publications Online

Princeton-Hightstown Road
Hightstown, NJ 08520 U.S.A.



Please send me the complete list of your publications online.

BY

Name

Title

Company

Company Address

City

State

Zip/Postal Code

Country

Tel.

File Transfers between PCs and Macs

MacDisk™ for Windows

reads, writes and formats Macintosh HD
floppies on a plain PC.

Exchange files between Mac and PC
without any hardware add-in
between sibling applications
(Word, Excel, PageMaker, XPress...)

The must utility
for open environments.

MacSQ™ for Windows

reads/writes Macintosh
SyQuest cartridges (44/88 Mb)

MacDisk Pro™ for Windows

reads/writes SyQuest cartridges and
other bigger SCSI volumes from the Mac
(Bernoulli cartridges, plain hard disks,
magneto-optical cartridges)

Logiciels & Services DUHEM

21, rue La Bruyère - 75009 PARIS (France) - Tel. (33.1) 49 70 04 55 - Fax (33.1) 49 70 04 56

Ask for free leaflet and demo disk. Offer good while supply lasts.

MacDisk for Windows 850 FF, MacDisk for DOS 650 FF, MacSQ for Windows 1250 FF, MacDisk Pro 1450 FF

We accept most credit cards - EEC residents, add 18,6% of French VAT - Dealers welcome.

BYTE BACK ISSUES FOR SALE

	1989	1990	1991	1992	1993
January					
February					
March					
April					
May					
June					
July					
August					
September					
October					
November					
December					
Special Issues	IBM	IBM			

☐ Issues
Available

Rates (postage and handling included):

Holland	Dfl 19.00	Switzerland	SwFr 15.00
United Kingdom	£ 6.75	France	FFr 57.50
West Germany	DM 17.00	Sweden	SEK 70.00

No other currencies will be accepted other than those mentioned above.

Please indicate which issues you would like by checking(✓) the
boxes. Send requests with payment to:

BYTE Back Issues, c/o Dynamic Graphics International, P.O.
Box 25, 3950 AA Maarn, The Netherlands

☐ Check enclosed

Charge: ☐ MasterCard ☐ Eurocard ☐ VISA ☐ American Express

Card # _____

Exp. Date _____

Signature _____

Name _____

Address _____

Postcode _____ City _____

Country _____

All orders must be prepaid. Pay only in currencies given.

Please allow three weeks for delivery by surface mail.

Acrobat vs. Common Ground

Adobe Systems and No Hands Software offer two different ways to distribute electronic documents

STANFORD DIEHL

Consider it a pothole in the digital highway. Amid the promise of electronic-information delivery, we still don't have a reliable and efficient medium for communicating via formatted electronic documents.

We could continue to send unformatted ASCII text back and forth, but the style and layout of a document offers more than just a distinctive look. A document's design helps a reader better understand the information. But unless the document's recipient shares the same platform, the same applications, and the identical fonts as the document's creator, a meticulously designed report can fall apart, dropping its page formatting and, more important, some of its information content. In some cases, the recipient may not be able to access the document at all.

Enter Adobe's Acrobat and No Hands Software's Common Ground, two competing technologies for creating cross-platform, application-independent documents. Both technologies are compelling and workable. Each has clear advantages and disadvantages. Both show the potential power of a cross-platform document format. And both need some work.

Applications for document distribution are vast. With portable documents, corporations can electronically distribute telephone lists, manuals, or company newsletters throughout the organization.

The PostScript Solution

To provide a format for electronic-document distribution, a technology must retain the layout, the graphics, and the distinctive look of the original document. The digital document must be compatible with a wide range of output devices and, ideally, available to the widest possible audience. Acrobat and Common Ground take different approaches to this same end.

Adobe Systems has leveraged its experience on two fronts, PostScript and fonts, to devise a portable-document strategy. As the creator of PostScript and an industry leader in font technology, Adobe has

► **Common Ground's tools are available from a floating palette.** The information box lets you know which fonts were used in the original document.


impressive credentials in both areas.

Acrobat is actually a family of products, three of which are shipping. Acrobat Exchange (\$195) creates electronic documents through the printer-driver mechanism on a Mac or on a Windows-based PC. You can then view the document, search it for individual words, print it, or embellish it with annotations and hypertext links. Acrobat Reader sells in bundles of 50 (\$50 per user), 100 (\$40 per user), or 500 (\$35 per user). Acrobat Reader lets you view, navigate, or print Acrobat documents, but you can't create them. Acrobat Distiller (\$695) takes raw EPS (Encapsulated PostScript) files and converts them to portable documents.

Acrobat's PDF (Portable Document Format) uses PostScript to describe the text, graphics, and images in a file. Because it uses PostScript, a PDF file is device- and resolution-independent, so it will reproduce at the highest resolution that your output device supports. You can view a page on a high-resolution display system at multiple magnification levels, and you can print to any device, from a 300-dpi laser printer to a Linotronic image setter. Adobe has published PDF as an open standard, allowing developers to support the format in third-party applications.

To reproduce a document's fonts, Ac-

◀ **Acrobat delivers a strong set of navigation features.** Double-clicking on the thumbnails sends you to the selected page, or you can go to a specific page number. The controls on the tool ribbon let you step through a document, or you can go directly to the first or last page.



robat comes bundled with ATM (Adobe Type Manager) and its font-substitution technology. If a font is missing from a document, ATM substitutes one of two multiple-master fonts (serif or sans serif) to match the general style of the missing font. The substituted font will also duplicate the missing font's metrics. For basic fonts, this technology works well. The substituted font retains the weight and width of the original font. However, the distinctiveness of ornate fonts is lost, because ATM substitutes only a basic serif or sans serif outline and cannot replicate the actual font design. But by retaining the metrics of fonts on the page, ATM ensures that all lines break properly and that the page layout is duplicated exactly, even when complex fonts are unavailable.

Building DigitalPaper

Common Ground from No Hands Software sells for \$189.95 and creates documents via the printer-driver mechanism on the Mac. A Windows version should be available by the time you read this. Instead of PostScript, Common Ground uses a proprietary format called DigitalPaper

Reviews Acrobat vs. Common Ground

• abcdefghijklmn- wilke italic 12
 • abcdefghijkl -palatino 15 bold
 • abcdefghijklmnopqrst - goudy 13

● abcdefghijklmn- wilke italic 12
 ● abcdefghijkl -palatino 15 bold
 ● abcdefghijklmnopqrst - goudy 13

To retain the distinctive look of a page, a portable document technology must handle fonts that are not available on a recipient's system. Acrobat's font-substitution method retains the metrics of a font and thus retains proper page layout, but it often loses the decorative design of more ornate fonts such as Goudy. Common Ground's proprietary technology precisely mimics the font's appearance (right).

for creating and displaying its electronic documents. Embedded graphics are rendered by using the host-imaging system (QuickDraw on the Mac, and the Windows Graphical Device Interface, or GDI, when the Windows version ships) to build a scalable image. Using the host-imaging system saves memory overhead, because it does not require an additional imaging component.

Acrobat Exchange requires 2 MB of application RAM on the Mac; Adobe recommends 4 MB. Common Ground requires only 700 KB, but the company recommends about 1.2 MB.

Common Ground's font description is the proprietary part of Digital-Paper. The characters are not embedded outlines or bit maps (a common misunderstanding about Common Ground). To a first approximation, Common Ground sprays rectangles across the page and describes the contents of each rectangle in vector format. The first time a unique character is encountered, it is described and stored. When the same character occurs again, only location information is stored, with a reference to the original description of the character. The vector information tells Common Ground how to rebuild characters at fixed resolutions (72 and 100 dpi for screen display, 200 dpi for faxing, and 300 dpi for printing) with pixel-for-pixel fidelity. Although No Hands Software plans to increase the available resolutions in future versions, Common Ground will al-

ways be less flexible than the resolution-independent technology of Acrobat.

Perhaps Common Ground's greatest asset (in addition to small memory requirements) is its ability to attach a mini-viewer to an electronic document. With this run-time viewer attached, the recipient requires no additional software to view the document. The mini-viewer offers no searching and only basic navigation features, but it is freely distributable (up to 100 copies for each document).

Acrobat's lack of a run-time viewer

ACROBAT

- resolution independence
- hypertext linking
- bookmarks (index creation)
- higher-quality EPS files
- smaller electronic documents
- text annotations

COMMON GROUND

- lower resource requirements
- distributable viewer
- password security
- phrase searching
- cut-and-paste graphics
- faster performance

could be a serious pitfall. If you want to establish a universal format for document transfer, you shouldn't expect everyone to buy a \$50 reader program. On the other hand, Adobe may be more effective in establishing a standard than No Hands Software because of its preeminent presence in the market. If Adobe can attract licensees in the same way it did for ATM—in effect, letting vendors evangelize the product by shipping an Acrobat reader with shrink-wrapped software—or if it really gets aggressive and ships an Acrobat viewer with ATM, the company could establish Acrobat by brute marketing strength.

The Feature Set

When it comes to current features, a general theme comes clear: If you could somehow combine the functionality of Acrobat and Common Ground into a single application, you would end up with a well-rounded solution.


Common Ground includes security features (e.g., password protection for a document) that Acrobat should have. In addition, Common Ground lets you search for phrases, expanding on Acrobat's limit of single-word searches. However, Common Ground lacks Acrobat's hypertext linking, which lets you link to a specific view or magnification level. It also lacks any annotation features, while Acrobat lets you annotate a document with "sticky" notes. All told, Acrobat's interface is more fully featured.

The two products support thumbnail views of a document. Acrobat places the thumbnails to the left of the current page view, so you can conveniently turn to a specific page by double-clicking on the thumbnail. You can create bookmarks in an Acrobat document to quickly build a table of contents or an index of a document. Common Ground does not support a bookmarking facility. Acrobat supports magnification levels of from 12 percent to 800 percent in 1 percent increments; Common Ground's magnification levels are preset to 25 percent, 50 percent, 100 percent, 200 percent, and 400 percent.

Common Ground uses an I-beam for text selection, the standard method for selecting text in a graphical document, and captures graphics in bit-map or PICT format. With Acrobat, you draw a rectangle around text to select it. This method is a bit more cumbersome, and you can select only complete lines, not selected phrases within a line. In addition, you can't cut and paste graphics with Acrobat.

Testing the Technologies

To test out these two technologies, I generated an assortment of documents with a wide range of Mac software (e.g., Adobe Il-



Common Ground (left) and Acrobat Exchange (middle) create electronic documents by servicing print calls from the application. Using this method, both technologies process the low-resolution preview image of an embedded EPS graphic. Acrobat Distiller converts EPS files directly, resulting in much higher-quality output (right).

No doubt you've experienced the limitations of Windows.

Central Point and PC Tools are trademarks of Central Point Software. Names of other products are used for identification purposes only and may be trademarks of their respective companies.

Too slow.

Too cluttered. And a little klutzy. Clearly,

Windows has its imperfections.


Fortunately, they're easy to fix. All you need is PC Tools™ for Windows software. It makes Windows faster, simpler, more fun—while it protects your data. Infoworld concluded, "with the release of PC Tools for Windows, Central Point has in a single stroke grabbed the top spot as best Windows shell from Norton Desktop." We couldn't have said it better. And at \$99 (from participating dealers) the advantages of PC Tools for Windows are really hard to ignore. To see if you qualify for the \$49.95 upgrade to PC Tools for Windows, just call 1-800-695-0679.

Central Point Software®

Circle 75 on Inquiry Card.

Reviews Acrobat vs. Common Ground

Electronic Document Performance



Common Ground consistently outperformed Acrobat on the Macintosh. Acrobat's on-the-fly file compression slows performance but results in significantly smaller electronic documents.

Illustrator, Adobe Photoshop, Aldus PageMaker, Claris FileMaker Pro, Claris MacWrite, Informix Software Wingz, Microsoft Excel, Microsoft Word, and QuarkXPress). I transported the Acrobat files back and forth between a Mac and a PC running Windows.

On Windows, I tested Acrobat with PageMaker 4.2 and 5.0, Word for Windows, WordPerfect for Windows, Lotus 1-2-3 release 4, Excel, Photoshop, Picture Publisher, and CorelDraw. I used a system with a minimum configuration (a 16-MHz Mac SE/30 with 5 MB of RAM or a 25-MHz Dell 486SX with 4 MB of RAM), as well as a higher-end system (a 25-MHz Mac Quadra 800 with 8 MB of RAM or a 66-MHz Gateway 2000 486DX2 with 16 MB of RAM).

I ended up with electronic documents incorporating elements from all this software, but not without running into quirks. I created some PostScript files under Windows that the Mac version of Acrobat Distiller couldn't handle. An image embedded in a Word document displayed fine from the Mac version of Acrobat Exchange but didn't display on the Windows version. Adobe acknowledges some problems in its release notes, but a problem such as "canceling printing from PageMaker may cause a crash" is no less disconcerting just because it's documented.

Both products have some basic limitations. On low-end machines, I could process only simple documents, and graphics performance was slow. In general, lack of available memory was a persistent problem. And if your original document includes hyphenated words, neither product will be able to find the hyphenated occurrence of the word, an understandable lim-

itation but still a problematic one.

As you might expect, the Acrobat technology handles EPS files more efficiently than Common Ground does. Both products create documents by accepting application calls to the printer driver, so the low-resolution preview image of the EPS file is processed. Acrobat Distiller converts EPS files directly, resulting in higher-quality images. In fact, in its release notes for Acrobat, Adobe suggests using Acrobat Distiller if you run into problems with the PDF Writer.

Common Ground was faster than Acrobat at creating a portable document and printing it. The Acrobat files are smaller, though, thanks to various compression schemes, including LZW (Lempel-Ziv-Welch), RLE, CCITT Group 3 and 4, and JPEG.

Common Ground documents are approximately the same size as the original file. For simple documents, this is sufficient, but when I put together a PageMaker document with multiple 24-bit images, file sizes became a significant factor. The Acrobat file was about 4 MB in size, while the Common Ground file ballooned to over 20 MB. You can control the size of a DigitalPaper file by reducing the bit depth of your monitor to match the intended output. If you need only black-and-white output, you can set your monitor to 1 bit and decrease file sizes significantly. Once

again, Common Ground's approach is less flexible than Acrobat's.

A Portable Format for the Future

Clearly, the time has come for a cross-platform standard for electronic documents. Now that the Acrobat and Common Ground technologies are in place, we can expect that future software releases will improve the performance and address some of the shortcomings of the current offerings.

If you're looking for today's best solution for corporatewide document distribution (e.g., memos, telephone lists, reports, and simple manuals), Common Ground is it. Your low-end machines will not be left out of the mix, and with the distributable viewer, you can send electronic documents off-site. It's a solution for simple correspondence and communication. Documents with large 24-bit images will be too big until DigitalPaper incorporates a good compression scheme.

Adobe is going to have trouble migrating Acrobat down to low-end systems. Based on PostScript and ATM font substitution, the Acrobat technology will require resources above and beyond the capacity of today's low-end systems. You'll have to decide if the requirement of a 4-MB or, preferably, an 8-MB system is too high for your organization.

I think the resource requirements will keep Acrobat from becoming a wide-spread standard in the short run. But as mainstream systems become more substantial, Adobe has what it takes to build a long-term standard: a proven technology, strong partnerships, an open standard, and a formidable

market presence. The company has already announced technology partnerships to make future versions of Acrobat compatible with popular style sheets and style codes such as SGML (Standard Generalized Markup Language). The current proliferation of ATM also helps. In the long run, Acrobat will be the standard to beat. ■


Stanford Diehl is a technical editor for the BYTE Lab. Formerly, he worked for a large defense contractor, creating database applications and electronic training programs for a wide range of customers, including the United Arab Emirates and the Canadian Air Force. You can reach him on BIX as "sdielh."

About the Products

Acrobat Distiller\$695
Acrobat Exchange\$195
Acrobat Reader\$50
 Unlimited users\$2495
 (volume discounts available for Exchange and Reader)


Adobe Systems, Inc.
 1585 Charleston Rd.
 P.O. Box 7900
 Mountain View, CA 94039
 (800) 833-6687
 (415) 961-4400
 fax: (415) 961-3769
Circle 980 on Inquiry Card.

Common Ground\$189.95
 No Hands Software
 1301 Shoreway Rd., Suite 220
 Belmont, CA 94002
 (800) 598-3821
 (415) 802-5800
 fax: (415) 593-6868
Circle 981 on Inquiry Card.



**In Life,
Only A Few Things
Inspire Passionate Loyalty.**

Your HandBook® 486!



Real Intel® 486 Power

People using the original HandBook asked for more power. They asked for a HandBook that would run Windows.™ We gave them both in the HandBook 486. It's the smallest Windows PC in the world — and when using a 486DX2 processor, the HandBook 486 is by far the most powerful PC of its size. New HandBook models include SL Enhanced Intel486® processors and come with 4MB RAM, expandable to 20MB, and large hard drives.

Backlit VGA, Built-In Pointer, PCMCIA

Users asked for VGA. The new HandBook's screen is a black-and-white VGA display, backlit for use in any lighting situation. No need to carry a mouse with your HandBook 486. The built-in pointing device is convenient and easy-to-use. The HandBook 486 also includes one PCMCIA Type II slot, and the card fits entirely within the footprint of the HandBook.

The Bottom Line


HandBook 486 models start at only \$1,495, an extraordinary value even by Gateway's standards — and we wrote the book on value! We have a reputation for offering the best prices on high-quality products with exceptional service from friendly folks in the Midwest. Give us a call. Once you get your hands on a HandBook, you'll wonder how you ever lived without one!



"You've got a friend in the business."®

8 0 0 - 8 4 6 - 2 0 3 9

Your Hawg, Your Dog, And Y



"You'll have to pry my cold, dead fingers off to get it away from me." That's what an editor told us once about the Gateway 2000™ HandBook we sent him for evaluation.

A journalist covering the conflict in Somalia called to tell us his HandBook was so popular among his colleagues that he could sell dozens of them for us.

Another user wrote, "The HandBook has changed my life in a way that only a few other products ever have. I take it everywhere with me — something I never did with other notebooks."

This is a tiny sampling of the response to the original HandBook. Clearly, the HandBook — the pioneer product in an entirely new category dubbed "subnotebook" computers — inspired the kind of loyalty usually reserved for Harley-Davidson® motorcycles and man's best friend.

Introducing The HandBook 486

Now we are proud to introduce the next generation of the HandBook — the HandBook 486. Since we began marketing the original HandBook a little over a year ago, we've been asking customers to finish this statement: "I'd like my HandBook better if ____." The HandBook 486 includes most everything anybody asked for while retaining all the things people love.

The HandBook 486 still weighs under three pounds and is smaller than the day planners many people carry. The new HandBook still has a great keyboard, excellent battery life, a backlit screen, and that wonderful HandBook suspend/resume feature. But the new HandBook has some important features the original didn't have.

Introducing The HandBook® 486!



The HandBook 486 has a handy, integrated pointing device.



Even though the HandBook is very small, it has an excellent, touch-type keyboard. You'll also appreciate the sturdy, heavy-duty plastics used in the case.



Options: PCMCIA fax/modem cards, PCMCIA VGA card, PCMCIA network cards, external floppy drive, 4MB or 16MB RAM upgrades, alkaline battery pack, carrying case and extra NiMH batteries. Call for details.

FEATURES

Size

The difference between a 3-pound portable and a 4-pound portable doesn't sound like very much until you lug one around for hours. Then every ounce counts! HandBook users swear by the size of this product. It's big enough to be fully functional, but small enough to take anywhere effortlessly.

SL Enhanced Intel 486® Processor

Your HandBook 486 includes a genuine 32-bit, 3.3v SL Enhanced Intel 486 processor — not some chip that's *almost* a 486. Those who crunch numbers will love the high-performance numeric coprocessor in the DX2.

Backlit VGA Display

The HandBook's VGA display is easy on your eyes. The screen is backlit for use in all lighting situations so you won't ever be left in the dark.

PCMCIA Type II Slot

A PCMCIA slot is a great way to add a modem, network card or any of dozens of available PCMCIA-compatible peripherals.

HANDBOOK 486SX-25

- Weight: 2.9 Lbs.
- Dimensions: 9.75" x 5.9" x 1.6"
- 25MHz SL Enhanced Intel 486SX Processor
- 4MB RAM (expandable to 20MB)
- 80MB IDE Hard Drive
- 7.9" Backlit VGA Display
- NiMH Battery & AC Pack
- Suspend/Resume Feature
- 1 PCMCIA Type II Slot
- Integrated Pointing Device
- 78-Key Keyboard
- Parallel, Serial & PS/2 Ports
- MS-DOS® 6, Windows™ 3.1, Interlink and Serial Download Cable

\$1495

TRAVELER'S PACK

- Carrying Case
 - Extra NiMH Battery
 - Alkaline Battery Pack
 - With PCMCIA 96/24 Fax/Modem
- \$379**
With PCMCIA TelePath™ Fax/Modem
\$499

HANDBOOK 486DX2-40

- Weight: 2.9 Lbs.
- Dimensions: 9.75" x 5.9" x 1.6"
- 40MHz SL Enhanced Intel 486DX2 Processor
- 4MB RAM (expandable to 20MB)
- 130MB IDE Hard Drive
- 7.9" Backlit VGA Display
- NiMH Battery & AC Pack
- Suspend/Resume Feature
- 1 PCMCIA Type II Slot
- Integrated Pointing Device
- 78-Key Keyboard
- Parallel, Serial & PS/2 Ports
- MS-DOS 6, Windows 3.1, Interlink and Serial Download Cable

\$1995

PRESENTER'S PACK

- PCMCIA VGA Adapter
 - Asymetrix® Compel
 - Carrying Case
- Call For Details**



610 Gateway Drive • P.O.Box 2000 • North Sioux City, SD 57049-2000 • Phone 605-232-2000 • TDD 800-846-1778 • Fax 605-232-2023 • FaxBack 605-232-2561
Sales Hours: 7am-10pm Weekdays, 9am-4pm Saturdays (Central Time)

©1993 Gateway 2000, Inc. Black-and-white spot design, "G" logo and "You've got a friend in the business." slogan are registered trademarks, and Gateway 2000 is a trademark of Gateway 2000, Inc. The Intel Inside Logo, Intel486 and Intel are registered trademarks of Intel Corporation. Harley-Davidson is a registered trademark of Harley-Davidson, Inc. All other brands and product names are trademarks or registered trademarks of their respective companies. Prices and configurations are subject to change without notice. Prices do not include shipping.

Mac for Workgroups

Apple's Workgroup Server 95 combines high-speed SCSI and larger cache with faster AppleShare software to make a killer Mac server

RAYMOND GA CÔTÉ

Very little is constant in today's computer domain. The title of *fastest* or *best performer* is perhaps the most fleeting. It seems like just the other day I was enthralled by the speed and throughput of a Mac Quadra 950, an ideal server or workstation system. Today, it's a second-rate machine.


The Apple Workgroup Server 95 is the latest record setter and the newest high-performance Mac. Essentially a Quadra 950 with some minor, but important, modifications such as high-speed SCSI with DMA support and 512 KB of secondary cache, the Workgroup Server is an excellent server platform. These two hardware modifications, along with AppleShare Pro, combine to create a system that runs file I/O tests typically twice as fast and sometimes nine times as fast as a Quadra 950.

The Basics


The Workgroup Server 95 is built on a Quadra 950 base: It has a 33-MHz 68040 microprocessor, 16 MB of RAM, and 128 to 512 KB of secondary cache. You can expand on-board RAM to 256 MB.

System software consists of Apple's A/UX Unix system, Retrospect Remote backup software, and AppleShare Pro 1.0 for file and print sharing. This new Unix-based version of AppleShare, which can have up to 5000 open files, is rated for use by 200 simultaneous users. Up to 50 of these users can be what Apple calls "highly active" users. Although *highly active* is not defined, you can assume it to mean heavy file I/O use. To put this in perspective, AppleShare 3.0 running on System 7 can handle only 120 simultaneous users, approximately 350 open files, and only 15 highly active users.

The Workgroup Server's performance as a file server is optimized by its four SCSI channels, which provide support for up to 20 devices. Two of the SCSI channels are available at the back of the box for external connections and the other two are only available internally. The SCSI connections are also divided by speed: One high-speed DMA channel is available ex-



The Workgroup Server 95 is a high-speed Apple network server. Although a Quadra 950 at heart, the Workgroup Server has both hardware and software improvements that double the performance of a stock 950. A single board (inset) includes the hardware changes: support for 512 KB of external cache and two high-speed SCSI DMA channels. The other key to improved performance is AppleShare Pro, Apple's high-end A/UX-based network-system software.



ternally, and one internally; the other two are standard Quadra-style SCSI connections. This arrangement lets you place your inherently slower devices (e.g., tape drives and CD-ROMs) on your non-DMA interface and reserve your high-speed interface for your hard drives.

Of course, having multiple high-speed SCSI interfaces would not provide much extra speed if your system software could not keep up with them. This is where the next level of server efficiency becomes critical—A/UX.

Speedy System Software

For maximum performance when communicating with multiple devices and clients, you need a true multitasking operating system. As wonderful as Apple's System 7 is, it is simply not a preemptive multitasking environment.

The Workgroup Server comes with A/UX, on top of which runs Mac System 7.0.1. This combination provides not only the preemptive multitasking needed to pro-


vide higher throughput but also the ability to run all your standard Macintosh software.

A/UX also provides support for asynchronous SCSI I/O transfer. This allows the system to start multiple-transfer operations (e.g., seeks, reads, and writes) on different SCSI devices and then accept them in the order in which they appear. At no point does the software need to wait around for a response.

On top of all this sits AppleShare Pro 1.0, the successor to AppleShare 3.0. If you've been using AppleShare 3.0, you'll immediately be familiar with AppleShare Pro, as very little of the interface has changed. In fact, you may not realize you're actually running Unix; you can configure the system so it boots you directly into the AppleShare Administration shell, and you can comfortably administer the system from there. If you really feel the need to delve into the Unix portions, a command-line interface is provided for full access to the A/UX environment.

continued

FILE I/O BENCHMARKS



File I/O benchmarks for the Workgroup Server 95 and the Quadra 950. The Workgroup Server had a 500-MB hard drive and 16 MB of RAM to the Quadra's 230-MB hard drive and 12 MB of RAM. The figure shows aggregate network throughput while creating files and during sequential and random access. The Workgroup Server maintains a high network throughput at up to six highly active clients, although, of course, still well below theoretical Ethernet bandwidth.

The most important new features in AppleShare Pro are the file, directory, and icon caches, which increase the speed with which a system returns information to the network. These logical caches are provided in addition to a low-level disk cache for overall speed improvements.

Unlike a disk cache, which buffers reads and writes on a track and sector basis, AppleShare caches store frequently used entities. For example, the icon cache can store all the icons presented on the desktop so the system does not need to continually read these from disk each time the Finder opens a shared volume. Also, frequently accessed directories are kept in memory to reduce the amount of time needed to open a folder. A separate file cache maintains complete copies of frequently accessed files.

Workgroup Server Workout

The tests I ran for this evaluation were a variant of the file I/O tests BYTE has used in the past to test network file servers. Each client workstation first creates 10 2-MB files by writing multiple 1-KB chunks. The sequential test consists of walking through each of the 10 files by reading three 1-KB chunks and then writing one. The random file I/O test builds a random array of file offsets that are identical for each client. The test then reads 1 KB of data from the first three offsets and writes 1 KB of data to the fourth. My test network consisted of six identically configured Mac Centris 650s running System 7.1.

The Workgroup Server 95 is an impressive performer when stacked up against a

Quadra 950 (the Quadra 950 had 12 MB of RAM and a 230-MB hard drive). A comparison of the two servers running the file I/O tests is shown above in "File I/O Benchmarks." Note that these numbers are an aggregate of all clients on the network and that "zero clients" is the result of running the tests locally.

"File I/O Benchmarks" also calls out the theoretical maximum through an Ethernet connection. You can quickly see that the Workgroup Server was able to use approximately twice the available bandwidth that the Quadra 950 could use. Although it is difficult to tell how frequently our test environment was causing network collisions (and thereby slowing the overall test environment) the Workgroup Server was able to maintain a much higher bandwidth than the Quadra 950. And, in this case, increased network loading is the key to productivity. Only on the random-access test is any saturation noticeable as performance degrades between two and four clients. On the file creation and sequential access tests, the Workgroup Server does not saturate with up to six active test clients.

For file creation at zero clients, the Workgroup Server is over twice as fast as the Quadra 950. The sequential read/write test shows a five-fold improvement, and the random I/O test demonstrates a speed improvement of nearly 10 times due to the use of a large disk cache.

The Workgroup Server running A/UX makes excellent use of a disk cache. This is a big improvement over a Quadra running System 7.0.1. Under System 7, a larger disk cache can produce horrendous speed penalties. At one point during my testing, I had set the Quadra 950's cache to 3 MB to approach the 5 MB of cache reserved in the Workgroup Server. At this setting, the file-creation test times went from 38 seconds to several minutes. I found that a minimal cache setting of 32 KB was ideal for a Quadra running System 7.

Right for the Workgroup?

The Apple Workgroup Server 95 is Apple's speediest system yet. The high-speed SCSI DMA and secondary processor cache aid in the overall excellent performance, and network testing shows the Workgroup Server is a big improvement over a standard Quadra 950.

The system I tested goes for \$8838, including 512 KB of cache and a 2-GB 4-mm DAT (digital audiotape) drive for system backup. That makes this machine not only a reasonably priced server but also a good choice for a high-end development system or workstation. ■

About the Product

Apple Workgroup Server 95 \$8838

AppleShare Pro 1.0 \$2399

System configuration:
a 500-MB hard drive with 16 MB of RAM, a 2-GB 4-mm DAT drive, and 512 KB of secondary processor cache.

Apple Computer, Inc.
20525 Mariani Ave.
Cupertino, CA 95014
(800) 776-2333
(408) 996-1010
fax: (408) 974-6412

Circle 978 on Inquiry Card.

Raymond GA Côté is a BYTE contributing editor and is the publisher of The Robot Explorer newsletter. He has extensive experience in Macintosh program development. You can reach him on BIX as "rgacote" and on the Internet at rgacote@world.std.com.

EZ JAPANESE WRITER®

The Software Which Makes Writing in Japanese as Easy as Typing in English

Now, the software which provides the basic English-to-Japanese translation is available for IBM compatibles.

日本語を書く

NEW PRODUCT

ソフトウェア

Windows Version \$795
DOS Version \$495
Trial Version \$ 95



English and Japanese window

DOS Version



Windows Version



IBM Compatible Software

Combined English / Japanese window

Q1. How does the software work?

A1. Type an English sentence in the English window and the translated Japanese sentence is displayed. Then, in the Translation-Fine-Tuning mode, you can select the appropriate Japanese word relying on the given English definitions, rephrase sentences, and add new words into User Dictionary etc.

Q2. Is it a translation software?

A2. Although EZ JapaneseWriter has a basic capability of translation from English to Japanese it is not enough to translate your English as it is since it is made without consideration for computer translation. In order to achieve a good translation, the user should follow the rules required by EZ JapaneseWriter. Basically, the English sentence should be relatively short, grammatically structured and use carefully chosen vocabularies.

Q3. Is the translation word-for-word, or sentence-to-sentence?

A3. Sentence-to-sentence.

Q4. How accurate is the translation?

A4. It could be 60% to 100% depending on the structure and vocabulary of your sentence.

Q5. How can I make sure that the translated Japanese correctly relays the message to my receiving party?

A5. EZ JapaneseWriter® displays/prints in the combined English and Japanese format in which an English sentence is immediately followed by the corresponding Japanese sentence, one by one. When you send your fax/letter in this format, it will allow the Japanese to grasp the essential points by scanning the Japanese version and then reviewing the English, if required, in more detail. As a result, you can get a quicker response from Japan.

Q6. Japanese uses Kanji, Hiragana and Katakana. Which characters does EZ JapaneseWriter® use?

A6. All of the three different characters are properly mixed.

Q7. I understand that Japanese uses thousands of Kanji. How can a computer handle Kanji?

A7. EZ JapaneseWriter® software includes Japanese font files or KanjiBoard™ in which the Kanji fonts are stored.

Q8. How about terminology and names?

A8. In addition to 60,000 vocabularies in the system dictionary, you can add up to 30,000 words into the User Dictionary. You can create as many User Dictionaries as you want and choose one for translation.

Q9. Can I import the files made by a word-processing software?

A9. Yes. You can load any ASCII text file into the English window. Similarly, the translated Japanese sentences are saved on Japanese industry standard text files which are compatible with most Japanese softwares.

EJ Bilingual Inc.

A JOINT VENTURE BY NIPPON TEXA CO., LTD. AND KIMIHARA & TAYLOR ASSOCIATES, INC.
2463 Torrance Blvd., Suite #1, Torrance, CA 90501

Tel: 310/320-8139 • Fax: 310/320-3228

**Resellers
Distributors
Wanted**

Visit our booth at
**COMDEX/FALL #H-118
AT LAS VEGAS HILTON**

日本語版「E・J BANK」 亀島産業 (株)

SYSTEM REQUIREMENT (DOS VERSION)


• COMPUTER: IBM PC/PS2 compatible • VIDEO: VGA (640X480) color or monochrome monitor
• PRINTER: EPSON LQ570 (24pin) or HP LaserJet II/III/IV with 2MB optional memory board/compatible

SOFT FONT version DOS 4.1 or higher, 2MB RAM (XMS or EMS), 4MB Hard disk space

KanjiBoard version DOS 3.3 or higher, 640K RAM, 3MB Hard disk, one AT Bus expansion slot

EZ JapaneseWriter® is a registered trademark of Kimihara & Taylor Associates, Inc.. KanjiBoard™ is a pending trademark of EJ Bilingual Inc.. EZ JapaneseWriter® is a computer program copyrighted by Kamejima Sangyo Co., Ltd.. IBM is trademark of International Business Machines Corporation.

For Engineers who Excel.



DADiSP combines more than 500 functions for displaying and analyzing your type of data with the power and flexibility of a spreadsheet. Construct sophisticated data analysis in windows, in seconds, at a new level of price/performance.

Now Data Analysis is as easy as pushing a button.

No more fumbling with business software. And no need to learn a new programming language. Just *point and click* and DADiSP displays your results *immediately*. Load a new data series, matrix, signal or image, and all cells update automatically.



Extended features tackle your toughest Data Analysis problems.

With DADiSP, you can build an endless number of new worksheets and even your own custom menus. And DADiSP/DDE let's you run external software—IEEE 488 drivers, data acquisition software, *even your own analysis programs*.

Call today: 1-800-777-5151

for your Free DADiSP Trial Kit. DADiSP is available for SUN, HP, IBM, NeXT, DEC, Concurrent, and Silicon Graphics work stations, and of course, IBM PC compatibles.

DSP
Development
Corporation

One Kendall Square Cambridge, MA 02139
Phone 617-577-1133, FAX 617-577-8211

DADiSP/Windows

Australia & New Zealand-Interworld Electronics, (03) 563-6011; Austria-Norma Goetz Instruments GmbH, (02236) 6910; Belgium-Electronique-Mesures, Brazil-SDC, (011) 564-6024; (02) 384-7309; Denmark-Engberg, (042) 25-1777; Finland-Mespek (9) 0-351-1800; France-SME2, (01) 34-89-78-78; Germany-LHL, (0631) 99226; Ingenieurbüro, (069) 9765-000; PDV Systeme (0621) 80761; Hungary-Selectrade Computer, (01) 163-2905; India-Dynalog Microsystems, (022) 517-0514; Israel-Racon, (03) 491922; Italy-BPS Computers, (02) 660-14267; Japan-Astrodesign, (044) 751-1011; Korea-Echo Microsystems, (02) 704-5378; Netherlands-Pockel Instruments (010) 4152722; Portugal & Spain-Novatron, (04) 452-0811; Singapore-Neurotech, 336-4767; Sweden-SYSTEC, (013) 11-01-40; Switzerland-Urech & Harr, (061) 61-13-25; Taiwan-Howching (02) 535-0525; U.K.-Adept Scientific, (0462) 480055

BASIC Windows Programming

CA-Realizer 2.0 and Visual Basic 3.0 make it easy to build interactive Windows applications

MICHAEL C. WIGGINS

What's the fastest way to write a professional-looking Windows application without driving yourself crazy? How about BASIC? Specifically, how about Computer Associates' CA-Realizer 2.0 or Microsoft's Visual Basic 3.0?

Both programming systems have been updated and vastly improved, especially VB. Realizer and VB have much in common, such as complete access to the Windows API and to external DLLs, an integrated database engine, and DDE links to share data with other Windows applications. Best of all, if you know even a little BASIC, they'll give you the means to create professional-looking, interactive Windows programs in no time—without learning C or the SDK (Software Development Kit), and without headaches.

Two to Savor

Realizer 2.0 offers a complete set of multiplatform development tools. It comes with a visual report generator, the ability to import and export Xbase (.DBF) files, access to ODBC (Open Database Connectivity) drivers, and OLE 1.0 support. It ships in Windows and OS/2 versions. I tested the Windows version.

VB comes in Standard and Professional Editions. Both ship with the Access 1.1 database engine, OLE 2.0 support, and Setup Wizard, an application for making distribution disks. I reviewed the Professional Edition, which has custom controls, a visual report generator, and full ODBC support, with drivers for Microsoft SQL Server, Sybase SQL Server, and Oracle.

At the heart of each system is a screen designer that helps you build interactive GUIs quickly. You select control objects from a toolbox and place them wherever you want on the screen. (If you need to, you can build custom control objects; in VB, you have to write custom controls in C.) Once you've painted your screens, you simply add a few BASIC statements to do the real work, and your program is ready.

Realizer and VB differ in one big way: programming approach. VB relies on an event-driven programming model. Each

control element—a button, for example—has code attached to it. When you click on a button, the attached code runs. Realizer, however, lets you write out your application's core as a procedural program, complete with subprograms and functions. Clicking on a Realizer control object queues up the event. Your program sees the queued event and dispatches a handler through SWITCH or CASE statements.


Konnichiwa

I used Realizer and VB to develop a Japanese-language vocabulary aid called Kana Workbook. Kana Workbook is a flash card-style program that displays one English word or phrase and five words in hiragana, one of which matches the English word. The goal is to pick the right match; for example, you'd match *konnichiwa* with *good afternoon*. I created my own hiragana character set, converted it to a Type 1 PostScript font, and installed it into Adobe Type Manager. I designed Kana Workbook so that any answer will change the background color and cause an animated sequence to run.

Kana Workbook makes good use of animation, event trapping, menu creation, the MDI (Multiple Document Interface), and object controls. I stored the vocabulary words in each programming environment's native database format.

CA-Realizer 2.0

The first step in building a Realizer application is to create your screen, known as a *form* in Realizer parlance. FormDev is Realizer's visual design tool, and it's easy to use. For example, to paint the display screen, you select control objects from the Object Palette and position



CA-Realizer 2.0's application screen and the underlying code generated by FormDev. This code is called from the main project program to display the screen at run time. The form code is a procedure function written in Realizer BASIC.

them. For a more professional appearance, you can use an optional grid to snap the objects into alignment.

Your form can be anything from the main application window, a dialog box, or an About box. You can move or resize items until you get the desired effect.

Kana Workbook uses the Label object for both English and Japanese vocabulary words. Each label is surrounded by a 3-D border, creating a chiseled look. A New Word button moves you to the next word in the lesson. To animate objects, you supply a series of bit maps as .BMP files and set their frame-per-second rate. The `AnimateFrame` command starts the action.

FormDev provides the usual assortment of control objects for most applications. Its toolbar gives you a quick way to change an object's characteristics—an improvement on version 1.0's endless barrage of dialog boxes. Computer Associates has also added a bunch of new objects to Realizer 2.0, most notably scroll bars and a graphics tablet region that can display lines and circles. Also new is the ability to add custom controls to the Object Palette, multilevel menus, and database forms.

Once you've drawn a form, FormDev generates a Realizer BASIC file. You have the option of generating code for the form, for your entire project, or for a stand-alone program. Computer Associates claims that

CA-REALIZER 2.0 VERSUS VISUAL BASIC 3.0

	CA-Realizer 2.0	Visual Basic 3.0	
		Standard	Professional
Database engine support	Xbase, text, Lotus 1-2-3, Excel, CA-SuperCalc	Access 1.1, dBase, FoxPro, Paradox, Btrieve	Access 1.1, dBase, FoxPro, Paradox, Btrieve
ODBC?	Yes	No	Yes
Server drivers provided	None	N/A	Microsoft SQL Server, Sybase SQL Server, Oracle
Report generator	CA-RET	None	Crystal Reports
Direct database access?	Yes	N/A	Yes
OLE?	1.0	2.0	2.0
API, DLL, DDE support?	Yes	Yes	Yes
MDI?	Yes	Yes	Yes
Communications (serial)?	Yes	No	Yes
Develops OS/2 applications?	Yes	No	No
Custom controls?	Yes	Yes	Yes

N/A = not applicable.

Realizer BASIC has better compatibility with Microsoft QuickBasic than VB does. I don't know if that's true or not, but I do know that it's a rich dialect with more than 350 commands.

Realizer's built-in debugger lets you step through your program, add watch expressions, and view data structures. I wish it were easier to set breakpoints, and when single-stepping, I'd like to see source lines on both sides of the current line. Otherwise, the debugger worked well and is a vast improvement over the debugger supplied with Realizer 1.0.

Realizer's visual report generator, CA-RET, is as easy to use as FormDev. It gives you the tools to create sophisticated reports from dBase files, entirely on-screen, without writing any code. Its Report Definition holds all the essential elements to produce a report, such as telling CA-RET how to access database tables and where to place the fields in the report.

You define your query with Realizer's Query Builder. After declaring the database table, you select the fields and any necessary conditions. Query Builder automatically generates the necessary SQL statements to retrieve the data. You can create a report query that uses information from multiple database tables.

After defining the query, you use the report editor to design your layout. Besides a do-it-yourself, freestyle layout, you can choose one of the report editor's standard layouts: tabular, form, or label. Reports are divided into header/body/footer-type sections, making layouts easier to define.

CA-RET is chock full of functions for everything from doing simple math to printing the current date. Altogether, it

took a good evening's work to get my Kana Workbook application up and running. I consider that a success.

Visual Basic 3.0

Inspired by my success with Realizer, I rewrote Kana Workbook using VB 3.0. The process was virtually the same as with Realizer: Design the screens, place the objects, set their attributes, and write the underlying code to do the fancy things.

VB presents four independent windows: the main menu/toolbar, the Toolbox, the Project, and a blank form/grid. These disjointed windows can be confusing at first, especially if the Program Manager is running underneath or if you have busy wallpaper, but the tools work together smoothly. At times, I found it useful to maximize the form window, but that obscures the Toolbox and menus. A function key brings up the main menu from which you can retrieve the other tools. It would be helpful if future versions of VB tied these windows closely or provided hot keys to switch between them.

Kana Workbook uses VB's MDI capability to display multiple lesson plans simultaneously. New MDIForm, from the File menu, creates a parent form, but parent forms accept only picture box objects for creating the tool or status

bars—I wanted a Common Dialog object on the parent form. So I created a toolbar out of a picture box, made it zero length (i.e., invisible), and placed the Common Dialog object on it. Kludgy, but it worked. To create a child window, just open a new form and set its MDIChild property.

Earlier versions of VB saved programs, forms, and projects as binary files, readable by VB only. VB 3.0 provides a default that you can set to text. It's convenient to edit your files outside of BASIC or to generate forms programmatically.


Database Access

VB's hottest new feature is the Access 1.1 database engine. Access gives you native support for such popular database formats as Btrieve, dBase, and FoxPro. The Professional edition adds full ODBC support for client/server applications, which gives you unprecedented control over enterprise-wide data.

Access is a good addition to VB. If it worked completely, it would be a great addition. For example, it's supposed to support Paradox files. But after trying the suggestions in the manual and tinkering with every setup file I could find, my attempts to use Paradox files only got me "Cannot find installable ISAM" messages.

My Kana Workbook didn't take full advantage of Access, but I was able to write a program to display and move through an Access database that I generated for another project. From within VB, you can use a Data Manager tool to handle database tables and fields.

Writing a database front end is easier with VB 3.0 than with earlier versions. Its



The development of the hiragana screen using Visual Basic 3.0. The five label objects, used to display the Japanese words, are set up in a control array for easier program handling. VB will ask if you want an array when you copy and paste multiple objects or give two similar objects the same name.

Real Stats. Real Easy.


SPSS 6.0 for Windows gives you stats, graphs and reports your spreadsheet or database can't.

NEW VERSION!
Twice As Many Charts,
More Stats, Better Connectivity

Learn fast, work fast


"Stumbling blocks to statistical analysis are eliminated with SPSS for Windows. You don't have to be a programmer to use it and you don't have to be a statistician to understand it." – Richard O'Reilly, Los Angeles Times The 100% Windows interface makes doing analysis simple.

Context-sensitive help and an online glossary of statistical terms are just a click away.




Automatic statistical graphics

"A complete set of graphics and charting capabilities." – Marc Ferranti, PC Week. Create statistical, business, time-series and SQC charts automatically as part of your analysis or directly from your data. Over 60 chart types in all.



Complete data management and editing

"A breakthrough in data capacity and ease of use... impressive." – Alan Fridlund, InfoWorld. There's no limit to the number of variables you can analyze. Access enterprise data with dialog-box interfaces to Oracle® and SQL Server™. Read data directly from Excel®, Lotus®, .dbf and SAS® transport files. Share data and results through DDE, OLE and ODBC.



In-depth statistics

"For more statistical analysis tools than you'll get from a spreadsheet such as Excel, without the steep learning curve, SPSS for Windows is a great buy." – Michael Burgard, PC/Computing Widely used analytical tools such as crosstabs, correlations, curve-fitting and regression are in the Base module. Optional modules with unrivaled advanced statistics are available. You won't outgrow of this package.

To answer your really tough questions, you have to go beyond spreadsheets and databases. You need a package designed for real statistical analysis, reporting and charting. One that's powerful, easy-to-use and gives you built-in access to enterprise data. You need the latest version of SPSS for Windows, winner of PC Magazine's Editors' Choice Award – the "Real Stats. Real Easy." combination that delivers real value.

Break out of the spreadsheet cell with SPSS for Windows. Do more than simple percentages and sums – find relationships, see patterns and trends, determine significance and use the past to predict the future. Complete data management frees you to subset, sample, slice and dice your data however you want. Whether you need to analyze surveys, dig into databases, improve quality, conduct research studies, forecast sales or prepare reports, SPSS for Windows makes it easy.

Learn fast, work fast. Prepare for your analysis quickly with SPSS' full-featured Data Editor. Get data from a variety of sources through new ODBC support. Choose from a broad range of statistical routines that produce full-color business,

statistical, time-series and quality charts automatically – some 60 charts in all! Put together standard reports quickly and create great presentations with a powerful, flexible report writer. Share data and results with other applications using DDE and OLE. For the most complete analytical solution, you can choose from nine specialized, optional modules. And you can use new features and programming tools to link other products directly into SPSS for Windows.

SPSS for Windows – when you need more statistics than a spreadsheet or database can offer.

Order now and get a great value. American Express, Discover, MasterCard and Visa accepted. Try SPSS 6.0 for Windows with our unconditional 60-day money-back guarantee.

Call (312) 329-2400

or Fax (312) 329-3668



May 11, 1993
SPSS 5.0/Windows

SPSS
Real Stats. Real Easy.

Reviews BASIC Windows Programming

new data-aware controls can be drawn on the screen and used programmatically from within the code. This means you can link controls directly to the database query by setting properties. Most of VB's standard form objects are now data-aware.

OLE 2.0 automation is yet another avenue for data sharing among Windows applications. Incorporating OLE support in your program is no different from using any other toolbox object: You click and place the OLE object on the form and then set up the link with the properties window.

VB comes with the Crystal Reports 2.0 report generator, which uses Access to produce professional-looking reports. Similar to CA-RET, Crystal Reports lets you use a visual design environment to create the report layout.

VB's most intriguing new feature is Setup Wizard, an application delivery system

for creating distribution disks. Rather than manually copying all the font and DLL files onto a floppy disk for distribution, I ran Setup Wizard and generated an installation disk with all the DLLs and supporting files.

However, Setup Wizard may take a bit of tweaking to work. It bashed heads with SHARE.EXE when I tried to compress some DLL files. Rebooting my system without SHARE.EXE got Setup Wizard to work correctly.

C You Later

Realizer 2.0 is a significant improvement over version 1.0. For example, FormDev has more capable layout functions, and the debugger is much better. These enhancements, the new report generator, and its database functions make Realizer 2.0 a capable challenger of VB.

If I could fix just a few things, I'd add a Delete key to FormDev's editor, simple

graphics such as lines and circles to the Object Palette, and OLE 2.0 support. I'd also like to see more details in the help files. Mind you, I'm not complaining—Realizer 2.0 should make any Windows programmer take another look at BASIC and reconsider working in C.

VB 3.0 is a real improvement over version 2.0—and if you're using VB 1.0, the 3.0 upgrade is mandatory, in my opinion. If nothing else, the Access engine is worth the price of admission. My VB wish list includes fixing Setup Wizard, adding hot-key access to the editing windows, and cleaning up those loose threads in Access.

If you're under the gun to get a Windows application out right away and don't know how, try Visual Basic 3.0. It offers more control and greater flexibility for databases and client/server architectures than does CA-Realizer 2.0. ■

Michael C. Wiggins, a founder of MultiMate International, owns a programming consultancy in South Windsor, Connecticut. He's been programming PC applications for more than 12 years. You can contact him on BIX c/o "editors" or on the Internet at editors@bix.com.

About the Products

CA-Realizer 2.0\$247

(\$99 until 11/30/93)
Computer Associates
International, Inc.
1 Computer Associates Plaza
Islandia, NY 11788
(800) 225-5224
(516) 342-5224
fax: (516) 342-5734
Circle 1076 on Inquiry Card.

Visual Basic 3.0


Standard Edition.....\$199
Professional Edition..\$495

Microsoft Corp.
1 Microsoft Way
Redmond, WA 98052
(800) 426-9400
(206) 936-8661
fax: (206) 936-7329
Circle 1077 on Inquiry Card.

Introducing the \$139 investment no computer user can afford to be without...

"Don't take chances...Get the ultimate protection...Back-UPS from APC."

PC World
Top 20
Upgrade



Blackouts, brownouts, sags... if you use computers, your bottom line is directly linked to your power line. The fact is, your data and hardware are vulnerable to problems that surge suppressors and power directors just aren't equipped to handle.

Now there's an Uninterruptible Power Supply (UPS) to suit any budget. Back-UPS® are perfect protection for LAN servers, personal computers, phone/fax systems, POS equipment, or any other device that can go down when the power does. If lightning is a concern, Back-UPS are even backed by a \$25,000 insurance policy against surge damage to your equipment (see details).

So don't wait for the inevitable power problem to rob your business. Protect your productivity with Back-UPS, available where quality computer products are sold.

APC Back-UPS provide instantaneous battery power during power disturbances, so your data and hardware are safe!

American Power Conversion

800-800-4APC, dept. A2
Businessweek's #1 Hot Growth Company!(NASDAQ:APCC)

Call for your
FREE 60 page
PC power
protection
handbook!

DOS Dilemma: Word or WordPerfect?

High-end word processors bypass Windows in the quest for the perfect balance of powerful features and ease of use

SELINDA CHIQUOINE

WordPerfect 6.0 and Microsoft Word 6.0, both for DOS, are powerful, full-

featured word processors with similar command sets and interfaces. Windows may be all the rage for PC applications, but if generating good-looking documents is your primary concern and you can live without multitasking, it will pay to buck the trend with one of these packages. A foundation in DOS means you can use these applications on systems with fewer resources and get much better performance than you can reasonably expect running through Windows' graphical interface.

These aren't toy packages, and they don't represent a step backward to mandatory keyboard templates or Byzantine command sets. Besides the familiar keystroke sequences and command lines that longtime users will find natural, each presents a Windows-type editing interface that new users may adapt to quickly. Both packages are quite similar in form and function, although WordPerfect is packed with more features (e.g., fax and sound support), and Word offers a simpler interface.

Resource Requirements

Both word processors run in either text or graphics mode. Text mode is, of course, more responsive when writing or editing flat-out. Both packages easily kept up with my typing in text mode, but Word's graphics mode is more responsive than WordPerfect's. However, WordPerfect's graphics mode is WYSIWYG, except it doesn't display headers, footnotes, or page numbers; you have to switch to a page mode to view those details. Word's graphics mode is less complete: It only displays file information for embedded graphics. You have to switch to the print preview mode to see images, line graphics, or WYSIWYG fonts.

Graphics gobbles memory, and

WordPerfect's graphics mode ▶ displays 24-bit WYSIWYG graphics and is capable of irregular text wrap and drag-and-drop image manipulation.





Figure 1: Group B proposes using this: Complete installation of WordPerfect will set your hard disk back by 16 MB. WordPerfect complete

◀ **Word's print preview mode displays 16-color graphics and rectangular word wrap. However, you must return to the non-WYSIWYG graphics mode to edit text or to move or size graphics.**

because WordPerfect has greater graphics capability than Word, it has more stringent requirements. WordPerfect recommends 520 KB of free conventional memory for optimal performance. Microsoft recommends 512 KB for Word. However, you can get each to work with considerably less if you need to run them on an IBM AT-class machine.

Complete installation of WordPerfect takes 16 MB of hard disk space; Word's complete installation fills 5.5 MB. You can trim those numbers down as far as 7 and 1.5 MB, respectively, again by sacrificing some utilities.

WordPerfect is filled with features that require more resources. It can use expanded and extended memory, but on my 4-MB 25-MHz 486DX (networked and running DOS 6.0), I still had to stream-

line my configuration to satisfy its demands for conventional memory. Even after loading every driver high that could be loaded high, I still had to swap out the sound-card driver and fax-board driver, depending on which device I was planning to use for each session.

Interface Issues

By adding pull-down menus in version 6.0, WordPerfect lessened the grade of its learning curve immensely. In previous versions, I had to reference the Help menu two times just to accomplish a single command that might require three or more keystrokes. WordPerfect gurus who mastered version 5.1 will be happy to find that version 6.0 supports the same keyboard command sequences and lets you hide those pesky pull-down menus. Microsoft, ahead in the GUI field, already offered pull-down menus in Word 5.5.

Now, the new versions of Word and WordPerfect have customizable menu bars and drag-and-drop editing. You can turn on or off status bars, style ribbons, and horizontal and vertical scroll bars. Both packages allow you to split the screen in various dimensions, with nine windows open at a time. Each has a screen setup utility letting you control the timing of automatic saves. The basic data-entry and editing

Best New Features in Versions 6.0

Microsoft Word 6.0 for DOS

- One-step table creation
- Drag-and-drop text editing
- TrueType fonts
- Automatic numbering or bulleting of text
- Style ribbon for quick formatting changes
- Grammatik grammar checker
- Help menu for WordPerfect users

WordPerfect 6.0 for DOS

- Fax and sound support
- TrueType, Bitstream, Type 1, and Intellifont font support
- WYSIWYG graphics and page modes
- Document compare
- Grammatik grammar checker
- Spreadsheet capability in tables
- Drag-and-drop graphics

Reviews **DOS Dilemma: Word or WordPerfect?**

WORD 6.0 VS. WORDPERFECT 6.0

WordPerfect offers more high-end features, but Word is somewhat simpler.

	MICROSOFT WORD 6.0 FOR DOS	WORDPERFECT 6.0 FOR DOS
Memory (recommended RAM)	512 KB	520 KB
Storage (max./min. installation)	5.5 MB/1.5 MB	16 MB/7 MB
Typefaces	11	13
Font formats	TrueType, Word	TrueType, Bitstream Speedo, Agfa Intellifont, Adobe Type I
Number of printers supported	About 300	About 900
Label/envelope support	Mail merge, macro support	Mail merge, automatic address insertion, bar-code support, and label printer support
Fax support	No	Yes
Import formats	Word 4.0 and higher, Word for Windows, DCA/RFT, RTF	Fax, Lotus 1-2-3, Word, WordPerfect (all previous versions), DisplayWrite, MultiMate, DIF, WordStar
Export formats	Word 4.0 and higher, Word for Windows, DCA/RFT	Fax, Word, WordPerfect (all previous versions), DisplayWrite, MultiMate, RTF, DIF, WordStar
Graphics file support	HPGL, EPS, PIC, PCX, TIFF	BMP, CGM, DXF, EPS, HPGL, PIC, PICT, PCX, TGA, TIFF, WMF, WPG, WPG 2.0
Close and save all files	Yes	No, but it can exit and "mark all"
Merge files	Uses main document and data files, conditional fields	Form file template, data files for merging, includes 81 merge programming commands
Password security	Document level	Document and macro levels, file encryption
E-mail links	No	WordPerfect Office, MS-Mail, cc:Mail, MCI Mail
Import from Windows Clipboard	Text and bit maps	No
Indexing/TOC generation	From outline or tagged text	Concordance file or tagged text
Leaders	Dots, hyphens, underscores	Any symbol
Mark revisions	Insertions, deletions, replaced and moved text	Marks deltas
Tables	One-step formatting, but WYSIWYG only in Print Preview	WYSIWYG table editing, 98 math functions, can link cells to text
Drag-and-drop editing	Text only	Text and graphics
Bookmark	Cross-referencing and automatic numbering	QuickMark and named bookmarks
Graphics tools	Screen-capture utility	Rotate, crop, control contrast and brightness, distort, and flip

menus for both packages conform to CUA (Common User Access).

Word and WordPerfect have improved automatic table of contents and index generation, as well as new bookmark and outline features. In Word, outlines are integrated as structural views of text documents that you can expand and collapse; you can toggle back and forth between the document or the outline view. In WordPerfect, outlines are also collapsible, and you can convert them to text, but the integration is not as complete as Word's.

Although I've used WordPerfect for years, I still don't like its file management system. It's powerful, but as is common in WordPerfect, simple operations require twice the keystrokes they should. You can develop elaborate document summaries for file queries or devise your own "Quick-

Index" cataloging scheme. If you're working with numerous versions of files, you can compare documents by words, phrases, sentences, or paragraphs, and mark all the revisions. The Master Document feature expands and collapses linked sections of long documents at your command.

Word's file management is refreshingly simple. Its document summary information doesn't offer all the hooks of WordPerfect's, but you don't need intensive training to master it.

Fonts and Printing

DOS word processors don't share fonts with other applications as do Windows applications, so the fonts each supplies is an important consideration. However, both Word and WordPerfect support scalable (and shareable) TrueType fonts.

As with the font selection, printer support is a critical issue for DOS applications, since you can't share printer drivers as you can under Windows or on the Mac. Both Word and WordPerfect support color and network printing. From both packages' print menus, you can also select resolution and any printer drivers you've installed. Word supports approximately 300 printers, and WordPerfect supports around 900.

The main difference in print capability is WordPerfect's faxing module; WordPerfect can print directly to any FaxBIOS, Type I, Type II, or CAS-compliant (Communications Applications Specification) fax card. Many fax boards qualify; I had an Intel Satisfaxion Modem/200 that fit the bill. As long as you feed your system the recommended 520 KB of free conventional RAM, faxing works like a charm. When I tried to fax a graphics file with less, WordPerfect hung up the system.

Tables and Spreadsheets

WordPerfect excels at tables. Its graphics mode makes creating tables a quick drag-and-drop affair. Contrast that with Word, where you need to imagine how cell borders will look, since dotted grid lines appear where real borders should be. In Word, you must manipulate cells by changing coordinates rather than directly with a mouse.


WordPerfect tables handle many spreadsheet functions including cell formatting, naming and linking ranges, and calculations on ranges. The Floating Cell feature lets you link a section or value of a table to any other area in your document. For instance, you could reference a sales figure in your text and rather than type in a static number, insert its cell address. Your document would always reflect an updatable value. You could use the same technique to embed a larger portion of a table.

Word includes math functions, even though you have to select text that includes an operator and then go to a pull-down menu to activate the command. Alternatively, you could write a macro to perform the math. WordPerfect has similar math features. In addition to the basic math commands also supported by Word, WordPerfect's math command calculates subtotals, grand totals, and averages across rows or columns.

Graphics

In these versions, WordPerfect's support for graphics is a league beyond Microsoft's. But you pay for this luxury with a resource load that slows performance considerably. WordPerfect has various graphics editing

Microsoft



Phar Lap



+

=

The Future of 32-Bit DOS!

FREE!
In Visual C++
32-Bit Edition!

IT'S HERE!

NT power under 32-bit DOS!

Microsoft Visual C++ and Phar Lap TNT bring the never-before-available power of Windows NT to 32-bit DOS! Phar Lap's new TNT DOS-Extender lets you break the 640K DOS barrier, build multi-megabyte DOS applications and take advantage of powerful NT features. Implement threads, DLLs and multitasking with your familiar Microsoft development tools — under DOS! It's never been so easy to create the most powerful, full-featured DOS programs ever.

TNT DOS-Extender is the new standard in 32-bit DOS. The DOS power you've been waiting for is finally here!

Try it out... FREE!

If you have the Microsoft Visual C++ 32-Bit Edition tools, you've already got a free trial-size version of TNT DOS-Extender. TNT DOS-Extender



Lite is automatically installed with your Visual C++ 32-Bit Edition software. You can use TNT DOS-Extender Lite to build versatile 32-bit programs that can access up to two megabytes of memory and run under DOS, Windows 3.1, or Windows NT. It's the easiest introduction you'll find to the power of TNT.

The next-generation DOS extender.

TNT DOS-Extender is the only DOS extender to support the Win32 API, allowing your native Windows NT character-based programs to run under DOS with no changes. Programs can access all available memory — up to four gigabytes — and run with 32-bit speed and power.

But that's not all. TNT DOS-Extender also supports powerful NT features such as dynamic link libraries (DLLs) and threads, enabling developers to build modular, responsive multi-megabyte applications. And all this power is delivered with the high standards of technical excellence you've come to expect from Phar Lap, the industry leader in DOS extender technology.

Already a standard.

TNT DOS-Extender is the tool chosen by Microsoft to develop their own 32-bit tools. TNT DOS-Extender was used to build both the 16-bit and 32-bit versions of Microsoft Visual C++, Microsoft MASM 6.1 and Microsoft FORTRAN PowerStation.

32-bit CodeView, too!

TNT DOS-Extender includes a 32-bit version of the familiar Microsoft CodeView debugger. So you can use industry standard Microsoft tools, including CodeView, to develop software for the operating system of the future — that your DOS customers can use today!

TNT DOS-Extender SDK is the latest release of Phar Lap's award-winning 386DOS-Extender SDK. You can also use TNT DOS-Extender with a wide variety of 32-bit compilers (including Visual C++ 32-Bit Edition) to build Extended-DOS programs with no NT system required. In addition, TNT DOS-Extender is compatible with all 32-bit tools supported by 386DOS-Extender. An add-on run-time kit is available for developers who want to distribute TNT DOS-Extender applications to customers.

So if you've been wondering what the future holds for DOS developers, don't wait... bring cutting-edge technology to your DOS applications today with TNT DOS-Extender!

NT Power Under DOS Lets You:

- Utilize NT features such as multitasking, DLLs and threads
- Build multi-megabyte 32-bit DOS programs
- Break the 640K DOS barrier — with your familiar Microsoft tools
- Build one application that runs under both Windows NT and DOS
- Save RAM! Run a 4 MB DOS system, not a 20 MB NT system
- Use industry-leading, high-quality Phar Lap and Microsoft tools



Phar Lap Software, Inc.

60 Aberdeen Avenue, Cambridge, MA 02138 617-661-1510 FAX 617-876-2972

386DOS-Extender and TNT DOS-Extender are trademarks and Phar Lap is a registered trademark of Phar Lap Software, Inc. Visual C++, Win32, Windows and Windows NT are trademarks and CodeView and Microsoft are registered trademarks of Microsoft Corporation. Other product and company names are trademarks or registered trademarks of their respective holders.

Circle 126 on Inquiry Card.

Reviews **DOS Dilemma: Word or WordPerfect?**

tools like cropping, flipping, sizing, and adjusting brightness and aspect ratio. You can also drag and drop your graphics and view them in up to 16 million colors (assuming you have a 24-bit graphics card). Word supports only 16 colors.

WordPerfect allows you to zoom in on text while editing in graphics or page mode. In Word, zooming is only possible in print preview mode. The two packages support word wrap. With Word, however, you can wrap text around rectangles only, not around irregularly shaped pictures as with WordPerfect. Both applications will print over graphics, even though WordPerfect has a Watermark dialog box specifically for printing over shaded graphics. For simple graphics work, WordPerfect supplies most of the tools you need. In contrast, with Word, you need to handle image manipulation before importing.

Frills

No word processor would be complete without a spelling checker; both packages offer one. Amazingly, WordPerfect's spelling checker is simpler than Word's. Word and WordPerfect also sport a decent thesaurus and bundle the sometimes helpful Grammatik grammar checker.

WordPerfect includes some impressive—although exclusive—frills. Hyper-

text lets you link parts of your document to one another or to a macro. Once you create a link, you click on a highlighted section in your document to activate the link. The cursor then jumps to the linked text or executes a macro. Word lets you link tables to external spreadsheets, and it lets you import live sections of other Word documents, but it does not support executable hypertext. If you're planning to capitalize on hy-

per-text, remember whoever's receiving your files must also have WordPerfect to use the links.

WordPerfect can embed and play MIDI or WAV sound clips in your documents. Although this is an interesting feature, as with hypertext, you benefit from it only if your target audience has WordPerfect 6.0 or 5.2 for Windows and the same sound drivers you do.

Brand Loyalty

How do you choose between these two? Unless you need WYSIWYG graphics (in which case, you should choose WordPerfect), familiarity has to come first. But if you can make an unencumbered choice, you should choose on the basis of features versus resources and complexity. WordPerfect delivers more features for the money. But if your hardware is modest, you might be happier with Word's more intuitive command set and simpler interface. ■

Selinda Chiquoine is a BYTE Lab staffer. She has worked as a typesetter and desktop publisher. You can contact her on BIX as "schiquoine" or on the Internet at selinda@bytepb.byte.com.

About the Products

Microsoft Word 6.0 for DOS...\$495
Upgrade.....\$99

Microsoft Corp.
1 Microsoft Way
Redmond, WA 98052
(800) 426-9400
(206) 882-8080
fax: (206) 936-7329
Circle 976 on Inquiry Card.

WordPerfect 6.0 for DOS...\$495
Upgrade.....\$129

WordPerfect Corp.
1555 North Technology Way
Orem, UT 84057
(801) 225-5000
fax: (801) 222-5077
Circle 977 on Inquiry Card.

GREAT THINGS COME IN SMALL PACKAGES

*This powerful print server
can tackle your biggest
network printing problems*

- Connects any parallel printer directly to your Ethernet LAN
- Fully Novell Netware 286 and 386 compatible
- Can attach to 8 file servers simultaneously
- Fast and easy to install
- Combines high-speed printing and exceptional printer control
- Supports encrypted passwords, forms, notify, cancel, and others
- Full one-year warranty and unlimited free technical support
- Made in the U.S.A.




Make the Rose Connection

10850 Wilcrest Drive • Houston, Texas 77099 • Phone (713) 933-7673 • Fax (713) 933-0044

ROSE
ELECTRONICS

1-800-333-9343

Circle 135 on Inquiry Card.



**STARTING UP WITH NORTON UTILITIES IS
LIKE BRUSHING YOUR TEETH. IF YOU DON'T DO IT
EVERY DAY, WELL, YOU GET THE IDEA.**



No, Norton Utilities® 7.0 will not reduce ugly tartar buildup. But using it on a daily basis will virtually eliminate any chance of losing your important files, regular or compressed.

On start-up, our improved Norton Disk Doctor® will automatically detect file system problems and fix them in seconds. And the new Norton Diagnostics™ will test all of your vital hardware components. Meanwhile, Speed Disk™ will optimize disk performance and improve your chances of recovering any lost data.

You also get nine other automated repair functions designed especially for compressed data problems.

If you'd like more detailed information, dial FAST FAX 1-800-554-4403, select option 1 and request document 447. Better yet, pick up a copy of the latest version of Norton Utilities at your nearest reseller. Then go ahead and take "prevent data loss" off your list of things to do today.

By the way, don't forget to floss.



**THE NORTON
UTILITIES
SYMANTEC.**

For information in Europe, call 31-71-353111. Australia, 61-2-879-6577. Canada, 1-800-667-8661. Elsewhere outside U.S., 408-252-3570. The Norton Utilities and Norton Disk Doctor are registered trademarks and Norton Diagnostics and Speed Disk are trademarks of Symantec Corporation. The names of other products are trademarks or registered trademarks of their respective holders. PC Magazine Editors' Choice awarded 9/14/93, The Norton Utilities, Version 7.0. ©1993 Symantec Corporation. All rights reserved.

Circle 167 on Inquiry Card.

From parallel 860s, to coprocessors and workstations-

NDP™ Fortran Drives Them All!

Microway's industry-leading 32-bit Fortran produces the highest quality numeric code and supports all x86 operating systems, processors and numeric devices. NDP Fortran was used to port industry standards like SRAC's COSMOS/M to the 486 and is required to use AspenTech's ASPEN PLUS, IBM's OSL, and Fluid Dynamics' FIDAP. The compiler uses advanced numeric optimizations and instruction scheduling which favor fast numerics and RISC devices.

NDP Fortran, C/C++, Pascal


and our new **Fortran 90**

for the 386, 486, Pentium, and 860 run under either Extended DOS, OS/2, NT, UNIX V.3/4, SOLARIS, or COHERENT.

The extended DOS compilers feature GREX, Microway's proprietary device-independent graphics library. To run large applications on DOS, our VCPI-based, demand paged virtual memory is superior to all alternatives. We also offer DPML support for the OS/2 and the Windows DOS Prompt Box. The OS/2 compilers include support for OS/2's 32-bit graphics engine.

Microway's NDP Fortran 90 is a full implementation of the ANSI Fortran 90, which includes the entire array syntax notation, dynamic memory allocation, module definitions, and a complete library of intrinsics. Call for your free demo disk and white paper.

If you plan to use a 386, 486, 860 or Pentium and require portability across operating systems, numeric speed, precision and superior technical support, then NDP Fortran, C/C++ or Pascal is the only solution.




QuadPuter®-860 . . . 200 Megaflops

The 200 megaflops of Microway's QuadPuter-860 are optimally harnessed using NDP Fortran-860, libraries from IMSL, NAG and KUCK, and the PSR Vectorizer.



GIGACUBE™

Microway can build you a customized one gigaflop NFS computational server using five QuadPuters® running in one of our industrial grade Towers for under \$50K. We also configure less expensive 486 workstations. All feature industrial grade American power supplies based on Todd cores and flow-through filtered cooling.



To learn why more government research labs, universities and engineers worldwide specify "Microway" call our Technical Support Department at 508-746-7341. To sign up for our free October Seminars in London, Portugal, Italy, Germany Greece or France, please call the appropriate number below.

Microway®

Technology You Can Count On

Corporate Headquarters, Research Park, Box 79, Kingston, MA 02364 USA • TEL 508-746-7341 • FAX 508-746-4678
U.K. 081-541-5466 • Germany 081-541-5466 • Greece 01-291-5672 • India 11 681 0645 • Israel 3-751-2929
Italy 2-749-0749 • Japan 079 822 5855 • Poland 22-414115 • Portugal/Spain 1-60 4049 • Russia 095 155 030

Integra VDB

You can use Coromandel's Visual Database Builder with C++ or Visual Basic to write programs that work with any ODBC data source

JON UDELL

Not to brag, but I can build the C++ and Visual Basic applications you see on this page from scratch in 5 minutes. They're not too fancy, but they're not trivial, either. Each uses a master query bound to a combo box (for author names) to trigger a detail query bound to a two-table join (for article information). The data can come from any ODBC (Open Database Connectivity) source. I've run these programs with identical results against FoxPro, dBase, and Access files and against two servers—SQL Server and Coromandel's Integra.

The secret to this rapid development of flexible applications is Coromandel's Integra Visual Database Builder, or VDB, a set of tools for creating database-oriented Windows applications with Visual C++ and Visual Basic. Each kit includes Integra, a single-user SQL engine that natively supports ODBC. Integra's ODBC driver is the most advanced that I've seen yet, offering level 1 API conformance and extended SQL grammar. You also get a data management tool, a query builder, a set of Visual Basic custom controls for interactive database development, and a library whose functions marry the data controls to the ODBC interface.


You can do quite a lot with the custom controls alone. I built my test programs exclusively in what Coromandel calls *automatic mode*. That means you simply drop data-aware controls onto a form and edit their properties in order to bind them to data.

Like Visual Basic 3.0, Integra VDB provides simple data-aware controls, like checkboxes and text boxes, that can bind to individual database fields. Unlike VB 3.0, it also gives you data-aware versions of the controls that are most crucial for working with columns and entire tables of


You build the Visual Basic version of the application the same way you build the C++ version—by editing VBX properties. For advanced work, the Integra VDB API is as accessible from Visual Basic as it is from C++.

Integra VDB form, query, and data-source controls on the VB toolbar

Integra VDB data-aware interface controls on the VB toolbar



This Integra VDB C++ application required just four lines of C++ glue code. Everything else—writing queries, binding queries to data-aware controls, linking the master and detail cursors—was accomplished by editing properties of Visual Basic custom controls.



An instance of a query control

Editing the SQL statement property of a query control

data—the listbox, the combo box, and the all-important grid. Another control performs operations on a SQL cursor, including fetch (next, previous, first, or last), insert, delete, update, and query by form. Still other controls name data sources, define queries, and bind result sets to user-interface controls.

For more advanced work, you can code

directly to the Integra API using either C++ or Visual Basic. The boundary between VBX (Visual Basic custom controls) property-editing and coding is fluid, though, and the ability to combine both styles in a single application makes Integra VDB extremely potent. Coromandel's showpiece sample application, for example, features a master-detail view that is

E-mail That Works...!


More than just a leading multi-platform e-mail system, FirstClass features **electronic conferencing** and **remote access**—all in the same package.

E-mail

Conferencing

Remote Access

Use FirstClass for internal mail, workgroup communication, and even as a public access tech support solution. All simultaneously from *the same non-dedicated server!*



(Windows screens shown; Macintosh screens similar. ASCII interface also available.)

FirstClass™

- ✦ Built-in support for both Macintosh® and Windows machines on the same network (or via modem) without costly file servers
- ✦ Handles up to 250 users simultaneously per server, 20 of which may be via modem
- ✦ Simple network or modem connectivity to other FirstClass servers or other mail systems
- ✦ Remote or local administration with the same client all others use
- ✦ Messages with multiple fonts, styles, colors & unlimited file attachments
- ✦ Simultaneous multiple file transfers
- ✦ Background searching
- ✦ Gateways to other mail systems or the Internet with full Usenet newsgroup sending & receiving
- ✦ Fax gateway for individual or broadcast faxing and more!

FREE DEMO PACKAGE
AVAILABLE UPON REQUEST



SoftArc Inc.
Global-Area Communications

805 Middlefield Road, Unit 102, Scarborough, Ontario, CANADA
M1V 2T9 Fax: (416) 754-1856 Internet: sales@saigate.softarc.com
FirstClass: (416) 609-2250

PHONE: (416) 299-4723

Reviews Integra VDB

You write just four lines of C++ code for a simple Integra VDB application like the one shown on page 151. In this example, the OnFileNew handler generated by ClassWizard starts the database application by passing the ID of a database dialog box to Coromandel's SQcStartApp() API function. Lines in black were generated by ClassWizard; lines in red were added.

```
#include "sqcform.h"           // Include the Integra VDB API definitions.

void CByteView::OnFileNew()    // Handler for the File New menu
                                // selection.
{
    static UINT dlgid[] = {IDD_DIALOG1,0}; // Declare array of database
                                           // forms.
    SQcStartApp(this,dlgid,1);      // Activate the database forms.
}

void CByteView::OnFileSave()    // Handler for the File Save menu.
{
    SQcEndApp();                // Deactivate the database forms.
}
```

completely dynamic. The user can pick which table to bind to a master listbox and which to bind to a detail grid. This multi-purpose form efficiently displays a half-dozen different data relationships.

You can't achieve such effects just by twiddling the properties of data-aware controls. Lines of C++ or Visual Basic code have to be written to prepare and execute queries, bind their results to controls, and dynamically connect master and detail tables. But those lines of code are relatively few, and they integrate smoothly into an application that is otherwise mostly codeless.

VDB for the Visual C++ Programmer

Coromandel's C++ implementation relies on Microsoft Visual C++'s ability to support VBXs. You begin an Integra VDB project by checking AppWizard's VBX option, so the new program skeleton it writes will contain the function call that initializes VBX support, as well as declarations for VBX event notification codes. Then you add the VBX itself to the project, along with Coromandel's supporting library and a simple application framework that knows how to load and activate the forms you create.

Now the scene shifts to AppStudio, where most of the "programming" can take place. In version 1.0 of VDB, you had to create form, data-source, and query controls, and then manually synchronize various properties of these controls. Version 1.1, which I received while working on this review, adds a form builder that simplifies things even more. Now, when you create a new dialog box and drop a VDB form control onto it, the form builder automatically pulls in supporting data-source,

data, and query controls.

You can define the SQL property of a query control using an interactive query builder or (if, like me, you find that tool to be less than intuitive) by just writing the SQL code yourself. The form builder asks which data control you'll use for each query and binds the control to the query. For a master-detail view, it helps you define a trigger that connects the detail cursor to the master. These triggers are a powerful feature of Integra VDB. They can cascade and can synchronize cursors both within and across forms. Complex multi-form applications are beyond the scope of the form builder, however. You create these by manually editing form and query properties that define bindings, SQL statements, and queries.

Next, you launch ClassWizard from within AppStudio to wire in the Integra VDB function calls that activate and deactivate your database forms. Coromandel's application framework reduces this to a trivial exercise for applications (like mine) that don't handle VBX events (see the listing). Real applications, of course, must respond not only to application events like File New but also to database events like insert, update, and delete. But the model is the same. You tell ClassWizard which events you want to handle; it generates handler skeletons; you flesh them out.

Finally, you build and run your C++ application and then, of course, immediately begin to tweak it. If you haven't worked with VBXs in C++ before, you may be shocked to discover how quickly you can modify and test your application. All the properties of the database custom controls live in the application's resource file. When

NEW
SYSTAT® 6.0 for DOS
More Statistics, Extended Memory

"The best general-purpose statistics program"* just got better

For 10 years, SYSTAT, Inc. has been producing accurate, comprehensive statistics and graphics software. SYSTAT 6.0 for DOS, the latest version of the highly-rated SYSTAT package, brings you new dimensions of power and functionality. More than 20 statistics modules have been added to the basic package, without using more disk space than the previous version. And SYSTAT for DOS now supports extended memory, allowing you to analyze larger and more complex problems than ever before. Depending on your computer's available memory, you can analyze thousands of variables and unlimited cases.

From basic to advanced statistics

SYSTAT provides a full range of statistical analyses: ■ frequencies ■ *t* tests ■ multiway cross-tabs ■ non-parametric statistics ■ correlations ■ linear, multiple, and stepwise regressions ■ ANOVA ■ ANCOVA ■ repeated measures ■ factor analysis ■ cluster analysis ■ multi-dimensional scaling ■ Box-Jenkins ARIMA models ■ Fourier analysis ■ principal components analysis ■ means models ■ post-hoc tests ■ time series ■ nonlinear modeling.

SYSTAT 6.0 for DOS offers even more statistical tools: ■ quality control ■ design of experiments ■ survival analysis ■ sampling ■ logistic regression ■ probit analysis ■ matrix algebra ■ two stage least squares ■ canonical and set correlation ■ reliability analysis ■ linear programming ■ signal detection ■ expected mean squares, and more. For market researchers, new SYSTAT for DOS provides: ■ complex stub-and-banner tables with multi-response data ■ conjoint and correspondence analyses ■ tree classification ■ perceptual mapping.

You can't beat SYSTAT's graphs

PC Magazine says: "SYSTAT has the most complete set of graph types of any PC-based program." And no other package can do them as easily. SYSTAT's graphs include: ■ bar charts ■ box plots ■ density plots ■ function plots ■ pie charts ■ Chernoff faces ■ probability plots ■ quantile plots ■ stem-and-leaf plots ■ 2-D and 3-D scatterplots ■ maps with geographic projections ■ contour plots. SYSTAT 6.0 for DOS also provides Shewhart, Pareto, and CUSUM charts for quality control.

SYSTAT for Windows & Macintosh

SYSTAT (version 5) is also available for Windows™ and Macintosh®. And SYSTAT's data and command files are compatible across platforms.



"SYSTAT (for Windows) – with its superb graphics, high-quality statistical algorithms, and reasonable price – is an excellent choice." PC Magazine






Also available – FASTAT

If you need powerful statistics software but don't need the broad range of features offered in SYSTAT, choose FASTAT, available for DOS and Macintosh.

For more information and a demo disk, call:

708-864-5670

For Windows circle 143,
For IBM/DOS circle 144.



SYSTAT®

For more information call or write: **SYSTAT, Inc.**, 1800 Sherman Avenue, Evanston, Illinois 60201-3793. Tel: 708.864.5670, Fax: 708.492.3567

Australia: Hearne Marketing 61.3.8661766, **Holland:** Oasis 31.34.0266336, **Denmark:** Agrolab 45.64.406575, **France:** Deltasoft 33.76.418508, **Germany:** STATCON 49.55.4272075, **Italy:** PiSoft 39.587.213640, **Japan:** HuLinks 81.33.5902311, **New Zealand:** Hoare Research 64.7.8562675, **Poland:** COMPANION 48.22.368079, **Spain:** AdLink 34.91.5450722, **Switzerland:** Fritschy & Partner 41.31.215151, **SYSTAT UK:** 44.81.4620093

© 1993 SYSTAT®, Inc. *SYSTAT for DOS rated highest in overall evaluation by *Software Digest Ratings Report, Vol. 8, No. 5*, May, 1991. Software Digest is a registered trademark of NSTL, Inc.

SUNDAY 10-5

NEC

TOSHIBA

HP

IBM

NOVELL

EVEREX

LOGIC

AST

ZENITH

COMPAQ

GE

HP

IBM

NE

NOVELL

TOSHIBA

EVEREX

LASER/PRINTERS

HP Desk Jet 500 289.99
 HP Desk Jet 500 C 385.99
 HP Desk Jet 550 C 565.99
 HP Desk Jet 550 C 819.99
 HP Laser IIP 649.99
 HP Laser Jet 4L 994.99
 HP Laser Jet 4ML 694.99
 HP Laser Jet 4L 220V 1344.99
 HP Laser Jet 4 w/toner 1344.99
 HP LaserJet 4 220V In Stock 1849.99
 HP LaserJet 4M 2999.99
 HP Laser Jet 4 Si 2999.99
 HP Laser Jet 4 Si MX 2999.99
 HP Laser Jet 4M 220V 499.99
 Oki Laser 400e 499.99
 Pana. KXP 4410 499.99

LAPTOP COMPUTERS

HP OMNI Book 300 1649.00
 386 SX20 MHz 240 MB 1999.00
 Omni Versa 486 4180 Cir. 3949.99
 Olivetti Quaderno 549.00
 2 Lbs. 120 MB HVD 1649.00
 Toshiba
 T1900 486 80 MB 1759.00
 T1900 486 120 MB 1985.00
 T1900 486 200 MB 2399.00
 T1900C 486 120 MB 2399.00
 T1900C 486 120 MB 2799.00
 T4600C 4120 MB 2799.00
 T4600 486/33 120 MB 2799.00

MULTI-MEDIA

Pro Audio Spectrum 16.149.99
 Sound Blaster Pro Deluxe 129.99
 Sound Blaster Pro 16 ASP 199.99
 Fusion CD Int. w/ Spkr 449.99
 Media Vision Pro 16 CD Int. 629.99

FAX

Brother 380 w/Cutter 294.99
 Brother 600 344.99
 Brother 650M 389.99
 Brother 700 454.99
 Brother 780 649.99
 Brother 980 749.99
 Canon B-70 424.99
 HP Fax 200 394.99
 Panas. KXP 230/250 799.99
 Panafax PX-150 394.99
 Panafax PX-350 799.99

PALMTOPS/ORGANIZERS

CASIO SF 4600 64K 54.99
 CASIO SF 8300 64 K 94.99
 CASIO SF 9300 64 K 129.99
 CASIO SF 9600 64 K 139.99
 CASIO SF R10 128K 179.99
 CASIO SF R20 256 K 219.99
 HP 95 LX 512 K 369.99
 HP 95 LX 1 MB 549.99
 HP 100 LX New 669.99
 10 MB Flash Card In Stock
 SHARP Newton Expert Pad 649.99
 Sharp OZ-9600 II 512K394.99
 Sharp YO 610 128K 174.99

NETWORK/PERIPH.

Novell 3.11 5 User 539.99
 Novell 3.11 10 User 1229.99
 Novell 3.11 20 User 1499.99
 Novell 3.11 50 User 2249.99
 Novell 3.11 100 User 3149.99
 Novell 3.11 100 User 799.00
 Novell 4.0 5 User 2699.00
 Novell 4.0 25 User 419.99
 LanTastic 10 MBPS Starter 419.99

HARD DRIVES/MODEMS

Colorado 120 MB Backup 138.00
 Colorado Tracker 250 MB 339.00
 Conner 174 MB 195.00
 Conner 254 MB 255.00
 Conner 340 MB 325.00
 Conner 544 MB 655.00
 Maxtor 7131 New 185.00
 Maxtor 7245 MB 245.00
 Seagate ST3144A 315.00
 Seagate ST3283A 172.00
 Seagate ST3390A 275.00
 Seagate ST3350A 345.00
 Seagate ST3655A 475.00
 Seagate ST3655A 695.00
 WD 2250 240.00
 WD 2250 315.00
 WD 2350 435.00
 WD 2420 119.00
 Plus H/C 105XL 249.00
 Quantum EZ 127 375.00
 Quantum EZ 240 MB 375.00
 MHZ PCMCIA Xjack 2496 299.00
 MHZ PCMCIA Xjack 144 449.99

PRINTERS

Canon BJ 200 289.99
 Epson LQ-570 plus 239.99
 Oki 320 / 321 299. / 419.
 Oki 590 / 591 414. / 559.
 Oki 395 CALL
 Panas. KXP 1150 134.99
 Panas. KXP 2180 154.99
 Panas. KXP 2023 189.99
 Panas. KXP 2123 224.99
 Panas. KXP 2124 294.99
 Panas. KXP 1624 324.99
 Panas. KXP 2624 349.99

IN USA & CANADA & P.R. INCLUDING NY STATE

1-800-874-1235

Fax: (212) 463-8335 (Include Voice & Fax #)

S & W COMPUTERS & ELECTRONICS

31 West 21 Street, New York, NY 10010

NYC (212) 463-8330

Mon.-Thurs. 9-5 Fri. 9-1:45
 Saturday Closed

DISCOVER • M.C. VISA C.O.D. w/Deposit • No surcharge for credit cards. Ships. Addtl. Handling 2% (N.Y. Ltd. Prices subject to change. Returns w/written authorization. Free Parking Sunday. Member of National Computer Association. Prices for consumers.

PRICES HARD TO MEET — SERVICE HARD TO BEAT! World Wide Inquiries Promptly Filled

A MESSAGE TO OUR SUBSCRIBERS

FROM TIME TO TIME WE MAKE THE BYTE SUBSCRIBER LIST available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

BYTE Magazine
 Attn: Subscriber Service
 P.O. Box 555, Hightstown, NJ 08520



Reviews Integra VDB

you add forms, modify SQL queries, re-write triggers, switch data controls, and tinker with database operations, you can test your changes almost immediately. If you haven't touched any event handlers, the compiler sits idle and a rebuild boils down to the few seconds AppStudio takes to update the resource file and bind it to an otherwise unmodified program.

The Visual Basic Option

I also tested the Visual Basic version of Integra VDB 1.1, using Visual Basic 3.0. Having used the C++ version, I already knew how to proceed: Add the VBX to a new project, load a file of API declarations, create a new form control, and use the form builder to orchestrate the form's data controls, queries, and triggers. A Visual Basic handler for the form's Load event, installed automatically by Coromandel, makes the API call that activates the database controls on the form.

Queries run as fast in Visual Basic as they do in C++, because the work gets done either by an ODBC driver (in the case of single-tier drivers like those for FoxPro, dBase, and Access) or by a server (in the case of multitier drivers like those for Integra and SQL Server). And while Coromandel says C++ programs that manage lots of database forms can process those forms faster than the Visual Basic equivalents, I found no noticeable difference in speed between the two environments. That's because in both cases the VBX, not your code, does the work. The Visual Basic version also gives you full access to the Integra VDB API, and Coromandel reproduces the dynamic master-detail example to prove that Visual Basic can wield that API as flexibly as C++ can.

Why, then, would you ever want to use C++ to develop Integra VDB applications, or indeed any VBX-intensive application? What you want from C++, presumably, is the ability not just to reuse but also to extend software components. VBXs are reusable but not extensible. While Visual C++ emulates Visual Basic to give you access to a rich selection of useful VBX components, it can't magically transform these into true C++ classes.

What the C++ programmer really needs, Coromandel admits, are database-aware document and view classes. The company is now designing such classes, and until they're available, I'd incline toward the Visual Basic version of Integra VDB. It's a bit simpler to use, and it's almost equally flexible and powerful. Nevertheless, I'm glad the C++ version is available. If

MGA - Multimedia Graphics Architecture

Harness the Power of 64-Bit Graphics

The **Proven** 64-bit graphics standard from Matrox.

You asked for workstation-level performance from your PC. We gave you a 64-bit graphics engine. You asked for blazing speed. We gave you 60 to 70 million

WinMarks* for 8-bit color and 25 million WinMarks for true 24-bit color acceleration. You asked for flexible computer and software support. We gave you support for AT, VL, MCA, PCI and Windows 3.1, NT, OS/2, AutoCAD, Microstation and X-Windows for Unix.

"...the accelerator beat our previous standard of excellence hands down."

Peter Coffee
PC Week Magazine
June 14, '93

And we give it to you with the most advanced Windows productivity enhancing features!

- ♦ **Modeswitch** on-the-fly resolution switching within Windows.
- ♦ **Virtual Desktop** up to 1600 x 1200 display area.
- ♦ **Pixel Touch** hardware pan and zoom.
- ♦ **Real-time** Gouraud shading, 2D and 3D manipulation.
- ♦ **Dynaview** interface driver for AutoCAD and dual display driver for Microstation.
- ♦ **Video View** enhances speed and color quality for VFW playbacks.
- ♦ **QCDP** simulates true color in 1600 x 1200 x 8-bit modes.

"(MGA) is significantly faster under Windows than its competitors and includes more advanced Windows features than I've seen on any other graphics board."

Evan Yares
CADalyst Magazine

For more information on MGA bundled with Windows and CAD Power Drivers, please call:

1-800-361-1408
Tel: (514) 685-2630
Fax: (514) 685-2853

"The MGA ... offers superior performance, first-class drivers and unbelievable value for money."

Martin Gordon
PC User, U.K.
August '93 (Issue 217)



Editor's Choice Awards



Win Magazine
(Germany)



Personal Computer
Magazine (U.K.)



Imaging
Magazine (U.S.)



BYTE Magazine
Best of COMDEX/Spring 93


MERISE L.

ICG
International Computer Graphics

INGRAM MICRO

MATROX
MGA
POWER GRAPHICS

The David Group



matrox

©1993 All rights reserved. Matrox is a registered trademark of Matrox Electronic Systems, Ltd.; MGA is a trademark of Matrox Electronic Systems, Ltd.; Windows is a trademark of Microsoft Corporation; *Ziff-Davis WinMark 3.11, 486 DX 2/66, 16Mb memory, 1024 x 768 in 256 colors, 72Hz.

SEE US AT COMDEX FALL
Circle 112 on Inquiry Card.

Photo courtesy of Yamaha Motor Corporation, U.S.A.

your project happens to rely on home-grown or commercial C++ class libraries and needs an injection of database support, you'll find Integra VDB to be a welcome ally.

Managing Data

Central to Integra VDB's database model is a scrollable, updatable cursor. ODBC level 2 drivers have the same capability, but currently they're hard to come by. Coromandel's API implements forward- and backward-scrolling cursors on top of the much more common level 1 drivers that I used for this review. Insert and delete operations logically renumber a cursor's record set, but invariant physical record numbers are also available for the life of a cursor. Specialized cursors support SQL-driven import and export operations to and from dBase III, delimited ASCII, or Lotus 1-2-3 files. For high-performance lookup, you can stash data temporarily in a memory cursor.

To create, load, and query databases interactively, you use the Visual Data Manager. It gives a common visual interface to CREATE TABLE and ALTER TABLE

commands for any ODBC data source, supports ad hoc queries (you either type these or invoke the visual query builder to construct them), and performs import/export operations. It's a Swiss Army knife for ODBC data sources, but I found it most useful for creating, altering, and querying databases. As a database loader, its performance lagged behind that of Microsoft Access, and it won't build database schemata automatically, the way Access will. Coromandel acknowledges both problems and says they'll be fixed.

Betting on ODBC

Coromandel has bet the farm on ODBC—wisely, I think. This summer marks the arrival of the first two boatloads of ODBC drivers. One set of drivers comes from Microsoft; the other is from Pioneer Software, whose Q+E Database Library and drivers delivered ODBC-like benefits long before ODBC became a hot topic. (A spokesperson says that Pioneer will soon

offer its own ODBC-aware application toolkit.)

Common data access, long a dream of database developers, is fast becoming a reality. I maintain a hefty FoxPro application that wants to become a client/server application, and making part of that application run against five different data sources was a real thrill.

Integra VDB adds value to raw ODBC in two key areas. The API library layers much-needed abstractions onto ODBC, notably scrollable cursors and triggers, and the visual controls connect users to data quickly and easily. Coromandel is moving fast—the 1.1 release arrived a scant three months after the 1.0 version—and I expect that this already-excellent toolkit will keep improving, as will the ODBC driver foundation on which it rests. ■

Jon Udell is a BYTE senior technical editor at large. You can contact him on BIX as "judell" or on the Internet at judell@bytepb.byte.com.

About the Product

Integra VDB 1.1
for Visual C++\$499
for Visual Basic\$499
Coromandel Industries, Inc.
70-15 Austin St., Third Floor
Forest Hills, NY 11375
(718) 793-7963
fax: (718) 793-9710
Circle 1075 on Inquiry Card.

DATA COMPRESSION LIBRARIES™

PKWARE's® Data Compression Libraries™ allow software developers to add data compression technology to software applications. The application program controls all the input and output of data allowing data to be compressed or extracted to or from any device or area of memory.

- All Purpose Data Compression Algorithm Compresses Ascii or Binary Data Quickly with similar compression achieved by the popular **PKzip** software, however the format used by the compression routine is completely generic and not specific to the PKZIP file format.
- Application Controlled I/O and memory allocation for extreme flexibility.
- Adjustable Dictionary Size allows software to be fine tuned for Maximum Size or Speed.
- Approximately 35K memory needed for Compression, 12K memory needed for Extraction.
- Compatible with most popular Languages: C, C++, Pascal, Assembly, Basic, Clipper, Etc.
- Works with any 80x86 family CPU in real or protected mode. \$295.00
- No runtime royalties.

RUNNING OUT OF EXPENSIVE DISK SPACE?

PKzip can help! **PKzip** compresses your files to free up disk space and reduce modem transfer time. You can compress a single file or entire directory structures with a single command. Compressed files can be quickly returned to their normal size with **PKunzip**.

Software developers can reduce the number of diskettes needed to distribute their product by using **PKzip**. Call for Distribution License information.

The included **PKzip** utility lets you store compressed files as a single self-extracting .EXE files that automatically uncompresses when run. Only \$47.00

PKWARE®
INC.
THE DATA COMPRESSION EXPERTS®

Come See Us At PC EXPO, Booth #430

9025 N. Deerwood Dr.
Brown Deer, WI 53223
(414) 354-8699
Fax (414) 354-8559

BY1093

A chain is as strong as its weakest link.

Picture your Hardlock™ key as a bike lock, and the accompanying software routines used to implement the copy protection as the chain. You can own the best lock that money can buy, but that lock is useless if the chain is weak.

Introducing **HL-Crypt**, a major breakthrough in copy protection. HL-Crypt is not just a shell or simple conditional response checker. Using our proprietary Patcher Technology, HL-Crypt encrypts and binds the application to your Hardlock™ device. HL-Crypt features many protection modules that secure the application against piracy, reverse engineering, and debugging, to name a few.

Picture HL-Crypt as an ironclad chain. The only ironclad chain in the industry today. For more information, call

1-800-562-2543

HL-Crypt

**The Fortified Protection Linker
for Hardlock**



SHOWN ACTUAL SIZE

The only product that combines fortified software encryption with the Hardlock™ family of copy protection devices for single user and network implementation. Made in the USA.

For a distributor in Europe contact Fast Electronic GmbH, Tel: 49-89-539-800-20, Fax: 49-89-539-800-40
In Korea contact Finecom, Tel: 82-2-690-5811, Fax: 82-2-605-5729
In Brazil contact HTP-MACH, Tel: 21-257-0914, Fax: 21-235-0809
In Chile contact Datasoft S.A., Tel: 562-246-7449, Fax: 562-206-0591
In Peru contact VCA-LL, Tel: 51-14-440537, Fax: 51-14-475984
In Uruguay contact Softec, Tel: 90-90-10-92-30-08, Fax: 0598-2-92-16-18

GLENCO ENGINEERING INC.

SERVING THE SOFTWARE INDUSTRY SINCE 1979

270 Lexington Drive
Buffalo Grove, IL 60089-6930
Phone 708/808-0300
Fax 708/808-0313



Save Time, Save Money, Save Code... Save Your Environment



REVISION CONTROL SYSTEM

A quality configuration management system can save your development environment from all kinds of disasters. Avoid costly collisions, keep a complete audit trail, and automatically rebuild your project – saving time, saving money and even saving you from potential “environmental disaster.” When you’re looking for a quality configuration management system, you want the best in the business.

MKS RCS (Revision Control System) is that system. Fully featured,

reliable, easy to use, and a reputation for excellence make MKS RCS the best in the business.

- our Windows GUI saves valuable time – get up and running quickly
- MKS Make performs precise, uniform, repeatable builds of your project
- designed for use by teams on networks; specialized support for Novell
- unlimited branching and merging, locking, binary file support, access lists
- we believe in giving our clients the best prod-

uct at the best price. Save thousands of dollars by choosing MKS!

■ Platforms Supported

- DOS ■ WINDOWS
- UNIX ■ WINDOWS NT
- OS/2 ■ & MORE

MKS has a reputation for excellence – quality software, prompt support, real value. At MKS the customer always comes first. Join IBM, Lotus, Intel, DEC, Hewlett Packard... and choose MKS as your partner in innovation.

Complete satisfaction or money-back guarantee.

*“MKS gave us the solution we needed across platforms”
Lotus Development Corporation*

*“MKS RCS has easily paid for itself with the time it has saved our engineers”
Glenn Lewis, Intel*

35 King Street North,
Waterloo, Ontario
Canada N2J 2W9
Tel: (519) 884-2251

Continental
U.S.A. & Canada:
800-265-2797
Fax: (519) 884-8861
inquiry@mks.com
CompuServe: 73260,1043

MKS
MORTICE KERN SYSTEMS INC.



Call in for your free copy of “Saving Time and Money with Configuration Management”

Australia +61 03 580 1333 Belgium +32 02 732 4020 Brazil +55 83 333 1904 Denmark +45 45 87 72 00 Finland +358 90 506 2600 France +33 1 48 77 22 44 / +33 1 39 46 16 16
Germany +49 0721 988 280 / +49 0551 507 620 Italy +39 02 4801 6053 Japan +81 03 3293 4711 Korea +82 02 561 1021 3 Netherlands +31 020 614 2463 Norway +47 22 11 09 50
Singapore +65 747 2266 Sweden +46 013 11 15 88 Switzerland +41 061 421 3201 United Kingdom +44 029 689 911 / +44 071 833 1022 / +44 036 465 4100

Circle 115 on Inquiry Card.

Bounds Checker for Windows

Nu-Mega's Bounds Checker catches Windows programming errors that other tools miss

STEVE APIKI

Bounds Checker for Windows 1.0, in the words of one especially enthusiastic developer I spoke to, is "a gift from the gods." While maybe not worthy of praise usually reserved for discoveries of the significance of fire, Bounds Checker deserves serious consideration by C developers plagued by the mysterious, hard-to-repeat, and almost impossible-to-catch bugs symptomatic of memory violations under Windows.

Bounds Checker is a debugging tool that does what no other Windows debugging tool can do: It tracks down errors like NULL pointer dereferencing, array boundary overruns, memory leaks, and bad parameters passed to Windows API functions. It runs on Windows 3.1 only and requires a 386-class processor.

I ran Bounds Checker against two Windows programs. As this review went to press, Nu-Mega was finishing up version 2.0 of Bounds Checker for Windows; I tested version 1.0 but also worked a little with a beta release of version 2.0. My primary test program was JView, an image-file viewer that I'd written using ObjectWindows Library, or OWL, and Borland C++ almost a year ago and that has been mostly working fine ever since. JView is a 250-KB program built under the medium memory model. As a test using large applications, I also ran a huge, commercial application coded straight to the Windows API; this is a program at the beta-test stage that's just over 4.5 MB, including debugging information, and it's built using the large memory model. Bounds Checker did an outstanding job on JView, finding some real problems that may never have otherwise been caught. It also unraveled lots of hard-to-find errors on the larger executable file but had some problems of its own with an odd-size custom stack used in the program.

What It Can Tell You

Bounds Checker provides a nice Windows user interface, although the guts of the interface require a virtual device driver. You

Bounds Checker for Windows

waits in the background as your program runs—when it encounters an error, it pops up a dialog box and freezes execution.

The Call Stack Arguments button toggles between showing function arguments as addresses or values.

Call Stack shows a stack trace of calls leading up to the errant routine.

Bounds Checker for Windows pops up on invalid memory accesses, writes to NULL pointers, and several other events. In this case, the error is an invalid parameter passed to a Windows API function.


After your program terminates, Bounds Checker

gives you a diagnostic log that lists memory use and memory and resource leaks. The log includes memory that is allocated but not freed by your program and by Windows DLLs on behalf of your program.

On program exit, Bounds Checker shows memory that has been allocated and not freed.

Allocated resources that haven't been freed. On this screen, Borland C++ and OWL load these resources.

The Code window shows the source line where the error occurred—you must have symbolic debugging information available.




The Registers window shows 386 register information.

The Data window shows the state of memory when Bounds Checker pops up.

The Info window lets you track Windows heap and resource information.

The Status window shows a detailed description of the problem: a bad parameter passed to InvalidateRect().



Bounds Checker also reports GDI and USER allocations.

The line of code where the global memory leak occurred.

Reviews Bounds Checker for Windows

launch Bounds Checker under Windows and then use it to load the program you want to check. Once your program is loaded, Bounds Checker minimizes itself and waits in the background, monitoring your program's use of memory and other resources. Bounds Checker can also check the activities of DLLs that your program loads.

When the program under test does something wrong—and believe me, if you haven't run it under Bounds Checker already, it will—Bounds Checker pops up an error message, a description of the problem, and the offending code. Once Bounds Checker pops up, you can choose to log the error and continue, to terminate the program, or choose from among a few other options.

Bounds Checker 1.0 validates Windows API calls; in version 2.0, Bounds Checker flags actual API failures, which is more useful. Bounds Checker 1.0 also monitors the first part of the data segment to catch NULL pointer references in small- or medium-model programs. It tracks the size of structures and arrays to ensure that writes to these data items don't exceed their boundaries. It watches attempts to free unallocated pointers, and it monitors allocated memory to check for writes that go beyond allocated limits. Finally, it catches actual processor faults and handles them gracefully.

But Bounds Checker can't pop up on memory leaks. Instead, it monitors memory and resource usage to ensure that all calls to `malloc()` are paired with a call to `free()`, that all `LoadResource()` calls have a corresponding `FreeResource()`, and so on with all memory and resource allocation functions. Since problems in this class can't be found until the test program is done, Bounds Checker pops up a memory usage report on test program termination. The memory usage report shows stack use, memory used from the global and local heaps, global leaks (memory allocated but not freed), resource leaks, and GDI (Graphical Device Interface) and USER memory allocated on behalf of the test program.

Real Work

Once I had played with Bounds Checker to find out what it could do, I was anxious to try it out on a few programs. I first used it to check errors in JView, a relatively simple program; it ran fine.

Because of its simplicity, JView had few problems. Keep in mind, however, that this is a program that has been stable for quite some time without causing noticeable crashes—and it had bugs. It had a few minor resource and memory leaks, but these were mostly in code generated by OWL and the C compiler itself. JView's only serious problem was a parameter violation on a call made with an invalid window handle made from the destructor for one of my classes. Although Nu-Mega understandably touts Bounds Checker's unique ability to track out-of-range references ahead of the rest of its functions, I actually found some serious problems in JView and the large test program through Bounds Checker's Windows API validation. You could find these errors through the Windows debug kernel, but the collection of functions in Bounds Checker and its full-code and status displays makes finding these errors a more natural part of the debugging process.

Bounds Checker adds a lot of overhead, of course, but the slowdown during testing wasn't noticeable for JView. For example, it took about 2.5 seconds to open a dialog box under Bounds Checker versus half a second without Bounds Checker, and this was while using the most stringent checking options; certainly overhead I could live with. The large program was also slower under Bounds Checker (about 9.5 seconds versus 5 seconds to open a file), but eliminating some of the most time-consuming checks (e.g., checking all allocated blocks on every call to an allocation routine) reduced delays a tiny bit.

On the large test program, Bounds Checker caught many bad parameters sent to APIs, more than one attempt to use a NULL window handle, and a raft of memory leaks. Since the test program was built with the large data model, NULL pointer checks weren't as useful as they'd be in a small or medium model, as large-model NULL pointers tend to throw general-protection faults as soon as you touch them anyway.

Bounds Checker 1.0 had a few problems with the large file. It was subject to inexplicable system crashes sometime during each debugging session. After a few rounds of phone calls and after seeing a copy of some of the source code, Nu-Mega traced the problem to a bug in Bounds Checker 1.0. The large program used the Win-

dows `SwitchStackTo()` API to set up its own custom stack; however, it requested a stack size that was somewhat smaller than a full segment. Bounds Checker 1.0 expected, and assumed, that stacks set up in this manner would be a full 64 KB in length; thus, it failed on this program. The problem is exorcised from the latest beta of version 2.0.

The good news is that these were the only problems I had with Bounds Checker. Considering that the large test program was almost pathologically large for a single executable file—about 18 MB of symbol information before CVPACK—and that CodeView itself sometimes failed on this file, I was more than happy with Bounds Checker's stability.

Naturally, Bounds Checker will tell you only about errors in functions that you exercise, so if you have a large and complex program, it's best to use Bounds Checker while running whatever validation script or set of actions you use to test the complete functionality of your program.

Working with Soft-Ice/W 1.3

Even with Bounds Checker's complete reporting, you'll want to run a debugger alongside Bounds Checker to get the most secure handle on errors as they occur. Bounds Checker supports direct coordination with Soft-Ice/W 1.3, Nu-Mega's low-level Windows debugger. Getting the two to work together took some fiddling with configuration files, but it was well worth the effort.

Bounds Checker doesn't offer real debugging services to help you explore the source of errors. You can't single-step, trace, or view variables without looking at a memory dump. Bounds Checker works extremely well in concert with Soft-Ice/W as a "breakpoint generator," popping you directly into Soft-Ice/W whenever memory errors occur. With Soft-Ice/W, you can, of course, set breakpoints, and trace through your Windows code.

With or without Soft-Ice/W, Bounds Checker is a valuable tool, one that can help you find bugs that will elude even the best debuggers, bugs that could even go unnoticed through a good quality-assurance check. Unless you write perfect C code for Windows on the first try, Bounds Checker is an outstanding investment. ■

Steve Apiki is the director of the BYTE Lab. He has worked as a programmer and engineer and has a B.S.E.E. from Rensselaer Polytechnic Institute. You can reach him on BIX as "apiki" or on the Internet at apiki@bytepb.byte.com.

About the Product

Bounds Checker for Windows 1.0\$199

Bounds Checker for Windows 2.0\$249

Bounds Checker and Soft-Ice/W 1.3\$499

Nu-Mega Technologies, Inc.
P.O. Box 7780
Nashua, NH 03060
(603) 889-2386
fax: (603) 889-1135
Circle 979 on Inquiry Card.

Aiuto Segitseg 救命呀 Help Hilfe Ayuda 教えて Aide Towa Chuseyo

When it comes to help for your computer,
there's just one word you have to know.

CompuServe. Because on CompuServe you can be in direct touch with many of the hardware manufacturers and software publishers themselves. Not to mention a worldwide network of people like yourself who have already encountered — and solved — the very same problems you have now. You'll get answers that are fast and accurate, so no problem will be a problem for long.

And that's just the tip of the iceberg. CompuServe is a vast, worldwide information resource that can help to make your life infinitely easier in many other ways, too.

With everything from extensive global communications abilities to help keep you in touch, to vast research

resources to help keep you in business — all at your service, 24 hours a day, seven days a week.

For more information on how much CompuServe can do for you, just call one of the phone numbers listed here. And let us give you an example of just how helpful we can be.

COUNTRY	TOLL-FREE	DIRECT	FAX
<i>Argentina</i>		(+54) (1) 345-3817	(+54) (1) 345-0825
<i>Australia</i>	008-025-240	(+61) (2) 410-4260	(+61) (2) 410-4223
<i>Chile</i>		(+56) (2) 696-8807	(+56) (2) 696-1474
<i>Germany</i>	0130 37 32	(+49) (+89) 66 55 0-111	(+49) (+89) 66 55 0-255
<i>Hong Kong</i>		(+852) 867-0118	(+852) 877-4523
<i>Israel</i>		(+972) (3) 290466	(+972) (3) 200419
<i>Japan</i>	0120-22-1200	(+81) (3) 5471-5806	(+81) (3) 5471-5890
<i>Korea</i>	080-022-7400	(+82) (2) 411-1327	(+82) (2) 411-1555
<i>New Zealand</i>	0800-446-113	(+61) (2) 410-4260	(+61) (2) 410-4223
<i>Switzerland</i>	155 31 79	(+49) (89) 66-55-0-111	(+49) (89) 66-55-0-255
<i>Taiwan</i>	080-251-009	(+886) (2) 651-6899	(+886) (2) 651-1801
<i>United Kingdom</i>	0800 289378	(+44) (272) 760680	(+44) (272) 252210
<i>Venezuela</i>		(+58) (2) 793-2384	(+58) (2) 793-1952
<i>Hungary</i>		(+36) (1) 156-5366	(+36) (1) 155-9296
<i>Elsewhere</i>		(+1) 614-457-0802	(+1) 614-457-8149



CompuServe®

HANDS-ON TESTING

62 HIGH-POWER
NOTEBOOKS

We choose the best 486-class notebooks and Macintosh PowerBooks for four important applications

RICHARD FOX AND STEPHEN PLATT

If you view travel time as wasted time, read on. We tested 62 of today's fastest PC and Macintosh notebooks and found a multitude of performance capabilities, color options, and price points to keep you working at full speed when you're away from your desk.

We put 486-class notebooks and 68030-based Mac PowerBooks through their paces with nine DOS/Windows and 13 Macintosh performance tests. We also evaluated the systems for screen quality, battery life, price, and ease of use.

Our test sample included color and monochrome DOS/Windows notebooks with CPUs from Cyrix, IBM, and Intel. Clock speeds ranged from 20 MHz to clock-doubled 66 MHz. The PowerBooks ran at 33 MHz. We chose this performance class because we believe it offers the best in price and speed.

We limited our scope to notebooks weighing 7 pounds or less, excluding battery and AC adapter. We required an internal floppy drive (this criterion excluded the Mac Duo line and the CompUSA 4SL/25.) Dell, DEC, Gateway 2000, and Packard-Bell were revamping their 486 notebook lines as we prepared this report and couldn't send new systems in time. All but Dell should announce new lines by the time you read this.

The fastest notebook was the DX2/66-based Amrel 486DX2/66 AC, which ran more than four times faster than our baseline 20-MHz 386SX notebook and performed on a par with high-end desktop systems.

At the other end of the scale was the SLC/25-based King-Tech KS-486C, with speed roughly equivalent to that of a slow 386SX machine. But top performance is expensive: The Amrel notebook lists for \$5249—over three times the \$1695 price of the KingTech system. Overall, we found that systems with Cyrix processors were consistently slower than Intel-based units, although the Cyrix-based systems were often less expensive.

How to use this guide

We selected notebooks by choosing the ones with the best mix of performance,

screen quality, battery life, price, features, and ease of use.

Scores are calculated from appropriate Windows and DOS tests. Higher numbers mean better performance.

Rating based on quality of keyboard design, pointing device, status lights, other considerations.

BEST OVERALL

Compaq LTE Lite 4/25E



This notebook lasts more than 7 hours—90 minutes longer than its nearest competitor. Further, its active-matrix monochrome screen's grayscale clarity, clarity, and range of viewing angles made it the best monochrome screen we saw; its quality even rivaled that of some active-matrix color displays. A good screen like this is important for Windows: It avoids the muddy grays that can easily obscure visual details in a windowing environment. The trackball placement is unusual; it sits next to the screen rather than near the keyboard. The pointer is easy to use, although the small ball sometimes wobbled during use. Numerous security features, such as power-on and setup-utility password protection and a pop-up battery gauge on the LCD, round out the Compaq LTE Lite 4/25E's capabilities.



Rating clarity, reproduction of gray scales or color, and range of viewing angles.


Battery discharge under real-world conditions.

	PRICE	CPU	WINDOWS SPEED	EASE OF USE	BATTERY LIFE (HOURS)	SCREEN QUALITY	SCREEN SIZE (IN.)
REF Compaq LTE Lite 4/25E	\$4339	SL/25	2.61	Good	7.06	Excellent	8.4
RAMER 4/25S 2-Note 425Ln Model 120	\$2599	SL/25	2.89	Good	5.27	Fair	9.5

Anatomy of a Notebook


OCTOBER 1993
BYTE
BEST
NOTEBOOKS

BEST



EXTERNAL VIDEO CONNECTOR. Most notebook LCD screens handle a resolution of only 640 by 480 pixels. Make sure your notebook's VGA controller can handle up to 1024 by 768 pixels on the external port if you want to use an external monitor.

Back View



EXPANSION SLOT. For connecting to a docking station, which lets you add peripherals on expansion cards.

PARALLEL PORT

SERIAL PORT. You should get at least one COM port—two if your system doesn't have an internal modem or an external mouse port.

WINDOWS

Compaq LTE Lite 4/25E

This isn't the flat-out fastest notebook for Windows applications. However, the LTE Lite 4/25E's active-matrix display was the best monochrome display we evaluated. The notebook also placed first in our battery-life tests, running 90 minutes longer than its nearest competitor. **PAGE 165.**

COLOR

Sager NP843T

The NP843T's 10-inch, active-matrix color screen displayed colors, text, and graphics with a brilliance unsurpassed by any other notebook. The NP843T was also among the fastest notebooks we tested: It outperformed all but one of the 12 33-MHz color notebooks we tested for Windows and DOS speed, and it even outran one system with a higher clock rate. **PAGE 167.**

DOS

Compaq LTE Lite 4/25E

As in the Windows performance tests, the LTE Lite 4/25E didn't set the standard for DOS speed; its performance scores were in the middle of the pack. But its active-matrix monochrome screen had the highest quality of those we tested, and its 7-hour battery life was outstanding. **Page 181.**

DESKTOP

REPLACEMENT

NEC UltraLite Versa 33C

If you want one system to serve at the office and on the road, this is it. For travel, the Versa 33C's active-matrix color screen was among the best we tested. PCMCIA slots accommodate portable modems and network adapters, and a unique bay lets you plug in a floppy drive or a second battery. At the office, the Versa can drive a Super VGA monitor and achieves desktop-class video performance. The built-in keyboard has such a wonderful feel, you may not want an external keyboard. **PAGE 189.**

THE BEST

WINDOWS NOTEBOOKS

If Windows on the road is a necessity and you don't require a color display, the following 486 notebooks offer the best mix of price, performance, and features. (If you must have color, see our rankings for best color notebooks on page 167.)

We chose our Best Overall winners from among notebooks with processors rated at 33 MHz and slower. Our High-Performance category considered notebooks that had clock speeds of 40 MHz or faster. We made this separation because the faster systems fill a specific niche in the notebook market.

We received only 15 systems that fit into the high-performance category, and the average price of these machines is about \$1000 higher than the \$3100 average of the 33-MHz and slower systems. Furthermore, 80 percent of the faster systems had below-average battery runs—less than 3 hours. To be considered for Low Cost status, a notebook had to be priced at \$2750 or less.

Once we had made our initial cuts, we compared systems for performance when running our Windows performance test suite. This test suite consists of popular Windows business applications that provide real-world measurements of notebook performance. The suite also includes low-level tests that compare how well video subsystems execute Windows graphics calls. The resulting scores counted for 30 percent in our evaluation. Next, we factored in display quality (which was weighted at 20 percent), battery life (20 percent), ease of use (10 percent), features (5 percent), and price (15 percent).

The Compaq LTE Lite 4/25E won out as the Best Overall Windows system, even though its Windows performance was only average. Its display quality and battery-life scores were unsurpassed among monochrome Windows systems. For the best in Windows speed among the Best Overall finalists, the

TI TravelMate 4000 WinDX/25 ranked first, running more than three times faster than the baseline 386SX notebook. The TravelMate 4000 WinDX/25 even out-scored the Twinhead Slimnote 4DX/33M, which runs at a faster clock speed.

For pure Windows performance, nothing matched the Micro-International HCP Model 65681M, which ran more

than five times faster than the baseline notebook and became our High Performance winner. The HCP Model 65681M was the fastest monochrome system on the BYTE Windows low-level tests. In the Windows application tests, it was the fastest

Rankings for This Application Considered:

WINDOWS PERFORMANCE 30%

DISPLAY QUALITY 20%

BATTERY LIFE 20%

PRICE 15%

EASE OF USE 10%

FEATURES 5%

Steps to Save Battery Power

1 Avoid excessive spinning up and spinning down of the hard drive. Once power management has been enabled, this can be achieved in several ways. A disk cache (e.g., SMARTDRV) buffers information in system memory, reducing the need to read from the hard drive. Storing your data on a RAM disk when operating on battery power eliminates the need for disk access at all. Be careful with this approach, however, because your data is not secure on the RAM disk and is lost once power is shut off. Finally, experiment with different time-out settings for the hard drive to find the one that works best for you.

2 Set the LCD shutdown interval to a short time. Backlighting can eat up a great deal of battery power, and when off, it simply requires a tap of a key when you are ready to resume working.

3 Most notebooks have controls for reducing the intensity of the LCD lighting. Backlighting requires less power at lower intensities.

4 Minimize the use of floppy drives, which also place a great strain on the battery.

5 Many systems let you adjust the processor speed. Set your system for the slowest speed that gives you reasonable performance.

6 If you are going to leave the notebook for a substantial length of time, place the notebook in its sleep mode. This shuts off most of the system's components but saves the contents of its memory so that you can pick up where you left off.

7 Choose a low-voltage CPU. Nine of the 14 longest battery times were produced by systems with 3.3-V processors.

monochrome notebook to run the Excel test and placed second (behind the TI TravelMate 4000 WinDX/25) in the Word for Windows and Lotus 1-2-3 for Windows tests. The CompUSA 486DX2/66 Slimnote placed second overall, with a higher price tag and slower performance but 35 minutes more battery life.

All but two of the top-ranked Windows systems turned in above-average battery-life numbers, with half of the times topping 4 hours. Only the Twinhead Slimnote 4DX/33M and the HyperData HB 2300 DLC/40 had below-average battery endurance of under 3 hours. The HyperData system, which is based on a Cyrix 486DLC processor, was also the only ranked Windows system to employ a non-Intel CPU. Overall performance of this 40-MHz unit was comparable to Intel 33-MHz-based notebooks (except in the integer-math portion of the BYTE CPU test, where results placed it squarely between the 50-MHz and 66-MHz systems). Its \$2295 price also makes it the only notebook that qualified for both Low Cost and High Performance consideration.

A pointing device is crucial for Windows use. While most of today's notebooks include an integrated trackball with two

buttons, the location and design vary greatly from model to model. Micro-International's design is easy to use if you are right-handed: The trackball sits between the keyboard and the display on the far right side of the system, with the two input buttons on the right side of the case. Lefties may not be as pleased with the placement. By contrast, CompUSA places the trackball above the keyboard and slightly to the left of center, which makes it convenient for either left- or right-handers. The downside is that you're forced to hold your arm unnaturally elevated above the keyboard.

We found some keyboard designs to be unsuitable for long typing sessions. For example, the HyperData HB 2300 DLC/40's keyboard stands a full 1½ inches above the work surface; it's best to use an external keyboard or separate wrist rest when you're using this notebook for long typing periods. The Low Cost-winning Zenith Data Systems (ZDS) Z-Note had a much more comfortable keyboard that approximated the spaciousness and response of a desktop keyboard.

The \$1948 AST Bravo provided several unique hot-key features. You can use keys to toggle through several different gray-scale schemes to find the best color mapping for a particular application. This is especially helpful in determining the quick keys listed in an application menu or viewing the highlight bar. To conserve power on the Bravo, you can use keys to quickly enable or disable the LCD backlighting or enter a low-power mode that reduces both CPU speed and backlight intensity. The Bravo (as well as the Compaq LTE Lite) also includes a pop-up battery gauge that predicts the amount of remaining battery time based on the current usage pattern.

The Texas Instruments TravelMate 4000 WinDX/25 and WinDX2/50 map PageUp, PageDown, Home, and End keys via function-key/arrow-key combinations.

BYTE BEST

WINDOWS

For the sharpest display and best battery...

BEST OVERALL

Compaq LTE Lite 4/25E



This notebook lasts more than 7 hours—90 minutes longer than its nearest competitor. Further, its active-matrix monochrome screen's gray-scale quality, clarity, and range of viewing angles made it the best monochrome screen we saw; its quality even rivaled that of some active-matrix color displays. A good screen like this is important for Windows: It avoids the muddy grays that can easily obscure visual details in a windowing environment. The trackball placement is unusual; it sits next to the screen rather than near the keyboard. The pointer is easy to use, although the small ball sometimes wobbled during use. Numerous security features, such as power-on and setup-utility password protection and a pop-up battery gauge on the LCD, round out the Compaq LTE Lite 4/25E's capabilities.



	PRICE	CPU	WINDOWS SPEED ¹	EASE OF USE	BATTERY LIFE (HOURS:MIN)	SCREEN QUALITY	SCREEN SIZE (IN.)
BEST Compaq LTE Lite 4/25E	\$4339	SL/25	2.61	Good	7:06	Excellent	8.4
RUNNER-UP ZDS Z-Note 425Ln Model 120	\$2599	SL/25	2.89	Good	5:27	Fair	9.5
RUNNER-UP TI TravelMate 4000 WinDX/25	\$2678	DX/25	3.13	Good	4:46	Fair	10
RUNNER-UP AST Bravo NB 4/25s	\$1948	SX/25	2.41	Good	3:16	Good	9.5
RUNNER-UP Twinhead Slimnote 4DX/33M	\$2195	DX/33	2.96	Fair	2:51	Fair	10

Need the fastest Windows performer?

HIGH PERFORMANCE

Micro-International HCP Model 65681M



If you need a notebook with processing power for massive spreadsheets and databases, to perform gray-scale imaging, or for other demanding tasks, the HCP 65681M is for you. It ran our Windows performance tests twice as fast as the Compaq LTE Lite 4/25E, our Best Overall winner. In fact, this was the fastest monochrome notebook in our entire test sample. The HCP 65681M's monochrome screen quality is the best we saw from passive-matrix monochrome displays. In addition, it offers a reasonable battery life (3 hours, 32 minutes), two PCMCIA Type II slots, readable LED status indicators, and an excellent keyboard.

	PRICE	CPU	WINDOWS SPEED ¹	EASE OF USE	BATTERY LIFE (HOURS:MIN)	SCREEN QUALITY	SCREEN SIZE (IN.)
BEST Micro-International HCP Model 65681M	\$2805	DX2/66	5.28	Good	3:32	Good	9.5
RUNNER-UP CompUSA 486DX2/66 Slimnote	\$3228	DX2/66	4.40	Excellent	4:07	Fair	9.5
RUNNER-UP TI TravelMate 4000 WinDX2/50	\$3499	DX2/50	4.75	Good	4:01	Fair	10
RUNNER-UP HyperData HB 2300 DLC/40	\$2295	DLC/40	3.52	Excellent	2:52	Fair	8.8

Budget conscious?

LOW COST

Zenith Data Systems (ZDS) Z-Note 425Ln Model 120



This \$2599 notebook ran slightly faster than our Best Overall system. The Z-Note's display quality isn't in the same league as the Compaq LTE's, but the edgely passive screen was visually pleasing and well above average in our screen-quality tests; it beat the screens of numerous more expensive systems. The screen's wide viewing angle means you can move around while using the notebook and still see what you are doing. The keyboard is a pleasure to use. A built-in Ethernet adapter is standard.

	PRICE	CPU	WINDOWS SPEED ¹	EASE OF USE	BATTERY LIFE (HOURS:MIN)	SCREEN QUALITY	SCREEN SIZE (IN.)
BEST ZDS Z-Note 425Ln Model 120	\$2599	SL/25	2.89	Good	5:27	Fair	9.5
RUNNER-UP TI TravelMate 4000 WinDX/25	\$2678	DX/25	3.13	Good	4:46	Fair	10
RUNNER-UP HyperData HB 2300 DLC/40	\$2295	DLC/40	3.52	Excellent	2:52	Fair	8.8
RUNNER-UP AST Bravo NB 4/25s	\$1948	SX/25	2.41	Good	3:16	Good	9.5
RUNNER-UP Twinhead Slimnote 4DX/33M	\$2195	DX/33	2.96	Fair	2:51	Fair	10

¹ Higher numbers indicate better performance (a 20-MHz 386SX Toshiba T2200SX = 1.0).

THE BEST

COLOR NOTEBOOKS

Color 486 notebooks are the easiest notebooks to use if you are running a GUI. But exceptional screen quality comes with a hefty price premium. Generally, an active-matrix color notebook will cost \$500 to \$1000 more than a similarly configured passive-matrix color system, and a passive-color product will cost \$500 to \$700 more than a passive-monochrome model. Micro-International's notebooks illustrate this: A monochrome unit lists for \$2805, an equivalent passive-matrix color notebook lists for \$3535, and the active-matrix color version lists for \$4305.

Screen quality counted for 20 percent in our evaluation when we chose the best color notebooks. We also factored in performance (30 percent). For all the categories, performance was an average of DOS and Windows test scores. We also considered battery life (20 percent), ease of use (10 percent), features (5 percent), and price (15 percent).

We chose our Best Overall winners from among notebooks with processors rated at 33 MHz and slower. Our High Performance choices considered notebooks with clock speeds of 40 MHz or faster.

To qualify for Low Cost status, a notebook had to be priced at \$2750 or less. Thus, it is not surprising that all the Low Cost systems came with passive-matrix displays. Moreover, 20 of the 21 most expensive notebooks that we tested contained active-matrix color displays. Active-matrix technology adds weight as well as cost—13 of the 20 heaviest models in our sample were active-matrix units.

All the systems considered for the Best Overall category had active-matrix screens; active matrix remains a clearly superior technology. These displays use three transistors to control each pixel's red, green, and blue values. By contrast, passive-matrix screens use three transistors to control an entire row or column of pixels.

Active-matrix displays deliver brilliant, fully saturated colors; deep contrasts; and wide viewing angles. Passive-matrix displays have slower refresh rates and narrower viewing angles, and they are prone to color streaking and pointer *submarining* (where the cursor seems to disappear when you are moving it across the screen). In our screen-quality testing, all the passive-matrix displays posted scores that were well below those achieved by the active-matrix products.

The \$3750 Sager NP843T ranked first among the Best Overall systems, in part for its winning performance in the Excel 4.0a portion of our applications tests. This benchmark, which displays many different multicolored bar, column, line, and pie charts, provides a good basis for comparing video performance, and the Sager NP843T repeatedly placed within the top five in several of these tasks. Runner-up NEC UltraLite Versa 33C outclassed the Sager NP843T in every aspect of our testing, but its steep list price of \$5538 was almost \$1800 higher than the Sager NP843T's—and the

Rankings for This Application Considered:

WINDOWS AND DOS PERFORMANCE 30%

DISPLAY QUALITY 20%

BATTERY LIFE 20%

PRICE 15%

EASE OF USE 10%

FEATURES 5%

Key Notebook Terms

Active matrix

Each pixel of an active-matrix display uses three transistors to control the red, green, and blue signals. This produces vibrant, fully saturated colors; deep contrasts; and wide viewing angles. However, due to manufacturing complexity, users must pay a price premium for active-matrix technology.

Docking station

An external expansion chassis that attaches to a notebook. A docking station can provide adapter slots, drive bays, and ports for attaching an external monitor, keyboard, and mouse. It provides the means for using the notebook as a desktop unit when you're not traveling.

Dual scan

An enhanced passive-matrix screen technology that divides the screen into two portions. Dual scan improves the refresh rate of the screen by updating two lines simultaneously. This technology is twice as fast as standard passive screens that update one line at a time.

Hot swap

The ability to swap batteries while using the notebook, without shutting off the power.

LCD

Liquid crystal display; a common display technology used in portable computers that uses a liquid between two transparent electrodes. When an electric current passes through the electrodes, the molecules in the liquid form a crystalline pattern that polarizes the light passing through it.

Nickel cadmium, NiMH

Two battery chemistries prevalent in mobile computers. Nickel-cadmium batteries are prone to the *memory effect*: When they are recharged before they are completely drained, subsequent charges tend to run out at about the point where they were last recharged. Nickel-cadmium batteries are being replaced by more expensive NiMH (nickel-metal-hydride) batteries, which offer more power per pound than nickel-cadmium batteries and do not exhibit the memory effect.

Passive-matrix

Each column or row of pixels in a passive-matrix display uses three transistors to control the red, green, and blue signals. Passive-matrix units produce slower refresh rates and narrower viewing angles than active-matrix displays (see Active matrix, above). This technology is also subject to color streaking and pointer *submarining* (where the cursor seems to disappear when being moved across the screen).

PCMCIA

An acronym for Personal Computer Memory Card International Association, as well as the name of the standard established by that association. PCMCIA is a hardware and software specification for memory, I/O, storage, and communications (e.g., fax, modem, and network adapter) devices. All these devices can be inserted into a credit-card-size slot (the slots range from 3.3 millimeters to 10.5 mm in height) in the notebook without any need for configuration by the user. The standard has yet to achieve plug-and-play compatibility, however.

Power management

A common feature in portable computers that conserves battery life by shutting down system components such as the hard drive and the display. Some systems slow down the CPU's clock speed as well.

second highest among all 62 tested notebooks. (The price of the Versa 33C is partly owing to this unit's having 12 MB of RAM; most of the reviewed notebooks included only 8 MB.)

Most color notebooks require more power to operate than monochrome units do. Monochrome notebooks averaged 3 hours, 19 minutes of battery life, while the average battery life of the color models was only 2 hours, 48 minutes. Eight out of the 10 best battery times were produced by monochrome products.

However, this is merely an overall trend in our testing; there are plenty of exceptions. Six color notebooks achieved battery-life numbers that were higher than the monochrome average. The Acer Note 750C, the winning Best DOS Color notebook, lasted 4.5 hours, which places it within the top five models for battery endurance.

The median battery life for an active-matrix color system was 2.9 hours, outlasting the median time of 2.5 hours for the passive-matrix models. Once again, we saw exceptions. Our low-cost leader, the Toshiba Satellite T1900C, outlasted more than two-thirds of all the notebooks tested, with 3 hours, 17 minutes of staying time.

All the notebooks in this review offer a maximum internal resolution of 640 by 480 pixels. However, nearly all support higher resolutions, either 800 by 600 or 1024 by 768 pixels, on external monitors. This is especially important if you want your notebook to serve as your desktop system. Among top color systems, only the Toshiba Satellite does not support 1024 by 768 pixels externally: It supports only 640 by 480 pixels.

Simulscan support, which is the ability to simultaneously display on both the internal LCD and the external monitor, is another important consideration. Only nine of the tested notebooks—including the Toshiba Satellite—did not support this feature.

BYTE BEST

COLOR

Need the best color at an affordable price?

BEST OVERALL

Sager NP843T



The Sager NP843T's 10-inch, backlit, active-matrix display scored top honors for quality in the color purity section of our screen-quality test. Overall, this screen was in the top three for clarity and brilliance in displaying color text and graphics. The NP843T's speed score was the second fastest of the 12 33-MHz color notebooks we tested and was faster than one system with a higher clock rate. The keyboard is well built, with a nice, crisp response; most of the keys are full-size, making it easy to use. The Sager's trackball is located on the upper right edge of the keyboard.



	PRICE	CPU	OVERALL SPEED ¹	EASE OF USE	BATTERY LIFE (HOURS:MIN)	SCREEN QUALITY	SCREEN SIZE (IN.)	SCREEN TECHNOLOGY
BEST Sager NP843T	\$3750	DX/33	2.99	Good	2:52	Excellent	10	Active
RUNNER-UP NEC UltraLite Versa 33C	\$5538	SL/33	3.06	Excellent	2:55	Excellent	9.5	Active
RUNNER-UP AST Power Exec 4/25SL ColorPlus	\$4758	SL/25	2.18	Excellent	3:49	Excellent	9.5	Active
RUNNER-UP Acer Note 750C	\$3988	SL/25	2.22	Excellent	4:28	Good	9.5	Active
RUNNER-UP NEC UltraLite Versa 25C	\$4888	SL/25	2.52	Excellent	2:40	Excellent	9.5	Active

Need speed and color?

HIGH PERFORMANCE

Micro-International HCP Model 65681C



This passive-matrix color notebook was the third-fastest system in our entire sample. It repeatedly placed within the top three slots in our video-intensive application tests and flew through tests like our WordPerfect 5.1 for DOS print preview, charting portions of the 1-2-3 for DOS and Windows benchmarks, and the font-change section of the Word 2.0 for Windows test. Color detail was good, with crisply defined text in all modes. The display's viewing angle was above average, but the colors themselves were washed out.

The keyboard was well arranged and had an excellent feel: All the keys were large, were placed where a touch-typist would expect to find them, and had nice travel.

	PRICE	CPU	OVERALL SPEED ¹	EASE OF USE	BATTERY LIFE (HOURS:MIN)	SCREEN QUALITY	SCREEN SIZE (IN.)	SCREEN TECHNOLOGY
BEST Micro-International HCP Model 65681C	\$3535	DX2/66	3.92	Good	2:33	Fair	9.5	Passive
RUNNER-UP AMS TravelPro 5366A	\$3895	DX2/66	3.39	Good	2:52	Good	9.5	Active
RUNNER-UP TI TravelMate 4000 E WinDX2/50	\$5278	DX2/50	3.62	Good	2:36	Excellent	8.5	Active
RUNNER-UP Twinhead Slimnote 4DX2/66T	\$4399	DX2/66	3.41	Fair	2:38	Good	8.5	Active
RUNNER-UP Amrel 486DX2/66 AC	\$5249	DX2/66	4.13	Fair	1:30	Good	8.5	Active

Need economical color?

LOW COST

Toshiba Satellite T1900C



Toshiba's new Satellite presents a good set of features in a low-cost package. The passive-color screen did well on our quality tests, providing crisp text and good graphics, but it offered limited left/right visibility. This means that you'll be able to read the screen easily, but only from head on. The notebook is based on the SXA/20 chip and provides more than enough performance for day-to-day activities: Its performance was faster than that of 19 of the 27 systems with clock speeds less than 33 MHz, and faster than two 33-MHz systems. It uses a QuickPort mouse, which simplifies the process of attaching and detaching the external mouse. Sliding port-covers slip inside the case so they won't easily break or get lost. A Type III PCMCIA slot further distinguishes the Satellite: Only nine other systems support the larger Type III slots.

	PRICE	CPU	OVERALL SPEED ¹	EASE OF USE	BATTERY LIFE (HOURS:MIN)	SCREEN QUALITY	SCREEN SIZE (IN.)	SCREEN TECHNOLOGY
BEST Toshiba Satellite T1900C	\$2700	SXA/20	2.03	Excellent	3:17	Fair	9.5	Passive
RUNNER-UP AST Bravo 4/25s Color Model	\$2748	SX/25	2.14	Good	2:15	Fair	9.5	Passive
RUNNER-UP AMS TravelPro 4533 PAS	\$2495	DX/33	2.66	Good	2:11	Poor	7.75	Passive

¹ Higher numbers indicate better performance (a 20-MHz 386SX Toshiba T2200SX = 1).

The ZEOS® Contenda That Great Things Come


**Less than
4 pounds, yet
runs Windows!**

**Intel 386SL or
486SL CPU**

**486SL version
has local bus
video for
Windows
acceleration!**

**VGA backlit
screen**

**Built-in
trackball**



**"...if you're
looking for a
subnotebook
and want to
make next to
no compromis-
es, then the
\$1295 ZEOS
Contenda is
your best bet!"**

—PC Week

Smaller than a notebook. Lighter than your briefcase. The ZEOS Contenda subnotebook is proof that great things come in small packages...including plenty of power to run Windows wherever you go!

We start with a smart Intel SL processor—your choice of either a 386SL-25 or new 486SL-25. You'll find that the Contenda's processor extends your battery life significantly—because it's intelligent enough to power-down the memory, disks, modem and more when they're not in use.

What's more, the Contenda's features make it a pleasure to use. Features such as a high-resolution backlit screen that's crisp and vibrant. A built-in trackball so you won't have to tote a mouse around. And with a standard 80MB hard drive, memory up to 10MB and weight of less than four pounds, it's one powerful, portable Windows workhorse!



nda.™ Solid Proof me in Small Packages.

PACKAGE 1

386SL Contenda: \$1295

Lease: \$59/month

- 2MB RAM
- 80MB IDE hard drive

486SL Contenda: \$1795

Lease: \$66/month

- 4MB RAM
- 80MB IDE hard drive

PACKAGE 2

386SL Contenda: \$1595

Lease: \$62/month

- 4MB RAM
- 80MB IDE hard drive
- External 3.5" floppy disk drive
- MS-DOS 6.0
- Microsoft Windows 3.1
- Lotus Organizer

486SL Contenda: \$1995

Lease: \$73/month

- 4MB RAM
- 80MB IDE hard drive
- External 3.5" floppy disk drive
- MS-DOS 6.0
- Microsoft Windows 3.1
- Lotus Organizer

FAVORITE OPTIONS

ACCESSORIES

- External 3.5" floppy disk drive \$99
- Extra battery \$99
- External charging stand \$79
- Custom leather carrying case \$129
- Custom nylon carrying case \$79
- DC-DC adapter \$49

MEMORY UPGRADES

- 386SL: 2MB to 4MB upgrade \$99
- 386SL: 4MB to 10MB upgrade \$561
- 486SL: 4MB to 8MB upgrade \$198

COMMUNICATION

- FastLynx File transfer software \$79
- Internal 2400 bps modem with 9600 bps send fax and 4800 bps receive fax \$99
- Xircom Ethernet adapter (10BT or Coax) \$349

PACKAGE 3

386SL Contenda: \$1795

Lease: \$69/month

- 4MB RAM
- 80MB IDE hard drive
- External 3.5" floppy disk drive
- Custom leather carrying case
- Extra battery
- Internal 2400 bps modem with 9600 bps send fax and 4800 bps receive fax
- MS-DOS 6.0
- Microsoft Windows 3.1
- Lotus Organizer

486SL Contenda: \$2395

Lease: \$87/month

- 8MB RAM
- 80MB IDE hard drive
- External 3.5" floppy disk drive
- Custom leather carrying case
- Extra battery
- Internal 2400 bps modem with 9600 bps send fax and 4800 bps receive fax
- MS-DOS 6.0
- Microsoft Windows 3.1
- Lotus Organizer

AWARD-WINNING SERVICE & SUPPORT



We're the only company to win PC Magazine's Readers' Choice for Service and Reliability—for both desktops and notebooks—twice!

TOLL-FREE TECH SUPPORT AT ANY HOUR.

We're here for you 24 hours a day, 365 days a year, and always a toll-free phone call away.



WARRANTIES & GUARANTEES.

All ZEOS systems come with a One Year Limited Warranty, Express Parts Replacement Policy and a 30-Day Money-Back Guarantee. You're going to be very satisfied. *We guarantee it!*

STANDARD WITH EVERY ZEOS CONTENDA:

- 25MHz 80386SL or 80486SL microprocessor.
- RAM expandable to 8MB for 486SL, 10MB for 386SL.
- IDE hard drive.
- Display: 640 x 480 VGA backlit, .23 dot pitch, Sharp 7.4" diagonal, up to 64 shades.
- 256K (386SL version) or 512K (486SL version) video RAM.
- 486SL version includes 3.3v technology for added battery life, PI local bus for Windows acceleration, high-speed floppy drive controller, built-in math coprocessor.
- Supports simultaneous display with an external SVGA color monitor.
- Replaceable and rechargeable NiMH battery.
- 80-key keyboard with embedded numeric keypad and easy-to-use built-in trackball.
- One serial port, one parallel port, one video port, and ports for optional internal fax/modem and external floppy drive.
- AC adapter with full range from AC110-240V to DC.
- Power Management: Fully featured, including De-turbo, programmable Standby features and Suspend to disk.
- Password feature built-in ROM.
- 9.7" x 6.1"; 3.9 lbs.
- FCC Certified Class B; UL Listed.
- Complete ZEOS Customer Satisfaction Package.



CALL NOW TOLL FREE
800-554-5226
24 HOURS A DAY

Fax Orders: 612-633-1325. Government: 800-245-2449, TDD Orders: 800-228-5839, Outside U.S. and Canada: 612-633-6131. MasterCard, VISA, Am Exp, Discover, Z-Card, COD and Leasing programs. Open 24 Hours a Day, 365 Days a Year!

Purchase orders from Fortune 1000 companies, governments and institutions subject to approval. Leasing programs available. All prices and specifications are subject to change without notice. Please call to confirm pricing, specifications and warranty details. All products and company names are trademarks or registered trademarks of their respective holders. The Intel Inside logo is a registered trademark of the Intel Corporation. The Energy Star emblem does not represent EPA endorsement of any product or service. ©1993 ZEOS International, Ltd., 1301 Industrial Blvd., Minneapolis, MN 55443 USA. ZEOS is a publicly traded company (NASDAQ symbol: ZEOS, NYSE: ZEOS).



How We Tested

PERFORMANCE

We tested each 486-class notebook with a performance suite of combined BYTE low-level DOS and Windows benchmarks, along with Windows application tests developed by NSTL. Mac PowerBooks ran BYTE's Macintosh Performance Benchmarks version 2.0.

The BYTE DOS low-level tests measure performance of specific system components, including CPU, FPU, memory, video, and hard drive. The Windows low-level tests exercise the Windows GDI (Graphical Device Interface). These determine how well a system can execute basic graphics calls within Windows, including calls that display pixels, lines, rectangles, polygons, and ellipses. Text and BitBlt operations are also executed. Windows-based performance tests (both low-level and application) were executed in 640-by 480-pixel resolution at 16 colors.

The NSTL application tests use popular business applications that give a real-world representation of notebook performance. For DOS tests, we use WordPerfect 5.1, Lotus 1-2-3 release 2.4, FoxPro 2.0, and Autodesk Animator Pro 1.0. Our Windows application tests include Microsoft Excel 4.0a, Microsoft Word 2.0b, and Lotus 1-2-3 for Windows 1.1.

All applications execute macros that exercise common areas of each application. For instance, the Word for Windows test includes many subtests that measure a variety of activities, including common file I/O, search and replace functions, changing fonts, page and line scrolling, spelling checking, print preview, and print to file.

For comparisons, we scaled all test scores against a 20-MHz 386SX Toshiba T2200SX, whose performance equaled 1.0 in our index. Thus, a system with an overall performance index of 3.0 executed our tests three times faster than the baseline T2200SX.

The Macintosh performance suite is a sequence of 13 tests. Four are low-level performance tests, concentrating on the CPU, FPU, disk, and video. Two others are the industry-standard LINPACK and Dhystone tests. Finally, the suite includes seven application tests, including word processing, desktop publishing, database, program development, graphics, mathematical, and spreadsheet.



Testing team (clockwise): Richard Fox, Siva Kumar, Stephen Platt, Alan Joch, and Anthony Lennon

All test scores are scaled relative to the baseline Mac Classic II.

EASE OF USE

To gauge usability, we evaluated several factors. Keyboard quality was important, and we considered whether non-character keys were located in more-or-less standard positions, how comfortable the typing angle was, and the crispness of key response.

We judged pointing devices by considering whether the design accommodated both left- and right-handed users and whether the pointer's location was within convenient reach from the keyboard. We considered status indicators: Were the common conditions (e.g., battery low and hard disk access) represented? Was the indicator's meaning obvious or obscure? Were indicators easy to see?

We also looked at the less-frequently-used areas of battery installation, setup utility, memory expansion, ports, and overall construction. Finally, we considered the completeness and clarity of the technical documentation.

SCREEN QUALITY

We evaluated three aspects of display quality: crispness, intensity/color range, and viewing-angle range. Crispness measures how detailed the line- and character-drawing abilities of the screen are. We ran numerous tests to examine text clarity in both color and monochrome environments; horizontal and vertical line placement; color and gray-scale displays; LCD streaking; and solid color and black, gray, and white regions.

We used DisplayMate Professional 1.0 from Sonera Technologies, which provides a wide range of monitor tests.



Color bars helped our panel of testers rate displays for color purity and depth.

All the tests were run in a darkened room and examined by a panel of testers. Many of the tests were rerun at different times to ensure that our results remained consistent throughout the testing cycle.

To determine color quality, we displayed a color bar on each of

the color systems and segregated displays into five categories, ranging from those with bleached and barely distinguishable colors up through the best

Windows at Your Fingertips



"Scoring high in overall value and design, the Micro Electronics WinBook gives you a lot for your money, including an outstanding integral trackball."

PC MAGAZINE, August 1993, Cover Story: Portable Computing

The WinBook by Micro Electronics™ gives you all the power to run Windows, and a unique, ergonomic design to make it easier to use.

It features a built-in, centered trackball which allows you to control cursor movements effortlessly with either thumb without having to lift a single finger off the keyboard. Full-size keys and the WinBook's exclusive sloping hand rest let you work in total comfort.

The WinBook comes with the power and speed needed to run Windows effectively. You get 4MB memory, the new ultrafast 486 SLC/E processor and




Dual-button trackball centered under the keyboard

the Motorola chipset which provides eight power-saving features, even while running Windows. Plus, we have fine-tuned the WinBook's screen. In monochrome and now in dual-scan STN color—you get sharper and clearer images with less cursor loss.

The WinBook was engineered for Micro Electronics, a division of MEI/Micro Center, Inc. MEI is America's leading direct source for computer accessories. Micro Center has been selling PCs for more than 14 years—longer than IBM or Compaq—with over 736,000 units sold. With over 2.2 million satisfied customers nationwide, we have developed a superior support staff, including top engineers and technical specialists. So you always get the highest quality product at the lowest possible price.

Before you choose a notebook computer, look at the WinBook—the first notebook computer designed specifically for Windows.



WinBook

The 5.4lb. WinBook, designed by award-winning Palo Alto Design

- Includes a 9600 baud send/4800 baud receive fax/2400 baud modem.
- Fast-acting LCD screen for less cursor loss.
- Industry-standard PCMCIA 2.0 slot for future expandability.
- 512k video RAM.

Longer battery life

The WinBook features NiMH 2200 MA batteries with gold-plated contacts. This allows it to run much longer than units with traditional NiCAD batteries—and there's no memory effect.



Clean, sharp color display

The WinBook's advanced, dual-scan color display gives you 99% shadow-free performance compared to other single-scan passive matrix displays. You get near active matrix quality at a passive matrix price!

Act now for a special offer from Hewlett Packard and WinBook!



\$299*

Team your new WinBook with the Hewlett Packard DeskJet Portable printer and you get quality and value in portable printing and computing! The Hewlett Packard DeskJet Portable printer weighs only 4.7 pounds and uses the same inkjet technology as other DeskJet models. At only \$299*, you can't afford to miss this offer!

*\$299 after \$75 mail-in rebate. For more information, call 1-800-468-0366.

Specifications

Size/Weight

- 11" X 8 3/4" X 1 3/4"
- 5.4 lbs. with battery (monochrome)
- 5.9 lbs. with battery (dual-scan color)

Pointing Device

- 16mm Alps dual-action, Microsoft-compatible trackball

Battery

- Up to 3 hours with power management (less 30 minutes for color)
- NiMH (no memory effect)
- 2200 MA with gold-plated contacts
- Worldwide auto-sensing AC adapter
- Quick 2-hour recharge

Power Management

- Eight power-saving features

Processor and Memory

- 486 SLC/E-25MHz CPU
- 4MB RAM
- 1MB ROM for AMI BIOS
- Motorola chipset
- 1k internal cache

Drives

- One built-in 1.44MB 3.5" floppy drive
- Monochrome: Internal 120MB (15ms) hard drive
- Color: Internal 250MB (16ms) hard drive

Software

- Comes loaded with MS-DOS 6.0 and

Microsoft Windows 3.1

Display

- Super-twisted 64 grayscale, 10" LCD and 1024 x 768 for external monitor with 512k video RAM
- Optional dual-scan STN color display
- Adjustable contrast and brightness
- Visible LED indicator on cover-down

Keyboard

- Full-function keyboard with 85 keys and 4 inverted-T cursor control keys, 3.0mm keyboard spacing

Modem

- Fax-9600 baud send/4800 baud receive/2400 baud modem

I/O Ports


- PS/2 mouse interface/AT keyboard interface

- PCMCIA 2.0 slot
- Serial: 9-pin connector
- Parallel port
- Video: 15-pin connector for CRT
- 160-pin docking station

Options

- Coprocessor
- Docking station

©1993 MEI/Micro Center, Inc. All rights reserved. Micro Center is a registered trademark of Micro Electronics, Inc. MEI is a registered trademark of Micro Electronics and WinBook are trademarks of MEI/Micro Center, Inc. All other trademarks and registered trademarks are property of their respective corporations.



Internal 3.5" floppy disk drive PCMCIA 2.0 slot Mouse/keyboard, parallel, serial and VGA ports plus PCMCIA expansion

Docking station gives you desktop power

With the available docking station, your WinBook instantly becomes a full-function desktop computer. The two expansion slots and drive bays allow you to add peripherals such as monitors, hard drives, CD ROMs, I/O cards or an extended keyboard. It also includes parallel, serial, PS/2 mouse, external keyboard and VGA ports.

And it's just \$399!



Service, warranty and support

- 72-hour service turnaround guarantee.
- 30-day unconditional money-back warranty.
- 24-hour burn-in protection.
- One-year limited warranty on parts and labor.
- Toll-free technical support for the life of the computer.

Your satisfaction is unconditionally guaranteed for 30 days from date of purchase. If for any reason whatsoever you are not satisfied with your purchase from us, we want you to return it. We will be glad to repair the product or give you your money back.

No-risk, 30-day unconditional money-back guarantee

Convenient payment options

Use your VISA, MasterCard, Discover Card, personal check or P.O. with credit approval



Micro Electronics
a division of MEI/Micro Center, Inc.

Order the WinBook today. Call 1-800-468-0366

1160 Steelwood Rd., Columbus, OH 43212 • FAX: 1-800-448-0308 • Monday through Friday, 8am-9pm EST • Saturday, 9am-4pm EST

Circle 197 on Inquiry Card.

How We Tested *(continued)*

screens with solid, pure colors. A similar test was performed for monochrome systems using a 16-level gray scale. For monochrome systems, we looked for level gradation, evidence of *banding* (i.e., groupings of gray levels in the middle of the display), and the intensity of the white and black bands.

We measured the viewing-angle range of each display using a rotating platform that allowed us to move the test unit left and right until we detected visible distortion in the display. Distortion includes loss of text, color changes, or glare caused by the design of the backlighting or edgelighting. After testing the left/right range, we tilted the screen to measure the vertical viewing range.

After we computed a display's viewing range, we compared it to the range of the best system we tested; in this way, we determined ratings for each screen. Screens tended to cluster at viewing ranges of 55 to 60 degrees, 35 degrees, 20 degrees, and 10 degrees, providing



Thumper 2 rates notebook battery life by mimicking a word processing session and working with each notebook's power management capabilities.

four categories: excellent, good, fair, and poor.

Our final screen evaluation combined all three factors—clarity, quality, and range. Monochrome systems were evaluated separately from color displays; however, we grouped active and passive screens together.

We measured PowerBook screen quality using a modified version of our notebook screen methodology that included our viewing-angle measurements. DisplayMate doesn't run on the Power-

Books, so we substituted similar Mac screens on a test-by-test basis.

BATTERY LIFE

We measured battery performance using BYTE's Thumper 2 battery-life tester. Thumper mimics real-world use by running a program that replicates a typical word processing session. It uses robotic arms and an optical sensor to detect and control each notebook's power management functions.

We configured each notebook's power management features to let the hard drive spin down and the screen's backlighting shut off after a set period of inactivity. The notebook is also allowed to enter a standby mode during the test cycle. Each notebook is put through the test cycle repeatedly until the battery is dead. Note that results from any battery-life test, including Thumper 2, are meant as a guideline. Your usage patterns will affect your system's battery life.

CONFIGURATION

Our testing was open to all 486-class notebooks. We specified that the system must have a minimum of 8 MB of RAM and at least a 120-MB hard drive (the AMS TravelPro 4533 PAS and TravelPro 5366A that we received contained only 80-MB hard drives and so were evaluated with that configuration). Each notebook had to have an internal floppy drive and a VGA display. The products all weighed less than 7 pounds without a battery or AC adapter.

OUR TEST TEAM

Richard Fox, Senior Testing Engineer/NSTL, has spent the last two years testing compatibility and performance of notebooks, systems, and applications software.

Alan Joch, Senior Editor/BYTE, coordinates the combined testing between the BYTE Lab and NSTL.

Siva Kumar, Technical Analyst/NSTL, specializes in hardware and network operating-system testing.

Anthony Lennon, Technical Editor/NSTL, conducts evaluations of notebooks, systems, and peripherals.

Stephen Platt, Manager of Unix Development/NSTL, directs testing of Unix hardware and software, Windows NT, and network operating systems.

KEY NOTEBOOK FEATURES

We considered the following features most important for 486 notebooks:

FLASH ROM BIOS	Allows you to upgrade the BIOS without taking the notebook apart to replace chips
SUPER VGA SUPPORT	Important for connecting to an external monitor when you're not traveling
ENHANCED OR BIDIRECTIONAL PARALLEL PORTS	Improved performance with network adapters and printers
INTEGRATED POINTING DEVICE	Eliminates extraneous parts and cables
PCMCIA SLOTS	Needed for future generations of modems, network adapters, and storage devices
PASSWORD PROTECTION	For added data security on the road
REMOVABLE HARD DRIVE	For added data security, notebook sharing, or efficient data transfer to another unit

The Lab Report is an ongoing collaborative project between BYTE Magazine and National Software Testing Laboratories (NSTL). BYTE Magazine and NSTL are both operating units of McGraw-Hill, Inc.

altima



Altima Is the Ultimate in Notebook Power, and the Ultimate in Sub-notebook Performance.

It's not enough just to say we're continuing our tradition of bringing buyers more powerful, more innovative notebook computers at more affordable prices. We do it.

Now by offering our new Altima notebooks with the fastest available i486DX2-66 CPU plus the brandnew sub-notebooks. And they're ready for you today!

Each of these professional-grade products is a technical break-through, intended to lengthen our lead in the industry and to strengthen your own competitive marketing positions.

A long list of satisfied customers proves that "Altima" is a name you can trust. Take a step closer and see for yourself why our notebooks and sub-notebooks win awards and stand so far apart from others who have comparable products.

The Most Powerful Notebooks (Winner of The Notebook High Honors Award of 1993 by Mobile Office Magazine)

- * CPU: Intel 486DX2-66
- * Model 466: 10" CCFT backlit LCD with 64 gray scales
- * Model 466C: TFT color LCD with backlight
- * RAM: 4-20MB
- * HDD: 120/210MB
- * Internal Fax/Modem, built-in trackball
- * Only 2.9KGs Including battery
- * Dimension: 11" x 8.7" x 1.8"



Pioneering Sub-notebooks (Finalist of the Best Portable products Award by BYTE at COMDEX SPRING)

- * CPU: Intel 486SL-25/486SX-25/486DX-33 or Cyrix Cx486SLC-33
- * 8" transmissive LCD with backlight
- * PCMCIA type 2 interface
- * Removable 2.5" HDD, 80/120MB
- * RAM: 4-20 MB (486SL/486SX/486DX) 2-8 MB (486SLC)
- * Battery: Minimum 4 hours
- * Weight: 1.8KGs including battery
- * Dimension: 10" x 7.1" x 1.57"

SYS SYSTEMS 93

München, 18. - 22. Okt.

Other Altima Notebook Choices:

Model SLC 33 (486SLC-33), Model 433D (486DX-33), Model 433C (486DX-33 TFT color LCD)

Booth No:
H21 / A18

MULTIVENTURE MARKETING CORP.

6F, No. 59, Sec. 2, Tun Hua S. Rd., Taipei, Taiwan, R.O.C. TEL: 886-2-7073123

FAX: 886-2-7031380. 7031364

Circle 539 on Inquiry Card.

Macintosh PowerBooks

Apple has come a long way since the days of the PowerBook 100. The current PowerBook line boasts performance levels and features that rival those of many leading PC notebooks. We focused our evaluations on the PowerBook 165c, 180, and 180c, all of which use the Motorola 68030 CPU. We omitted DuoDocks because they don't contain internal floppy drives. The three tested PowerBooks are virtually identical except for their displays: 9-inch passive-matrix color in the 165c, 10-inch active-matrix monochrome in the 180, and 8.4-inch active-matrix color in the 180c.

All the PowerBooks have the same physical keyboard: a standard chassis topped with a set of full-size keys in the standard Mac layout. All have the same trackball, which is large and comfortable to use, with buttons both above and below the ball. It's the best mouse replacement we've seen for right-handed, left-handed, and ambidextrous people. The wrist rest is large, with no obstructing features.

SCSI, LocalTalk, external monitor, sound I/O, and two serial ports are all standard. The PowerBook external video monitor can either mirror the display (showing the same information) or act as a dual display (providing a second desktop, giving you more surface area for applications).

Internally, the three PowerBooks are all based on the same 68030 CPU and 68882 FPU (both at 33 MHz), with the same memory expansion capabilities (4 to 14 MB). The 165c and 180 come with either 80-MB or 120-MB hard drives,

while the 180c offers 160-MB drives.

Since they are based on the same processor technology, you would expect the PowerBooks to provide the same level of performance (see the table). In processor-intensive tasks, we found this to be true. However, we saw wide differences in video-processing tests, such

as the spreadsheet (charts and diagrams) and database (full-screen redraw of displayed data). The monochrome 180 showed a 4-to-1 advantage in screen speed over its two color cousins. excellent screens. We found that the Compaq's smaller screen (8.4 by 10 inches) produced slightly better gray scales and had a wider viewing angle. Both had left/right viewing angles of approximately 55 to 60 degrees in each direction, but the Compaq's screen could be tilted back twice as far (30 degrees versus 15 degrees) before it became difficult to read.

The active-matrix color screen of the PowerBook 180c was beautiful. Clear, crisp, and with good saturated colors, it was equivalent to the best of the PC color screens in both quality and viewing angle. It had a viewing angle equivalent to the NEC UltraLite Versa 33C's—you could twist it left, right, and back until it was practically flat and still read text. Likewise, the colors were as solid as those of the AST

Power Exec 4/25SL Color-Plus, which had the best PC screen. In some senses, the 180's was the best color screen we saw; our only complaint was that it was small (8.4 inches versus the Power Exec's 9.5 inches).

In the end, we can recommend two PowerBooks: the PowerBook 165c and the PowerBook 180c. If your budget is limited, the \$2339 PowerBook 165c is a solid choice. Its screen quality is acceptable, and the price compares well with PC passive-matrix color systems. If your pockets are deeper, choose the PowerBook 180c. For only an additional \$330 over the cost of the monochrome 180 (\$4079 vs. \$3749), you gain a top-quality color screen. Denying yourself one of the best active-matrix color screens for a savings of less than 10 percent is a decision you may regret later.



From left to right: The PowerBook 180c, with an active-matrix color display; the monochrome-version 180; and the 165c, a passive-matrix color PowerBook.

as the spreadsheet (charts and diagrams) and database (full-screen redraw of displayed data). The monochrome 180 showed a 4-to-1 advantage in screen speed over its two color cousins.

Battery life for all the PowerBooks was similar to that of comparably equipped PCs. PowerBook screen quality was generally better than that of DOS/Windows notebooks. The passive-color screen of the PowerBook 165c, which was the worst PowerBook screen, was equivalent to a mid-quality PC passive-color screen. It had clear text and one of the widest viewing-angle ranges among passive-matrix color displays, but its colors were washed out.

The active-monochrome PowerBook 180 has only one rival in the PC group—the Compaq LTE Lite 4/25E. Both had

RESULTS OF THE BYTE MACINTOSH BENCHMARKS VERSION 2.0

Figures shown are summary index figures and represent how many times faster the notebook is than a Mac Classic II, with an index of 1. The exception is the Overall App Index (the sum of all the application indexes, for which the Mac Classic II scores 7.0).

	LOW-LEVEL				APPLICATION							
	CPU Index	FPU Index	Disk Index	Video Index	Word Processing Index	DTP Index	Database Index	Development Index	Graph App Index	Scientific Index	Spreadsheet Index	Overall App Index
PowerBook 165c	2.59	10.49	1.71	0.57	2.73	1.72	1.98	1.89	1.98	4.16	4.92	19.39
PowerBook 180	2.60	10.68	1.72	2.00	2.76	1.81	2.50	2.19	2.63	4.46	5.54	21.91
PowerBook 180c	2.59	10.64	1.70	0.55	2.74	1.68	2.10	2.13	1.44	4.16	5.10	19.35

If It Were A Baseball Player, It Would Hit Home Runs, Toss No-Hitters, Steal Bases, And Sign For Under \$200.

Okay, it hasn't happened in baseball. But in the computer world, there's a major league player in the communications game that can pretty much do it all. Introducing CommWorks™ for Windows™ by

Traveling Software. The first complete communications package that gives you more flexibility than ever to do business away from the office. For starters, there's **LapLink® V**, the number one selling file transfer program. You can make unattended, regularly scheduled file transfers at anytime, from any place. And for local file transfers, use the included serial cable. CommWorks also allows you to send and receive a


Fax

from your PC quickly, easily and privately. CommWorks also features **Remote Access**, which brings remote files and printers directly to your PC wherever you are. And with

the online program, you can tap into MCI Mail®, CompuServe®, or other **Online Services**

at the click of a button. What's more, the CommWorks Control Center puts all these communications tools at your fingertips. See your local dealer or call Traveling Software direct for \$50 off the introductory

SRP of \$199.95. And get the one who can do it all. Without the overblown salary.




Introductory Offer
Call for \$50 off
(800) 472-4735

Introductory offer good through Dec. 31, 1993 and valid only when purchased direct from Traveling Software. SRP \$229.95. Introductory SRP good through Dec. 31, 1993. © 1993 Traveling Software, Inc. 18702 North Creek Parkway, Bothell, WA 98011, (206) 483-8088. CommWorks is a trademark and LapLink is a registered trademark of Traveling Software. Other products are trademarks or registered trademarks of their respective companies.

Circle 148 on Inquiry Card (RESELLERS: 149)





The notebook industry's first 4mm, full-travel keyboard with the look and feel of a desktop system.

Built-in Windows plus 50MHz 486DX2 processor (with coprocessor) for blazing performance.

TEXAS INSTRUMENTS
TravelMate 4000E
 486 WinDX2/50MHz
 Active Matrix Color



TravelMate, WinDX2 and "Extending Your Reach With Innovation" are trademarks of Texas Instruments. Ballpoint and Quickport are trademarks of Microsoft Corp. Ethernet is a registered trademark of Xerox Corp. The Intel Inside logo is a trademark of Intel Corp. The Ready-to-Run logo is a trademark of Microsoft Corp. ©1993 TI.
 *Based on industry standard application performance speed tests.

New brilliant Active Matrix display – 640 x 480 VGA with high-speed video system for lightning fast graphics.

**ACTIVE COLOR.
486DX2 50MHz POWER.
WINDOWS IN 15 SECONDS.
HEY, WHAT ARE YOU
WAITING FOR?**

New TI TravelMate™ 4000E WinDX2™/50 Active Matrix Color

If you've been waiting for an active matrix color notebook with true desktop power, your wait is over. Thanks to the new TravelMate 4000E WinDX2/50 Active Matrix Color notebook

from Texas Instruments.

With 256 brilliant, simultaneous colors and a 50MHz 486DX2 processor, this power-

house doesn't just whisper color, it screams it.

house doesn't just whisper color, it screams it. And yet the TravelMate 4000E weighs a mere 6.2 pounds, including battery. This convenient size and weight gives you more performance* than the leading 486 notebooks.

Thanks to the built-in Windows 3.1 and useful TI utilities, you can power up to Windows in just 15 seconds. And the TravelMate 4000E is Windows NT-compatible. With 4MB of main memory, expandable to 20MB, you're ready for today's and tomorrow's software.

Using the mouse on the TravelMate 4000E is a snap. The Microsoft BallPoint™ mouse with QuickPort™ connection snaps on and off and needs no cable, giving you more flexibility and better ergonomics than a built-in mouse. With the

industry's first 4mm, full-travel keyboard, the TravelMate 4000E gives you the feel of a desktop.

If you work on the go, you'll also go for the rugged 200MB hard disk drive, the high-speed video bus and 1MB of video RAM, as well as the full range of connectivity options – snap-on modules for Ethernet® LANs, SCSI-compatible devices and an internal 14,400 bps V.32 bis modem with 9,600 bps send/receive fax capability.

50MHz DX2 processor with coprocessor provides desktop performance in a notebook.



Of the leading active matrix color notebook manufacturers, only TI offers the desktop performance of a 50MHz DX2 processor.

Active Color Notebook	Weight (lbs.)	486 Processor	Speed	Coprocessor
TravelMate 4000E	6.2	DX2	50MHz	Yes
Toshiba T4600C	6.9	SL	33MHz	Yes
Compaq LTE Lite 4/33c	6.5	SL	33MHz	Yes
IBM ThinkPad 720C	7.6	SLC2	50MHz	No

Texas Instruments offers over 10 models of 486 notebooks for you to choose from.

TI TravelMate 486DX2 Notebooks



For more information about the only 486 notebook family that won five Editor's Choice awards in PC Magazine's August issue, call 1-800-527-3500.

EXTENDING YOUR REACH
WITH INNOVATION™

 **TEXAS
INSTRUMENTS**

Notebook CPUs

Many chips now carry the 486 label, making the user's choice of CPU even more difficult. We received

notebooks with 486 processors from Intel, IBM, and Cyrix. The table lists the important attributes of each CPU.

The graphs compare the overall system performance of each CPU class at each clock speed. Manufacturers typically design a system around comparable components; that is, a low-cost unit will be constructed with inexpensive components, like a lower-quality screen, a slower hard drive, and a less expensive CPU. Look at the total notebook performance (including video, hard drive, and memory subsystems) for insight into typical notebook designs for each CPU. All ratings in the figures are indexed; a Toshiba T2200SX, a 20-MHz 386SX notebook, equals 1.0.

At the low end of the performance scale are the Cyrix 486SLC chips at 25 and 33 MHz. Units running at 25 MHz were only 41 percent better than the baseline Toshiba T2200SX; however, these notebooks were also the cheapest, averaging little more than \$2000. The \$1580 Xinetron X/LAN Book was the lowest-priced notebook tested and the second-fastest SLC/25 unit. All the 486SLC/25 units employed passive-matrix monochrome displays that were ranked "fair" in our screen-quality tests. Many of the 486SLC notebooks supported a maximum of only 8 MB of RAM. On average, notebooks with the 33-MHz Cyrix 486SLC—with an index score of 1.82—outperformed those with the 25-MHz Cyrix model but still lagged behind the slowest Intel-based notebook.

Although IBM's 486SLC2/50 chip (used in the ThinkPad 720C) operates internally at 50 MHz, its overall performance was comparable to that of notebooks containing Intel 486DX/33 and 486SL/33 chips. The 486SLC2/50 has only a 16-bit external data path, as opposed to the Intel's 32-bit path, and it does not contain a math coprocessor.

Generally, more powerful CPUs are used in more expensive systems. At the left of the graph (the low end), SLC/25 systems are exclusively monochrome. At the SX/25 level, there is an even mix

	CYRIX		INTEL		INTEL		IBM
Model	486SLC	486DLC	486SX	486DX	486SL	486DX2	486SLC2
External data path (bits)	16	32	32	32	32	32	16
Internal cache (KB)	1	1	8	8	8	8	16
FPU	No	Yes	No	Yes	Yes	Yes	No

of screen technologies. By the time you reach the DX2/66 class, six of the nine units are active-matrix color notebooks. You pay a pretty penny for DX2/66


notebooks: Average cost is \$3737, while the most expensive model, the Amrel 486DX2/66 AC, is \$5249.

A good deal of this trend analysis uses averages, so there are exceptions: The fastest SX/25-based notebook, the CompuAdd 425TXT, had an better index than the CAF AquaLite-486DX3/C, the slowest DX/33 notebook.

System Price Comparison by Chip Class



Performance Comparison by Chip Class



Toshiba T2200SX = 1.0.

The best sound is not in the cards.

PORT-ABLE *sound* PLUS™

Perk up your presentations. Make training more effective. And, put some guts into your gaming pastimes. Anytime. Anywhere. In fact, if you

are not a card carrying member of the computer set, you have to hear PORT-ABLE Sound Plus from DSP Solutions. You know, those real smart people who make simple sound solutions.

PORT-ABLE Sound Plus is the first portable external sound peripheral to deliver 16 Bit CD quality music with stereo audio capabilities. And, since you just plug into your IBM PC or compatible, desktop or laptop parallel port, you do not need an engineering degree or even a screwdriver.

When you compare PORT-ABLE Sound Plus to any other external sound peripherals, you will see why anything else is just noise. PORT-ABLE Sound Plus is based on advanced Digital Signal Processing technology, so you will enjoy the greatest

compression capability with the highest quality sounds. Here is something else that will be music to your ears. PORT-ABLE Sound Plus comes complete with everything you need including a high fidelity speaker and built-in microphone. There is an "Audio-in" for a CD or tape player and a "Line-out" for external powered stereo speakers. Even a built-in smart parallel port pass through so you can keep printing.

Whether you take your work across the hall or across the country, with PORT-ABLE Sound Plus, you have all the cards you need to play right in your hip pocket. The hinged design lets you flip up the unit if you are short on desk space or lap space. And, the power will always be with you whether you use rechargeable or non-rechargeable AA batteries. PORT-ABLE Sound Plus also comes equipped with an AC/DC power converter.

As a bonus, you will get all the software you need to communicate. Like Lotus Sound™ an OLE server for Windows 3.1. WinReader for Windows 3.1, a handy text-to-speech utility. DSP Solution's DOSTalk and DOSReader text-to-speech applications. Show & Tell For Kids™ for

Windows — an easy to use MultiMedia Authoring program. It is also Sound Blaster and AdLib compatible.

Why compromise on quality, portability, compatibility or affordability? When all the cards are on the table, PORT-ABLE Sound Plus from DSP Solutions is your ace in the hole. Suggested retail is only \$198.95.




To order or obtain more information about PORT-ABLE Sound Plus, write or call DSP Solutions, or, contact your local dealer. European Office: Les Algorithmes/ABS B.P. 29 2000 Route des Lucioles 06901 Sophia-Antipolis Cedex France

Tel: (33) 92 94 47 74 — Fax: (33) 93 95 80 52



PORT-ABLE Sound Plus is a trademark of DSP Solutions, Inc. All other product names are trademarks or registered trademarks of their respective owners.

Circle 186 on Inquiry Card.





TOUGH, MEAN AND VICIOUS

Nothing can stop it! No matter what working conditions you are up against, the harshest of environments are no match for the rugged BADGER GT-110 handheld computer. This lightweight DOS compatible computer is built to operate outdoors. The BADGER GT-110 meets MIL-SPEC standards including extreme temperatures, solar radiation, rain, humidity, fungus growth, salt fog, blowing sand, water immersion, vibration, drop shock, explosive atmospheres and is even resistant to most chemicals.

Unique to the BADGER GT-110's design is a removable keypad which can be customized for special applications. Memory capacity for the BADGER GT-110 is 1 MB of PSRAM and 512 KB of EPROM, with up to an additional 8 MB memory available through the use of PCMCIA memory cards.

The BADGER GT-110 can be powered by a standard 9-volt alkaline or lithium battery, three 2/3A lithium batteries or a NICAD rechargeable battery pack. Built-in utilities include GT Shell, Communications, Text Editor, Data Base and Forms Manager. Application software can be downloaded from any DOS PC and data files are easily exchanged.

BADGER GT-110 is setting a new standard in outdoor computing. This tough, combat ready computer is now available at commercial prices below \$2,000. For more information call 1-(800)-3-BADGER.



CAUTION: BADGER GT-110 is specifically manufactured to be used in harsh environments. It is not recommended for use by the faint-hearted.



BADGER Computers • 10901 Malcolm McKinley Drive • Tampa, Florida 33612

A Division of Group Technologies Corporation

Circle 198 on Inquiry Card.

Is screen quality important?

BEST OVERALL

Compaq LTE Lite 4/25E



An excellent active-monochrome screen and a long battery life (over 7 hours) make the Compaq LTE Lite 4/25E our choice for the best monochrome DOS notebook. The spectacular screen was far above and beyond that of any other monochrome system we tested in both viewing angle and quality. Further recommending it are small details like the well-constructed port covers and clear, comprehensive, and complete manuals.



		PRICE	CPU	DOS SPEED ¹	EASE OF USE	BATTERY LIFE (HOURS:MIN)	SCREEN QUALITY	SCREEN SIZE (IN.)
BEST	Compaq LTE Lite 4/25E	\$4339	SL/25	2.15	Good	7:06	Excellent	8.4
RUNNER-UP	ZDS Z-Note 425Ln Model 120	\$2599	SL/25	2.22	Good	5:27	Fair	9.5
RUNNER-UP	TI TravelMate 4000 WinDX/25	\$2678	DX/25	2.32	Good	4:46	Fair	10
RUNNER-UP	CompuAdd 425TX	\$2090	SX/25	2.22	Excellent	4:10	Fair	9.5
RUNNER-UP	AST Bravo NB 4/25s	\$1948	SX/25	2.19	Good	3:16	Good	9.5

Tired of waiting for recalculations?

HIGH PERFORMANCE

CompUSA 486DX2/66 Slimnote



If you need the fastest notebook for DOS applications, consider the CompUSA 486DX2/66 Slimnote. Internal niceties such as a 128-KB hard disk cache (most systems have from 0 to 32 KB) helped it achieve the second-best monochrome DOS performance score. A battery life of 3½ hours was longer than the average. The trackball is nearly centered above the keyboard, making it easy to use with either hand.

		PRICE	CPU	DOS SPEED ¹	EASE OF USE	BATTERY LIFE (HOURS:MIN)	SCREEN QUALITY	SCREEN SIZE (IN.)
BEST	CompUSA 486DX2/66 Slimnote	\$3228	DX2/66	3.14	Excellent	4:07	Fair	9.5
RUNNER-UP	Micro-International HCP Model 65681M	\$2805	DX2/66	3.66	Good	3:32	Good	9.5
RUNNER-UP	TI TravelMate 4000 WinDX/50	\$3478	DX2/50	3.27	Good	4:04	Fair	10
RUNNER-UP	HyperData HB 2300 DLC/40	\$2295	DLC/40	2.74	Excellent	2:52	Fair	8.8

Want the best for DOS on a budget?

LOW COST

Zenith Data Systems (ZDS) Z-Note 425Ln Model 120



For simple DOS computing on a budget, the Z-Note 425Ln Model 120 is the best system we tested. The edgeli passive screen was easy to read from a wide range of angles. Its 3.3-V processor (this was one of the 15 systems with low-voltage processors) gave the Z-Note a long battery life of almost 5½ hours. Nine manuals detailed DOS, networking, start-up, the trackball, and other topics. Like the Compaq LTE, the Z-Note uses a processor with middle-of-the-road speed. At a price of \$2599, that's an acceptable trade-off.

	MODEL	PRICE	CPU	DOS SPEED ¹	EASE OF USE	BATTERY LIFE (HOURS:MIN)	SCREEN QUALITY	SCREEN SIZE (IN.)
BEST	ZDS Z-Note 425Ln Model 120	\$2599	SL/25	2.22	Good	5:27	Fair	9.5
RUNNER-UP	TI TravelMate 4000 WinDX/25	\$2678	DX/25	2.32	Good	4:46	Fair	10
RUNNER-UP	CompuAdd 425TX	\$2090	SX/25	2.22	Excellent	4:10	Fair	9.5
RUNNER-UP	AST Bravo NB 4/25s	\$1948	SX/25	2.19	Good	3:16	Good	9.5

¹ Higher numbers indicate better performance (a 20-MHz 386SX Toshiba T2200SX = 1).

TravelMate 4000 WinDX/25 turned in the best performance of all the 25-MHz systems for the DOS WordPerfect and 1-2-3 application tests, with scores that

averaged more than three times faster than those of the baseline Toshiba system. Although we tested several 33-MHz monochrome systems that produced

better performance results than the 25-MHz units, each of these notebooks had shorter battery-life times and inferior ease-of-use ratings.

Today's DOS applications are increasingly robust, and a 486-class processor can eliminate the time that you need to spend waiting for screens to redraw or for sales projections to recalculate. All the notebooks ranked in this section offer performance that is more than double the speed of the baseline Toshiba 386SX system.

For all the DOS categories, we compared systems for performance in running our DOS test suite. Within the DOS application tests, we placed the most emphasis on the WordPerfect 5.1 and Lotus 1-2-3 release 2.4 results. The combined performance score accounted for 30 percent of our evaluation. Next, we factored in display quality (weighted at 5 percent), battery life (25 percent), ease of use (10 percent), features (10 percent), and price (20 percent).

For the Best Overall category, we ranked only systems rated at 33 MHz or slower. The High Performance category considered systems with internal clock speeds of 40 MHz or faster. To be considered for Low Cost status, a notebook had to be priced at \$2750 or less.

All the notebooks rated for DOS Best Overall or Low Cost used 25-MHz Intel CPUs. Two of these five systems used Intel 486SL chips that combine the performance of a 486DX/33 with power-saving features that prolong battery life.

The \$2678 Texas Instruments

Rankings for This Application Considered:



How to Buy a Notebook

1 Do you really need a cordless machine, or just a portable? If you plan to work while traveling, battery life is a high priority. If you plan to take your keyboard from site to site and expect to always have a power outlet handy, other features may be more important.

2 Are you left-handed? Many of the pointing devices are designed for right-handed use. Look for a system with a centered mouse or one that's mountable on the left side.

3 Are you concerned about stress-related injuries? A notebook with a wrist rest may be easier and healthier to use.

4 Are you using your notebook as your primary system? If so, you will need external ports for keyboard, video, and mouse. Additionally, you may need a docking station to access network interface cards, CD-ROM, and sound cards. Some systems, such as the Mac PowerBooks and Zenith Data Systems' notebooks, have many of these features built in.

5 How important is color? If your system is used primarily for document preparation, you probably don't need color. If you do extensive chart preparation on the road, however, color may be a must.

6 Are you using a windowing operating environment? The Mac OS, Microsoft Windows, and X Window System all use more processor power and place greater emphasis on screen quality. Plan to buy a 33-MHz or faster system.

7 What's your comfort level? Make sure that the notebook you buy has acceptable keyboard and pointing-device designs. If you are purchasing from a mail-order company, make sure you can return the notebook without incurring any restocking fees.

8 Do you plan to do extensive traveling? Monochrome notebooks lasted longer on our battery-life tests than color notebooks.

Portable Pointers



KEYBOARD-BASED

IBM's TrackPoint II places a small, pressure-sensitive, eraser-like protrusion between the G and H keys. Its two buttons are located just below the space bar, within easy reach of thumbs. This design makes it extremely easy to use and does not require your hands to leave the keyboard. However, damp or sweaty fingers slide right off the smooth rubber tip, which has no grooves or raised portions for extra grip.



RETRACTABLE

The slide-out trackball on the Amrel 486DX2/66 AC makes for easy storage when traveling. Due to the trackball's central placement on the front of the unit, it can be used by either left- or right-handed users.



FRONT AND CENTER

This trackball is located on the front of the Noteable N425. It's designed for thumb movement, with buttons located on each side. The range of thumb movement is greatly limited, however, because the trackball is so close to your work surface. Moreover, its left mouse button is dangerously close to the suspend/resume switch, and the buttons are unresponsive.



WRIST-REST TRACKBALL

A very large trackball is located on the PowerBook's wrist rest below the keyboard, with two surrounding oversize buttons. It's an extremely good design that several PC vendors have tried to imitate.




SIDE-MOUNT

Several vendors have begun using a QuickPort implementation that is an altered Microsoft BallPoint Mouse that attaches to the unit via pins, eliminating the need for a dangling cable. This mouse connects to a specialized port on the right side, prohibiting left-handed operation. Since the mouse is not integrated into the unit, you have to carry it separately when you're traveling.



CLIP-ON

Usually a Microsoft BallPoint Mouse or Logitech TrackMan Portable that provides more flexibility than the QuickPort interface, since this model can be attached to either side of the unit. On some notebook designs, the clip-on mouse can obstruct the floppy drive when attached to the right side of the case.



UPPER-RIGHT

Many pointing-device implementations arrange the trackball and buttons above the keyboard. This design offers a compromise between comfort and convenience. It usually offers left- or right-handed operation that is not too far from the keyboard, and there are extra parts to carry while on the road.

**YOU CAN'T CONTROL
YOUR BOSS,
YOUR WORKLOAD,
YOUR WEIGHT,
YOUR BACKHAND,
YOUR WEEDS,
YOUR DOG, YOUR LIFE.
AT LEAST NOW
YOU CAN CONTROL
YOUR CURSOR.**



At Microsoft, we feel there are enough things in the world that follow their own unpredictable path.

So we redesigned just about every aspect of the new Microsoft® BallPoint® mouse to let you regain control of your portable computer.

We started by changing the weight of the ball. We improved the smoothness of the tracking mechanism. We reshaped our mouse to fit your hand better. We even added software features that make it easier to find and control your cursor.

All of which means, in simple terms, that the cursor will now do what you want it to do.

And which is why, in independent tests, people worked 35% faster with the BallPoint mouse than with other leading portable and built-in pointing devices.

Of course, you should try it yourself. So pick up a BallPoint mouse at a computer store today.

And have one aspect of your life firmly, and comfortably, in the palm of your hand.

Microsoft®
Making it easier



Unix on a Notebook

What does it take to run Unix on the road? To find out, we installed The Santa Cruz Operation's Unix System V release 3 version 2.4 on five notebooks. This version of SCO Unix is a full, non-graphical Unix, a multitasking operating system that is capable of supporting networking and compilers. We also installed SCO's Open Desktop 2.0. ODT 2.0 is a full-blown system based on SCO's System V product. It includes the X Window System (a fully networked windowing system), network software, a shared file system, and a DOS subsystem (which allows you to run DOS and Windows in an X window).

For comparison, we looked at a SparcBook 2 from Tadpole Technology. The SparcBook is based on Sun Microsystems' SPARC processor and came with X, the OpenWindows display manager,

networking software, and a development system. A DOS emulator capable of running Microsoft Windows is also available for the SparcBook.

The SparcBook 2 is the only RISC-based Unix system that we tested. The test system had an active-matrix color screen; 32 MB of RAM; a 250-MB drive; an external monitor port; a SCSI port; an Ethernet port; and microphone,

mouse, serial, keyboard, and fax modem connections; but it had no floppy drive. The test configuration, including software, costs \$13,350. Using an Ether-

net transceiver, it took us less than 5 minutes to connect to our in-house TCP/IP network.

Although the display is only 640 by 480 pixels and 256 colors, the video system supports a virtual screen with six times the total area of the visible portion. You can slide windows from section to section and choose which of the six virtual pieces of the desktop you want displayed.

The SparcBook has a true sleep state: The system is turned off, and all memory is written to disk, to be automatically restored at start-up.

But this nifty feature is not without cost: Of the 250 MB on the hard disk, 32 MB is used for a swap space, and another 32 MB is used for a resume partition to hold the saved memory image.


PERFORMANCE

We ran the SPEC89 suite of application-level benchmarks on the five notebooks running SCO Unix SVR3 2.4. This implementation of SPEC is an unaudited implementation; as such, it should be used only to compare these notebooks with other systems running our implementation. We also ran the BYTE Unix Benchmarks version 3.0. The results are summarized in the graph.

The graph shows the fastest and slowest in each of the DX2/50 and DX2/66 categories for the June Lab Report on systems. Note that SPEC89 figures are indexed with respect to a DEC VAX


11/780 and that the BYTE Unix Benchmarks are indexed with respect to a Sun 3/50.

These results can be summarized in three words: Notebooks are slow. They are built with power conservation in mind, not raw performance. For example, practically every desktop system will have a secondary processor cache, but of the Unix notebooks we tested, only the HyperDatas had one.




Unix on the road: The SparcBook 2 (left), a RISC-based notebook; and Amrel's 486DX2/66 AC, the fastest 486-class system.

Notebook Performance Under SCO Open Desktop



The SPARC-based SparcBook 2 had performance nearly double that of two Intel 486-based notebooks.

Notebook vs. Desktops Running SCO Unix



Although adequate for some Unix applications, 486-based notebooks lag in Unix performance compared to desktop 486-based systems.

Q. What is the ultimate SPARC™ workstation?

A. The one that's custom built for you.

Let's build the ultimate SS10.

Your ultimate SS10 SPARClike™ workstation is the one that is tailor fit to your business and your budget. Integrix offers you four Base Systems: the SWS10/30, 10/40, 10/41 and 10/51.

Experience: As pioneers in the SPARC™ arena, Integrix has built a solid reputation for providing reliable, cost-effective solutions for your specific requirements.

Flexibility: You select the peripherals for your ideal desktop solution...single-slot graphics boards, Sony monitors, expansion chassis'... modular for upgradable systems.

Full Compatibility: 100% compatible with the latest Solaris® OS. Plug-n-play friendly, too.

Availability: We deliver on time every time, with guidance and technical support on every product.

Ordering:


We make it easy for integrators, VARs and OEMs to build solutions that get the job done. Give us a call or fax for quick turn-around.



Tel: (805) 375-1055
Fax: (805) 375-2799

1200 Lawrence Drive, Suite 150 Newbury Park, CA USA 91320

Circle 563 on Inquiry Card.



INTEGRIX SWS10 SYSTEMS

	Clock	MIPS	MFLOPS	SPECint92	SPECfp92	Cache	MBus	SBus
SWS10/30	36MHz	101.6	20.5	45.2	54.0	36KB	2	4
SWS10/40	40MHz	109.5	22.9	50.2	60.2	36KB	2	4
SWS10/41	40MHz	109.5	22.4	53.2	67.8	36KB+1MB	2	4
SWS10/51	50MHz	135.5	27.3	65.2	83.0	36KB+1MB	2	4

© 1993 Integrix, Inc. All trademarks mentioned are the property of their respective companies.

THE FASTEST YOU CAN



© 1993 Toshiba America Information Systems, Inc. The Intel Inside logo is a trademark of Intel Corporation. All products indicated by trademark symbols are trademarked and/or registered by their respective companies.

Circle 147 on Inquiry Card.

GO IN ECONOMY CLASS.

The Toshiba Satellites with Intel's 486™ DX2

We've put the incredible processing power of the new Intel 486™ DX2 into our most affordable line of notebooks.

Now you have the speed to put the most demanding Windows™ and DOS applications through their paces without even breaking a sweat, at a price that is hundreds of dollars less than you'd expect to pay.

The Satellite Series means value. You get Toshiba's famous screen technologies for clearer, brighter displays; the ergonomically refined BallPoint® Mouse 2.0 for pin-point control; and Toshiba MaxTime™ Power Management for longer battery life.

It is a pleasure to handle, whether simply opening it



up, clicking the mouse, or using the full-travel keyboard. Yet the system is built to be durable enough for the road, with a rugged ABS case, solid hinges and clasp, and even built-

in sliding doors for port protection.

There's plenty of room to expand, with a PCMCIA slot for a whole new family of powerful peripherals. And the system is complete with pre-installed MS-DOS® 6.0 and Windows software, to get you up and running fast.

Before you make a notebook decision, get your hands on a Toshiba Satellite with the Intel 486™ DX2. It's very fast. It's very economical. It's definitely in a class of its own. **For a dealer near you call: 1(800) 457-7777.**

The BallPoint® Mouse 2.0:

This mouse, enhanced for accuracy, snaps on and off in an instant, and needs no cords.

Our newest version adds features for improved tracking, and rewards the hand with refined, sculpted ergonomics.



14.5mm PCMCIA 2.01 compliant slot:

Supports industry standard type I, II and III cards for data/fax modems, networking adapters, hard drives, or more.

Satellite 486

T1950

- 9.5" monochrome STN-LCD screen
- 120/200MB HDD
- 6.5 lbs.

T1950CS

- 9.5" Dynamic-STN dual-scan color screen
- 120/200MB HDD
- Under 7 lbs.

T1950CT

- 8.4" color active matrix TFT-LCD screen
- 120/200/320MB HDD
- 7.4 lbs.

ALL MODELS

- Intel 486™ DX2/40MHz, 3.3v
- Integrated co-processor
- 8KB cache
- 4MB RAM upgradable to 20MB
- 14.5mm PCMCIA 2.01 slot
- BallPoint® Mouse 2.0 with QuickPort™
- NiMH battery with Toshiba MaxTime™ Power Management

In Touch with Tomorrow
TOSHIBA

KONEXX

Connect Your Modem To PBX and Digital Telephones.



THE KōNEXX KONNECTOR • MODEL 112

Connect your modem into the handset jack of any PBX, digital, multiline, business, or hotel telephone. The compact Model 112 works at all baud rates and operates from the supplied AC adapter or internal 9-volt battery, making it ideal for field or office use. Plus, automatic Voice/Data switching lets you dial with contact management and autodialing software. Don't install a dedicated phone line, install the KōNEXX Konnector!

\$149
PLUS SHIPPING

• KōNEXX products work with all FAX Modems and FAX boards.

THE KōNEXX KOUPLER • MODEL 203

The KōNEXX Koupler was designed with the traveling communicator in mind. Acoustically couple your modem to any telephone; including public pay phones, cellular phones, and overseas telephones, and transmit data at speeds up to 9600 baud.

\$149
PLUS SHIPPING

THE KōNEXX KIT

Included are all the necessary connection tools for efficient connection and communication over all types of telephones. The KōNEXX Kit contains: the KōNEXX Koupler Model 203 high speed acoustic coupler, a combination screwdriver, duplex adapter, alligator clip adapter, Merlin phone adapter, spare 9-volt battery, 7 ft. modem cable and custom carrying case.

\$169
PLUS SHIPPING



CALL
1-800-275-6354
for more information or local dealer

UNLIMITED
SYSTEMS

UNLIMITED SYSTEMS CORPORATION INC.
8586 Miramar Place • San Diego, CA 92121
Phone 619-622-1400 • Fax 619-550-7330

See KōNEXX at
COMDEX/Fall
Booths L6403 and S341

Some people think that by copying their software they'll make out like a bandit. They're right.



Copy software illegally and you're committing a federal crime with fines of up to \$100,000. Help your organization comply with the law by ordering the Software Publishers Association's Software

Management Guide.

For only \$80 you'll

receive SPAudit for DOS and Macintosh™, comprehensive auditing software, a video and procedures for keeping your organization's software legal. And your record clean.

Keep your software legal.

To order, call the Software Publishers Association at 1-800-388-7478, or include credit card information or a check and send or FAX this coupon to: SPA Management Guide, P.O. Box 79237, Baltimore, MD 21279-0237, FAX (202) 223-8756.

Name

Company

Title

Address

City

State Zip

Phone () Ext

Please send me copies at \$80 each.

Total \$ (DC residents add 6% sales tax)

☐ Check enclosed ☐ American Express

☐ VISA® ☐ MasterCard®

Card Number

Exp. Date

Signature of Cardholder

Name of Cardholder



Don't copy that floppy.

BYTE BEST

The processing power of 486-class notebooks means many people can justify buying a single system for use on the road or at the office rather than a separate system for each environment. A single system ends the hassle of transferring data between two different computers to keep duplicate sets of data files current. And depending on your hardware choices, the cost of a single 486 notebook may be far less than the combined price of a notebook and a desktop system.

To qualify as a desktop replacement, a notebook had to support an external Super VGA monitor at a minimum of 1024 by 768 pixels, an external keyboard and external PS/2-style mouse, and a docking unit. The latter is essential for expansion options for network or SCSI adapters, and bays for a second hard drive or tape or CD-ROM drives. Only 14 of the reviewed notebooks met these requirements. Because the prices for this subset of notebooks were so similar, we were unable to choose low-cost winners for this category.

We ranked these systems based on their performance in our DOS and Windows tests (weighted at 45 percent), screen quality (15 percent), battery life (15 percent), ease of use (10 percent), features (10 percent), and price (5 percent).

As in our other application categories, the Best Overall

DESKTOP REPLACEMENT

Need one system for office and travel?

BEST OVERALL

NEC UltraLite Versa 33C



The UltraLite Versa 33C was the fastest mainstream notebook in this category. In addition, this notebook's 9 1/2-inch screen received the second-best quality score in our entire sample (AST's PowerExec ranked first). A special bay lets you slide in a floppy drive or an additional battery, which can extend battery life to almost 6 hours. The \$5538 test model came with 12 MB of RAM, two Type II PCMCIA slots, a removable hard drive, and a clip-on mouse.



		PRICE	CPU	OVERALL SPEED ¹	EASE OF USE	BATTERY LIFE (HOURS:MIN)	SCREEN QUALITY	SCREEN TYPE	DOCKING STATION
BEST	NEC UltraLite Versa 33C	\$5538	SL/33	3.06	Excellent	2:55	Excellent	Color	\$699
RUNNER-UP	NEC UltraLite Versa 25C	\$4888	SL/25	2.52	Excellent	2:40	Excellent	Color	\$699
RUNNER-UP	Toshiba T4600C	\$4699	SL/33	2.69	Excellent	3:52	Fair	Color	\$849
RUNNER-UP	Twinhead Slimnote 4DX/33T	\$3895	DX/33	2.74	Fair	2:54	Good	Color	\$499

Do you need portability without compromise?

HIGH PERFORMANCE

TI TravelMate 4000 E WinDX2/50



The TravelMate 4000 E was the fastest notebook in this class, and within the top five notebooks in our entire sample. In addition, its active-matrix color screen is crisp and clear, with a very good viewing angle. The keyboard has a nice feel and can be used for hours without hand or wrist exhaustion.

		PRICE	CPU	OVERALL SPEED ¹	EASE OF USE	BATTERY LIFE (HOURS:MIN)	SCREEN QUALITY	SCREEN TYPE	DOCKING STATION
BEST	TI TravelMate 4000 E WinDX2/50	\$5278	DX2/50	3.62	Good	2:36	Excellent	Color	\$929
RUNNER-UP	TI TravelMate 4000 WinDX2/50	\$3499	DX2/50	3.50	Good	4:01	Fair	Mono	\$929
RUNNER-UP	Twinhead Slimnote 4DX2/66T	\$4399	DX2/66	3.41	Fair	2:38	Good	Color	\$499

When color isn't required...

MONOCHROME

TI TravelMate 4000 WinDX2/50



The TI TravelMate 4000 WinDX2/50 is the fraternal twin of the 4000 E color notebook and, as such, the top monochrome system for both office and travel. This monochrome version may offer the best of both worlds. You get 4 hours of battery life for work on the road (the color 4000 E is limited to 2 1/2 hours), and when you're back at the office, the notebook can drive a full-color Super VGA monitor.

		PRICE	CPU	OVERALL SPEED ¹	EASE OF USE	BATTERY LIFE (HOURS:MIN)	SCREEN QUALITY	SCREEN TYPE	DOCKING STATION
BEST	TI TravelMate 4000 WinDX2/50	\$3478	DX2/50	3.50	Good	4:01	Fair	Mono	\$929
RUNNER-UP	TI TravelMate 4000 WinDX/25	\$2678	DX/25	2.48	Good	4:46	Fair	Mono	\$929

¹ Higher numbers indicate better performance (a 20-MHz 386SX Toshiba T2200SX = 1).

Rankings for This Application Considered:

WINDOWS AND DOS PERFORMANCE 45%

DISPLAY QUALITY 15%

BATTERY LIFE 15%

EASE OF USE 10%

FEATURES 10%

PRICE 5%

notebooks here are those with clock speeds of 33 MHz or slower, while the High Performance models had CPUs ranging from 40 MHz up to the clock doublers.

The top notebooks in our Best Overall, High Performance, and Best Monochrome categories were among the fastest

systems in our entire test sample. The NEC UltraLite Versa 33C performed especially well in our graphics tests, thanks to its implementation of local-bus video. The Versa 33C even outperformed some of the clock-doubled systems on some of the tests.

Texas Instruments swept the

remaining categories with the TravelMate 4000 E WinDX2/50 and the TravelMate 4000 WinDX2/50. These two systems turned in the top two results in our hard disk-intensive FoxPro 2.0 application test, as well as the best scores for three of the five memory-move tests in the low-level benchmarks.

HONORABLE MENTIONS

You can extend battery

life by removing the floppy drive from the NEC UltraLite Versa notebooks. After you pull out the floppy drive, you pop in a second battery, doubling the effective battery life to more than 6 hours.




External ports on the Toshiba Satellite T1900C are covered with sliding doors. Most other systems use hinged panels, which are subject to snapped hinge pins.

The Toshiba T4600C status indicators consist of clever battery and water-faucet icons that make it easy to see how much battery power remains (either in percentage of full power or in time remaining)



and what level of power management you've set. Other icons show typical items such as Caps-Lock, floppy drive and hard drive access, and whether the power is on or off.

The AST Bravo 4/25s Color Model supported an extensive collection of well-labeled hot keys. These keys (activated by pressing Fn-F1 through Fn-F10) allow you to quickly adjust a variety of system management functions, such as system setup, gray-scale schemes, external monitor control, and checking the expected battery life. Other systems had similar hot-key features, but none were as extensive, convenient, or well labeled as the AST Bravo's.




Dubious Achievements



Snap! Flimsy hinge pins on the Compaq Contura's port-cover plate break off with the slightest provocation. Thicker pins proved sturdier, but the best solution was the Toshiba Satellite's, with sliding doors covering its ports. Note that this problem is not restricted to Compaq; other vendors, including Twinhead and Texas Instruments, are equally guilty.

We expect occasional typographical errors, but the manual of the KingTech KS-486C went far beyond the norm. We had trouble finding a page without spelling or grammatical errors. Worse, some pages, like this one, contained incomprehensible crucial warnings.



Better keep your HyperData HB 3220 SLC/33 plugged in. Once its battery gets low, it starts playing Beethoven's *Für Elise*. Over and over. Until the system finally dies, leaving you (and whoever is sitting in the plane seat next to you) in blessed silence once again.

386SXL/486SLC
Notebook Computer
User's Manual

* Avoid using washes such as fleon and trichloroethane on the LCD. They can seep into the resin sections of the connecting pins and melt the transparent electrodes, causing disconnection.

Two Thumbs Up For ALR's EVOLUTION V





"Best of Show,
Spring Comdex,
1993"

BYTE Magazine - May, 1993

"ALR has built a screamer."
Computer Shopper - May, 1993

"Expect to hear a lot more about the EVOLUTION V...
ALR did its homework when it came to optimization."
Computer Shopper - May, 1993

Now Shipping!



Pentium
Processor Power
from just

\$2495

The ALR
EVOLUTION V



EVOLUTION V System Board Technology

1. 60-MHz Pentium Processing Supports Pentium Write-Back Mode
 2. 8-MBRAM (Expandable to 128-MB); True 64-bit Data/Memory Path
 3. Integrated 256-KB Write-back Cache
 4. Integrated MULTUS (Multi-seeking) IDE Controller
 5. Six 32-bit ISA Expansion Slots
 6. 3 VESA VL Local Bus Slots
- System Also Includes: Six DriveBays & 200Watt Power Supply

Model 170DWM

MODEL 1

Powerful Pentium Processing plus the Advanced Features shown at left -- amazing power for such a low price

\$2495

MODEL 170DWM

COMPLETE SYSTEM

includes above features plus: 170-MB IDE Hard Disk high-performance local bus video adapter 14" SVGA monitor MS-DOS 6.0, MS-Windows 3.1 and Mouse

\$3595

MODEL 340DW

includes Model 1 features plus 340-MB IDE Hard Disk, MS-DOS 6.0, MS-Windows 3.1 and Mouse

\$3445

Also Shipping

50-MHz i486DX/2 Systems
starting at \$1579



Low Cost **3 Year**
On-Site Service Now
Available (Call for Details)

For more information please call

800.444.4ALR

ALR can be reached on CompuServe -- GO ALR INC

ALR®
Advanced Logic Research, Inc.

9401 Jeronimo Irvine, CA 92718
(714) 581-6770 FAX: (714) 581-9240

"With memory and data paths wide enough to support the new chip, the EVOLUTION VQ becomes an excellent file server..."

Computer Shopper - May, 1993

The ALR EVOLUTION VQ/60



MODEL 8CM

ALR's high performance Quadflex Architecture, state-of-the-art Pentium Processing, tremendous expandability, -- the ultimate network server with 66-MHz Processor ...

\$4495

MODEL 480-16CVM

includes above features plus: 16-MB RAM total 480-MB (Dual 240-MB) IDE Hard Disk ALR MULTUS™ multiseeking disk interface WD 90C31-based Local Bus Video Adapter with 66-MHz Processor ...

\$5995

MODEL 1.2-16CVS

includes Model 8CM features plus 16-MB RAM total 1.2-GB SCSI Hard Disk with 32-bit SCSI Local Bus master controller WD 90C31-based Local Bus Video Adapter with 66-MHz Processor ...

\$7595

Some systems shown with optional monitors. Prices and configurations are subject to change without notice. Prices based on U.S. dollars. ALR is a registered trademark of Advanced Logic Research, Inc. Intel Inside logo is a trademark of Intel, Corp. All other brand and product names are trademarks or registered trademarks of their respective owners. ©1993 by ALR

Circle 65 on Inquiry Card (RESELLERS: 66).

ROLL CALL OF NOTEBOOKS

VENDOR	MODEL	CPU	DISPLAY		OVERALL SPEED ²	BATTERY LIFE (HOURS:MIN)
Acer America Corp.	Note 750C	SL/25	Color	Active	2.22	4:28
Aero Computers	486DX/33 NB	DX/33	Mono	Passive	2.45	2:32
Amrel Technology, Inc.	486DX2/66 AC	DX2/66	Color	Active	4.13	1:30
AMS, Inc.	TravelPro 4533 PAS	DX/33	Color	Passive	2.66	2:11
AMS, Inc.	TravelPro 5366A	DX2/66	Color	Active	3.39	2:52
AMS, Inc.	TravelPro 7525A	SL/25	Color	Active	2.20	2:58
Aspen Computer, Inc.	Aura 33	DX/33	Color	Passive	2.88	1:39
AST Research, Inc.	Bravo 4/25s Color Model 123W	SX/25	Color	Passive	2.14	2:15
AST Research, Inc.	Bravo NB 4/25s Model 123W	SX/25	Mono	Passive	2.15	3:16
AST Research, Inc.	Power Exec 4/25SL ColorPlus	SL/25	Color	Active	2.18	3:49
CAF Technology, Inc.	AquaLite-486DX3	DX/33	Mono	Passive	2.80	4:34
CAF Technology, Inc.	AquaLite-486DX3/C	DX/33	Color	Passive	2.29	3:04
CAF Technology, Inc.	AquaLite-486DX3/T	DX/33	Color	Active	2.80	3:16
CAF Technology, Inc.	AquaLite-486SLC	SLC/33	Mono	Passive	1.74	2:47
Chaplet Systems, Inc.	NBD 486SX-25	SX/25	Mono	Passive	2.30	2:39
Chaplet Systems, Inc.	NBD 486SX-25TFT	SX/25	Color	Active	2.29	1:55
Compaq Computer Corp.	Contura 4/25	SL/25	Mono	Passive	2.21	3:55
 Compaq Computer Corp.	LTE Lite 4/25E	SL/25	Mono	Active	2.21	7:06
Compaq Computer Corp.	LTE Lite 4/33C	SL/33	Color	Active	2.71	2:20
CompuAdd Computer Corp.	425TX	SX/25	Mono	Passive	2.29	4:10
CompuAdd Computer Corp.	425TXT	SX/25	Color	Active	2.32	3:24
CompUSA Direct	486DX/33 Slimnote	DX/33	Mono	Passive	2.51	2:30
CompUSA Direct	486DX2/66 Active TFT Color	DX2/66	Color	Active	3.50	2:17
CompUSA Direct	486DX2/66 Slimnote	DX2/66	Mono	Passive	3.31	4:07
Epson America, Inc.	ActionNote 4SLC/25	SLC/25	Mono	Passive	1.40	2:32
Ergo Computing, Inc.	486 Marathon NoteBrick	SL/25	Mono	Passive	2.17	3:16
Ergo Computing, Inc.	PowerBrick 66	DX2/66	Color	Active	3.12	2:39
HyperData Tech Corp.	HB 2300 DLC/40	DLC/40	Mono	Passive	2.82	2:52
HyperData Tech Corp.	HB 3220 SLC/33	SLC/33	Color	Passive	1.83	2:04
HyperData Tech Corp.	HB 3300 DX2/50	DX2/50	Color	Active	3.33	1:19
IBM Corp.	ThinkPad 350C	SL/25	Color	Passive	2.41	3:07
IBM Corp.	ThinkPad 720C	SLC2/50	Color	Active	2.70	4:00
Jetta International, Inc.	JetBook 486DX-33	DX/33	Mono	Passive	2.34	2:55
KingTech USA Corp.	KS-486C	SLC/25	Mono	Passive	1.20	1:30
Micro Electronics	WinBook 486 SLC/E	SLC/E/25	Mono	Passive	1.91	2:20
Micro-International, Inc.	HCP Model 65681C	DX2/66	Color	Passive	3.92	2:33
Micro-International, Inc.	HCP Model 65681M	DX2/66	Mono	Passive	3.84	3:32
Micro-International, Inc.	HCP Model 65681T	DX2/66	Color	Active	3.96	2:38
Mitsuba Corp.	486SX-AC	SX/25	Color	Active	1.87	2:33
NEC Technologies, Inc.	UltraLite Versa 25C	SL/25	Color	Active	2.52	2:40
 NEC Technologies, Inc.	UltraLite Versa 33C	SL/33	Color	Active	3.06	2:55
Noteable Computers, Inc.	N425	SLC/25	Mono	Passive	1.47	2:16
Panasonic Communications & Systems Co.	CF-580 ¹	SLC/25	Mono	Passive	N/A	N/A
Primax Data Products	MediaNote 450V	DX2/50	Mono	Passive	2.15	2:01
 Sager Midern Computer, Inc.	NP843T	DX/33	Color	Active	2.99	2:52
Samsung Electronics America, Inc.	S3800	SLC/25	Mono	Passive	1.48	2:30
Texas Instruments	TravelMate 4000 E WinDX2/50	DX2/50	Color	Active	3.62	2:36
Texas Instruments	TravelMate 4000 WinDX/25	DX/25	Mono	Passive	2.48	4:46
Texas Instruments	TravelMate 4000 WinDX2/50	DX2/50	Mono	Passive	3.50	4:01
Texas Instruments	TravelMate 4000 WinSX/25	SX/25	Color	Passive	2.28	2:23
Toshiba America Information Systems, Inc.	T4600C	SL/33	Color	Active	2.69	3:52
Toshiba America Information Systems, Inc.	Satellite T1900C	SXA/20	Color	Passive	2.03	3:17
Twinhead Corp.	Slimnote 4DX/33M	DX/33	Mono	Passive	2.51	2:52
Twinhead Corp.	Slimnote 4DX/33T	DX/33	Color	Active	2.74	2:54
Twinhead Corp.	Slimnote 4DX2/66T	DX2/66	Color	Active	3.41	2:38
Xinetron, Inc.	X/LAN Book 486SLC-25	SLC/25	Mono	Passive	1.51	2:32
Zenith Data Systems	Z-Note 425Ln Model 120	SL/25	Mono	Passive	2.34	5:27
Zenith Data Systems	Z-Note 425Lnc Model 200	SL/25	Color	Active	2.34	3:14
Zenith Data Systems	Z-Note 425Lnp Model 120	SL/25	Color	Passive	2.34	3:37
Apple Computer, Inc.	PowerBook 165c	68030/33	Color	Passive	2.77	2:40
Apple Computer, Inc.	PowerBook 180	68030/33	Mono	Active	3.13	3:02
Apple Computer, Inc.	PowerBook 180c	68030/33	Color	Active	2.76	2:19



= BYTE Best

*Estimated selling price, not list price.


N/A = Not applicable.

¹ Didn't arrive in time for testing.² Higher numbers mean better performance.


EASE OF USE	PRICE AS TESTED	SCREEN QUALITY	POINTING DEVICE	DOCKING STATION	MAX. RAM (MB)	PHONE	TOLL-FREE PHONE	INQUIRY NUMBER
Excellent	\$3988	Good	Integrated trackball	None	20	(408) 432-6200	(800) 733-2237	1346
Fair	\$1699	Fair	None	\$200	16	(212) 971-0285	(800) 232-1050	1347
Fair	\$5249	Good	Integrated trackball	\$699	52	(818) 575-5110	(800) 882-6735	1348
Good	\$2495	Poor	Integrated trackball	None	20	(818) 814-8851	(800) 886-2671	1349
Good	\$3895	Good	Integrated trackball	\$345	32	(818) 814-8851	(800) 886-2671	1350
Excellent	\$3290	Fair	Integrated trackball	None	20	(818) 814-8851	(800) 886-2671	1351
Fair	\$2595	Fair	Integrated trackball	\$495	20	(716) 626-0315	(800) 472-3273	1355
Good	\$2748	Fair	Integrated trackball	None	20	(714) 727-4141	(800) 876-4278	1356
Good	\$1948	Good	Integrated trackball	None	20	(714) 727-4141	(800) 876-4278	1357
Excellent	\$4758	Excellent	Integrated trackball	\$488	32	(714) 727-4141	(800) 876-4278	1358
Fair	\$2559	Poor	Integrated trackball	None	20	(818) 369-3690	N/A	1359
Fair	\$3259	Poor	Integrated trackball	None	20	(818) 369-3690	N/A	1360
Fair	\$4650	Good	Integrated trackball	None	20	(818) 369-3690	N/A	1361
Fair	\$2099	Poor	Integrated trackball	None	20	(818) 369-3690	N/A	1362
Excellent	\$1999	Fair	Integrated trackball	\$325	20	(408) 732-7950	N/A	1363
Excellent	\$3399	Fair	Integrated trackball	\$325	20	(408) 732-7950	N/A	1364
Fair	\$2949*	Fair	Cabled trackball	None	20	(713) 370-0670	(800) 345-1518	1365
Good	\$4339*	Excellent	Integrated trackball	\$579*	20	(713) 370-0670	(800) 345-1518	1366
Good	\$5419*	Good	Integrated trackball	\$579*	20	(713) 370-0670	(800) 345-1518	1367
Excellent	\$2090	Fair	Integrated trackball	None	20	(512) 250-1489	(800) 627-1967	1368
Excellent	\$3890	Fair	Integrated trackball	None	20	(512) 250-1489	(800) 627-1967	1369
Excellent	\$2728	Poor	Integrated trackball	None	20	(214) 702-0055	(800) 862-3082	1370
Fair	\$4728	Good	Integrated trackball	None	20	(214) 702-0055	(800) 862-3082	1371
Excellent	\$3228	Fair	Integrated trackball	None	20	(214) 702-0055	(800) 862-3082	1372
Good	\$1699	Fair	Cabled trackball	None	8	(310) 782-0770	(800) 289-3776	1373
Excellent	\$3795	Good	Integrated trackball	None	20	(508) 535-7510	(800) 633-1925	1374
Good	\$4295	Good	Integrated trackball	\$395	32	(508) 535-7510	(800) 633-1925	1375
Excellent	\$2295	Fair	Cabled mouse	None	20	(909) 468-2955	N/A	1378
Excellent	\$3395	Fair	Integrated trackball	None	8	(909) 468-2955	N/A	1376
Excellent	\$5495	Fair	Integrated trackball	None	20	(909) 468-2955	N/A	1377
Excellent	\$2800	Fair	Integrated TrackPoint II	None	20	(914) 766-1900	(800) 772-2227	1379
Excellent	\$4900	Fair	Integrated TrackPoint II	\$859	16	(914) 766-1900	(800) 772-2227	1380
Poor	\$1995	Fair	None	\$395	8	(908) 329-9651	N/A	1381
Poor	\$1695	Fair	None	None	8	(818) 814-0516	N/A	1382
Fair	\$1599	Fair	Integrated trackball	\$399	8	(614) 481-7460	(800) 468-2162	1383
Good	\$3535	Fair	Integrated trackball	\$520	20	(713) 495-9096	(800) 967-5667	1384
Good	\$2805	Good	Integrated trackball	\$520	20	(713) 495-9096	(800) 967-5667	1385
Good	\$4305	Good	Integrated trackball	\$520	20	(713) 495-9096	(800) 967-5667	1386
Good	\$3895	Good	None	\$495	20	(909) 392-2000	(800) 648-7822	1387
Excellent	\$4888	Excellent	Cabled mouse	\$699	20	(508) 264-8000	(800) 632-4636	1388
Excellent	\$5538	Excellent	Cabled mouse	\$699	20	(508) 264-8000	(800) 632-4636	1389
Poor	\$1886	Fair	Integrated trackball	\$799	12	(714) 662-1501	(800) 274-4124	1390
N/A	\$2699	Fair	Integrated trackball	\$599	20	(817) 571-1895	(800) 742-8086	1391
Fair	\$2640	Fair	Integrated trackball	\$725	20	(416) 405-1515	(800) 563-9927	1392
Good	\$3750	Excellent	Integrated trackball	\$525	20	(818) 964-8682	(800) 669-1624	1393
Fair	\$2978	Fair	None	None	8	(201) 229-4000	(800) 446-0262	1394
Good	\$5278	Excellent	QuickPort mouse	\$929	20	(512) 345-1145	(800) 527-3500	1395
Good	\$2678	Fair	Cabled mouse	\$929	20	(512) 345-1145	(800) 527-3500	1396
Good	\$3499	Fair	QuickPort mouse	\$929	20	(512) 345-1145	(800) 527-3500	1397
Good	\$3278	Fair	QuickPort mouse	\$929	20	(512) 345-1145	(800) 527-3500	1398
Excellent	\$4699	Fair	QuickPort mouse	\$849	20	(714) 583-3000	(800) 334-3445	1399
Excellent	\$2700*	Fair	QuickPort mouse	None	20	(714) 583-3000	(800) 334-3445	1400
Fair	\$2195	Fair	None	\$499	20	(408) 945-0808	(800) 995-8946	1401
Fair	\$3895	Good	None	\$499	20	(408) 945-0808	(800) 995-8946	1402
Fair	\$4399	Good	None	\$499	20	(408) 945-0808	(800) 995-8946	1403
Fair	\$1580	Fair	None	\$250	8	(408) 727-5509	(800) 345-4419	1404
Good	\$2599	Fair	Cabled trackball	None	28	(708) 808-5000	(800) 553-0331	1405
Good	\$3999	Good	Cabled trackball	None	28	(708) 808-5000	(800) 553-0331	1406
Good	\$2999	Poor	Cabled trackball	None	28	(708) 808-5000	(800) 553-0331	1407
Excellent	\$2339	Fair	Integrated trackball	None	14	(408) 996-1010	(800) 767-2775	1352
Excellent	\$3749	Good	Integrated trackball	None	14	(408) 996-1010	(800) 767-2775	1353
Excellent	\$4079	Excellent	Integrated trackball	None	14	(408) 996-1010	(800) 767-2775	1354

WINDOWS
WINDOWS NT
OS/2
MACINTOSH
OPEN LOOK
OSF/MOTIF
CHARACTER SYSTEMS


Develop Cross-Platform GUI Applications in a Single Stroke.



OS/2



Macintosh



OSF/Motif

Character Systems

Master the art of multi-platform GUIs.

XVT Software is the leading choice of world-class developers for one reason: It is the simplest, quickest path to building quality applications that port to every GUI without compromises in look-and-feel or performance. Plus, it's easier to learn and use than native toolkits, so your time and effort goes into your application, not your GUIs.

XVT gives you simultaneous original GUIs.

Because XVT uses native GUI objects, your application is indistinguishable from one written directly to the native toolkit. Through our layered architecture, you achieve equivalent cross-platform functionality appropriate to each GUI, without the overhead and inflexibility of proprietary emulation-based systems.

XVT puts complete C/C++ solutions at your fingertips.

The XVT Solutions for C and C++ each include an Interactive Design Tool and the XVT Portability Toolkit. Our Design tools let you use your mouse to design and lay out your GUI, using native and custom controls, then test it on all your target platforms before generating and compiling your code.

When combined with in-depth consulting, training and support, plus a wide range of Partners products, XVT

forms the most comprehensive and advanced solution for developing completely portable GUI applications.

Developers judge XVT to be a masterpiece.

XVT is the base document for the IEEE's GUI standardization effort. Our thousands of customers include internal and commercial developers like: Alcoa, Amoco, AT&T, Avis, Ford, General Motors, Grammatik/Reference Software, Kodak, Lockheed, NCR, NEC, NIST, Novell, Rockwell, Siemens, Sony, Southwestern Bell, Tandem, Uniplex, Unisys, US Army and US West.

Call now for a free XVT Technical Overview and Demo.

Ask about XVT training in FL, NY, WA, TX, NJ, and more.



The portable GUI development solution.

1-800-678-7988

XVT Software Inc. 4900 Pearl East Cir. Boulder, CO 80301
(303) 443-4223 FAX (303) 443-0969
For European inquiries, contact: Precision Software GmbH
Phone: 49 0 61 03/37 94 0 Fax: 49 0 61 03/36 95 5

Fractal Image Compression

Fractal-based compression techniques offer distinct advantages over JPEG image-compression techniques



LOUISA F. ANSON

For several years, many people in the personal computing world have been chasing the Holy Grail of mass-market computing: multimedia. Two obstacles to reaching that goal have been overcome: 16- and 24-bit color printers and scanners are now readily available, and true-color graphics adapters display stunning pictures. But the large size of the image files required for these beautiful images is a huge problem. A single 800- by 600-pixel true-color image requires 1.44 MB of disk space; an uncompressed 10-second video clip with 30 frames per second at 320 by 200 pixels in true color requires an enormous 57.6 MB of disk space.

Clearly, compression is necessary. JPEG is one commonly used compression technique. But you may not be aware of fractal image compression, which combines high compression ratios with fast decompression times.

Compression technologies can be divided into *lossless* and *lossy* methods. A lossless method always produces a decompressed image that is identical, pixel-for-pixel, to the original image. The problem with lossless methods, such as the one used in PKWare's PKZip, is that the attainable compression ratios on images are very small—typically 2 to 1. Lossy compression methods designed for image data can achieve much higher compression ratios. Both the DCT (Discrete Cosine Transform) and fractal-transform image-compression methods are lossy, but in other respects they are very different.

JPEG Compression

To understand the value of fractal image compression, you must first understand the status quo. In the world of image compression, that means JPEG. This standard, defined by the Joint Photographic Experts Group, describes ways of taking bit-mapped data for color or gray-scale continuous-tone images and storing it in a smaller number of bytes.


The JPEG assembly was first convened in 1986. Its goal was to find the best method for image compression and to get it adopted as an international standard. At press time, many worker-years had resulted in the JPEG recommendations' being formally adopted by the CCITT;

acceptance by the ISO was expected shortly.

The image-compression technology at the heart of the JPEG standard is DCT. Numerous publications provide an in-depth explanation of DCT and how it is used within the JPEG standard. Here I will provide just enough description to highlight the significant differences between DCT and fractal image compression.

DCT Explained

DCT breaks an image into 8- by 8-pixel blocks and then uses mathematical tricks to decide what image information can be thrown away without damaging the appearance of the image too much. DCT transforms the image data in the 8-by-8 block mathematically from x, y space into frequency space. Instead of viewing the data as an array of 64 values arranged in an 8-by-8 grid, DCT views



GREG HALLEY © 1993

it as a varying signal that can be approximated by a collection of 64 cosine functions with appropriate amplitudes. Each cosine that DCT uses as a basis function is associated with a value called its *DCT coefficient*, which determines each cosine function's amplitude.

Most of the important visual information for typical continuous-tone images is concentrated in the cosine functions with lower frequencies. Thus, by giving less weight to higher-frequency cosines and approximating



Compare the difference: The left image is from a 640- by 400-pixel, 24-bit color scan that resulted in a 768-KB file. Compressing this image at a ratio of 100 to 1 using JPEG/DCT creates a 7365-byte file (center), versus a 7316-byte file for the fractal transform compression (right). Both fractal and JPEG/DCT compression are lossy, but notice how the JPEG/DCT image exhibits distinct blockiness at this relatively high compression ratio.

small DCT coefficients to zero, compression can be achieved without too much image degradation. Further space savings are possible if you quantize the remaining DCT coefficients to a pre-defined set of values. With JPEG/DCT, the algorithm is symmetrical: Compression and decompression take roughly the same amount of time.

JPEG/DCT Limitations

Although the DCT method in the JPEG standard is effective at low compression ratios—up to about 25 to 1—it suffers from serious problems at higher compression ratios. Since the first step in JPEG/DCT is to break the image into 8- by 8-pixel blocks, the compressed file size is roughly proportional to the number of these blocks. Hence, as uncompressed files increase in resolution, JPEG/DCT compressed files either increase in size or decrease in image quality (see the parrot images above). The middle image of the parrot was compressed by a ratio of 100 to 1 using JPEG/DCT. The blocky nature of the image is typical of JPEG/DCT images at high compression ratios.

The JPEG/DCT assumption that higher frequencies are unim-

portant does not hold if you have sharp edges in your picture. Attenuating the higher-frequency DCT-basis functions results in artifacts that look like ripples spreading out from the edges. This effect, called *Gibb's phenomenon*, is most noticeable around edges and textures, and it is an unavoidable aspect of DCT.

The most serious problem caused by the long-term use of JPEG/DCT compressed images is that they are resolution dependent. Any attempt to display the decompressed image at a higher resolution than the original will result in the blockiness that results from pixel replication. Since graphics cards and printers have increased in resolution every year, resolution dependence results in this year's images needing to be rescanned and recompressed next year to take full advantage of the latest technology.

Fractals Defined

For the purposes of this article, a *fractal* is an infinitely magnifiable picture that can be produced by a small set of instructions and data. With a fractal, the more you zoom in on an image, the more detail you see. If you zoom in on a bit-mapped image, however, eventually all you will see is big blocks of the same color.

The word *fractal* was coined by Benoit Mandelbrot to mean a fractured structure possessing similar-looking forms at many different sizes. For example, a tree in winter has large branches, small branches, and tiny twigs, all branching off in the same way at different scales. Traditional, abstract fractals, such as the Mandelbrot set, have become very popular. They tend to be harmonious, delicate, balanced, and pleasing to the eye because they have low information content (in the mathematical sense), which follows from the fact that the program that produces them is finite, even though the picture appears to be infinite. The eye is drawn toward them, and the mind senses their hidden order. Mandelbrot created some of the first pictures of abstract fractals, and he observed that similar mathematical structures lay behind the geometry of such things as clouds, mountains, and forests.

Affine Transformations

The concept of an affine transformation is central to fractal image compression. An *affine transformation* is a mathematical function made up from some combination of a rotation, a scaling, a skew, and a translation in n -dimensional space. A simple example in two dimensions would be

$$W(x,y) = (ax + by + e, cx + dy + f).$$

This can be written in matrix notation as the following:

$$W \begin{pmatrix} x \\ y \end{pmatrix} = \begin{pmatrix} a & b \\ c & d \end{pmatrix} \begin{pmatrix} x \\ y \end{pmatrix} + \begin{pmatrix} e \\ f \end{pmatrix} = \begin{pmatrix} ax + by + e \\ cx + dy + f \end{pmatrix}$$

Do-It-Yourself Fractal Compression

The fundamental mathematics behind the fractal transform are very deep and can be implemented in various ways. To help you better understand the material in this article, I've made the source and executable code for a simple version of the gray-scale fractal transform available on-line as the file *fractal.zip* (see editor's note).

In these sample programs, various choices have already been made: The domain regions are simple 4- by 4-pixel squares, and the only affine transformations considered are simple translations, rotations, and flips. This program was written for clarity rather than speed or image quality, but it can achieve quite good results. Enclosed in *fractal.zip* you'll find *compress.exe*, *decompress.exe*, and two sample image files on which to run the program. See the readme file for details on using the program.

Note that computer implementations of the fractal transform are covered by various U.S. and worldwide patents and that the demonstration code is for sample purposes only. Use of this code for other purposes requires a licensing agreement from Iterated Systems.

Discover the basic principle of connectivity...



Look to SmarTerm® for visionary emulation and multi-platform connectivity.

It's a basic principle worthy of Galileo:

SmarTerm's stellar PC-to-host connectivity puts you at the center of your system. New SmarTerm emulation software for Windows will expand your vision with a galaxy of UNIX, VMS, and DG host applications. SmarTerm 420 for Windows and SmarTerm 340 for Windows have both been upgraded. We also offer SmarTerm 470 for Windows, the first full-featured Data General 470 emulation product for Windows. And coming soon—SmarTerm for Windows NT!

New Windows Sockets TCP/IP and more!

Assure your system a window on the future with great new features like SmarTerm TCP/IP as a Windows Sockets DLL, drag-and-drop FTP, a dialing directory, a script recorder, and *SmartMouse™* enhanced mouse support!

Test a proven theory for reducing support costs.

It's a fact. You'll save money and time with SmarTerm's pioneering corporate support tools and utilities.

These corporate support tools include simplified keyboard remapping, pop-up keyboard, toolbox, customizable help system, and enhanced button palettes with icons or text.

Discover SmarTerm.

It's the only emulation software that includes LAT and SmarTerm TCP/IP as a Windows Sockets DLL (a \$199 value) FREE in every package. Discover the basic principle of connectivity today.

Call **1-800 EMULATE**
(1-800-368-5283).




persoft®

CONNECTIVITY SOLUTIONS
DOS • Windows • Ethernet • Token Ring

Persoft U.S.A. 465 Science Dr. • Box 44953 Madison WI 53744-4953 • Phone (608) 273-6000 • FAX (608) 273-8227
Persoft Europe World Trade Center • Beursplein 37 • Box 30237 • 3001 DE Rotterdam, The Netherlands • Phone +31 10 405.3560 • FAX +31 10 405.5073

©1993 Persoft, Inc. SmartMouse is a trademark and Persoft and SmarTerm are registered trademarks of Persoft, Inc. Other trademarks mentioned are properties of their respective companies.

Circle 125 on Inquiry Card.



A contractive affine transformation has a distinct effect on this penguin. The transformed big penguin (right) is smaller, and its feet are closer together. Such affine transformations are central to fractal image compression.

The matrix

$$\begin{pmatrix} a & b \\ c & d \end{pmatrix}$$

determines the rotation, skew, and scaling, and

$$\begin{pmatrix} e \\ f \end{pmatrix}$$

determines the translation. This transformation moves the point (0,0) to (e,f), the point (1,0) to (a+e, c+f), the point (0,1) to (b+e, d+f), and the point (1,1) to (a+b+e, c+d+f). The values a, b, c, d, e, and f are the affine coefficients for this transformation.

Consider the effect of an affine transformation W on a picture of a penguin in the x, y plane (see the figure above). Notice how applying W to the big penguin on the left results in the smaller penguin on the right. An affine transformation with this property is said to be *contractive*. Such affine transformations are important to the theory and practice of fractal image compression.

Given a two-dimensional image such as the penguin and its

affine transformation W, you can solve the six simultaneous equations determined by the x, y location of three points on the big penguin and the corresponding three points on W(big penguin) to find the values of the six coefficients (a, b, c, d, e, and f) that define the affine transformation W.

Affine transformations are not restricted to two dimensions. A gray-scale image can be considered to be a 3-D entity with two spatial dimensions and one intensity dimension (see the figure below). If you apply a 3-D contractive affine transformation to a gray-scale image, then it will become smaller spatially, the brightness will change, and the contrast will decrease.

A collage of an image S is a finite set of N contractive affine transformations W_i with the property that


$$W_1(S) \cup W_2(S) \cup \dots \cup W_N(S)$$

is approximately the same as S, where $\cup$ denotes the union of the images.

Study the series of images on page 202, and you will see that image A can be constructed from a combination of the two affine transformations of the leaf. To visualize these transformations, consider the three points labeled O, X, and Y, which make up three of the four corners of the rectangle in image A.

The affine transformation W_1 takes the origin O to $W_1(O)$, the point X to $W_1(X)$, and the point Y to $W_1(Y)$. The result appears as image B. Rectangle A has been shrunk, rotated, slightly twisted, and translated. The affine transformation W_2 takes origin O to $W_2(O)$, X to $W_2(X)$, and Y to $W_2(Y)$. The result appears as image C. Note that W_2 not only shrinks, rotates, and translates rectangle A, it also flips it relative to the y axis.

You can re-create the leaf by combining images B and C, so these images and their affine transformations form a perfect collage for the leaf. In "A Better Way to Compress Images" (January 1988 BYTE), Iterated Systems' founder Michael F. Barnsley and Alan D. Sloan show in detail how a collection of affine transformations can be used to re-create a fractal replica of a leaf by using an algorithm called the Chaos Game. In this way, the 12 numbers that define the two transformations can generate an intricate picture of a leaf with infinite detail. The Collage Theorem states that "the more accurately the union of the transformed images approximates the target image, the more accurately the set of transformations provides an encoding of that target image."



A 2-D gray-scale image actually has three dimensions: height, width, and intensity. This is evident in the above graph.

Fractal Image Compression

The Collage Theorem and the Chaos Game were breakthroughs for pictures of ferns, but arbitrary real-world images could still be encoded only by the tedious process of modeling the image as a collection of fractal segments and finding the right set of affine transformations for each. Before fractal image compression could be used commercially, a method was needed that could be carried out automatically by a computer in a reasonable amount of time and with predictable and accurate results.

While considering this problem, Barnsley made the observation that all real-world images are rich in *affine redundancy*; that is, under suitable affine transformations, large bits of real-world images look like smaller bits of the same real-world image. This observation, together with the mathematics of the Collage Theorem, led him to the invention of

4 Gigabytes. Under \$2,000. **POWER**TAPE



When you consider the value of all the data on a network, any backup system is a wise investment. But now you have a choice. Introducing PowerTape from Colorado Memory Systems. With a native capacity of 2 GB and 4 GB using data compression, PowerTape can handle virtually any backup task.

The PowerTape system includes a backup tape drive, SCSI controller, Colorado Backup™ software, data cartridge, and more. At \$1,995 why pay more and get less? And, if 4 GB is more than you need,

a 2.4 GB model is available with the same high performance features at only \$1,295.

With PowerTape, you get safe and easy restores and backups, plus the reliability of QIC Industry Standard Format. PowerTape is compatible with Novell NetWare® 2.2 and 3.11, NetWare Lite™, LANTastic®, 3COM® and IBM® PC-NET. It supports Novell-specific files, including bindery and trustee rights.

Call **1-800-451-0897** ext. 317 today for a FREE 76-page catalog.



POWERTAPE™
SERIES 4000

COLORADO™
MEMORY SYSTEMS INC.

© 1992 Colorado Memory Systems Inc. All rights reserved. PowerTape, Colorado Backup and Colorado are trademarks of Colorado Memory Systems, Inc. All other trademarks are property of their respective companies. PTA-BYT010893

Circle 76 on Inquiry Card (RESELLERS: 77).

the fractal-transform process for automatic image compression.

The first step in the fractal-transform compression process is to partition the image into nonoverlapping domain regions (see the figure "The Fractal Image Compression Process"). Taken together, the set of domain regions must cover the entire image, but they can be any size or shape. Next, the program defines a collection of possible range regions, which must be larger than the domain regions, can overlap, and need not cover the entire image.

For each domain region, the program must choose the range region that, after an appropriate 3-D affine transformation is applied, most closely matches the domain region. The affine transformations not only shrink and deform the image within the range region, they also decrease contrast and change brightness in the intensity dimension. Each 3-D affine transformation can be described by its affine coefficients.

A FIF (Fractal Image Format) file is then written. It consists of a header with information about the specific choice of domain regions, followed by the packed list of affine coefficients chosen for each domain region. This process generates a file that is independent of the resolution of the original image; you have found an equation for the picture. Consider a straight line: It can be represented by the equation $y = ax + b$. If you know the values of the coefficients a and b , then you can draw the line at any resolution. In an analogous way, given the affine coefficients in the

FIF file, the decompression process can create a fractal replica that looks like the original at any resolution.

Commercial implementations of the fractal transform face some complex trade-offs when choosing domain regions, range regions, and allowed transformations. The larger the domain regions, the fewer the number of transformations that are needed to model the image, and the smaller the fractal file. However, if a reasonably close match is not found between each of the domain regions and a transformed range region, the quality of the decompressed image is reduced.

The compressor considers domain regions of various sizes, finds the best range region for each in the time available, and uses a mathematical procedure to assess the optimum set of domain regions for the desired file size. On a region of blue sky, for example, it may be possible to use a large domain region that matches well with an even larger patch of sky. But in another part of the picture, you might have to use a smaller domain region to find a good-enough range region within the available search time.

To keep compression time reasonable, practical limits must be put on the collection of possible range regions and the allowed transformations. In Iterated Systems' Poem ColorBox, for example, the compressor has four possible modes that control the time allowed for searching out the best range region for each domain. In the higher-quality modes, which take the most time,


it is possible to extend the class of transformations and the set of possible range regions to achieve better image quality in the same compressed file size.

Fractal-Transform Decompression

The decompression process starts when you assign memory for two equal-size images A and B. The size of these images can be smaller or larger than that of the original image before compression, and the initial content is unimportant. It can be data, a picture of your dog—anything.


For the first iteration of the decompression process, I refer to image A as the *range image* and image B as the *domain image* (see the figure "The Fractal Image Decompression Process"). I partition the domain image into domain regions specified in the FIF file header. For each domain region in the domain image, I read the affine coefficients for this domain from the FIF file, locate the range region specified by this affine transformation in the range image, and map the contents of this range region from the range image

The Fractal Image Compression Process



The algorithm for fractal-transform compression of image data.

The Fractal Image Decompression Process



The algorithm to decompress an image stored as fractal-transform data.

C & C++ FOR DOS

Comms

C Asynch Manager	£89
C Comms Toolkit	£215
COMM-DRV	£145
Essential Comms	£215
Greenleaf CommLib 4.0	£205
SilverComm "C" Asynch 4.0	£135

Database

Btrieve	£365
C-Index+ 4.0	£250
c-tree Plus 6.0C	£565
CodeBase 5.0	£240
D-ISAM	£325
d-tree	£490
DataBoss	£520
Greenleaf Database Library	£155
Paradox Engine & DFX 3.0	£125
POET SDK 2.0	£360
r-tree	£295
Raima Data Manager	£305
Raima Object Manager	£305
SoftFocus Btree/ISAM	£75
Sycero C Net	£895
Watcom SQL Developer's	£295

Graphics & GUI

Accusoft Image Format Lib	£360
dGE 5.0	£205
Essential Graphics Chart	£130
Essential Graphics Kernel	£135
Essential Graphics GUI	£99
Graphic-C 6.1	£305
Graphics-MENU & Data Entry	£205
GX Graphics 2.0	£155
HALO Professional 2.0	£245
MetaWINDOW-DOS 4.3	£150
MetaWINDOW-DOS/286 4.3	£210
MetaWINDOW-DOS/386 4.3	£270
object-MENU	£305
PCX Toolkit 5.0	£155
PCXLab-DOS/286/386	£150
Real-Time Graphics & MCT	£185
T-Windows	£240
TEGL Windows Toolkit 3.0	£195
zApp for DOS Graphics 2.0	£320
Zinc 3.5 for DOS	£354

Math & Scientific

C/Math Toolchest & Grafix	£45
Huge Virtual Array & NAT	£215
Linpack.h++ w/Source	£429
Math.h++ w/Source	£257
Matrix.h++ w/Source	£343
MIRACL	£39
Science & Eng Tools 8.0	£115

VISUAL BASIC FOR DOS

MS Visual Basic for DOS Std	£95
MS Visual Basic for DOS Prof	£222
Comms Lib/DOS	£115
Network Library/DOS	£80
PDQ Comm	£65
Btrieve 5.1	£365
db/Lib Prof 3.0	£195
E-Tree Plus	£165
Elitech's GUI Toolkit	£125
Graphics QuickScreen	£105
Graphics Workshop	£105
GraphPak Pro	£99
GX Graphics 2.0	£155
Compression Plus	£130
Compression Workshop	£110
Microhelp Muscle/DOS	£155
PDQ	£110
Printer Plus	£185
ProBas 5.5	£165
QuickPak Prof 4.1	£145
QuickPak Scientific 3.0	£105
QuickScreen 4.0	£105
Science & Eng Tools 8.0	£80
TSRific	£80

BASIC

Compilers & Interpreters	
BBC BASIC-86 Plus	£75
CA-Realizer (Win)	£190
GFA-BASIC for DOS	£85
GFA-BASIC for DOS Compiler	£42
GFA-BASIC for Windows	£170
GFA-BASIC for Win Compiler	£42
PowerBASIC 3.0	£110
TrueBASIC 3.0	£75

SMALLTALK

Smalltalk/V DOS 3.0	£90
Smalltalk/V for OS/2 2.0	£630
Smalltalk/V for Windows 2.0	£335

Printer

Baby Driver Kernel	£185
BGI Printer Driver Toolkit	£105
GX Printer	£240
SLATE	£260
TesSeRact Printer Control Sys	£45

Screen

C-Scape 4.0	£360
C/Windows Toolchest	£45
Greenleaf Datawindows 3.0	£220
MEWEL Window System 4.0	£380
Object Professional for C++	£165
Panel Plus II	£260
TCXL-DOS 6.1	£79
Turbo Vision Dev Toolkit 2.0	£105
Vermont Views Plus	£595
zApp for DOS Text	£320

General & Systems Libraries

C Tools Plus/6.0	£65
CAD/CAM Dev Kit/2D Personal	£375
CodeRunner	£150
Heap Expander 3.0	£130
Hold Everything	£130
Interwork	£205
MoreHeap	£110
MTASK	£215
Multi-C w/Source	£39
PDK #1, #2, #3	£95
PowerSTOR	£99
Resident-C	£160
TesSeRact Compression Sys	£45
TesSeRact TSR Dev Sys 2.0	£79
TG Professional (CAD/CAM)	£395
Tools.h++ w/Source	£257
TSRs and More	£115
VMData	£370

Tools

C-DOC 5.0	£150
C-Vision 3.0	£90
Clear+ for C	£135
CodeCheck Personal	£250
MKS LEX & YACC	£240
PC-Lint	£85
PCYACC Personal	£250
SourcePrint+ Deluxe 5.0	£190

VISUAL BASIC FOR WINDOWS

Visual Basic 3.0 for Win Std	£95
Visual Basic 3.0 for Win Prof	£222
Comms Lib/Win	£115
Network Library/Win	£80
PDQ Comm for Windows	£99
Agility/VB	£160
Btrieve for Windows	£365
CodeBasic	£145
ObjectTrieve Prof 2.01	£410
Q+E Database/VB	£135
Q+E Multilink/VB	£295
Raima Data Manager	£380
VB/ISAM MU	£150
Visual/db Network 3.0	£235
3D Graphic Tools	£90
GUI Assist	£350
ImageKnife/VBX	£145
Microhelp Muscle/Win	£160
PCX Toolkit for Windows	£155
QuickPak Scientific for Win	£105
Spellcheck/VB	£49
TrueGrid	£80
VB Compress Pro	£95
VBXRef Utility	£80

PROGRAMMING TOOLS

Ada	Assemblers
Basic	C
C++	Cobol
Comms	Cross Dev
Custom Controls	Database
Debuggers	Dos Extenders
Editors	Fortran
Graphics	GUI
Linkers/Locaters	Lisp
Logo	Memory Management
Modula-2	Multi-tasking
Pascal	Prolog
Rexx	Scheme
Smalltalk	SQL
Version Control	Visual Programming
Windows	Xbase

We stock many items for which there is no space in these advertisements.

GREY MATTER

Prigg Meadow, Ashburton
Devon TQ13 7DF

Prices do not include VAT or other local taxes but do include delivery in mainland UK. Please check prices at time of order as ads are prepared some weeks before publication. This page lists some products - call us for a complete price list. ORDER BY PHONE WITH YOUR CREDIT CARD

(0364) 654100

FAX: (0364) 654200

ADA COMPILERS

IntegrAda	£300
IntegrAda/386	£695
Janus/Ada Compiler	£115
Janus/Ada Pro Dev Sys	£450
Janus/Ada Pro Dev Sys (32-bit)	£630
OpenAda DOS	£260
OpenAda DOS 286	£495
OpenAda DOS 386	£695
OpenAda Windows	£795

EDITORS

Borland Brief 3.1	£125
Codewright 2.0 for Windows	£205
Kedit 5.0	£125
Multi-Edit Standard 6.1	£115
Multi-Edit Professional 6.1	£165
Norton Editor 2.0	£55
QEdit Advanced	£45
Vedit-Plus 3.5	£140

C & C++ FOR WINDOWS

C Comms Toolkit/Windows	£270
COMM-DRV	£145
CrystalComm for Windows	£130
Greenleaf Comm++	£155
Greenleaf CommLib Pro	£325
Agility/VB++	£160
Btrieve for Windows	£365
CB/ISAM MU for Win	£150
CodeBase 5.0	£240
Integra VDB	£395
Paradox Engine & DFX 3.0	£125
POET SDK 2.0	£360
Q+E Database Library	£295
Raima Data Manager	£380
Raima Object Manager	£305
Watcom SQL for Windows	£295
Essential Graphics Chart	£300
Graphic/Win	£370
Graphics Server SDK	£205
Windows Charting Tools	£300
Accusoft Image Format Lib	£360
C++/Views 2.1	£360
Control Palette 2.0	£110
Data Entry Workshop	£130

DataTable	£200
Magic Fields	£255
MS Visual Control Pack	£69
Out of Controls w/Source	£355
PCX Toolkit for Windows	£155
ProtoGen 3.0	£149
ProtoView 3.3	£295
Toolbox for Windows 3.0	£305
Win/Sys Library	£105
Win++	£185
WindowsMaker Pro 4.0	£605
zApp for Windows 2.0	£320
zApp for Windows NT 2.0	£320
Zinc 3.5 for Windows	£354

News & Views




The biggest surprise of the month is that Metagraphics have simplified the MetaWINDOW range. There is now a single product with just 3 variants for DOS, DOS/286 and DOS/386. The new version 4.3 includes all the features of the original toolkits, all with no pop-ups, no TSR's and no royalties. Full source code is also now available. The new FontWINDOW/Plus now includes a utility to convert scaleable outline fonts to bitmap fonts (it includes over 20 outline typefaces) and can import Postscript Type 1 & 3 fonts. C and Pascal programmers doing graphics work under DOS should check out this new range. The rest of the new Watcom compilers should also be in stock by the time this ad appears - this will include the C32 for DOS, C/C++16, F7716 and F7732. Call us for details and pricing.

C & C++ COMPILERS

NEW WATCOM C/C++32 is now shipping. Full AT&T 3.0 C++ with nested types, templates and exception handling. Hot new 9.5 code generator exploits the superscalar architecture of Pentium and takes advantage of 486 pipelining - create a single, high-performance executable which runs on 386, 486 and Pentium processors. New protected mode linker eliminates unreferenced functions. Widest range of 32-bit Intel x86 platform support with DOS, OS/2 2.x and Windows NT hosted tools, targets 32-bit DOS, OS/2 2.x, 32-bit Windows 3.x, Win32s/Windows NT, AutoCAD ADS/ADI, Netware NLM and PenPoint. CALL US FOR MORE DETAILS OR TO PLACE AN ORDER. ONLY £420.

Aztec Embedded C86	£290
Borland C++ 3.1	£250
Borland C++ & AFX 3.1	£365
Microsoft Visual C++ Std	£95
Microsoft Visual C++ Prof	£222
MS QuickC 2.5	£50
MS QuickC & QuickAsm	£83
Topspeed C Prof	£165
Topspeed C++ Prof	£165
Turbo C++ 3.0	£59
Turbo C++ Visual Ed. for Win	£52
Watcom C 9.0	£320
Zortech C++ 3.1	£185
High C/C++ 386 3.1	£555
NDP C/C++ 4.2 (386)	£445
SVS C3 ANSI-C (386)	£310
Watcom C/C++32 9.5	£420
Borland C++ for OS/2	£250

WITH FULL TECHNICAL SUPPORT



The leaf in A has been transformed by affine transformation W_1 to get leaf B, and by affine transformation W_2 to get leaf C. If you combine the transformed images in B and C, the resulting image looks like the leaf in image A.

to the appropriate domain region in the domain image.

Note that the transformation from the range to the domain is contractive, since I require the range regions to be larger than the domain regions. When this is done for each domain region, a new image B is created from transformed bits of image A.

For the second iteration, I make the new image B the range image and image A the domain image, and I repeat the process for each domain region. After two iterations, the arbitrary starting data has been mapped from A to B and then from B to A. I repeat this process until the differences between images A and B are indiscernible, and I then display image A.

This simple process creates an image. How closely the decompressed image matches the original depends on how accurately the chosen range regions match the domain regions during the compression process. For a mathematical explanation of why the fractal transform works, see the book *Fractal Image Compression* (see bibliography).

Fractal vs. JPEG/DCT

Fractal-transform image compression overcomes many of JPEG/DCT's problems. The fractal-transform process can use much larger and more complex regions when dealing with high-resolution images, so the size of a compressed FIF file does not have to increase in proportion to the number of pixels in the image. Instead of suppressing the higher-frequency data associated with sharp edges, fractal compression predicts edges at higher resolutions from the fractal model determined during compression.

The fractal-transform process is inherently asymmetric—more computation is required for compression than for decompression, so fractal-transform compression is relatively slow, while decompression is fast. Also, compression ratios can be improved by taking more time during compression without any increase in decompression time or decrease in image quality.

For example, in the JPEG version of the parrot in the photo, JPEG software compression and reading/decompression require 41 seconds each on a 386/33. By contrast, the fractal image compressed in 8 minutes, but it was read and decompressed in 7 seconds. Reading the original, uncompressed image required 14 seconds. Fractal compression time can be reduced by using fractal accelerator compression boards or by using a smaller compression ratio.

Decompression speed, resolution independence, and high compression ratios distinguish fractal image compression from JPEG/DCT. Many applications developers may find fractal image compression preferable for multimedia applications where quick access to high-quality images is essential. Microsoft, for example, currently uses fractal image compression in its Encarta multimedia encyclopedia. ■

Editor's note: The listings for programs mentioned in this article are available electronically. See page 5 for details.

BIBLIOGRAPHY

- Barnsley, Michael F. *Fractals Everywhere*. 2d ed. San Diego, CA: Academic Press, 1993.
- Barnsley, Michael F., and Lyman P. Hurd. *Fractal Image Compression*. Wellesley, MA: A. K. Peters, 1993.
- Barnsley, Michael F., and Alan D. Sloan. "A Better Way to Compress Images." *BYTE*, January 1988.
- Mandelbrot, Benoit B. *The Fractal Geometry of Nature*. New York: W. H. Freeman, 1977.
- Pennebaker, William B., and Joan Mitchell. *JPEG Still Image Compression Standard*. New York: Van Nostrand Reinhold, 1993.

Louisa F. Anson is a vice president at Iterated Systems, Inc. (Norcross, GA), where she has worked closely with Michael F. Barnsley, inventor of the fractal transform, in developing commercial implementations of fractal image compression algorithms. You can reach her on BIX c/o "editors" or on the Internet at editors@bytepb.byte.com.

A Color Subnotebook Only 59% The Size Of A Standard Notebook PC !



Model No. : SN8660/C

With our new Intel-based Color/Mono subnotebook, the power they need they don't want. It's only 4 pounds, and available at up to 18,000 units a month. When you source from Chicony, you get more innovation in every product. And that's what you should expect, considering that we have 70 engineers engaged in R&D alone !

It's only **4** pounds!



120-pin ISA bus port with two expansion modes:
--Full-feature Docking Station
--Simple Docking adaptor



External FDD
PCMCIA 2.0 IC card slot
Suspend/Resume button



60/80/120MB removable HDD
Full-size, easily changeable keyboard
Built-in Trackball

**We also offer Intel 486DX-33 or 486DX2-66 with STN & TFT color Notebook PCs.
ISO-9002 Approved Factory**

CHICONY ELECTRONICS CO., LTD.
207 Kuan Hwa St., Ta-Chu Chung,
Lu-Chu Shiang, Tao-yuan, Taiwan, R.O.C.
Tel: (886) 3-3234721
Fax: (886) 3-3235877

CHICONY AMERICA INC.
53 Parker, Irvine,
CA 92718, U.S.A.
Tel: 1-(714) 3800928
Fax: 1-(714) 3809204


CHICONY ELECTRONICS GMBH
Brodermannsweg 17, 22453 Hamburg, Germany
Tel: 49-(40) 51 44 00-0
Fax: 49-(40) 51 29 32
Telex: 2 12 841 chicon d

SEE US AT :
COMDEX/Fall '93
BOOTH S2661

Chicony®

Circle 538 on Inquiry Card.


Intel Inside Logo and Intel 486™ are trademarks of Intel Corporation. All other brand names are the registered property of their respective owners.



If the Doc Looks Like Greek to You ... Read This.

Rely on Osborne to deliver the computer books with the information and insights you need...on virtually every hot programming topic. With our books, you'll find the answers fast, so you can become more productive, knowledgeable, and confident.

The clearly written, well organized text helps you find what you need quickly—you'll also find a detailed index



Abundant screen displays are clear and crisp, and marked for easy identification

Special dialog boxes, tables, and tips call attention to vital information

Osborne


Get Answers—Get Osborne
For Accuracy, Quality and Value

AVAILABLE NOW AT YOUR LOCAL BOOK AND COMPUTER STORES


Waldenbooks

Waldensoftware


Barnes & Noble
Booksellers Since 1873




The Annotated ANSI C Standard
by the American National Standard
for Programming Language—C
Annotated by Herbert Schildt
Covers ANSI/ISO 9899-1990
\$39.95 ISBN: 0-07-881952-0



OS/2 Programming
by Herbert Schildt
Covers Versions 2.0 & 2.1
\$29.95 ISBN: 0-07-881910-5



Application Programming for Windows NT Book/Disk
by William H. Murray, III
and Chris H. Pappas
\$39.95 ISBN: 0-07-881933-4



The Visual Basic 3 for Windows Handbook
by Gary Cornell
\$29.95 ISBN: 0-07-881986-5



The Best C/C++ Tips Ever
by Anthony Porter
\$29.95 ISBN: 0-07-881820-6

The Visual Toolbox

Visual programming tools make quick work of simple OS/2 programming jobs



MARK J. MINASI

This month, I'd like to let you in on a little secret of mine: a quick way to build small OS/2 GUI applications. Now and then, a client needs a quick-and-dirty routine to "GUI-ize" something. They might want me to tie together several existing applications, put a GUI front end on something, or perhaps create a small stand-alone GUI application. Pulling out the C compiler can result in long hours of coding—something I know the client is not willing to pay for. That's when I reach for my visual toolbox.

You've probably heard of visual development systems like ObjectVision and Visual Basic for Windows. Borland even offers ObjectVision for OS/2, which is a great product for projects like putting a front end on a database. But for simpler tasks, a product like Visual Basic has been lacking.

For years, DOS users have turned to simple tools like QuickBasic to grind out simple character-based routines. But what do OS/2 users have to accomplish this? Since version 1.3, OS/2 has had something that has about the same level of power as BASIC, and it's built in: the REXX procedural language.

REXX is actually a more powerful language than BASIC when it comes to controlling the underlying operating system. It's integrated into OS/2 more closely than BASIC ever was with DOS. REXX isn't as well known or well documented as BASIC, but it's quite good nonetheless. As a simple command-line-oriented procedural language, however, it has been no good for controlling the Workplace Shell GUI. That has now changed. Recently, HockWare and Watcom introduced VisPro/REXX and VX-REXX, two similar products that add significantly to REXX.

VisPro/REXX vs. VX-REXX

I've had more experience working with VisPro/REXX than with VX-REXX, but I've put together applications with both. These products let you build Workplace Shell applications using just REXX and a few extra DLLs. You can build some nifty applications.

Visual Basic reworked the whole idea of BASIC, meld-

ing together a traditional BASIC interpreter with a screen-painting program to create a run-time environment. In contrast, VisPro/REXX is simply a bunch of new REXX functions.

For example, to put a window on the Workplace Shell, you just call the REXX function `VOpenWindow`, which takes as input parameters the dimensions of the window, the window's title, and the border color. `VOpenWindow`, if successful, returns a window ID, or *handle*, which you can use with `VForeColor` to set the foreground color, `VSetFont` to control the text font used in the window, or `VSay` to put text into the window. `VMsgBox` displays a simple text message box with programmer-selectable feedback buttons such as OK and Cancel.

In contrast, VX-REXX uses a slightly more object-oriented approach that relies, according to Watcom, on the



CHRIS LOCKWOOD © 1993

SOM (System Object Model) support in OS/2. VX-REXX lets you define characteristics for different objects and change them with a `VRSet` command. For example, to change a button's background color to blue, you'd use the command `Call VRSet "PB_4", "BackColor", "Blue"`. Here, `PB_4` is the name of the push-button object.

Creating dialog boxes is a snap in VisPro/REXX as well, and it even comes with some predefined dialog

boxes. To display a dialog box that looks like the standard OS/2 File Choose dialog box, for example, you just add the following line to your program: `button = VFile-Box('Pick a file...', 'c:\os2\*.exe', 'file')`. The result is indistinguishable from when you click on File/Open from inside the system editor. (VX-REXX has a function like that as well: `VR-FileDialog`.) If you don't like the prebuilt dialog-box functions, you can build your own dialog boxes with functions to display command buttons, radio buttons, checkboxes, and the usual GUI tools.

Most VisPro/REXX programmers will never have to worry about these built-in functions, however. It has an integrated form painter (*form* is VisPro/REXX talk for window) that lets you drag and drop controls from a toolbar to your program, building entire applications with clicks and drags. Want a button in the middle of your program that says "Exit"? Just drag a button from the toolbar to wherever you want it, drop it, and edit its Settings notebook to specify the Exit text. To tell the system what to do when a button gets pushed, just click on the button, choose the When option on the Form menu, and code to your heart's content.

VX-REXX uses something like that, but with a look and feel more like Visual Basic's toolbar. I prefer its screen painter to VisPro/REXX's only because I've never found dragging and dropping a comfortable action.

Additionally, the defaults on colors and shading under VX-REXX produce somewhat more professional-looking programs. Those things can be accomplished by VisPro/REXX as well, but at the cost of a bit more programming. You get the feeling with VX-REXX that the designers thought a lot about what the programs that it produces look like.

VisPro/REXX knows graphics as well. You can draw objects with the `VDraw` and `VArc` functions. `VDraw` is very powerful, incorporating the ability to control line styles, endings, and colors. A demonstration program that HockWare ships with VisPro/REXX shows how to draw splines with `VDraw`. I found it quite simple to throw together a basic drawing package using largely `VDraw` commands. VX-REXX, in contrast, doesn't support any drawing tools, or at least none that I was able to find.

Missing Pieces

These visual tools are not without flaws. VisPro/REXX and VX-REXX are interpreted, which means that you won't use them to do your Mandelbrot calculations—at least not in this lifetime. For speed-critical applications, these are *not* the tools of choice.

VisPro/REXX includes a sample calculator application, and I found it easy to click on the number buttons too quickly for the calculator to catch on. When I entered the number 6542, it often registered as 64 on the display. In contrast, VX-REXX's calculator had no trouble following the keystrokes. VX-REXX's built-in objects made it possible to put together a better-looking calculator, as well.

VisPro/REXX is a good tool for building GUI

batch files and light-duty programs, although the user interface is a little clumsy. For example, if you put a control into your new program and then change your mind about using the control, you can't just click on it and press the Delete key, as you do with VX-REXX. You've got to click on Edit/Cut.

Event-driven programming can be tough to get used to, but if you're willing to do some more work, you can avoid much of the

event-driven stuff with VisPro/REXX and VX-REXX. Because they still incorporate the familiar input-processing-output paradigm of common procedural languages, you can choose to write the familiar interactive program that you'd write without any GUI in mind. Instead of PARSE, PULL, and SAY (REXX for INPUT and PRINT), you use the special GUI-sized functions incorporated in VisPro/REXX.

That design springs mainly from the fact that, again, this is not a whole new language—it's just a library you add to the already-existing REXX interpreter

that's built into OS/2. As a result, you can opt not to completely rewrite REXX programs into VisPro/REXX or VX-REXX; you just modify the existing I/O sections.

That points to another potential problem for someone wanting to get started with one of these tools: They assume you know REXX. At some point, the clicking and dragging ends and the coding starts. I recommend getting a firm foundation in REXX before tackling these development tools. REXX is, however, simple to pick up, as it looks a lot like Pascal or QuickBasic.

Price Is the Object

VX-REXX is quite attractively priced at \$99. VisPro/REXX, unfortunately, costs \$299, and that's the so-called introductory price. It's hard to justify an interpreted tool for \$299; \$99, on the other hand, goes down smoothly. There are no royalties for distributing applications built with either tool, however. HockWare's Bronze Edition of VisPro/REXX sells for \$99, but it does not include the business graphics, container control, notebook control, and slider control features.

If I have a major wish for these tools, it is that they let me make OS/2 API calls. Neither can do this, but VX-REXX can create and manage threads, a pretty nifty capability for a macro programming tool. Of course, both of these packages may be put to shame by a product that IBM is rumored to be working on, another visual tool that may be incorporated into a future version of OS/2.

If you want a good tool for prototyping OS/2 GUI programs, or a tool to quickly put a GUI front end on an existing OS/2 application, pick up one of these packages. Of the two, I prefer VX-REXX. But both are good examples of a new breed of visual development tools that will improve the general lot of GUI programs and simplify GUI programming. ■

Mark J. Minasi is the author of Troubleshooting Windows and Inside OS/2 2.1. His firm in Arlington, Virginia, gives seminars on OS/2 and Windows in the U.S., Canada, and Europe. You can reach him on BIX as "mjminasi" or on CompuServe at 71571,264.

For speed-critical applications, these visual tools are *not* the tools of choice.


About the Products

VisPro/REXX\$299
Bronze Edition\$99
HockWare
P.O. Box 336
Cary, NC 27512
(919) 387-7391
Circle 1158 on Inquiry Card.

VX-REXX\$99
Watcom International Corp.
415 Phillip St.
Waterloo, Ontario,
Canada N2L 3X2
(800) 265-4555
(519) 886-3700
Circle 1159 on Inquiry Card.

Meet Our MultiTalented Family

Performing All Your Multimedia Needs



AI Tech's family of five is ready to act for you. We can help you create high-impact presentations. Or take these presentations on the road with utmost convenience. You can develop a teleconferencing or interactive training system, or create picture records. Or just entertain yourself. Whatever you may need, we have a multimedia product that can fulfill your requirements. For either full-motion video capture or VGA output to TV or video.

With **WaveWatcher-TV**, you can view TV or video on your VGA monitor. Images or full-motion video can be captured from any TV program and used in your desktop documents or presentations.

If you require higher performance, **VideoSurge** should be considered for full-motion video capture. VideoSurge displays

a real-time, 24-bit true color. Plus, three sets of stereo source inputs. Volume, bass, treble and balance control can be individually selected and controlled.

The AI Tech **audioSHOW** combines the ability to display your computer's output on a TV or VCR with full-featured 16-bit stereo sound capabilities. Imagine recording your VGA screen to videotape and adding a music soundtrack consisting of CD music, MIDI synthesizer orchestrations, sampled sound effects and narration. This is the power of **audioSHOW**!

The **ProVGA/TV Plus** enables you to convert VGA display graphics into NTSC or S-VHS video for display on TV monitors or

projection systems. The converted video can be genlocked to external input for mixed video presentations. You can mix, overlay, or chroma key the VGA signal.

Taking your computer presentation on the road? Or just want to play computer games on your TV? The **ProPC/TV Plus** is an external pocket-size VGA-to-TV encoder that meets these needs. You get portability and easy installation, plus TV/VGA concurrent display.

Let us show how our talents can perform for you. For more information on the AI Tech multimedia product family, contact your local dealer or call us at 1-800-882-8184 or fax 1-510-226-8996.




AI Tech
Vision for Multimedia

AI Tech International, World Headquarters, 47971 Fremont Blvd., Fremont, CA 94538, Tel 510-226-8960 FAX: 510-226-8996

© 1993, AI Tech International. Specifications subject to change without notice. WaveWatcher-TV, VideoSurge, audioSHOW, ProVGA/TV Plus and ProPC/TV Plus are trademarks of AI Tech International. All other trademarks are the property of their respective holders.

TEST BEFORE YOU BUY



SOFTWARE

Software Digest is published by NSTL, the industry's first and most authoritative independent testing laboratory.

world, applications-based environment like the one you work in every day.

The result: clear-cut winners that give you the best value for your money. Concisely and clearly described — without ads, distractions, or outside influences of any kind.

Every 64-page issue addresses a noteworthy applications software package or operating system that involves significant expense or investment in a learning curve. For example —

- Group scheduling
- Windows-based peer-to-peer LANs
- SQL Servers
- Project Management
- Virus Protection
- Presentation graphics
- Multiuser databases
- Integrated packages
- Network management software
- LAN E-mail
- Graphical spreadsheets
- Communications

Software Digest's comparative features section is so comprehensive that vendors consult it before designing upgrades. Shouldn't you consult us before buying them?

Get full control of the planning and buying process — subscribe today.

SOFTWARE DIGEST IS NOW PART OF THE BYTE FAMILY OF PUBLICATIONS!

PHONE

1-800-257-9402

FAX

1-609-426-5434

Which new standalone or networked software applications and upgrades should you buy?

Does the software you're considering live up to vendor claims? Will your people be able to learn it?

Since 1983, buyers making high-stakes purchases have been using National Software Testing Laboratories (NSTL) for authoritative, state-of-the-art evaluation of PC software.

NSTL originated the concept of testing microcomputer products. Today NSTL's benchmarks and methodology are universally

regarded as definitive.

Software Digest, an NSTL/BYTE publication, gives you monthly access to NSTL's comprehensive software test results. So you can make smarter, easier buying decisions.

Our tests flatten the playing field in each software category. So products show their strengths and weaknesses in head-to-head, feature-to-feature competition designed and analyzed by NSTL's test experts.

Each report compares product costs, speed, features, versatility and compatibility in a real-

ORDER NOW!

YES, please enter my subscription to Software Digest for one year (12 monthly issues) at \$445, and send my free binder upon payment. If I elect to include payment now, add two additional issues to my subscription at no cost. I must be completely satisfied with Software Digest or I will receive a full refund of my entire investment.

MAIL TO: Software Digest, P.O. Box 551, Hightstown, NJ 08520-0551

NAME _____

COMPANY NAME _____

COMPANY ADDRESS _____

CITY/STATE/ZIP _____

PHONE _____

PAYMENT INFORMATION:

☐ Check enclosed **TWO FREE ISSUES!**

☐ Please bill me P.O. # required _____

Charge my: ☐ Visa ☐ MasterCard ☐ AMEX

ACCOUNT NUMBER _____


EXPIRATION DATE _____

SIGNATURE _____

Orders outside North America: Please add US \$20. for airmail delivery.

SDBYO39

FREE BINDER



To help you build your resource library, you get a FREE durable, 3-ring binder with tabbed subject dividers upon payment.

2 FREE ISSUES

Include payment with your order now (check or credit card) and receive two additional issues with our compliments.



Windows NT, OS/2, and Debuggers

A developer of programming tools looks at the power of debugging APIs in Windows NT and OS/2



MATT PIETREK

Last month I reviewed the fundamental services that operating systems must provide to a debugger. I showed the services that Microsoft Windows 3.1 provides and how a Windows debugger would use them. This month, I focus on debugger support under OS/2 2.1 and Windows NT on Intel-based systems.

Understanding debugger support in an operating system is important for any programmer—not just those who write debuggers. It's an essential part of writing many classes of tools and applications. For example, a program that wanted to monitor window messages and API calls would need to use the facilities designed primarily for debuggers.

The OS/2 2.1 Environment

Unlike that of Windows 3.1, the OS/2 2.1 memory model provides for each application to have its own address space. Whenever the operating system switches to a new task, it changes the CPU's page tables so that memory used by one process is not accessible to another. DLLs, however, are a special case; they can have code or data that's visible in the address space of two or more processes.


In addition to address-space considerations, an OS/2 debugger also must contend with multithreaded processes. The debugger must track the comings and goings of threads in the child process. When displaying the call stack or registers, the debugger needs to be aware of and display the thread to which the stack or registers pertain.

In OS/2, your sole connection to the process that is being debugged is through the `DosDebug()` API. To use it, you create a command by filling in various fields of a `DBGBUF` structure. You then pass the structure to `DosDebug()`, which acts on it. When `DosDebug()` returns, it has filled in the structure with notification information. The notification may be a simple success code (`DBG_N_Success`), or it may be something complex, such as a notification of a DLL load occurring (`DBG_N_ModuleLoad`).

A short sequence of `DosDebug()` commands and

notifications might resemble the following scenario: The debugger issues a `DBG_C_Go` command. When `DosDebug()` returns, the `DBGBUF` structure has fields specifying information about a module load (`DBG_N_ModuleLoad`). The debugger then does whatever housekeeping it needs to do for a module load and issues another `DBG_C_Go` command. This time, `DosDebug()` returns a `DBG_N_Exception` command, with one of the `DBGBUF` fields indicating that the exception was a breakpoint. At this point, the debugger could issue `DBG_C_ReadReg` and `DBG_C_ReadMemBuf` commands to get the current register and memory values to update the display.

If you were to believe the badly written `DosDebug()` documentation, you might think it's possible to get any `DBG_N_XXX` notification after giving any `DBG_C_XXX`



command. In reality, the `DosDebug()` commands can be broken into two categories: commands that return immediately and commands that block until something happens in the child process.

The commands that return immediately are information commands, such as `DBG_C_ReadReg` and `DBG_C_ReadMemBuf`. The commands that do not return immediately are the execution control commands, such as `DBG_C_Go` and `DBG_C_SStep`. The presence of

Hands On Some Assembly Required

commands that block until something takes place in the child process has a dramatic impact on the design of an OS/2 GUI debugger.

In OS/2, as in Windows, a GUI program that isn't pumping messages is a quick ticket to a deadlocked input system. Consider what would happen if an unsuspecting debugger were to call `DBG_C_Go` for a child program that was just about to enter into a 2-hour database sort. Until the child process stops for some reason (e.g., by hitting a breakpoint), the debugger user interface thread is blocked, waiting for the `DosDebug()` call to return. Since the single debugger thread is blocked in the `DosDebug()` call, the debugger isn't calling `WinGetMessage()` and `WinDispatchMessage()`, so the mouse and keyboard are useless. But OS/2 has preemptive multitasking, so it shouldn't matter if the debugger thread is blocked, right? While that's true, the design of the Presentation Manager input system still requires that applications call `WinGetMessage()` on a regular basis.

The solution to this problem is to start a second thread whose job is to perform `DosDebug()` calls. In this scenario, the primary user-interface thread tells the second thread to issue `DosDebug()` commands (think of the second thread as a `DosDebug()` server thread). When the second thread calls `DosDebug()`, it blocks with no ill effect on the user-interface thread. When the `DosDebug()` call finally returns, the `DosDebug()` thread indicates to the user-interface thread that there's new information available on the child process. A posted message is ideal for this.

Loading a New Process

Loading a process for debugging under OS/2 is a two-step procedure. First, you go through the laborious process of setting up a `STARTDATA` structure that you'll pass to `DosStartSession()`. To debug a program, it's essential that you specify the `SSF_TRACEOPT_TRACE` and `SSF_RELATED_CHILD` flags in the `STARTDATA` structure. You also need to specify what type of application you're debugging: PM, Windowable VIO (video input/output), or VIO.

After the process has been loaded and the new session started, you then call `DosDebug()` with the `DBG_C_Connect` command. When you return from this call, you are connected to the child process, but you're positioned in some OS/2 system DLL instead of at the first instruction. To get to your program's entry point, you need to set a breakpoint at the entry point and run the child process until it hits the breakpoint.

The only way I know to determine the starting EIP register is to parse the executable file directly. Once the breakpoint is set, you issue `DBG_C_Go` commands until you receive a `DBG_N_Exception` notification for the breakpoint. Between issuing the first `DBG_C_Go` command and finally hitting the breakpoint, you'll receive a slew of `DBG_N_ModuleLoad` notifications for all DLLs to which the program implicitly links. Unlike with Windows, you will receive a module load notification even if the DLL was already present in memory when the child process loaded. You can also receive more than one module load notification per DLL—for example, if a DLL is also using a DLL that your program is using.

Execution Control

Execution control over a child process boils down to letting you know about the process's exceptions and interrupts. In Windows, a debugger actually sees interrupts for the child task because it installs an interrupt handler for all tasks in the system. While this is good in some respects, it's not secure. A buggy debugger can bring the whole system down. OS/2, on the other hand, has "crash protection." While OS/2 users often get a laugh out of this name, it does at least mean that OS/2 attempts to isolate processes from one another.

Among other things, an OS/2 process is unable to handle the interrupts and exceptions of other processes. Since a debugger needs to handle these very things for the child process, some sort of compromise is necessary.

OS/2 provides for this case by putting a layer on top of the interrupt handler. Instead of the debugger handling interrupts directly, the OS/2 kernel handles all interrupts. If the interrupt is for a process that is being debugged, the kernel interrupt handler passes the debugger a

sanitized report of the relevant information in the form of a `DosDebug()` `DBG_N_Exception` notification.

One of the nice features of `DosDebug()` is that it attempts to handle some of the housekeeping chores for you. For instance, it takes care of setting the trap flag to indicate whether the child process will single-step or run. To make the child process run, you'd use `DBG_C_Go`. To make it single-step, you would use `DBG_C_SStep`. Without these commands, you would need to read in the child process's register set, modify the trap flag image, and write the registers back out.

When the child process encounters an exception of some kind (an INT 1 single-step, an INT 3 breakpoint, or something like an exception 13 general protection fault), the debugger needs to issue a `DBG_C_Continue` command eventually. When it does, a separate field in the `DBGBUF` structure indicates to OS/2 how the exception should be handled. The debugger has three possible choices of action.

For normal single-step and breakpoint exceptions, the debugger specifies `XCPT_CONTINUE_STOP`. This tells the OS/2 kernel that the debugger has handled the exception and wants the child process to stop (usually so that it can update its display and receive a new command from the user). In this case, the child process will not see the exception.

The second possibility is that the debugger specifies `XCPT_CONTINUE_EXECUTION`, which tells the operating system that the child process should resume execution and not see the exception. A debugger uses `XCPT_CONTINUE_EXECUTION` if it wants the child process not to see signal exceptions, such as Control-C.

The final option for handling an exception is to specify `XCPT_CONTINUE_SEARCH`, telling OS/2 that it should search for exception handlers installed by the child process. If the kernel finds an exception handler, it passes control to it. If the child process hasn't installed an exception handler, the kernel invokes

**A GUI program
that isn't pumping
messages is a ticket
to a deadlocked
input
system.**





Choose The Right Performance.

Getting the best performance often means choosing the next generation of technology. If you're looking for leading edge performance from a personal computer, take a look at DIGICOM's new P5 system. Based on Intel's Pentium™ Processor 60/66MHz, this system delivers the power needed for demanding networking, multimedia and graphical workstation applications.

PRODUCT NAME	ITEM	CPU	I/O BUS	MEMORY	CASE DIMENSION
DG-P5-60/66	DIGIS-P5 60/66MHz	Intel Pentium™ Processor 60/66MHz	ISA+VESA BUS	1-64MB	TOWER CASE 432mmx190mmx620mm

The Intel Inside Logo is a trademark of Intel Corporation



pentium
PROCESSOR



EUROPE:
**DIGICOM
EUROPE B.V.**
RIDDERPOORT 4,
2984 BG RIDDERKERK
THE NETHERLANDS
FAX: 31-1804-19815
TEL: 31-1804-11888

ASIA:
**ANPRO INC.,
DIGICOM GROUP**
9FL, NO. 2, LANE 235,
PAO-CHIAO ROAD,
HSIN-TIEN CITY, TAIPEI COUNTY,
TAIWAN, R.O.C.
FAX: 886-2-917-9099
TEL: 886-2-917-8555

U.S.A.
**AMERICAN
DIGICOM CORP.**
CALIFORNIA OFFICE:
1233 MIDAS WAY
SUNNYVALE,
CA 94086 U.S.A.
FAX: 408-245-1584
TEL: 408-245-1580

NEW YORK OFFICE:
125 MICHAEL DRIVE
SUITE 103 SYOSSET,
NY 11791 U.S.A.
FAX: 516-496-2366
TEL: 516-496-2323

TEXAS OFFICE:
610 PRESIDENTIAL
DR. SUITE 104
RICHARDSON
TX 75081 U.S.A.
FAX: 214-480-0199
TEL: 214-480-9998

Hands On Some Assembly Required

the default operating-system handler, which typically terminates the process.

Memory Access

The most obvious way to read and write child-process memory in OS/2 is with `DBG_C_ReadMemBuf` and `DBG_C_WriteMemBuf`, but I've found that these commands can be relatively slow. If you need to access the child process's memory space frequently, consider using `DBG_C_MapROAlias` and `DBG_C_MapRWAlias`. These commands let you specify a range of memory in the child process's address space that is also accessible in the debugger's address space. This can be done through the magic of page tables.

One of the joys of writing an OS/2 debugger is having to contend with 16-bit segments. The `DBG_C_ReadMemBuf` and `DBG_C_WriteMemBuf` commands deal only with 32-bit linear addresses, so a debugger needs to convert any segment:offset address into its linear equivalent. The `DBG_C_SelToLin` `DosDebug()` command is useful for this.

Register Access

Since OS/2 supports multiple threads, it's important for the debugger to remember the thread for which it's manipulating the registers. The `DBG_C_ReadReg` and `DBG_C_WriteReg` commands force you to specify the thread for which the register set should be retrieved. Often, though, when `DosDebug()` returns with a notification, it has filled in `DBGBUF` with the register set of the current thread.

The `DBG_C_ReadCoRegs` and `DBG_C_WriteCoRegs` commands access the 387 floating-point registers. To save space, the `DBGBUF` structure doesn't contain fields for the floating-point registers. Instead, you include a pointer to a buffer in the `DBGBUF` structure that's passed to `DosDebug()`. `DosDebug()` fills in this buffer in the format that the `FSAVE` and `FRSTOR` instructions use.

Event Notification and Address Mapping

As with interrupts, the OS/2 kernel has a layer that keeps the debugger from direct contact with the operating-system notifications. The kernel packages just the notifications that a debugger needs to know about and sends them to the debugger. The debugger sees these notifications as `DBG_N_XXX` values in the `DBGBUF` structure upon returning from `DosDebug()`.

To convert an OS/2 logical object number to its starting linear address, a debugger can use the `DBG_C_NumToAddr` command. For the purpose of address mapping, each segment in a 16-bit EXE or DLL file is considered to be an object. To convert from a linear address to a logical address, `DosDebug()` has the `DBG_C_AddrToObject` command. `DBG_C_AddrToObject` accepts a linear address and returns a module handle and logical object number.

Isolating a Child Process

As with Windows, the OS/2 input system doesn't deal well with a process that doesn't handle messages in a timely manner. The problems are essentially the same as with Windows (described last month), but the solutions are different.

In OS/2, each message queue is associated with a particular thread, and only that thread can retrieve messages from the queue. As a result, when the child process is stopped, an OS/2 debugger can't simply subclass the child process's windows and read mes-

sages intended for the child process. Instead, it has to call `WinThreadAssocQueue()` to reassign ownership of the queue to a debugger thread.

Once you get past the nuisance of reassigning the message queue, another problem arises. When a program calls `WinDispatchMessage()`, PM happily maps the message's `HWND` value to the address of the window procedure to be called. Unfortunately, the window procedure address is valid only in the context of the child process, not the debugger. When PM calls an address in the wrong context, the result is almost assuredly a general protection violation.

To make things even more complicated, an OS/2 process can have more than one thread/queue combination. When entering soft mode, therefore, an OS/2 debugger needs to set up a unique *message pump* thread for each child-process thread that owns a message queue. (Note that *soft mode* is a state in which the debugger has taken over message processing for the child process. All applications other than the child process continue to run normally. By contrast, *hard mode* is a special mode of the windowing system. Only one process—the debugger—receives messages; all other tasks are suspended. See last month's column for details.)

Mercifully, like Windows, OS/2 has a hard mode that is substantially easier to use than soft mode. You enter hard mode in OS/2 by calling `WinLockInput()`. To make the debugger writer's life interesting, only the thread that will be the sole active message thread can call `WinLockInput()`. Since the thread doing the `DosDebug()` calls is usually not the user-interface thread, some complicated gyrations are necessary. The debugger needs to somehow perform a synchronized thread switch so that the user-interface thread is the one that calls `WinLockInput()`.

In keeping with the spirit of isolating the debugger from the lowest level of system access, an OS/2 debugger cannot set hardware breakpoints by reading or writing the debug registers. Instead, a debugger uses the `DBG_C_SetWatch` and `DBG_C_ClearWatch` commands.

Windows NT


The debugging support in Windows NT is a hybrid of the OS/2.1 and Windows 3.1 models. The replacement for OS/2's `DosDebug()` is the `WaitForDebugEvent()/ContinueDebugEvent()` combination, along with a handful of other APIs. In the main process loop of an NT debugger, you pass a pointer to a `DEBUG_EVENT` to `WaitForDebugEvent()`. When the function returns, some sort of notification information appears in the `DEBUG_EVENT` buffer. Unlike OS/2, NT doesn't have different commands for stepping, running, and continuing after an exception. Instead, all this functionality is wrapped up in the `ContinueDebugEvent()` API.

As for retrieving information about the child process, NT provides individual API calls for each area of consideration. This is in contrast to OS/2, which forces all requests for information through the `DosDebug()` API. Of the two models (OS/2 versus Windows NT), the NT model is far easier to work with.


Loading a New Process

Loading a process for debugging under NT is as simple as adding the `DEBUG_PROCESS` flag to the `fdwCreate` creation flags parameter of `CreateProcess()`. Unlike with OS/2, there's no need to connect to the child process.

continued



DIGIS-P5



DIGIS-486NL

Digicom Is The Direction To Go For Everything You Need To Get

Looking for computer systems and mainboards? you don't have to go all over the map to get exactly what you need. Save yourself a lot of time and trouble by going direct to Digicom, the single supplier with all the solutions. The complete product line includes EISA, ISA and VESA buses, mainboards with CPUs from 386SX upward, and systems ranging from booksize to tower configurations. Digicom—definitely the way to go!



Look for the Intel Inside® symbol on our quality computer systems

PRODUCT NAME	ITEM	CPU	I/O BUS	MEMORY	CASE DIMENSION
DG-P5-60/66	DIGIS-P5 60/66MHz	Intel Pentium™ Processor 60/66MHz	ISA+VESA BUS	2-64MB	TOWER CASE 432mmx190mmx620mm
DG-486DX-33/50	DIGIS-486E 33/50MHz	Intel i 486DX-33/50MHz	EISA BUS	4-32MB	TOWER CASE 432mmx190mmx620mm
DG-486DX-33/50	DIGIS-486NL 33/50MHz	Intel i 486DX-33/50MHz	ISA+VESA BUS	1-32MB	MINI TOWER CASE 405mmx180mmx330mm
DG-486SX-25/33	DIGIS-486HN 25/33MHz	Intel i 486SX-25/33MHz	ISA BUS	1-32MB	SLIM CASE 308mmx375mmx105mm

The Intel Inside Logo is a trademark of Intel Corporation



EUROPE:
**DIGICOM
EUROPE B.V.**
RIDDERPOORT 4,
2984 BG RIDDERKERK
THE NETHERLANDS
FAX: 31-1804-19815
TEL: 31-1804-11888

ASIA:
**ANPRO INC.
DIGICOM GROUP**
9FL, NO. 2, LANE 235,
PAO-CHIAO ROAD,
HSIN-TIEN CITY, TAIPEI COUNTY,
TAIWAN, R.O.C.
FAX: 886-2-917-9099
TEL: 886-2-917-8555

U.S.A.
**AMERICAN
DIGICOM CORP.**
CALIFORNIA OFFICE:
1233 MIDAS WAY
SUNNYVALE,
CA 94086 U.S.A.
FAX: 408-245-1584
TEL: 408-245-1580

NEW YORK OFFICE:
125 MICHAEL DRIVE
SUITE 103 SYOSSET,
NY 11791 U.S.A.
FAX: 516-496-2366
TEL: 516-496-2323

TEXAS OFFICE:
610 PRESIDENTIAL
DR. SUITE 104
RICHARDSON
TX 75081 U.S.A.
FAX: 214-480-0199
TEL: 214-480-9998

Circle 169 on Inquiry Card.

Hands On Some Assembly Required

Once the child process has been created, the debugger can immediately go into its `WaitForDebugEvent()` loop. If the debugger wants the child process not to start execution until the debugger has a chance to set breakpoints, it can also specify the `CREATE_SUSPENDED` flag to `CreateProcess()`.

Execution Control

There's no explicit support for single-stepping an instruction or setting breakpoints in NT. An NT debugger is in the same boat as its Windows 3.1 siblings in that it needs to set or clear the trap flag, write breakpoint op codes (0xCC) to memory, and watch for INT 1 and INT 3. On the other hand, as in OS/2, an NT debugger doesn't have to install an interrupt/exception handler. Rather, NT tells the debugger about interrupts in the child process via `EXCEPTION_DEBUG_EVENT` events returned by `WaitForDebugEvent()`.

An NT debugger gets two chances to handle an exception. The first time it sees the exception, NT sets the `dwFirstChance` flag in the `EXCEPTION_DEBUG_INFO` structure returned by `WaitForDebugEvent()`. When the debugger starts up the child process again after receiving a child-process exception, it specifies one of two possible flags. The `DBG_CONTINUE` flag tells the NT kernel to start the child process running again and not to invoke any structured exception handlers in that process. If the debugger specifies the `DBG_EXCEPTION_NOT_HANDLED` flag, the NT kernel invokes any structured exception handlers that the child process may have set up.

If the NT debugger specified `DBG_EXCEPTION_NOT_HANDLED` and the child process doesn't have any exception handlers, the NT kernel tells the debugger of the exception again. This time, if the debugger specifies `DBG_EXCEPTION_NOT_HANDLED` to `ContinueDebugEvent()`, the operating system terminates the child process.

Memory and Register Access

The `ReadProcessMemory()` and `WriteProcessMemory()` APIs are the ticket for accessing the memory of the program being debugged. These APIs are similar to the `MemoryRead()` and `MemoryWrite()` APIs in Windows 3.1. The key difference with NT is that you have to specify a handle for the process whose memory you'll be accessing (separate address spaces, remember?).

The keys to accessing the registers of the process being debugged are the `GetThreadContext()` and `SetThreadContext()` APIs. Both take a thread handle and pointer to a `CONTEXT` structure.

The `CONTEXT` structure has space for holding practically all the registers of the CPU, including the 387 floating-point registers and the debug registers. Because some of the flags in the `CONTEXT` register (e.g., the protected-mode flag) have systemwide ramifications, `SetThreadContext()` won't allow you to alter those flags.

Event Notification

Events such as DLL loads and thread creations are returned in a `DEBUG_EVENT` structure by `WaitForDebugEvent()`. The list of events under NT is small compared to the collection of possible OS/2 events.

Like OS/2, Windows NT tells the debugger about DLL loads and unloads for each process. Under Windows 3.1, a debugger knows about DLL loads and unloads only when the DLL is ac-

tually loaded into memory or freed. If the DLL was already in memory when the Windows 3.1 debugger spawned the child process, the debugger won't receive any notifications for the DLL. In NT, by contrast, each DLL that a process uses is shown as loaded or unloaded, even if another program has already loaded it. In a sense, loading and unloading a DLL under NT is more like attaching and detaching.

Address Mapping

It took a long time to figure out how to go from a logical section number in the EXE/DLL file to a linear address in memory. Unlike Windows 3.1 or OS/2, NT has no explicit APIs to do this.

It appears that the only way to convert between logical and physical addresses is to watch the process creation and DLL load notifications. Both of these notifications give you the base address where the EXE or DLL file is loaded in memory. By reading the section table of the PE (portable executable) file, you can convert the relative virtual addresses stored there into actual linear addresses in memory.

Isolating a Child Process

In NT, a process that's not pumping messages doesn't affect other processes. Instead, a special thread is devoted solely to placing messages in the appropriate queues of each process. As a result, all these horrible contortions with hard and soft modes go away in Windows NT.

Although NT debuggers are free of the tyranny of hard and soft modes, they're still likely to have separate threads for handling user input and waiting for debug events. In NT, you don't *have* to pump messages in order for the system to remain usable; if you don't, however, your user interface won't respond. An NT debugger that calls `WaitForDebugEvent()` in its user-interface thread won't respond to the mouse or keyboard until the child process stops for some reason. An unresponsive debugger won't win you any awards for user-interface design. If you look at the DEB sample application in the `\MSTOOLS\SAMPLES` directory of the March 1993 NT Preliminary SDK (Software Development Kit), you'll see that it has a multithreaded design to avoid this problem.

Miscellaneous Support

Other miscellaneous support includes the ability to use the `CONTEXT` record to set and read the values of the debug registers. This capability lets you add hardware breakpoints to an NT debugger.


There doesn't appear to be any explicit support for walking the heaps, listing the modules and tasks, and so on. However, the collection of tools that comes with the March 1993 SDK shows that it is possible to do these things. For instance, `PVIEW` uses the `VirtualQueryEx()` API to walk the heap of a process.

System-Level Debuggers

Application-level debuggers focus on application programs and perhaps an occasional device driver. Because these debuggers are themselves applications, they are subject to the restraints and design flaws of the underlying operating system. The primary problem is that, since they're applications themselves, these debuggers affect the very system that they're trying to debug (a computer science equivalent of the Heisenberg Uncertainty Principle).

For example, these debuggers use the operating system's task-switching mechanisms to switch between themselves and the

**BEFORE SURE!MAPS,
THIS WAS THE ONLY WAY
TO ACHIEVE
PIN-POINT ACCURACY.**



*Expand Sure!MAPS with detailed information
on major metropolitan areas.*



*Street maps let you pin-point locations by
address or latitude/longitude.*



Now there's a better way: Sure!MAPS™ CD-ROM based desktop mapping software from Horizons Technology. No more colored stick pins. No more holes in your office wall. Sure!MAPS brings detailed mapping capabilities directly to your DOS or Windows PC. Import your database into Sure!MAPS to reveal geographic trends that will help you make faster and better business decisions. Whether it's real estate listings, office locations, customer sites or virtually any kind of point-specific data, Sure!MAPS can open your eyes to a world of valuable insights.

The Sure!MAPS base product includes a continental U.S. map and two world maps. You can expand your map coverage by ordering full-color raster USGS Map Sets of major metropolitan areas, complete with terrain contours and details like airports, parks, rivers, buildings and bridges. Street-level maps and satellite imagery are available, too. All you have to do is pick the Map Set that contains your city or region and Sure!MAPS does the rest. It even imports spreadsheet and database files, calculates distance and area, and scrolls from map to map in one seamless presentation.

Pin-point mapping will never be the same after Sure!MAPS. So throw away those little pins and call **1-800-828-3808**. Or plot a course to your local distributor, reseller or computer store to get your copy today.



Horizons Technology, Inc.
3990 Ruffin Rd.
San Diego, CA 92123-1826
(800) 828-3808

Sure!MAPS is a trademark of Horizons Technology, Inc.
Street-level maps are copyrighted by Etak, Inc.

Now Shipping...
the **only complete Fortran-90**

NDP Fortran-90

32-bit Globally Optimized Code
High Performance Features Include:

- Vector Array Syntax Notation
- C Like, Easy to Use Strings
- New Control Statements Like CASE
- Free Formatted Source
- New Intrinsics and Vector Primitives
- C++ Like Interfaces and Operators
- Pointers, Dynamic/Allocatable Arrays
- 1500 pages of documentation

**Your Choice of 486, Pentium or i860 for
DOS, OS/2, Unix, Solaris or NT**

Call for our White Papers on OS/2, i860
Parallel Processing, **NDP Fortran-90** and
LAPACK for the 486, Pentium and i860.

Microway®

Research Park, Kingston, MA 02364 USA (508) 746-7341
U.K., 081-541-5466 USA FAX (508) 746-4678

**The faster you call us,
the sooner you'll learn about
the best printer sharing
product available.**



**INSTANT
INFO**

Call 24 hours

1-800-373-3600

(Outside US/Canada 909-945-5600)

Ask for #1014

**We'll fax you the
whole story.**



SmartPrint™
Printer Sharing Network

"So Smart, it's Simple"

Hands On Some Assembly Required

child process. This makes them unsuitable for stepping through the operating system's task-switching code.

The places where normal application-level debuggers fear to tread are the domain of the system-level debuggers. These special debuggers use few, if any, of the operating-system services. Instead, they perform all their input and output themselves, talking directly to the hardware so as not to alter the state of the operating system. As a result, the user interfaces of these debuggers are typically much cruder than the interfaces you'll find in application-level debuggers, but the user gains the ability to step through just about any piece of code in the machine. Additionally, system-level debuggers can display the operating system's internal data structures.

Because they can go anywhere and see anything, these debuggers are the tool of choice for operating-system writers and other low-level programmers. You can bet that the operating-system developers at Microsoft and IBM aren't tracing through their bootstrap code in, say, Microsoft's CodeView.

Under Windows 3.1, there are two primary system-level debuggers. WDEB386 comes with the Windows 3.1 DDK (Device Driver Kit) and requires a second machine or terminal. It is a command-line debugger, and as such, it requires that you type in text commands and read scrolling output.

Another system-level debugger for Windows 3.1 is Nu-Mega Technology's SoftIce/W. The user interface is command-line driven, but more commonly used information is shown in windows; less often used information is shown in a scrolling command buffer. SoftIce/W understands the debugging information that Borland's Turbo Debugger and CodeView use, so it's also usable as an application-level debugger. You start both WDEB386 and SoftIce/W after you boot DOS but before you start Windows.

In OS/2 2.1, the system-level debugger is integrated into the operating-system kernel. IBM supplies a special version of the OS2KRNL file that replaces the original. The debug OS2KRNL communicates to the user via a serial connection, in a fashion similar to WDEB386. The basic command set for the debug OS2KRNL is very close to WDEB386's, so it's relatively painless to switch between the two environments.

For Windows NT, Microsoft provides I386KD. This debugger requires two NT machines and is similar to WDEB386 and the OS/2 kernel debugger.

API Power Tools

Despite all the complexity you've just waded through, there are a lot of common concepts in writing a debugger for Windows 3.1, OS/2, and Windows NT. Once you get past the initial hurdle of learning one debugging API, learning the others is easy.

In a sense, the debugging facilities are a chink in the operating system's armor. The operating system needs to allow a debugger special powers that ordinary applications don't have. However, nothing prevents applications that aren't debuggers from using these same facilities. With this newfound knowledge of the debugging APIs, you have a whole new bag of tricks to apply to those nasty problems that don't seem to have a solution. ■

Editor's note: *Some Assembly Required* has no listings this month.

Matt Pietrek specializes in debugging tools at Nu-Mega Technologies (Nashua, NH). He is the author of *Windows Internals* (Addison-Wesley, 1993). You can reach him on BIX c/o "editors," or on CompuServe at 71774,362.

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. **For quicker response, fax to 1-413-637-4343!**

Yes, I want FREE information on the following products!

1. For FREE product information from individual advertisers, circle the corresponding inquiry numbers on Your Direct Link Card!

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!

Fill out this coupon carefully. Please Print.

Name _____

Title _____

Company _____

Address _____

City _____ Country _____ Code _____

Phone _____ Fax _____

Inquiry Numbers 52-238

52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68
69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85
86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102
103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119
120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136
137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153
154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170
171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187
188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204
205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221
222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238

Inquiry Numbers 426-612

426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442
443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459
460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476
477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493
494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510
511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527
528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544
545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561
562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578
579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595
596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612

Inquiry Numbers 800-986

800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816
817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833
834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850
851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867
868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884
885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901
902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918
919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935
936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952
953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969
970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986

Inquiry Numbers 1152-1316

1152 1153 1154 1155 1156 1157 1158 1159 1160 1161 1162 1163 1164 1165 1166
1167 1168 1169 1170 1171 1172 1173 1174 1175 1176 1177 1178 1179 1180 1181
1182 1183 1184 1185 1186 1187 1188 1189 1190 1191 1192 1193 1194 1195 1196
1197 1198 1199 1200 1201 1202 1203 1204 1205 1206 1207 1208 1209 1210 1211
1212 1213 1214 1215 1216 1217 1218 1219 1220 1221 1222 1223 1224 1225 1226
1227 1228 1229 1230 1231 1232 1233 1234 1235 1236 1237 1238 1239 1240 1241
1242 1243 1244 1245 1246 1247 1248 1249 1250 1251 1252 1253 1254 1255 1256
1257 1258 1259 1260 1261 1262 1263 1264 1265 1266 1267 1268 1269 1270 1271
1272 1273 1274 1275 1276 1277 1278 1279 1280 1281 1282 1283 1284 1285 1286
1287 1288 1289 1290 1291 1292 1293 1294 1295 1296 1297 1298 1299 1300 1301
1302 1303 1304 1305 1306 1307 1308 1309 1310 1311 1312 1313 1314 1315 1316

A. What is your primary job function/principal area of responsibility? (Check one)

- 1 ☐ MIS/DIP
2 ☐ Programmer/Systems Analyst
3 ☐ Administration/Management
4 ☐ Sales/Marketing
5 ☐ Engineer/Scientist
6 ☐ Other

B. What is your level of management responsibility?

- 7 ☐ Senior-level 9 ☐ Professional
8 ☐ Middle-level

C. Are you a reseller (VAR, VAD, Dealer, Consultant)?

- 10 ☐ Yes 11 ☐ No

D. What operating systems are you currently using? (Check all that apply)

- 12 ☐ PC/MS-DOS 15 ☐ Unix
13 ☐ DOS + Windows 16 ☐ MacOS
14 ☐ OS/2 17 ☐ VAX/VMS

E. For how many people do you influence the purchase of hardware or software?

- 18 ☐ 1-25 20 ☐ 51-99
19 ☐ 26-50 21 ☐ 100 or more

Card Valid until December 31, 1993

Inquiry Numbers 239-425

239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255
256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272
273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289
290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306
307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323
324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340
341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357
358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374
375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391
392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408
409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425

Inquiry Numbers 613-799

613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629
630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646
647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663
664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680
681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697
698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714
715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731
732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748
749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765
766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782
785 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799

Inquiry Numbers 980-1151

987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001
1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016
1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031
1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1043 1044 1045 1046
1047 1048 1049 1050 1051 1052 1053 1054 1055 1056 1057 1058 1059 1060 1061
1062 1063 1064 1065 1066 1067 1068 1069 1070 1071 1072 1073 1074 1075 1076
1077 1078 1079 1080 1081 1082 1083 1084 1085 1086 1087 1088 1089 1090 1091
1092 1093 1094 1095 1096 1097 1098 1099 1100 1101 1102 1103 1104 1105 1106
1107 1108 1109 1110 1111 1112 1113 1114 1115 1116 1117 1118 1119 1120 1121
1122 1123 1124 1125 1126 1127 1128 1129 1130 1131 1132 1133 1134 1135 1136
1137 1138 1139 1140 1141 1142 1143 1144 1145 1146 1147 1148 1149 1150 1151

Inquiry Numbers 1317-1481

1317 1318 1319 1320 1321 1322 1323 1324 1325 1326 1327 1328 1329 1330 1331
1332 1333 1334 1335 1336 1337 1338 1339 1340 1341 1342 1343 1344 1345 1346
1347 1348 1349 1350 1351 1352 1353 1354 1355 1356 1357 1358 1359 1360 1361
1362 1363 1364 1365 1366 1367 1368 1369 1370 1371 1372 1373 1374 1375 1376
1377 1378 1379 1380 1381 1382 1383 1384 1385 1386 1387 1388 1389 1390 1391
1392 1393 1394 1395 1396 1397 1398 1399 1400 1401 1402 1403 1404 1405 1406
1407 1408 1409 1410 1411 1412 1413 1414 1415 1416 1417 1418 1419 1420 1421
1422 1423 1424 1425 1426 1427 1428 1429 1430 1431 1432 1433 1434 1435 1436
1437 1438 1439 1440 1441 1442 1443 1444 1445 1446 1447 1448 1449 1450 1451
1452 1453 1454 1455 1456 1457 1458 1459 1460 1461 1462 1463 1464 1465 1466
1467 1468 1469 1470 1471 1472 1473 1474 1475 1476 1477 1478 1479 1480 1481

Product Category Information

Circle the numbers below for additional information on the products you're interested in.

Hardware

Accessories/Supplies 1

Add-in Boards 2

Bar Coding 3

Communications/Networking 4

Computer Systems 5

Data Acquisition 6

Disks & Optical Drives 7

Disquettes/Duplicators 3

Fax Boards/Machines 9

Graphics Tablets/Mice/

Pen Input

Keyboards

LAN Hardware 12

Laptops & Notebooks 13

Mail Order 14

Memory/Chips/Upgrades 15

Miscellaneous Hardware 16

Modems/Multiplexors 17

Monitors & Terminals 18

Multimedia 19

Printers/Plotters 20

Programmable Hardware 21

Scanners/OCR/Digitizers 22

Tape Drives 23

UPS 24

Software 25

Business 26

CAD/CAM 27

Communications/Networking 28

Data Acquisition 29

Database

Educational 30

Engineering/Scientific 31

Entertainment 32

Graphics 33

Macintosh 34

Mail Order 35

Mathematical/Statistical 36

Miscellaneous Software 37

On-Line Services 38

Operating Systems 39

Programming Languages/

Tools

Security 41

Shareware 42

Software Duplication 43

Spreadsheets 44

Unix 45

Utilities 46

Windows 47

Word Processing 48

General

Books/Publications 49

Recruitment 50

Miscellaneous 51



BYTE

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. **For quicker response, fax to 1-413-637-4343!**

See reverse side
for card.

1. For FREE product information from individual advertisers, circle the corresponding inquiry numbers on Your Direct Link Card!

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!

BYTE

TNT MAILFAST

FRG/BOS/700252/MO1

P.O. Box 66

Hounslow

TW5 9RT

England

Place
Postage
Here



BYTE McGraw-Hill

 **SUBSCRIBE TO BYTE!** 

With BYTE, you can compete more effectively in complex global markets...

YES I want to receive BYTE for a full year. 12 monthly issues plus the FREE Annual Special Issue.

Payment method — charge my subscription to:

☐ Visa ☐ Access/Eurocard/MasterCard ☐ American Express

Card No. _____ Expiry date _____

Signature _____

or ☐ I enclose payment now

Name _____ Title _____

(Please Print)

Address _____

_____ Code _____

Country _____

Please allow 8-10 weeks for processing. Thank you.

✓ **Tick your subscription price**

Please tick one box:

Fast Surface Delivery

IB3A036

- ☐ £35 United Kingdom
- ☐ 120DM Germany
- ☐ 412Fr France
- ☐ 136 Guilders Netherlands
- ☐ 102 SFR Switzerland
- ☐ 88,980 Lire Italy
- ☐ £35 All other European Countries
- ☐ \$US60 Non-European Countries

Air Delivery

IB3A044

- ☐ £46 United Kingdom
- ☐ 160DM Germany
- ☐ 549Fr France
- ☐ 181 Guilders Netherlands
- ☐ 136 SFR Switzerland
- ☐ 118,640 Lire Italy
- ☐ £46 All other European Countries
- ☐ \$US85 Non-European Countries

Your satisfaction is **GUARANTEED!**
If you are dissatisfied, cancel anytime
for a refund on all unmailed issues.

BYTE HAS EXCLUSIVE GLOBAL COVERAGE...

*each month, you can take advantage of BYTE's International Section with hard-hitting news, and coverage of important world-wide events...

PAR AVION

BY AIR MAIL
PAR AVION

YES I want to receive BYTE for a full year. 12 monthly issues plus the FREE Annual Special Issue.

Payment method — charge my subscription to:

☐ Visa ☐ Access/Eurocard/MasterCard ☐ American Express

Card No. _____ Expiry date _____

Signature _____

or ☐ I enclose payment now

Name _____ Title _____

(Please Print)

Address _____

_____ Code _____

Country _____

Please allow 8-10 weeks for processing. Thank you.

✓ **Tick your subscription price**

Please tick one box:

Fast Surface Delivery

IB3A036

- ☐ £35 United Kingdom
- ☐ 120DM Germany
- ☐ 412Fr France
- ☐ 136 Guilders Netherlands
- ☐ 102 SFR Switzerland
- ☐ 88,980 Lire Italy
- ☐ £35 All other European Countries
- ☐ \$US60 Non-European Countries

Air Delivery

IB3A044

- ☐ £46 United Kingdom
- ☐ 160DM Germany
- ☐ 549Fr France
- ☐ 181 Guilders Netherlands
- ☐ 136 SFR Switzerland
- ☐ 118,640 Lire Italy
- ☐ £46 All other European Countries
- ☐ \$US85 Non-European Countries

Your satisfaction is **GUARANTEED!**
If you are dissatisfied, cancel anytime
for a refund on all unmailed issues.

... and receive up to date information on new products and emerging technologies.

 **SUBSCRIBE TO BYTE!** 

BY AIR MAIL
PAR AVION

Place
Stamp
Here

BYTE

P.O.Box 72
Galway
IRELAND



FAST & CONVENIENT!

Have BYTE delivered direct to your door
and never miss an issue again!

BY AIR MAIL
PAR AVION

BY AIR MAIL
PAR AVION

Place
Stamp
Here

BYTE

P.O.Box 72
Galway
IRELAND

JERRY POURNELLE

The State of Multimedia

I can remember when going to the National Computer Conference and the West Coast Computer Faire was enough to keep me up-to-date on the computer revolution. Then came Comdex, which rapidly cloned into Fall and Spring shows. After that, there was an explosion of conferences, some general and some specialized, and no one could possibly get to all of them.

One I do try to make is Jonathan Seybold's Digital World. It's held in Beverly Hills in early summer, and it brings together venture capitalists, journalists, educators, Hollywood, the record industry, Silicon Valley, and nearly everyone who's interested in the rather indefinable phenomenon known as multimedia. There aren't too many exhibits, but the hall conversations are wonderful, and it has the best sessions of any conference I attend.

This year, the most interesting session was on education. Ron Rescigno, district superintendent of the Hueneme School District, is interested in what his students learn, not how they feel about things. He showed ways to use multimedia in education and demonstrated the kind of equipment setup a good school district can put together at reasonable costs.


The district's CD-ROM on the Lewis and Clark Expedition uses photos, text excerpts from the expedition's journal, full-motion video clips, and sound recording to build a hypertext account that integrates geography, history, and natural science. The project is still in development, but it was already fascinating. They're presenting real history and useful information in new ways.

There was also the usual twaddle from an Ohio State professor of education, who "isn't interested" in standardized tests or the "usual definition of literacy." He's interested in "how well kids do things differently." I used to be in operations research (see my June column), and I recognize what he's doing: if you can't solve the real problem, change the definitions and criteria so that you can work on something else. It's called "dazzling them with footwork." The result isn't very useful to the customer, but it gets you off the hook.

In this case, he was redefining literacy as reacting to TV, and of course the students are "successful" in doing that. Students will always be successful if you redefine success. Anyone can hit a target glued to the end of a rifle.

He also showed one of the usual gosh-wow contentless multimedia films that abound in our schools now. It took several minutes to convey perhaps three English sentences' worth of information, and it was a dramatic contrast to the excellent Lewis and Clark film.

There's an odd myth making the rounds of the education establishment: skill doesn't exist, and you can't learn by study. This is best illustrated by Chaplin's film *City Lights*, in which a thoroughly inept character is suddenly transformed into the world's greatest political satirist. He never studies or works at developing any skill: it just happens, presumably by osmosis. The osmotic theory of learning appears to be increasingly popular in education: if the school



AMY ETRA © 1993

Multimedia hardware is here, but the world still awaits useful application programs

INTRODUCING CodeBase++ 5.0™

Now C++ programmers can discover the DBMS power of dBASE, FoxPro & Clipper.



Not only is the new
CodeBase++ 5.0

100% compatible
with the data, index
and memo files of dBASE®,
FoxPro® and Clipper®, you also
get all the important benefits of
programming in C++.

You get C++ speed and size.

Most developers are familiar with the amazing speed and compact size of C and C++ programs. Now harness this speed for your own database programs. Compare the performance with those "executables" of dBASE, FoxPro, Clipper (which contain imbedded interpreters) to those of similar C and C++ programs. Also, be sure to compare the size of their EXE's to those created with **CodeBase++** (which are as small as 45K!).

You get object oriented programs.

CodeBase++ 5.0 is a C++ class library for database management. Now you can experience the object oriented productivity gains of C++, together with the power of a complete DBMS.

You get multi-user sharing with dBASE, FoxPro and Clipper.

Now your multi-user C++ programs can share data, index and memo files at the same time as concurrently running FoxPro, Clipper and dBASE programs. Turbo-charge critical xBase applications sharing data on a network with C++ and **CodeBase++** with no incompatibilities.

NEW-You get xBase queries and relations with instant results.

We've added Bit Optimization Query Technology to **CodeBase++** for stunning query performance (**BOT** is similar to FoxPro's Rushmore). Our product analyzes your queries using index information, so a record is only actually retrieved when it belongs in your query solution set.

With **CodeBase++** you can literally query a huge 500,000 record data file in less than a second on a 25MHz 80386!

You get C++ portability.

As with C, ANSI C++ is an international standard across all hardware platforms. This means you can port **CodeBase++** applications between DOS, Windows, NT, OS/2, Unix, and Macintosh—today.

NEW - You get code generation.

Save hours of coding time with our automatic source code generation, containing all of the specialized class definitions needed to support your data structures.

Product Sales Summary		
Month of:	Nov, 1992	
Product	Quantity	Value
Database	83	\$25,137.00
Spread Sheet	58	\$21,886.00
Monthly Summary	121	\$47,023.00
Month of: Dec, 1992		
Product	Quantity	Value
Database	82	\$24,062.00
Spread Sheet	93	\$19,576.00
Monthly Summary	115	\$43,638.00
Summary	236	\$90,661.00

Using our visual report writer is easy, simply draw your report, then include it in any program you write.

PLUS-You get CodeReporter FREE!

Our visual report writer, **CodeReporter**, uses the speed of **BOT** to run reports lightning fast. To test this amazing performance yourself, call: 403/437-2410 for your free working model.




The new CodeBase++ is your best C++ solution for xBase file access and database management.

TRY OUR
C, BASIC AND PASCAL
VERSIONS!

CodeBase++ 5.0
The C++ Class Library for Database Management

Call Now
403-437-2410

FREE
CodeReporter



Risk-Free
90-Day
Money-Back
Guarantee

SEQUIETER
SOFTWARE INC.

FAX 403-436-2999
UK Tel. +44-81-317-4321
France +33.20.24.20.14
P.O. Box 575 Newmarket NH 03857-0575

uses computers just right, skills will appear. The practical result is to assure a continued supply of clients for the social work establishment and exacerbate the already-too-large gap between the productive and the needy.

In the real world, the freedom to study is the real key to liberation. Moreover, the secret of learning to study is like the secret of learning to be a writer: you have to do it. You can't just think about it, talk about it, get in touch with your feelings, or absorb it by osmosis. It doesn't even much matter *what* you study, as long as you master something. Once you have learned to do one thing well, you're a long way down the path to knowing how to do anything well.

Programmers discover this after they've learned one programming language. Not only is the next one easier, but so are a lot of unrelated subjects. Moreover, most humans find learning a skill—any skill—highly rewarding. You don't have to motivate people who have really begun to learn. They'll learn *something* no matter what you do.

This is obvious on 10 minutes' thought, which is why it's surprising when you meet professors of education who don't realize it. I'm reminded of George Orwell's remark at a party: "You must be an intellectual. An ordinary person would never have said a thing like that."

Computers in general and multimedia in particular can be useful in developing study skills. But if we think they're going to negate the need for study and hard work, we're in for a big shock.

Multimedia is nearly all potential at the moment, with few programs to make use of it. However, Kaleida Labs introduced the first public demonstration of the PC version of ScriptX at Digital World. This is a device-independent multimedia programming language that's supposed to make it easy to author multimedia applications. Kaleida is a joint venture of Apple and IBM; they hope to create a standard authoring system that will work on any computer, and I wish them well.

Kaleida is taking applications from developers. Joining up isn't cheap, but if you're planning on doing multimedia applications for Windows, System 7.1, or OS/2, you should be aware of what Kaleida is doing.

Until ScriptX comes out, the best way to play with multimedia is to use a Mac, System 7.1, and QuickTime. QuickTime 1.6 has incremental improvements over previous versions, and it works fairly well. As was true in previous years, most of the


exhibits at Digital World were either big workstations or Macs, although this year there were a significant number of high-end desktop PCs.

If you want to do multimedia in Windows right now, your best bet is Asymetrix's Multimedia ToolBook. This has built-in macro recorders, a run-time package you can freely distribute with your program, and a whole bunch of object-oriented programming tools. You can build very complex multimedia projects with this, and while they won't be machine-in-

dependent, it's surprising how easy it is to do complex stuff for Windows.

Mrs. Roberta Pournelle has spent the past several months converting her reading-instruction program to the Mac. She's using SuperCard and learning more about managing programmers than she really wanted to know. When she's done with it—version 1 is in beta testing now, and the schools and parents who have seen it love it—I'll use Multimedia ToolBook to convert the new version to Windows.

The current versions of her program—



PUT A NEW FACE ON YOUR HOST DATA...

KEAterm VT EMULATION GIVES YOUR HOST DATA A FACELIFT—THE WINDOWS INTERFACE!

Before KEAterm, host data was dull, colorless, and limited by aging host applications. KEAterm transforms your host data—making it better looking, and more useable.

Apply the power and ease of Windows tools, like Excel, 1-2-3, WordPerfect, Visual Basic... to your host data using KEAterm's DDE, hot links, file transfer, and user-defined menus and dialog boxes. And you'll get more done faster with multiple KEAterm sessions.

Advanced features include a powerful macro language and definable on-screen button pads, to make your work even easier. KEAterm speeds your work with high throughput over your serial port or installed TCP/IP or LAT network. ■

KEAterm 420—a powerful link to your VAX and UNIX text applications.

KEAterm 340—for applications requiring ReGIS, Tektronix, or sixel graphics.

KEAterm—for Windows NT available soon!

Empower your desktop now!

Call 1-800-663-8702

KEA Systems Ltd.
3738 North Fraser Way, Unit 101
Burnaby, B.C. Canada V5J 5G1
Phone: (604) 431-0727
Fax: (604) 431-0818



KEAterm 340




KEAterm, ZSITEM, PowerStation, KEA and their respective logos are trademarks of KEA Systems Ltd. All other brand and product names are trademarks or registered trademarks of their respective holders. Copyright © KEA SYSTEMS LTD. 1993. All rights reserved.

PC and Mac—require a tutor to read the screens to the student. The tutor needn't be trained. Any literate person—parent, older sibling, classmate who can read, or teacher's aide—will do. But it does require the tutor's constant presence.

Roberta is now playing with a beta version of the PlainTalk TTS (a text-to-speech engine that is Apple's successor to Mac-inTalk) to turn her program into a nearly stand-alone package. Sit the student down at the computer, go away, and 75 lessons later, you've got someone who can read. By read, incidentally, we mean read anything, not just controlled-vocabulary grade-level stuff.

Like regular Tool-Book, the multimedia version is a bit slower than I'd like, but it does the job, and there are plenty of examples to work from. If you're interested in multimedia, this is a good way to get started, and you won't regret the time you spend learning this, no matter where multimedia programming goes.



The Mac world continues to improve, and they haven't neglected the low end. The Mac Classic II has a street price well under a grand, and that's complete: keyboard, small screen, 68030 chip, and System 7.1. It's one heck of a bargain. Sure, you can do a lot more with your guru-friendly Windows machine, but for beginners, it's good enough to get going. There's a lot of Mac in there. Tom Clancy did his first two novels on no better machine, and, like my partner Larry Niven, Tom steadfastly refuses to learn much about computers. (Larry uses a Windows

machine, but he doesn't mind that his system sometimes needs a guru: he's got my home phone number.)

My son Richard got through two years at UCLA with a Mac Classic. Even-

tually he converted to an AT&T Safari laptop with Windows, but if we'd just handed him that in the first place, he might still be using pen and paper.

Last month, I talked about the Tandy

Sensation as a beginner's machine, and I haven't changed my mind: if you want to learn Windows from scratch, there's nothing better. However, it costs over \$900 more than the Mac Classic II.

If you'd asked me five years ago, I'd have said that given the number of computers appearing in classrooms across the country, it wouldn't be long before everyone left school exposed to the little beasts; but I would have been wrong. We still have computer-illiterate kids graduating from high school. Alas, about a quarter of them leave the school system book- and newspaper-illiterate, too, so I suppose I was overly optimistic.

Anyway, the Mac Classic II is a good start, and it won't be long before Roberta's reading program will be available for it. She operates the Educational Roundtable on GEnie and probably hears from more teachers on a regular basis than anyone in the country. Roberta reports that the Mac Classic II is what most schools are buying now.

If you tried System 7.0 and got fed up, try 7.1, which is a genuine improvement, not just a maintenance release. For example, it now puts your fonts into a fonts

Links you anywhere, anytime!

New! PCMCIA KeepInTouch™ modem

Send/receive data and faxes at 14,400 bps from your PCMCIA portable computer via the cellular or standard telephone networks. Why tie yourself to a desk!

With AT&T's exclusive Enhanced Throughput Cellular (ETC™) protocol* and Optical Line Interface* (OLI™), you get:

- Fastest speeds possible
- Increased connectivity and productivity
- Reduced cellular and line charges



Plus, the KeepInTouch Card lets you easily download modem enhancements to protect your investment. It uses a software-defined architecture similar to that of our COMSPHERE® 3800 Modems that won these awards:



Competitively priced! Visit Computer City, Elek-Tek, and Fry's. Or for the name of the dealer nearest you, or to order direct, call us at **1 800 554-4996 ext. 96910.**




Circle reader service #180

Outside US or Canada circle #181

* Pat. Pending KeepInTouch, KeepInTouch Card, ETC, and OLI are trademarks of AT&T. © AT&T 1993

Defining the Standards for Optical Storage



Transparent Data Portability for AIX, DOS and OS/2

There is now a true standard for recording data to writable disks: The Non-Sequential Recording file system (NSR), now accepted as ECMA 167!* Micro Design International was involved from the beginning in the development of the standard and SCSI Express now has full support for NSR under OS/2, DOS and AIX, with the LaserBank family of optical drives and jukeboxes.**

Standard Features:

- Data portability across multiple platforms
- Rewritable support for hard disk, multifunction, and jukebox devices
- Vendor independence with NSR published file system standard
- Volume spanning across multiple cartridges
- Plus the confidence in knowing you have open system capabilities...regardless!

You now have two choices for optical subsystems: the "Express way" or the wrong way!

Announcing Micro Design's new European office:

Aztec Centre, Aztec West
Almondsbury, Bristol BS12 4TD
TEL: 44 (0) 454 614182
FAX: 44 (0) 454 618206

SCSI Express Library 5-20DX jukebox



Contact the distributor near you:

Canada: RME (31) 36 5334636

Ireland: Ideal Hardware (44) 81 390 1211

Germany, Switzerland, Austria: T.I.M. (49) 611 27090

France: Opus Technologies (33) 1 41084754

Australia: SCSI Corporation (61) 2 550 4833

Spain: Copact Co. (48) 26599061

Hong Kong: Cybernetic Generator (886) 23650883

Japan: Proco (34) 1 4165700

Portugal: ESDI (35) 11 7979491

Italy: Gigatek (39) 245100370

Egypt: Infotech Inc. (20) 2 29048 20

Africa: Starlan (27) 11 804 3640/1-4

Turkey: Komdata (90) 1791589

New Zealand: The Micro Source (64) 94440771

ECMA 167 and ISO/IEC DIS 13346 define the international file system format established for non-sequential recording of data on optical media enabling data portability across different operating systems.

*Future support for other popular operating environments is forthcoming.

Stop by and see us at Booth 7030L, COMDEX/Fall '93, Las Vegas, NV



Micro Design International Inc.


6985 UNIVERSITY BLVD. WINTER PARK, FL 32792

(407) 677-8333 FAX (407) 677-8365

Circle 564 on Inquiry Card.

Rack & Desk Chassis

Integrand's unique packaging design uses modular construction. We have 3 basic models for ISA/EISA bus computers. Over 90 interchangeable modules allow you to customize them to nearly any requirement. We make drive enclosures and rackmount keyboards too. Integrand offers high quality, advanced design hardware and strong support. Why settle for less?



Rack & Desk Models

Accepts Most Motherboards and Passive Backplanes

Doesn't Look Like IBM

Rugged, Modular Construction

Excellent Air Flow & Cooling

Designed to meet FCC

204 Watt Supply, UL Recognized

200 & 300 Watt Supplies. UL, CSA, TUV

Reasonably Priced

NOW AVAILABLE **Rackmount Keyboards**



Three Models: Drawer, Shelf, and Panel
Reasonably Priced

Call or write for descriptive brochures, prices
or applications assistance:

INTEGRAND
RESEARCH CORP.

8620 Roosevelt Ave. • Visalia, CA 93291

209/651-1203

FAX 209/651-1353

We accept VISA and MasterCard

IBM/XT/AT TM IBM • 286/386/486 TM INTEL. Drives and computer boards not included.

Pournelle

folder, so that your system folder isn't so huge. Unlike Windows, if you have more than 128 fonts, System 7.1 will tell you that you can't use them all and must get rid of some.

Windows never tells you this, but it happily goes on using up the mysterious "resources" trying to support fonts you won't be able to use anyway. If you've recently installed CorelDraw 3 or 4 and your Windows system seems slow or hangs for lack of resources, the problem is probably an excessive number of fonts.

Our Mac Quadra 700 needed a CD-ROM drive, and Roberta wanted it *right now* on a Saturday night. Thus, Alex installed our Pioneer DRM-604X "six-pack" CD-ROM drive on the Quadra. Roberta could read her CD-ROM, but the drive didn't work well. The Mac insists on looking at discs it isn't using, and it almost drove Roberta nuts. We need new software before we'll try that again.

That's the only problem we've had with the new Pioneer DRM-604X drive, which has returned to its primary job as a resource on my Windows for Workgroups network. The old Pioneer drive was amazingly fast; the new one is four times faster in retrieving information, and twice as fast at changing from discs. The old version was pretty good. This is great.

We've had the DRM-604X in continuous service for several weeks, and like the old one, we've had absolutely no problems with it. The older one was in continuous use—turned off only when we were on a trip—for years, and I could always count on it. Indeed, it's still in service at a local school's network, and they don't have any problems with it. That is certainly a rugged machine.

The Pioneer CD-ROM drive is just right for individual users and small networks, where you don't have a lot of users accessing the drive at the same time. Actually, with good caching software like Norton Speedcache+ from Symantec, even that needn't be a problem. Clearly, two people can't access the same physical disc at the same time, but there's nothing to stop you from putting two copies of the same CD in the same drive. That's what I do if Niven and I both want to use the integrated Microsoft Word for Windows and Bookshelf CD-ROM on two different machines. We still have four others we can share alternately, and with a good caching


program, you hardly notice that another person is sharing the drive.

Just about everyone needs CD-ROM resources, sometimes a lot of them: I typically draw on at least four CD-ROMs every day. My present setup has a local CD-ROM drive (run by a Sound Blaster Pro card at the moment, but I'll soon be converting to the Future Domain SCSI CD-ROM kit) and network access to the Pioneer drive. The Pioneer drive is in the cable room, where I have to fight through monsters to get at it, so I don't change those discs often.

I could have yet another Pioneer drive available here on my desk. The cost of two "six-pack" drives is pretty small compared to the cost of a dozen individual drives, and having two units with one locally accessible is darned near as flexible. If you're setting up a small business network and don't yet know what CD-ROM systems you'll need, get the Pioneer DRM-604X until you figure it out. It will do more of your job than you think. Highly recommended.

We still needed to get a CD-ROM drive for the Mac. One good so-


buy one from Apple and have done with it. That will work, but we were in a hurry. Thus, we got a Chinon drive made by Toshiba America. You'll pay a premium price for double- or quad-speed CD-ROM drives. As a bonus, however, they almost all come with multisession Photo CD capability, which lets you view and edit your photographs as high-resolution images on CD-ROM.



(For an extra charge, your local film developer will put them on a Photo CD for you when you have your film processed.) Be sure you get that capability when you buy a CD-ROM drive, because Kodak's Photo CD is really worth having. If you don't use it now, one day you will.

When you get your CD-ROM drive for the Mac, get the CD-ROM Toolkit from FWB. This has the Photo CD software, good caching, easy installation, and support for almost every CD-ROM drive made. In fact, you should probably get the CD-ROM Tool-kit first, and then make sure to buy a drive that FWB supports. The CD-ROM Toolkit takes most of the sting out of installing a CD-ROM drive for the Mac, although as I noted above, it doesn't support the Pioneer drive too well. I am told that a new version out about the time you read this will take care of the

FOR \$166, WHY WOULD YOU BUY UNIX® FROM ANYONE ELSE?



UNIVEL'S™ UNIXWARE™ FROM INFORMATION FOUNDATION

UNIXWARE PERSONAL EDITION FEATURES

- UNIX SYSTEM V RELEASE 4.2 FOR INTEL PLATFORMS
- X11-BASED DESKTOP MANAGER
- WINDOWING KORN SHELL
- NOVELL NETWORK SUPPORT
- DOS / WINDOWS SUPPORT

ONLY INFORMATION FOUNDATION OFFERS THESE EXTRAS:

- **FREE** "1-800" product support
- **FREE** Click-Start™ Training
- No question money back guarantee



INFORMATION FOUNDATION'S INCREDIBLE PRICES

PERSONAL EDITION	LIST	I.F.
• CD-ROM VERSION	\$249	\$166!
• TAPE VERSION	\$299	\$199!
• DISKETTE VERSION (NEW)	\$399	\$266!
TCP/IP FOR UNIXWARE	\$149	\$99!
C2 SECURITY	\$149	\$99!
ADVANCED UNIX UTILITIES	\$225	\$150!
C DEVELOPMENT SYSTEM	\$449	\$299!

PLUS THE COMPLETE UNIXWARE PRODUCT LINE AND UNIX
DOCUMENTATION AT UNBEATABLE PRICES!

RESELLER & VOLUME DISCOUNTS AVAILABLE!

**BUY IT TODAY FROM INFORMATION FOUNDATION
— THE OPEN SYSTEMS MIGRATION EXPERTS**

CALL: 1-800-GET-UNIX

WHO IS INFORMATION FOUNDATION?

I.F. is in its tenth year as an internationally recognized provider of Open Systems solutions and training. Solutions for customers such as AT&T, American Airlines, UNIX International, US Army to name a few.

Information Foundation is both a USL UNIX source code licensee and a Univel Authorized OEM. We have over 75 UNIX engineers to provide you with unmatched support, training and integration services to meet your most demanding Open Systems needs.



**Information
Foundation**

THE OPEN SYSTEMS MIGRATION EXPERTS™

1200 17th Street, Suite 1900
Denver, Colorado 80202
Phone: 303/572-6486
Facsimile: 303/572-6484
E-mail: sales@if.com

IF is a registered trademark of Information Foundation. UNIX is a registered trademark of UNIX System Laboratories. UnixWare and Univel are trademarks of Univel. All registered trademarks and trademarks are the property of their respective owners.

problems with the Pioneer drive.

Alex installed our Chinon drive without the CD-ROM Toolkit and then added it later for comparison. A CD-ROM drive is not inherently designed to be optimum for random access—it's a continuous spiral rather than a series of concentric tracks—but as Alex puts it, FWB's CD-ROM Toolkit speeds up searches something fierce. Recommended.

The big news at Chaos Manor is that I'm becoming fond of OS/2; so much so that if I were starting over on hardware, I'd be careful to make sure everything I bought was OS/2-compatible.

OS/2 isn't for unaided beginners. Setting it up won't be difficult for most BYTE readers. It's not simple; but neither is Windows. Once you have OS/2 set up properly, you can give it to new users with some confidence, particularly if the programs they'll be running are written for DOS and OS/2. I've less experience running Windows programs under OS/2, but I've tried the Windows

programs I use frequently—Ami Pro, Microsoft Word, and Ascend—and those do just fine.

I've known for a couple of years that OS/2 is a better DOS than DOS, and it multitasks much better than Windows. It's not necessarily a better Windows than Windows, but it seems to be good enough; and I'm seriously considering converting to OS/2 for all my operations once I get proper networking.

Longtime readers will know this has been no snap decision, and I've still got some reservations. One concern isn't new: I'm still not sure IBM knows how to market software. On the other hand, they sure know how to support it, as I've learned in the past few days. More on this in a moment.

I've been meaning to get to OS/2 for some time now, but the immediate motivation was a new version of Norton Commander for DOS. I've long been in the habit of using Commander as an automated way to deal with my MCI Mail.

This doesn't work as well as MCI's

Mail Express. For one thing, MCI gives rather minimal support to the only phone line Commander can use (only 2400 bps and not enough lines; thus, you often get a ring but no answer, or worse, an answer but you can't get into MCI).

Worse, though, Commander 3.0 has some serious design defects. You can't sort the address book, and when you add too many entries to your address book, weird things start to happen to them. On the other hand, I haven't had time to install and learn MCI Mail Express, and warts and all, Commander 3.0 got the job done.

Commander 4.0 has taken care of almost every objection I ever had to its mail handler. It automatically adds names to the address book, and you can have more than one of them. It sorts the addresses. There's good mouse support. The mail viewer is better, and you can incorporate the received message into the reply. There are significant nonmail improvements, too. In a word, if you use Commander 3.0, you will want the upgrade; and if you use MCI Mail, you'll really like Commander as a mail-retrieval tool.

Unfortunately, the Commander 4.0 mail



VideoSound™

The complete Multimedia solution

Features

Sound module

- Stereo 8/16 bit, up to 44Khz sound sampling
- Midi Synthesizer
- Mixer with separate stereo
- volume and equalizer control
- Sound Blaster Pro™ and
- Sound Blaster 16 ASP™
- compatible
- Line In and Out, Mic and
- CD connectors
- CD-Rom controller
- (SCSI optional)

Video Module

- Hardware real time JPEG CODEC
- 1/4 screen - 30 fps - 24 bit colour
- Full screen optional
- Video for Windows™ compatible
- Optional Video capture and compression (NTSC/PAL/S-Video)

CD-Rom Drive (optional)


- Second generation drive
- 325 kb/s - Transfer rate (Double speed)
- Kodak Photo CD™, compatible

Software

- Software worth of over \$1000, bundled free
- Amazing graphic and photographic editing, and enhancement software
- Best screen capture and graphic format conversion software
- Wonderful presentation and Multimedia Authoring software
- Fabulous Voice and Midi editing and enhancement software
- Voice recognition and text to voice conversion utilities
- Shareware (CD), fractals and many more

Customized Bundles

- Additional (optional) best known software, educational and entertainment titles—at a fraction of their list prices



See us at Comdex
South Annex Pavilion
Booth A-1569

COMPUMEDIA LTD.

3, Menorat Hamaor St.,
Tel-Aviv 67448, ISRAEL
Fax. 972-3-6952557

Distributors Required

* Windows TM of Microsoft.
* TM creative Labs Ink.

Power Up with Jameco

To Order Call 1-800-831-4242

JAMECO MOTHERBOARDS

OB95231	80486DX 50MHz Motherboard	\$799.95
OB93534	80486SLC 50MHz Motherboard	499.95
OB95222	80486DX 33MHz Motherboard	549.95
OB79214	80486SX 25MHz Motherboard	299.95
OB82333	80386DX 40MHz Motherboard	279.95
OB82350	80386DX 33MHz Motherboard	249.95
OB81664	80386SX 33MHz Motherboard	129.95
OB93358	286 25MHz Motherboard	109.95
OB93340	286 20MHz Motherboard	99.95
OB84945	XT 10MHz Motherboard	69.95

RAM

OB41371	41256-100	256KBx1	100ns	\$1.79
OB41398	41256-120	256KBx1	120ns	1.59
OB42251	511000P-80	1MBx1	80ns	6.95
OB42219	511000P-10	1MBx1	100ns	6.49

DIPS

OB41700	421000A9A-70	1MBx9	70ns	\$79.95
OB41718	421000A9A-80	1MBx9	80ns	77.95
OB41697	421000A9A-10	1MBx9	100ns	76.95

SIPPS

OB41523	41256A9B-80	256KBx9	80ns	\$18.95
OB41486	41256A9B-10	256KBx9	100ns	16.95
OB41689	421000A8B-80	1MBx8	80ns	69.95
OB41742	421000A9B-60	1MBx9	60ns	79.95
OB41751	421000A9B-70	1MBx9	70ns	77.95
OB41769	421000A9B-80	1MBx9	80ns	76.95

SIMMS

OB41523	41256A9B-80	256KBx9	80ns	\$18.95
OB41486	41256A9B-10	256KBx9	100ns	16.95
OB41689	421000A8B-80	1MBx8	80ns	69.95
OB41742	421000A9B-60	1MBx9	60ns	79.95
OB41751	421000A9B-70	1MBx9	70ns	77.95
OB41769	421000A9B-80	1MBx9	80ns	76.95

KEYBOARDS & KEYPAD

OB78271	MCK-32S	32-key keypad	\$59.95
OB20431	JE2015	84-key keyboard	39.95
OB17128	FKB4700	101-key enhanced	79.95
OB17136	FK9000	130-key enhanced	99.95

JAMECO COMPUTER POWER SUPPLIES

• 8088/80286/80386 and compatible			
OB19465	JE1030	150 Watt (8088)	\$69.95
OB67467	JE1030A	200 Watt power supply	89.95
OB19545	JE1036	200 Watt power supply	89.95
OB19553	JE1037	200 Watt mini power supply	89.95
OB65728	JE1039A	300 Watt power supply	149.95

GRAPHIC AND MEMORY CARDS

• 8088/80286/80386 and compatible			
OB93542		VGA Hi-color card	\$159.95
OB19781	JE1058S	Super VGA card	129.95
OB67459	VG7700	VGA card	59.95
OB91230	JE1050A	Monochrome Graphics	34.95
OB29313	RAMQUEST	32MB Memory card	149.95
OB19975	JE1080	(8088) Memory Card	49.95

Call for your free
Jameco Catalog
1-800-637-8471

Same-Day Shipping

Priority orders before
2:00PM PST are
shipped the same day.

V.I.P.#OB3

FLOPPY DISK DRIVES

OB74392	FD505	3.5"/5.25"	Disk Drive	\$149.95
OB74384	FD235J	2.88MB 3.5"	Disk Drive	129.95
OB40774	356KU	1.44MB 3.5"	Disk Drive	79.95
OB17099	FD55B	360KB 5.25"	Disk Drive	89.95
OB17101	FD55G	1.2MB 5.25"	Disk Drive	99.95
OB79396	SD540	360KB 5.25"	Disk Drive	59.95

JAMECO FLOPPY CONTROLLERS AND I/O CARDS

• 8088/80286/80386 and compatible			
Multi I/O with Floppy Controller			
OB19895	JE1075	8088	\$69.95
OB19908	JE1076	286/386	69.95

Floppy Disk Drive Controller Cards			
OB19617	JE1043	Two-drive controller	\$39.95
OB19668	JE1049	Four-drive controller	49.95

Input/Output Card			
OB75598	I/O card		\$49.95

RS232 Card (4 ports)			
OB76726	RS232 card		\$59.95

RS232 Serial Cards			
OB78713	JE1062	Utilizes 16450 UART	\$29.95
OB67053	JE1062A	Utilizes 16550 UART	39.95

CONNER IDE HARD DRIVES

OB14058	CP3000	40MB	25 ms	\$169.95
OB14066	CP30084	80MB	25 ms	229.95
OB14074	CP30104	120MB	19 ms	279.95
OB93286	CP30174E	170MB	17 ms	299.95
OB93294	CP30254	250MB	14 ms	399.95
OB93307	CP30544	545MB	10 ms	899.95

SILICON VALLEY IDE DISK DRIVE ADAPTER CARDS

OB10233	ADP20	16-bit hard drive adapter	\$17.95
OB10250	ADP20F	16-bit hard/floppy drive adapter	27.95
OB10268	ADP50	8-bit hard drive adapter	59.95
OB10276	ADP60	16-bit hard drive adapter with BIOS	74.95
OB10284	ADP60F	16-bit hard/floppy drive adapter with BIOS	79.95

JAMECO CABLES

Parallel Printer Cables and Adapter			
OB28695	PPC	Adapter - straight	\$5.95
OB28716	PPC6	6 feet - straight	4.95
OB28708	PPC12	12 feet - straight	9.95
OB28741	PPR6	6 feet - right angle Centronics	6.95
9-Pin Serial Cable			
OB31721	SAT6	9-pin serial cable	\$4.95
DB25-Pin Extension Cables			
OB39538	25M10M	Male to male	\$9.95
OB39511	25M10F	Male to female	9.95

JAMECO PORTABLE IC TESTER

Our hand-held IC tester is an easy-to-operate, cost effective unit that includes excellent functions.

- Supports the following:
- TTL Series: 7400, 74LS00, 74F00, 74S00, 74ALS00, 74H00, 74L00, 74C00, 74HCT00, 74HC00
- CMOS Series: CD4000, CD4500
- DRAM 41 Series: 4164, 41256, 411000
- DRAM 44 Series: 4416 (41416), 4464 (41464), 44256 (414256)
- Size: 7"L x 3.625"W
- One-year warranty

OB73525 Portable IC Tester.....\$139.95

UVP EPROM ERASER

- Erases all EPROM's
- Erases 1 chip in 15 minutes
- Erases 8 chips in 21 minutes
- Maintains constant exposure distance of 1"
- Special conductive foam liner eliminates static build-up
- Built-in safety lock to prevent UV exposure
- Complete with holding tray for 8 chips
- UV intensity: 6800 UW/CM²
- Size: 9.0"L x 3.7"W x 2.6"H
- One-year manufacturer's warranty

OB15712 DE4 8-Chip UV-EPROM eraser...\$89.95

JAMECO 1 SOCKET 16K-2MB E(E)PROM PROGRAMMER

- Programs EPROM's, EEPROM's, and Flash memories
- Programs 16KB to 2MB EPROM's
- Programming speeds/algorithms: Normal, Intelligent, and Quick pulse
- Menu driven software
- File formats supported: Intel Hex, Motorola S Hex, Tektronix Hex, and Binary
- 2 & 4-way Binary file splitting programs
- 2 & 4-way Binary file shuffler programs
- Includes adapter card, software and manual
- Full screen buffer editor
- Size: 7"L x 5.5"W x 1.75"H
- One-year warranty

OB78457 E(E)PROM Programmer.....\$199.95

Sales: 1-800-831-4242

FAX: 1-800-237-6948

International Sales:

1-415-592-8097

International FAX:

1-415-592-2503

JAMECO
ELECTRONIC COMPONENTS

COMPUTER PRODUCTS
1355 Shoreway Road, Belmont, CA 94002

Always Prompt Courteous Service

Jameco phone staff quickly connect you with the products and services you seek.

Technical Support: 1-800-831-0084

Circle 106 on Inquiry Card.

Over 5000
Products in
Stock

20
YEARS OF
EXCELLENCE
1973-1993

20 Years of Full-Service

Product selections
& customer
service based on
solid business
experience.

QUALITY

Guaranteed Top Quality

Products tested
& backed by
30-day
money-back
guarantee.

24-Hour Toll-Free Ordering

Shop day or
night by phone
or FAX.

COMPUTER QUICK

Backup

Colorado 250MB	180
Trakker 250MB Parallel	416
HP DAT 3.5" 2G SCSI	1000
HPDAT 3.5" 5G SCSI	1150
Python 4/8G DAT	1177
WangDat 2/4G DAT	975
WangDat 4/8G DAT	1078

CAD

AutoCad Rel 12 DOS	2925
AutoCad Rel 12 WIN	2925
AutoCad Rel 12 AME	3425
Calcomp 12x12 Cordless	295
Calcomp 12x18 Cordless	600
Calcomp PS E Size	3840
Calcomp CM B Size	7130
Design CAD-The Expert	521
Numonic AccuGrid 20x24	1585
SummaSketch III 12x12	324
SummaSketch III Pro 12x18 542	

Chips & Memory

All Upgrades - AST, Apple, Compaq, DEC, HP, IBM, Silicon Graphics, SUN, Toshiba	
MathCoproductors	CALL
CPU	CALL
SIMM 4MBx9	CALL

Computers

We custom-build any system to your specifications.	
APPLE	CALL
AST	CALL
COMPAQ	CALL
HP	CALL
IBM	CALL
TOSHIBA	CALL
TEXAS INSTRUMENTS	CALL

Hard Drives

Maxtor 345MB IDE	315
Maxtor 1.2G 5.25" SCSI	935
Maxtor 1.2G 3.5" SCSI	1175
Microplus 1.05G IDE 3.5"	1250
Microplus 1.75G SCSI 3.5"	1995
Microplus 6G Array	12505
PLJ 88MB Removable	533
Quantum 1G SCSI 3.5"	990
Toshiba 1G SCSI 3.5"	935
Toshiba 877M SCSI 3.5"	845

Graphics Cards

ATI Gr Ultra Pro 2MB VLB	349
ATI Gr Ultra Pro 2MB EISA	385
Artist X1000	1065
Diam Stealth 24 1MB V/LB	158
Diam Stealth Pro 2MB V/LB	333/340
Diam Viper VLB 2MB	407
Matrox Impress 3MB V/LB	960
Orchid FH+ 1MB V/LB	176/195
Myxex GLE11 EISA 1MB	351

Modems/FAX

Hayes Optima 14.4/14.4 Ext 382	
Hayes Ultra 14.4/14.4 Ext	630
Intel Satisfaxion 400 Ext/Int 402	
SHIVA NET Modem WIN	1435
Supra 14.4/14.4 Ext	226
Supra 14.4/14.4 Int	175
USR DS 16.8 EXT	695
USR DS 16.8 FAX Ext	715
Zoltrix 14.4/14.4 Ext	200
Zoltrix 14.4/14.4 Int	150

- Quantity Discounts
- Dealer Discounts

PHONE: (415) 861-8330

Español (415) 861-8376

FAX: (415) 861-8380

Low freight rates - No handling charge • Prices are for cash prepayment • VISA/MC/AMEX accepted • Products may be USA preparations • No returns on opened software • Prices are FOB USA and subject to change • 15% restocking charge for non-defective returns

Computer Quick, 165 - 8th Street, No. 309
San Francisco, CA 94103, USA

Pournelle

handler wouldn't work properly on my 486/66 running Windows for Workgroups. For a while I thought this was MCI's wretched line support, but that wasn't it. I could try several times with Commander 4.0 and get nowhere, and then switch back

to Commander 3.0 and get access to MCI first try. Also, I could drop out of Windows and use Commander 4.0 under DOS, and that worked; but when I returned to Windows for Workgroups, it would generally fail again.

When it did work, it was slow, really slow compared to the same program doing the same thing under DOS. I know there are those who say Windows is a plot to slow down your machine, but this was ridiculous.

Meanwhile, I got E-mail from OS/2 enthusiast friends who'd been using Commander 3.0 and had switched to 4.0, and they loved it. I'd already determined to give OS/2 2.1 a good try, and since I liked Commander 4.0's mail-handling capability a lot, this seemed like a good time to get OS/2 going.

I did, and I don't regret it, as you'll see in a moment. Meanwhile, if you use Commander, get the upgrade; even without the mail handler, it's a solid improvement over Commander 3.0. If you don't use Commander, you ought to try it. Even under Windows, I use it a lot more than I use File Manager. With Commander, it's easy to view and edit files and generally do housekeeping. Recommended.

I use a PS/2 Model 77 486DX2

as my CD-ROM test-bed, so I can rule out hardware incompatibility if I run into problems. Even so, there had been some difficulties installing OS/2 2.0 the first time; but I'm pleased to report that the installation of version 2.1 went like magic. My Model 77 has a CD-ROM drive, and that's what I used to install OS/2 2.1. However, I have reports from many others who say that installation from disks, although more tedious, is no harder. In addition to everything else, they've enormously improved OS/2's installation. (If you buy a PS/2, you can skip the installation entirely, since OS/2 2.1 comes installed.)

Using OS/2 is as easy as using Windows, but it's different. For one thing, OS/2 makes use—good use, in my judgment—of the right mouse button, and that takes getting used to. When you click on an

icon with the right mouse button, nothing happens for a good part of a second; then a small menu panel with a bunch of options opens. It's handier than the pull-down or drop-down menus you get with Windows or the Mac.

Using OS/2 is as easy as using Windows, but it's different. For one thing, OS/2 makes use—good use in my judgment—of the right mouse button, and that takes getting used to. But I can now get around in OS/2 well enough to get my work done.

I spent some time fooling around with OS/2. There's a great deal I have to learn, but I can now get around in it well enough to get my work done, and I can make use of some of its features. I particularly like having the ability to set up different CONFIG.SYS and AUTOEXEC.BAT files for each DOS window. I've got a lot more to learn, but it looks as if it will be worth the trouble.

My next step was to transfer a bunch of programs and files. Alas, I have no network board for the Model 77, which is a Micro Channel architecture machine, but that's a minor problem. I installed Traveling Software's LapLink from floppy disks and used the parallel port to connect the PS/2 with one of the machines on my Windows

for Workgroups network. That gave me access to every disk drive on the network, and it wasn't long before I had a whole bunch of DOS and Windows programs transferred.

The next step was to migrate the programs. Migration is OS/2 terminology for making them usable under OS/2. The procedure is a bit odd, but it's more than adequately described in the manual. In fact, it's pretty simple if you have faith and follow directions. You end up with your program icon in a general folder with the program set to run under the default OS/2 run-time values. You can then move or copy that program to another location—a different folder, or for more important programs you use a lot, just lay it out on the desktop—and proceed to customize the installation.

This, too, is a process that is easier to do than to explain. It involves opening an on-screen book of values that are associated with this particular program and changing the settings. There are a lot of those settings, and using them is not always terribly obvious.

It's particularly important to get them right for communications programs. In addition to using Commander for MCI Mail, I use Procomm Plus to connect to BIX and Aladdin as a front end for GENIE. In each case, my preference is to send a program

International Orders our Specialty

Controllers

Adaptec 1542C	199
Adaptec 1542C w/Correl	315
Adaptec 1742A EISA SCSI	355
Adaptec 1744 EISA SCSI	855
Buslogic BT445 SCSI VLB	290
Myxex EISA SCSI 4MB	690
DPT Smt Cache EISA/SCSI 452	
Orchid VLB IDE	58
UltraStor EISA SCSI Cache	395
UltraStor SCSI VLB	285
UltraStor IDE Cache 1MB	237

Network

Novell Network	CALL
CNET NE2000 Combo 5pk	503
D-Link DE-2000 TP & BNC	118
D-Link DE-220C 16 Bit BNC	97
Etherlink III 16 Bit	127
Etherlink III 16 Bit 5 Pack	575
Etherlink III EISA 5 Pack	975
Etherlink III MCA 5 Pack	875
IBM 16/4 TR MC & AT	CALL
NE 2000 TP & BNC	130
NE 2000 5 Pack	585
NE 2000 Plus 5 Pack	510
NE 3200 EISA	667
SMC EtherCard Elite 16	
Combo	135
SMC EtherCard Elite 16 Ultra	113
SMC EtherCard Elite 32	592
Thos C 16Bit Fiber Optic	705
Thos C EISA Fiber Optic	942
Thos C 16/4TR 6pack	1952

OS

MS DOS 6.0 Upgrade	80
OS/2 2.1 CD-ROM	128
SCO UNIX OS MultiUser	840
SCO UNIX Dev System	840
SCO ODT Pers Sys CDR	915
SCO ODT DEV Sys CDR	1125
Windows 3.1 Upgrade	42
Windows NT	315
Windows NT Adv Svr	958
Windows for WG Start Kit	458

UNIX

Fox Base MultiUser	775
MS Word MultiUser	970
SCO NFS v1.2.0	450
TCP/IP Runtime MultiUser	450

CD-ROM/OPTICAL

Fujitsu Mag/Opt 128MB 3.5	892
Panasonic MPC CDR Int	217
Pinnacle RW 128MB 3.5"	1690
Pinnacle RW 650MB 5.25"	2915
Texel CDR DM3024 SCSI	398
Tosh 3401 SCSI Int/Ext 475/585	

23,000 Item Catalog Program with Current Prices

FREE with order

You're looking at the vast difference between new Designer 4.0 and all other illustration programs.

Introducing new Micrografx Designer™ 4.0.

With symbol creation and placement to one micron, new Designer 4.0 from Micrografx is a measurable improve-

You get advanced features including 3-D drawing with rotation, smooth shading, and light source control.


Make adjustments quickly with object snap, wireframe view of images, custom dimension units, direct entry of coordinates and dimensions, and auto dimensioning. And 32,767 layers keep everything organized. The bottom line: you're always in control while creating, editing and manipulating symbols.

Now, while Designer 4.0 is filled with sophisticated features, you'll have it up and running in no time. A new streamlined interface means you can find everything fast. Hint lines, context-sensitive help, a customizable tool bar, and more keep you close to the tools you use the most. There's even invaluable extras like image editing, advanced

Complete graphic design capabilities range from powerful text management to advanced color separation.


text and layout capabilities, color separation and slide show utilities, plus 1,200 clip art images and 25 photo images on floppy disk, with 13,740 clip art symbols and 200 photo images on CD-ROM, and more. See for yourself how it measures up.

Order your copy today by calling
1-800-697-3540
or see your local dealer



Designer 4.0's new intuitive interface is easy to learn and use with hint lines and context-sensitive help.

ment in technical illustration. In fact, hair-splitting accuracy is only the start of what will seem like an endless list of new features. And before you furrow a brow, you'll be glad to know that Designer 4.0 is first, last and always easy to use.



M I C R O G R A F X®
DESIGNER 4.0
The Professionals' Choice For Graphics Illustration.

script out to collect all my E-mail and BBS messages so that I can compose replies off-line. Naturally, I want those communications to run in the background so I can get other work done while everything is downloading.

That sort of works in Windows. By sort of, I mean that most times everything is all right, but sometimes when I run communications in the background, I later find that I've downloaded garbled messages. Everyone tells me that OS/2 never has that problem, so I was eager to convert all my communications to the OS/2 machine.

So, of course, immediately I watched it drop characters from incoming messages, and this was when the program was operating in the foreground. It didn't drop just a few characters, either. When I told OS/2 users my tale of woe, they were universally astounded. Time to check the various OS/2 settings. This is sort of equivalent to looking at the program's PIF

(program information file) for Windows, but with OS/2 you have many more knobs to twist.

I first tried the OS/2 manuals, which are vastly improved over earlier versions.

There's a section on what to do if your communications program drops incoming letters. Like the section on migration, the instructions were easy to follow, even if I didn't completely understand the reasons for doing things that way.

I took the manual's advice and changed various settings. One

pair of them, IDLE_SENSITIVITY and IDLE_SECONDS, have a function that is similar to setting the time ticks in Windows and determine the priorities when OS/2 allocates computer cycles among programs running in the foreground and background. The manual also suggested changes in my start-up CONFIG.SYS file. I did all that, rebooted, and tried again. Same result. Dropped letters. I decided it

was time to get on-line and ask for advice again.

It wasn't long before someone solved the problem. The very first OS/2 configuration variable is COM_DIRECT_ACCESS. I wasn't too clear on what that did, but it seemed reasonable that it should be set to on for a communications program. That turns out not to be the case: for nearly all communications programs, it must be off. Once that was done, there were no more dropped letters, foreground or background. Indeed, I even ran Aladdin on COM1 to download some mail while simultaneously using LapLink to bring a file over from the network through the parallel port. All files arrived intact. OS/2 runs communications in the background just fine.

The next problem was even more mysterious. Procomm Plus would communicate all right, but when I told it to download some files, it would beep as if it had already done that—but there were no files.

I played with the OS/2 environment settings. Same result every time. I called IBM technical support. That turned out to be a relatively pleasant experience. First I got

I first tried the OS/2 manuals, which are vastly improved.

No Noise, No Hassle. Just **SCREAMER** Prices!

DataPort™ 14.4/Fax Modem with Exclusive optical and cellular technology!

You get *no noise* from AT&T's Optical Line Interface* (OLI™), just the fastest speeds possible on good or bad phone lines. You get *no hassle* either, with AT&T's Enhanced Throughput Cellular (ETC™) protocol,* just the fastest speeds when connected to a cellular call.

- V.32bis/V.17 (sends/receives 14,400 bps data and fax)
- V.42bis/MNP 5 (data compression, error correction)
- 16550A buffered UART for PC internal card
- Increased first time connectivity and optimal speed using OLI and ETC
- Background faxing
- Auto data/fax discrimination
- Backed by AT&T for as long as you own it
 - Lifetime warranty and TOLL-FREE technical support



\$209

Est. retail price
PC internal card

\$239	Est. retail price for PC external
\$249	Est. retail price for Mac external

Includes QuickLink II comm/fax software for DOS and Windows or the Mac. Mac version also has serial port cable.

Visit Computer City, Fry's, and Elek-Tek for exciting low prices! Or for the name of other dealers near you, or to order the DataPort 14.4/Fax Modem directly, call now:
1 800 554-4996 ext. 96010



Circle reader service #182

Outside US or Canada circle #183

* Patent pending © 1993 AT&T. DataPort, OLI, and ETC are trademarks of AT&T. All other products or services mentioned are the trademarks, service marks, registered trademarks, or registered service marks of their respective owners. Lifetime warranty is limited and applies to original purchaser only.

STATISTICA/w

Windows,
DOS, Macintosh

STATISTICA/w™ (for Windows) Complete Statistical System with thousands of on-screen customizable, presentation-quality graphs fully integrated with all procedures ■ Complete Windows 3.1 support, DDE, OLE, TT-fonts, multiple toolbars, right mouse button support ■ Unlimited numbers of data-, results-, and graph-windows ■ Inter-window integration: data, results, and graphs can be treated as objects and converted into one another in a number of ways ■ The largest selection of statistics and graphs in a single system; comprehensive implementations of: Exploratory techniques; multi-way tables with banners (presentation-quality reports); nonparametrics; distribution fitting; multiple regression; general nonlinear estimation; stepwise logit/probit; general ANCOVA/MANCOVA; stepwise discriminant analysis; log-linear analysis; factor analysis; cluster analysis; multidimensional scaling; canonical correlation; item analysis/reliability; survival analysis; time series modeling; forecasting; lags analysis; quality control; process analysis; experimental design (with Taguchi); and much more ■ Manuals with comprehensive introductions to each procedure and examples ■ Hypertext-based Stats Advisor expert system ■ Extensive data management facilities (spreadsheet with long formulas, block operations, advanced Clipboard support, DDE hot links, relational merge, data verification, powerful programming language) ■ Batch command language and macros also supported, "turn-key system" options ■ All output displayed in Scrollsheets™ (dynamic, customizable, presentation-quality tables with toolbars, pop-up windows, and instant 2D, 3D and multiple graphs) ■ Extremely large analysis designs (e.g., correlation matrices up to 32,000x32,000, unlimited ANOVA designs) ■ Megafile Manager with up to 32,000 variables (8 Mb) per record ■ Unlimited size of files; extended ("quadruple") precision; unmatched speed ■ Exchanges data and graphs with other applications via DDE or an extensive selection of file import/export facilities ■ Hundreds of types of graphs, including categorized multiple 2D and 3D graphs, matrix plots, icons, and unique multivariate (e.g., 4D) graphs ■ Facilities to custom design new graphs and add them permanently to menu ■ On-screen graph customization with advanced drawing tools, interactive stretching and resizing of complex objects, interactive embedding of graphs and artwork, special effects, icons, maps, multi-graphics management, page layout control for slides and printouts; unmatched speed of graph redraw ■ Interactive rotation, perspective and cross-sections of all 3D and 4D graphs ■ Extensive selection of tools for graphical exploration of data: fitting, smoothing, overlaying, spectral planes, projections, layered compressions, marked subsets ■ Price \$995.

Quick STATISTICA/w™ (for Windows) A comprehensive selection of basic statistics and the full graphics capabilities of STATISTICA/w ■ Price \$495.

STATISTICA/dos™ (for DOS) A STATISTICA/w-compatible data analysis system ■ Price \$795.

Quick STATISTICA/dos™ (for DOS) A subset of STATISTICA/dos statistics and graphics ■ Price \$295.


Domestic sh/h \$10 per product; 14-day money back guarantee.

Circle 140 on Inquiry Card.

 **StatSoft™**

2325 E. 13th St. • Tulsa, OK 74104 • (918) 583-4149
Fax: (918) 583-4376

Overseas Offices: Statsoft of Europe (Hamburg, FRG), ph: 040/4200347, fax: 040/4911310; StatSoft UK (London, UK), ph: 0462/482822, fax: 0462/482855; StatSoft Pacific (Melbourne, Australia), ph: (03) 663 6580, fax: (03) 663 6117; StatSoft Canada-CCO (Ontario), ph: 416-849-0737, fax: 416-849-0918. Available From: CORPORATE SOFTWARE and other Authorized Representatives Worldwide: Holland: MAB Julsing, 071-230410; France: Version US (1) 40590913; Sweden: AkademiData 018-240035; Hungary: Dagent Kft 186-5782; Belgium: TEXMA 10 61 16 28; South Africa: Osiris 12 663-4500; Japan (Macintosh): Three's Company, Inc., 03-3770-7600; Japan (DOS and Windows): Design Technologies, Inc., 03-3667-1110.




STATISTICA/Mac™ (for Macintosh) A STATISTICA/w-compatible, comprehensive data analysis and graphics system designed for the Macintosh ■ Large selection of statistical methods fully integrated with presentation-quality graphics (incl. EDA, multiplots, a wide selection of interactively rotatable 3D graphs; MacDraw-style tools) ■ Unlimited size of files ■ Full support for System 7, incl. "Publish and Subscribe" ■ Price \$695.

Quick STATISTICA/Mac™ (for Macintosh) A subset of STATISTICA/Mac: a comprehensive selection of basic statistics and the full graphics capabilities of STATISTICA/Mac ■ Price \$395.

The Keyboard that adapts to your Needs
Now you can program 240 different Memory Keys
yourself

Ctrl Alt Del



SYSTEMS 93

Hall 20, Stand B06/C01

CHERRY 

Keyboards Made in Europe.

Australia: Cherry ☎ (03) 872 52 46 · Austria: Steinberger ☎ (02 22) 34 35 85 · Belgium: Multiprox ☎ (053) 78 77 78 · CR: Nepras ☎ 1 64 30 92 · Denmark: Johansen ☎ 0 31 83 90 22 · Finland: ReplCo
☎ (0) 7 55 72 01 · France: Cherry ☎ (01) 43 77 29 51 · Germany: Cherry ☎ (096 43) 18 2 06 · UK: Cherry ☎ (0582) 76 31 00 Hong Kong: Cherasia ☎ (05) 65 66 78 · Israel: Astragal ☎ (03) 5 60 84 21
Italy: Silverstar ☎ 02 66 12 51 · Japan: Cherry ☎ (044) 9 33 35 11 · Korea: KML ☎ (02) 95 91 01 91 06 · Netherlands: Vierpool ☎ 0 34 65 945 11 · Norway: Tahonic ☎ +4 72 16 16 10 · Portugal: Nipo

In 24 freely programmable keys in each of 10 layers, you can store everything you need to make your work considerably easier: e. g. command sequences and text boilerplates. With a nonvolatile 2048-byte keyboard memory with backup battery. Outstanding ease of use. High degree of reliability. All memory keys can be reasigned. Selectable data transfer speed. User-friendly downloading program. IBM-compatible for PC, XT, AT and PS/2 systems. Ideal for word processing, software development, program operation and other user-oriented software applications. In CFC-free European quality. 100% tested. 90% recyclable. In all major country and language versions. With all approvals and certifications. Because Cherry's standard of quality won't stand for any compromises. Send today for further technical details!



Word processing



Software development



CAD

Circle 503 on Inquiry Card.

Pournelle

a pleasant young person who gave me a "problem number" and then transferred my call to a technician. That resulted in a very long wait, punctuated by recorded messages telling me to hang on. Since I'd originally called an 800 number, it didn't cost anything, and I used the speakerphone, so I wasn't sitting with a dead telephone attached to my ear. After about 15 minutes, I was connected to a young man named Suman Reza. He asked several questions, and finally, "It's probably pretty stupid, but are you sure you have Procomm Plus set up properly?"

"Yes, of course—" And it struck me. I'd brought Procomm Plus over from the Cheetah, where it resides on the C drive; but on the PS/2, I've been putting OS/2 and Windows programs on the C drive and DOS programs on the D drive. I looked at the Procomm Plus setup, and sure enough, it was told to put downloads in the C:\PROCOM2\ subdirectory; only there was no C:\PROCOM2\ subdirectory. When Procomm Plus made noises as if it had already downloaded what I was after, it was trying to tell me it couldn't open a file.

I don't think that's a very helpful way to tell me that, but telling Procomm Plus that the default directory for downloads was D:\PROCOM2\ fixed the problem. I've now tried OS/2 with several communications programs, and they all work without dropping characters. Meanwhile, I learned that IBM's OS/2 2.1 technical support works just fine. It takes a while, but you get to talk to smart people.

I'm running OS/2 on the PS/2 Model 77 with a built-in sound board, a CD-ROM drive, and 8517 terminal support. It's a good computer that's solidly built—heavy plastic lined with metal on the inside—and everything works.

The keyboard has a good, solid feel, as IBM keyboards do. This one has the function keys across the top rather than over to the left side, and I find that annoying. Niven, on the other hand, loves that arrangement and everything about the keyboard.

Keyboards can be replaced, although the PS/2 has a nonstandard keyboard connector, so you can't just plug your old keyboard in. Fortunately, you can get an adapter: the difference between the PS/2 connector and a standard one is mechanical, not electrical.

The biggest problem with the PS/2 is the video. The video board and 9517 monitor work all right—it's good color—but it's pretty slow compared to the ATI Technologies board in my big Cheetah. Also,

I'm not entirely pleased with the DOS character set when I run DOS programs full-screen. I'm told there are ATI PS/2 boards with OS/2 drivers, and I'm angling to get one. I expect it will take care of any reservations I may have about the PS/2 Model 77, since I like everything else about it.

I'm tempted to keep

Publicity Builder to myself and not tell you about it. That way, I can use it to promote Roberta's program and my books without competition. But that wouldn't be fair to you or to JIAN Tools for Sales, so suffice it to say that this program does a darned good job of explaining how you should go about publicizing

your products. It has everything you need, from template press releases to tips on who you ought to be sending them to.

I suppose Publicity Builder is primarily intended for start-up companies, but the program gives tips and advice at quite an advanced level. Perhaps the most experienced PR people won't need this program, but everyone else who wants to publicize products will find it a useful product. Recommended.


PCMCIA is a name no one can love. There's a PCMCIA Association, and by the time you read this, they may have a better name for the product. I certainly hope so, because PCMCIA is going to be a very important technology in years to come.

PCMCIA is a slot that takes a card about the size of a business card, only thicker. It's also known as flash memory and credit-card memory, and that's an important function; but in fact it's more than that. It's really an external means of accessing your computer through a new expansion bus. You can use PCMCIA slots to connect your system to a modem, network, or SCSI devices, as well as use it as a memory system. The latest portables have PCMCIA slots; indeed, the new Hewlett-Packard laptop has four. If they get the standards problem solved, it's likely that in a couple of years all palmtops and most laptops will have PCMCIA slots.

Alas, while committees are working on them, there aren't any standards yet; while

GTC

TeleNet is looking for licensees



GTC TeleNet
is a private german Tele-
communication network.

GTC TeleNet
offers a onestop source of
E-mail, EDI, data commu-
nications, telex, fax, data-
bases, videotext, WANs,
etc. all through a single
network, and with service
on -site

TODAY:

GTC TeleNet
has accesspoints all over
Germany, Russia, Belarus,
Hungary, Luxembourg.

TOMORROW:

GTC TeleNet
wants to cover the world.
If you are tackling the job
of establishing an effective
sales force in your country,
then call or fax us to have
a look at our detailed in-
formation materials before
someone else does.

GTC

TeleCommunication GmbH

Zimmermannstraße 15
D-70182 Stuttgart - Germany
phone: + 49 - 711 - 23 87 70
fax: + 49 - 711 - 23 87 715
tx: 72 16 96 gut d

Pournelle

the hardware is final, software glitches have meant that cards aren't always interchangeable between machines. There are several standard PCMCIA cards. These are largely determined by the thickness of the card they'll accept. That thickness goes up to Type III, which is large enough to

accommodate a small hard drive. (Toshiba uses a nonstandard Type IV specification, which is even larger.)

If your system doesn't have a PCMCIA slot, the simplest way to read PCMCIA cards is with Adtron's IC Card Drive: just connect the drive to the parallel port and

For More Information

If you're buying a CD-ROM drive for the Mac, get **CD-ROM Toolkit** (\$79) from **FWB, Inc.** (2040 Polk St., Suite 215, San Francisco, CA 94109, (415) 474-8055). The package supports most CD-ROM drives; includes caching and Kodak Photo CD software; and makes installation easy. **Circle 1146 on Inquiry Card.**

Pioneer's new **DRM-604X** six-disc high-speed CD-ROM drive (\$1845) is four times faster than my old model, and it's ideal for sharing a suite of CD-ROM applications over a network. Highly recommended. Contact **Pioneer Communications of America**, 600 East Crescent Ave., Upper Saddle River, NJ 07458, (201) 327-6400. **Circle 1147.**

Don't have a PCMCIA slot? The **IC Card Drive** (\$295) is an external PCMCIA drive that attaches to any parallel port or serial port. An internal version (\$395) hooks up to your system's IDE interface or ISA bus slot. Contact **Adtron Corp.**, 3050 South Country Club Dr., Suite 24, Mesa, AZ 85210, (602) 926-9324. **Circle 1148.**

The **Mac Classic II** is a great starter machine for computer novices, and it's a heck of a bargain to boot. Prices start at \$1079 for a system with 4 MB of RAM, an 80-MB hard drive, a keyboard, a built-in monochrome monitor, and System 7.1. If you want multimedia capability, however, you'll need a color system and the **QuickTime 1.6 Starter Kit** (\$139). If you're using System 7.0, I recommend **System 7.1** (\$99), which puts your fonts into a separate fonts folder and supports Wordscript for international language support. Contact **Apple Computer, Inc.**, 20525 Mariani Ave., Cupertino, CA 95014, (408) 996-1010. **Circle 1149.**

Multimedia ToolBook (\$695) is your best choice for creating multimedia applications. It includes built-in macro recorders and a freely distributable run-time package. Contact **Asymetrix** at 110 110th Ave. NE, Suite 717, Bellevue, WA 98004, (800) 448-6543 or (206) 637-1500. **Circle 1150.**

Norton Commander for DOS 4.0 is a solid improvement over the previous version. The mail handler works better, and even under Windows I often use it instead of File Manager to view and edit files. Recommended. **Symantec Corp.**, 10201 Torre Ave., Cupertino, CA 95014, (800) 441-7234 or (408) 252-3570. **Circle 1151.**

OS/2 2.1 multitasks much better than does Windows 3.1, and I like it enough to seriously consider converting to OS/2 for all my operations. OS/2 2.1 was specially priced at \$119 at press time (the regular price is \$249), but the deal was to run out on September 14. Contact **IBM Corp.**, 1 Old Orchard Dr., Armonk, NY 10504, (800) 633-8266 for the latest information. **Circle 1152.**

Procomm Plus 2.01 has some peculiarities, but it's easy to use and handles all communications in Chaos Manor. It's available for \$129 from **DataStorm Technologies, Inc.**, 3212 Lemone Blvd., Columbia, MO 65201, (314) 443-3282. **Circle 1153.**

IBM's **PS/2 Model 77 486DX2** is my machine of choice for running OS/2. The 33-/66-MHz processor has plenty of power. The PS/2 comes with a 212-MB SCSI hard drive, a 2.88-MB floppy drive, 8 MB of RAM, XGA graphics (no monitor), a mouse, a keyboard, and OS/2 for \$3335. The Micro Channel architecture bus limits expansion options, but the three-year parts and labor warranty and 24-hour support line are top-notch. Contact **IBM Personal Computer Corp.**, Rte. 100, Somers, NY 10589, (800) 772-2227. **Circle 1154.**

Publicity Builder (\$129) does a good job of helping you publicize your products. It includes PR templates, tips on who to send your releases to, and more. Contact **JIAN Tools for Sales, Inc.**, 127 Second St., Los Altos, CA 94022, (415) 941-9191. **Circle 1155.**

ScriptX isn't shipping yet, but this device-independent multimedia programming language should make developing platform-independent multimedia applications much easier. Contact **Kaleida Developer Services**, Kaleida Labs, Inc., 1945 Charleston Rd., Mountain View, CA 94043, (415) 966-0400. **Circle 1156.**

SuperCard (\$299) is a hypertext scripting language for the Mac that we're using at Chaos Manor to convert Roberta's DOS-based reading program. Recommended. Contact **Aldus Consumer Division**, 5120 Shoreham Place, San Diego, CA 92122, (619) 558-6000. **Circle 1157.**

Attitude TrueType Fonts



MasterPiece TrueType Font Library

Agnes **ASPEN** **BAMBAM** benediction
 Cambria **CARTOON** Casual Catacomb
 Chancellor **GILL** **CHISELED** Country Club
 COYOTE DALMATION DECORAGE
 DELHI Dolly **DOORJAM** DUNCAN DINNII
 EMPIRE **FIRE** FLAMINGO Flores
 Frankenfooter **FRISQ** Gaslight HORROR
 Invitation Knarly Lakeside Lizard
 LOOPY MOO-GOO **MORRIS** Moulon Rouge
 MOZAMBIQUE Nervous Nottingham Ornate
 PENCILPOINT **PICANTE** **RAHRAH** RANSOM
 Renaissance Rhino Ripper Roady Rooster
 Ruhr SAHARA SALOON SCRAWL **SEASCAPE**
 Sesar **SLAMIC** SLAVIC SPANKY SPEAKASY
 STKK **UGANDA** UNDERGROUND Upper crust
 Waterfall Whitewash Willroge **ZAP** Zephyr



The MasterPiece TrueType Font Library from Attitude, Inc. now contains over 150 one-of-a-kind, designer TrueType soft fonts. These totally unique display and headline fonts are what you need in order to get the attention your memos, brochures, flyers and correspondence deserve. And with the MasterPiece TrueType Font Library you'll have the headline fonts to complement your collection of text faces. So don't settle for the basic vanilla text fonts. Get an Attitude!

Also included is the new Attitude TrueType Installer. This utility will allow you to view any TrueType format font, either on screen or in a printout, as well as install, remove or check if any font is already installed.

This is only a partial listing of the over one hundred and fifty fonts in this package

Attitude, Inc.
 14742 Beach Blvd., Dept. 440
 La Mirada, CA. 90638
 TEL: (714) 680-8112 FAX: (714) 680-6640

VISA, MASTERCARD, AMEX & DISCOVER

Copyright 1993 Attitude, Inc. All Rights Reserved

HOW DO YOU GET A JOB WITHOUT EXPERIENCE? AND HOW DO YOU GET EXPERIENCE WITHOUT A JOB?

Most young people have one answer to this problem. They avoid it until they're out of college. But they could be getting solid work experience while they're still in college. With your company's help. And ours.

We're Co-op Education. A nationwide program that helps college students get real jobs for real pay, while they're getting an education.

But we can't do it without you. Those real jobs have to come from real companies. Like yours.

For more information on how you can participate in this valuable program, write Co-op Education, Box 775E, Boston, MA 02115.

Not only will you be giving students a chance to earn money and pick up the most valuable kind of knowledge, you'll be giving yourselves a chance to pick up the most valuable kind of employee.

Co-op Education.

You earn a future when you earn a degree.

Pournelle

run the software. Obviously, this isn't going to transfer files at bus speeds (there's a serial-port connection capability that's even slower), but you will be able to read most PCMCIA cards. If you have a portable with PCMCIA capability, this is a very convenient sneakernet capability; and you can use the Adtron box with a portable that doesn't have PCMCIA.

Adtron also makes a bus-card IC Card Drive, which installs more or less like a standard disk drive. It's much faster than the parallel-port version and lets you experiment with various PCMCIA connector devices like modems and Ethernet connections. One warning: I got my unit directly from Adtron, and it didn't come with a bezel or mounting hardware. That's not a serious problem, but you will need to arrange for that. Otherwise, there are no installation difficulties.

The big breakthrough with this type of PCMCIA drive will come when all computers have the new superfast parallel-port hardware. Some machines already have it, and the rest will have to follow suit: it's enormously convenient to move data through a port at what amounts to bus speed.

The book of the month is Rita Kramer's *Ed School Follies: The Miseducation of America's Teachers* (Free Press, 1991), a warmly written critical look at what our teachers are learning—and not learning—in our colleges. She has important things to say about why our school system doesn't seem to work so well.

The computer book of the month is Ed Krol's *The Whole Internet Users Guide & Catalog* (O'Reilly & Associates, 1992). Just about everything you'd want to know about the Internet. Back in 1975, I said that by the year 2000, anyone in the Western world would be able to get the answer to any question. That's on schedule, and the Internet is helping to make it happen.

Next week I travel to Brazil for a computer show; a full report next month. Also, SyDOS Personal CD, the latest marvels from BSE, the wonderful little MX Modem, and more on my experiences with OS/2. It's a full life. ■

Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. Jerry welcomes readers' comments and opinions. Send a self-addressed, stamped envelope to Jerry Pournelle, c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply. You can also contact him on BIX as "jerry."



A Public Service of This Publication ©1987 National Commission for Cooperative Education



Juggling Standards?




Why Not Keep Them All In One Place?

Getting PCs to co-exist with diverse computing standards means keeping a lot of balls in the air.

As the pioneer in developing X Servers for Microsoft Windows™, VisionWare™ understands how to unite Windows, X™, NT™, networks, UNIX™ and VMS™ to bring all your computing standards together at the PC desktop.

XVision 5 sets a whole new standard for PC X Servers as a smart, environment-aware server. XVision 5 *automatically* detects underlying network transports, *automatically* optimizes graphics speed to any PC hardware configuration, *automatically* aliases fonts and *automatically* eases the installation process.



Not stopping there, XVision also features transport-independent file transfer, local terminal emulation and an object-oriented, drag & drop desktop integrating DOS/X/Windows.

XVision 5 ties it all together. Instead of another ball to keep in the air, XVision provides a *real* solution that finally frees you from the whole juggling act.

XVision 5
The Smart PC X Server
from VisionWare.



US Headquarters

1020 Marsh Road, Suite #220 • Menlo Park, CA 94025
1-800-949-8474 • Tel: (415) 325-2113 • FAX: (415) 325-8710

Corporate Headquarters

57 Cardigan Lane • Leeds LS4 2LE • United Kingdom
Tel: +44 532 788858 • FAX: +44 532 304676

All Trademarks are the property of their respective companies.

Circle 282 on Inquiry Card: Call me, I'm interested

Circle 283 on Inquiry Card: Send Literature

What's New Hardware



A SCANNER SCOOTER ▲

A self-moving hand scanner for graphics and text, ScanMaker Scooter (\$549) has a built-in motor that steadily moves it across an image. The scanner auto-merge function creates a seamless finished scan that ensures that the halves of a large image will merge precisely. The Microtek (Torrance, CA) Scooter can stitch images at a resolution as high as 400 dpi. The 24-bit scanner reproduces images in color, gray scales, and black and white.

Phone: (213) 321-2121.

Circle 1084 on Inquiry Card.

WIZARD CONNECTIONS ▼

The BSE Connectivity Kit (\$99.95) and the BSE Serial Kit (\$49.95) for the Sharp OZ-9600 let you connect your palmtop computer to other PCs, printers, and peripherals. The BSE Company (Flagstaff, AZ) Connectivity Kit includes a compact



RS-232 converter cable and a self-power serial-to-parallel converter. The Serial Kit has the serial cable converter and a null modem adapter.

Phone: (602) 527-8843.

Circle 1087
on Inquiry Card.

FAX MODEM FOR THE THINKPAD

The V.32bis fax modem (\$569) from Apex Data (Dublin, CA), designed for the ThinkPad 720 and 720C, has data and V.17 fax speeds as high as 14.4 kbps. The modem goes into hibernation along with the ThinkPad to save battery life.

Phone: (800) 841-2739 or
(510) 803-2020.

Circle 1082 on Inquiry Card.

SCSI-2 ADAPTER FOR PCI-BASED SYSTEMS

Creating a direct channel from SCSI peripherals to a host computer, the BT-946C (\$499) host adapter makes 32-bit data transfers at up to 132 MBps across a PCI (Peripheral Component Interconnect) bus. The BusLogic (Santa Clara, CA) unit is compatible with PCI Specification revision 2.0 for use with Pentium-based PCI systems and supports up to 8-GB hard drives. A maximum of three adapters can run simultaneously. Fully programmable, the adapter includes a standard PCI 2.0 connector, a 50-pin SCSI-2 connector, and PCI software utilities.

Phone: (408) 492-9090.

Circle 1083 on Inquiry Card.

PC SECURITY

Provide security for your PC with Creative Secure (\$139) from Applied Systems (Deerfield Beach, FL). Capable of storing a master and 64 user passwords, Creative Secure records a time-

stamped audit trail of computer boot activity. A motion detector and antitheft sensor sounds an alarm if the computer is moved, and you can tie directly into a remote alarm system.

Phone: (800) 338-0463 or
(305) 428-0534.

Circle 1086 on Inquiry Card.

SPEEDIER DATA TRANSFER

Designed to handle multiple-sector transfers, the ATI-Ideal Enhancer card (\$29.95) lets you enhance your ISA system without upgrading to the VL-Bus. The card, compatible with DOS, Windows, OS/2, Unix, and NetWare, increases IDE-drive data transfer rates by as much as 91 percent, according to Atronic International (Fremont, CA).

Phone: (510) 656-8400.

Circle 1088 on Inquiry Card.

PACKED FOR PERFORMANCE

The Pro-System 486 PCs from National MicroComputers (Salt Lake City, UT) ship with a 245-MB hard drive, 4 MB of RAM, and a 32-bit S3 805 VGA accelerator card with 2 MB of RAM. The system board has a ZIF (zero insertion force) socket that will accommodate the Pen-

tium SX processor. A 32-bit VL-Bus hard drive controller, 128 KB of static RAM cache, and a flat-screen color monitor round out the units. Prices start at \$1850.

Phone: (801) 265-3700.

Circle 1089 on Inquiry Card.

POCKET MULTIMEDIA AND CONNECTIVITY

Franklin Electronic Publishers (Mt. Holly, NJ) has put speech, sound, and serial connectivity in its latest Digital Book System. The 4.6-ounce DBS-2 (\$129) reads two matchbook-size digital-book ROM cards, each of which contains up to 20 MB of



compressed information. You access the data by entering key words or the first few letters of a word, and you can cross-reference the two installed books.

Phone: (609) 261-4800.

Circle 1085 on Inquiry Card.

A POWERFUL PORTABLE, ANY WAY YOU SLICE IT

The MediaMach family of integrated-presentation portables provides a complete portable multimedia production and delivery system. You use the ComposerSlice (from \$1731) and the PresentationPlayer (from \$7195) joined together while you create your production; then you take only the PresentationPlayer on the road for the show. All required sound, video, and other hardware and software are installed, giving you a ready-to-run system. Systems are available for the major video compression and playback standards, such as DVI, AVI, and JPEG; a PresentationPlayer is also available for MPEG playback.

Contact: Dolch Computer Systems, Milpitas, CA,
(408) 957-6575.

Circle 1078 on Inquiry Card.



Hardware

FAST THERMAL COLOR

A 2-ppm plain-paper printer, the SpectraStar GT (\$4495) color thermal printer runs at 33 MHz and supports PostScript Level 2. Two built-in cartridge slots accommodate plug-in cartridges. The General Parametrics (Berkeley, CA) printer comes with Pantone-certified color matching, 6 MB of RAM, and 52 fonts.

Phone: (510) 524-3950.

Circle 1090 on Inquiry Card.

LOCAL-BUS DISPLAY

The Legend 24VL/IDE VL-Bus controller provides Windows acceleration, a 32-bit local-bus IDE hard drive interface, a floppy drive controller, two serial ports, and a parallel port. The \$199 card, from Sigma Designs (Fremont, CA), supports 24-bit color at 640- by 480-pixel resolution.

Phone: (800) 845-8086 or (510) 770-0100.

Circle 1092 on Inquiry Card.

LAN FAXING

A network fax server the size of an external modem, the Lan-Fax/V (from \$1795) offers fax on demand along with multiline, broadcast, and automatic routing capabilities. From Vidicode (Wilmington, NC), the server automatically routes incoming faxes to the proper node and is operative even when the network is unavailable.

Phone: (919) 452-5600.

Circle 1093 on Inquiry Card.

DOUBLE DOCKING

Besides being a standard HDI-30-to-DB-25 cable adapter, SCSI DOC (\$49) lets your PowerBook dock as a SCSI device with another Mac when coupled with a cable. A switch on the APS Technologies (Kansas City, MO) adapter provides the dual personality.

Phone: (816) 373-5800.

Circle 1094 on Inquiry Card.

Another way to dock your Mac is via the Lapis (Alameda, CA) SCSI Dock (\$199). A small

docking station for the PowerBook Duo 210 and 230, the unit lets you dock the Duo to any other Mac and operate in SCSI disk mode. You can also connect the Duo directly to an external SCSI device.

Phone: (510) 748-1600.

Circle 1095 on Inquiry Card.

MAC FAXING AND MORE

The TelePort/Bronze II fax modem (\$109) from Global Village Communication (Mountain View, CA) lets you send faxes at 9600 bps, receive faxes at 4800 bps, and access on-line services at 2400 bps. The TelePort/Bronze II cable plugs into the serial port for fax and data communications. The modem is powered by the Mac via the ADB (Apple Desktop Bus) port.

Phone: (415) 390-8200.

Circle 1096 on Inquiry Card.

MULTIMEDIA ► ANYWHERE

The portable LitePro 550 active-matrix LCD projector from In Focus Systems (Tualatin, OR) accepts European and U.S. video formats and power sources. Compatible with most PCs and Macs, the \$8999 LitePro 550's TFT (thin-film transistor) screen can display more than 1.4 million colors simultaneously at a resolution of 640 by 480 pixels. The hand-held SmartRemote control lets you switch seamlessly between video and computer sources.

Phone: (800) 327-7231 or (503) 692-4968.

Circle 1091 on Inquiry Card.



MAKE YOUR PC A HUB

The DigiBoard PC IMAC/4 expansion card (from \$1195) turns your PC into an ISDN communications hub for remote LANs and telecommuters. With the DigiBoard (Eden Prairie, MN) card, you can support up to 40 simultaneous telecommuter calls with a single PC.

Phone: (612) 943-9020.

Circle 1110 on Inquiry Card.

SINGLE-SLOT SPARC SERVER

Although it provides 64 serial ports for Sparc-based LANs, the 6400S terminal and peripheral server occupies only a single SBus slot. From Aurora Technologies (Waltham, MA), the \$5999 6400S has 16-byte-per-channel I/O buffers to preserve data integrity. All 64 lines can operate simultaneously at speeds of up to 38.4 kbps. The server includes on-board 80-MIPS RISC processors and a Streams-based device driver.

Phone: (617) 290-4800.

Circle 1097 on Inquiry Card.

SCAN COLOR TRANSPARENCIES

From Tamarack Technologies (Milpitas, CA), the 12000C 1200-dpi, 24-bit color flatbed scanner (\$1995) has an optional Slide Kit (\$795) attachment for scanning transparencies. With an 8½- by 11¼-inch scanning surface, the unit includes hardware gamma correction, 200 levels of brightness and contrast, and built-in Mac and PC SCSI connections.

Phone: (408) 956-0144.

Circle 1098 on Inquiry Card.

ATTACH A LIGHT PEN TO YOUR PC



Bringing pen computing to desktop PCs, PenDirect for Windows (\$498) consists of a light pen, a light-pen interface, and Pen Extensions for Windows. Able to recognize handwriting, the software also responds to editing gestures, providing on-screen editing capabilities; you use the pen to make your changes on the screen of your desktop system. All common mouse actions are available at the stroke or tap of the pen, and you can sign your name to an electronic document. A pen holder attaches to the side of the monitor so you can park the pen when you're using your mouse or keyboard.

Contact: FTG Data Systems, Stanton, CA, (800) 962-3900 or (714) 995-3900.

Circle 1079 on Inquiry Card.

What's New Hardware



VOICE JOINS THE FAX MODEM ▲

A Type II PCMCIA card, the Mercury card (\$395) combines fax, modem, and voice for notebook, palmtop, and pen-based computers with PCMCIA Type II or III slots. The Magic RAM (Los Angeles, CA) card has full send and receive fax capabilities,

with transmission rates of up to 9600 bps. The data modem operates at speeds of up to 2400 bps, with V.24 MNP 2 to 4 error correction and V.24bis MNP 5 data compression.

Phone: (213) 413-9999.

Circle 1103 on Inquiry Card

OPEN-SYSTEM WORKSTATION

The AV 500 2-D graphics workstation from Data General (Westboro, MA) is binary compatible with other Avion open-system units. The expandable \$15,000 system has 16 KB of on-chip cache and 256 KB of integrated secondary cache, 16 MB of error-correction-code memory, integrated SCSI-2 and Ethernet interfaces, and a 17-inch monitor with 1280- by 1024-pixel resolution. You can use the AV 500 for software development and as a client in distributed enterprise computing.

Phone: (508) 898-4000.

Circle 1099 on Inquiry Card.


WRITE IT ON A SOFTBOARD, READ IT ON A MONITOR

When you write on SoftBoard (\$2995), your information is simultaneously displayed on your PC or Mac monitor. You can save the data, print it, use it in other applications, and share it with others either locally or at a remote location. SoftBoard works via two laser beams that continuously scan a whiteboard. The lasers locate, identify, and track

in real time the position of the markers you use to write on the board. They then translate the data onto your computer display. You can set up multisite sessions using a modem and standard phone lines.

Contact: Microfield Graphics, Inc., Beaverton, OR, (800) 334-4922 or (503) 626-9393.

Circle 1080 on Inquiry Card.



DATA MANAGEMENT RELIEF

With an on-board processor and data management algorithms, the powerStore IDE drive controller (\$295) takes over all low-level management functions from your CPU, predicting and holding the most-often-used data in cache memory. From Perceptive Solutions (Dallas, TX), powerStore's accuStat monitoring software assists in this management.

Phone: (214) 954-1774.

Circle 1101 on Inquiry Card.

REMOTE-CONTROLLED DMM

Prairie Digital's (Prairie du Sac, WI) Model 150-02 digital multimeter (\$179) connects to your PC via a serial port for data output and control input. The remote-controlled front panel lets the host computer request readings, change ranges, select AC or DC current, enter or exit hold mode, and reinitialize the unit.

Phone: (608) 643-8599.

Circle 1102 on Inquiry Card.

NETWORK YOUR POWERBOOK

The SCSI-490PB multimedia network adapter (\$299) lets you connect your PowerBook to a network regardless of the network media being used. From MacNet (San Jose, CA), the adapter, which is fully compatible with EtherTalk at the register level, also lets you connect most Macs with a SCSI port to an Ethernet LAN.

Phone: (408) 954-8888.

Circle 1106 on Inquiry Card.

SENSITIZE YOUR MONITOR

Now you can retrofit your monitor with a touchscreen. From MicroTouch Systems (Methuen, MA), the pocket-size SMT-1 (\$318), with CMOS circuitry, plugs into your monitor's housing and can be mounted on the monitor. The needed 5 V of power comes from the monitor's power supply, the PC, or an external power supply.

Phone: (508) 659-9000.

Circle 1112 on Inquiry Card.

NOTEBOOK COLOR

The 5½-pound ColorBook (from \$1995) is a 486SX-based notebook that features a 9.4-inch backlit VGA LCD with dual-scan STN (super-twist nematic) color. The expandable unit, from Gateway 2000 (North Sioux City, SD), has 4 MB of RAM,



an 80- or 170-MB hard drive, an integrated trackball, and a PCMCIA Type III slot.

Phone: (605) 232-2000.

Circle 1100 on Inquiry Card.

MOUSE TRACKS

Version 4.0 of the Expert Mouse trackball (from \$149.95) from Kensington Microware (San Mateo, CA) adds a software application that integrates the hardware features for complete cursor control. This includes the ability to jump the cursor to any spot on the screen using the Brilliant Cursor technology, pixel-by-pixel control with the Slow Cursor technology, custom acceleration that matches the way you work, and programmable mouse buttons that let you do such things as chording.

Phone: (415) 572-2700.

Circle 1116 on Inquiry Card.

The Freedom Station (\$29.95) mousepad from CPRResearch (Augusta, ME) has a projection-suspension tower through which you feed your mouse cord to let the mouse glide around the mousepad unencumbered. The Freedom Station simulates the feel of a wireless mouse via the length, tensile strength, and projection angle of the tower.

Phone: (207) 622-1867.

Circle 1117 on Inquiry Card.

SIMPLY THE MOST ADVANCED MPC SOUND BOARD.

Z1
 16-BIT PRO SOUND

If you're serious about multimedia digital audio for PCs then consider Antex. We combine multiple compression formats, advanced features, and crisp sound with a future upgrade path. You see our customers are professionals. And they demand the best. That's why Antex is the leading digital audio board supplier for OEMs and integrators worldwide. Call us today.

CD-ROM/SCSI connection

MIDI buffering and control

Plug-in a 32-voice pro synthesizer

6 channel mixer

Noise free 4 layer circuit board

Multiple stereo inputs

Stereo/phone output

MIDI and joystick connection

Sample rates to 50kHz

Onboard digital audio buffering

SCSI controller

Programmable 20 MIPS DSP chip

16-bit A/D-D/A

Multiple compression including DVI, CD-ROM XA, CDI, MS ADPCM

ANTEX ELECTRONICS

 16100 South Figueroa Street, Gardena, California 90248
 800/338-4231 ■ 310/532-3092 ■ FAX 310/532-8509

 SERIES 3 / MODEL Z1
 FOR PROFESSIONAL USE ONLY

A MESSAGE TO OUR SUBSCRIBERS

FROM TIME TO TIME WE MAKE THE BYTE SUBSCRIBER list available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

BYTE Magazine
 Attn: Subscriber Service
 P.O. Box 555
 Hightstown, NJ 08520



TP 14 . 4K FAX/MODEM

V.32BIS , V.42BIS , V.17FAX

- TP144E EXTERNAL TYPE
- TP144C INTERNAL CARD
- COMPAQ NOTEBOOK 14 . 4K FAX/MODEM
- APPLE POWERBOOK 14 . 4K FAX/MODEM
- VOICE/FAX/MODEM CARD (3-IN-ONE)
- TP96/24VC

EXTERNAL SCSI CABINET

- TP2525 DUAL BAYS SCSI BOX
- TP525 SINGEL 5.25" SCSI BOX
- TP350 SINGLE 3.5" SCSI BOX
- TP250 2.5" HD HANDY POCKET TYPE
- UL/CSA/TUV POWER, THOUSANDS PCS
- DELIVERY EXIPERIENCE
- OPEN BEZEL FOR MO, CD, TAPE ETC


TECHPOWER CO, LTD.

 6F-1 NO. 204 SEC. 5 MING SHENG, E. RD. TAIPEI
 TEL : 02-753-1930 FAX : 886-2-753-1940

All brand names are registered trademarks of their respective owners.

What's New Hardware

SIMPLIFIED NETWORK CONNECTION

The LPM2, LPM4, and LPM8 (from \$395) from Lantronix (Laguna Hills, CA) have two, four,



and eight ports, respectively, that let you connect up to eight nodes on an existing network via a single transceiver. In stand-alone mode, the LPMs let you set up a two-, four-, or eight-node LAN.

Phone: (800) 422-7022 or (714) 367-0050.

Circle 1108 on Inquiry Card.

LAN TO WAN


Able to provide a seamless link between multiple LANs on a WAN (wide-area network), the WIN card (\$995; software, \$205) can also link a PC on the LAN and a host on the WAN, thus eliminating bridges and routers. The WIN card, from Network Automation (Northboro, MA), includes built-in emulations for IBM, Unisys, DEC, Tandem, and Fujitsu and is X.25 compliant.

Phone: (508) 393-1777.

Circle 1107 on Inquiry Card.

SEND VOICE MAIL FROM YOUR NOTEBOOK ▼

The Inex 4000 Series upgradable 486SX notebooks (from \$2199) feature pocket-size high-speed



communication modules that support LANs and WANs (wide-area networks), including wireless cellular data. With an AudioDrive multimedia chip, the Inex Technologies (Santa Clara, CA) notebooks provide the means for audio presentations, vocal script, and voice E-mail. The units support up to 20 MB of main memory and up to 200 MB of storage on the removable hard drives. The LCD screen is also upgradable.

Phone: (800) 783-4639 or (408) 986-9941.

Circle 1105 on Inquiry Card.

CHECK THE HANDSHAKE

Chefford Canada's (Nepean, Ontario, Canada) LanLoc works with PC and Unix networks or systems to prevent unauthorized users from gaining access via a modem. Customized to fit each application, the combination hardware and software LanLoc uses an encrypted challenge/response handshake to verify a name and password. Prices start at \$80 per node (\$155 per node with communications package).

Phone: (613) 596-4108.

Circle 1109 on Inquiry Card.

PCMCIA FAX MODEM

A V.32bis fax modem in a PCMCIA card, the PractiCard 144 (\$499) from Practical Peripherals (Thousand Oaks, CA) provides 14.4-kbps data transmission as well as Class 1 and Class 2 14.4-kbps send and receive fax transmissions. Providing V.42 error correction and V.42bis data compression, the PractiCard is able to reach computer-to-modem speeds as high as 115.2 Kbps.

Phone: (805) 497-4774.

Circle 1111 on Inquiry Card.

LARGER, FASTER STORAGE

Memorybank (Ann Arbor, MI) has added two members to its Memorybank II line of disk and tape subsystems. A Memorybank

II with a 3-GB hard drive (from \$9520) features a seek time of 12 ms, 5400-rpm disk speed, and a Fast SCSI-2 connection; the unit holds two drives, for up to 6 GB of disk capacity. A Memorybank II with a Tape Autoloader (from \$7040) has a 732-KBps data transfer rate and uses standard 4-mm DAT (digital audio-tape) cartridges.

Phone: (800) 562-7593 or (313) 761-2782.

Circle 1104 on Inquiry Card.

KEYBOARDS TWO WAYS

A 101-key keyboard with an integrated IsoPoint, the ISO-1000 (\$189) performs all the functions of a mouse. From Key Source International (Hayward, CA), the IsoPoint is a linear control device that provides on-screen cursor movement that is directly proportional to the movement of your hand or finger.

Phone: (510) 783-6066.

Circle 1113 on Inquiry Card.

The VersaKey Mac (\$395) lets you capture repetitive functions with a single keystroke. From Quest Computers International of Adelaide, Australia, and available from People & Profits (St. Paul, MN), the programmable keyboard has 60 additional keys, to double the number of key definitions available. To program it, you turn on the Learn key, select a Special Application key, input the keystrokes you want saved, and turn off the Learn key.

Phone: (612) 452-8018.

Circle 1114 on Inquiry Card.

SPEEDY DIAL-UP MODEM

Western DataCom's (Westlake, OH) 672 Quadra Pump V.35-based modem operates synchronously over standard switched phone lines without needing special services from long-distance carriers. Batch file transfer speed is 72 kbps. Price is \$1895.

Phone: (800) 262-3311 or (216) 835-1510.

Circle 1115 on Inquiry Card.

A SMART LEGACY


The Legacy SmartArray (from \$7460) incorporates monitoring and sensing components such as audible alarms and visual messages to alert technicians to a failure in a storage device, power supply, or fan. This equipment is hot-swappable, so you can replace it without system or network downtime. Temperature sensors inform the network administrator of abnormal temperature fluctuations. The SmartArray accommodates as many as nine half-height hard drives configured as a RAID level 0 or 1 or RAID level 5 disk array; total storage capacity is as much as 12.6 GB.

Contact: Legacy Storage Systems, Inc., Hopkinton, MA, (508) 435-4700.

Circle 1081 on Inquiry Card.



Up to Date Down to Earth



UNIX is changing the world of computers, the world of business—quite simply, changing the world. It's revolutionizing office automation. It's required for U.S. government computer contracts. It's the backbone of information strategies worldwide.

That's why you need *UNIXWORLD*—the magazine that keeps you up to date on the rapidly changing world of open systems computing. Each issue brings you the latest product trends and technical advances that can affect your business. The inside story on some of the biggest high-tech companies. Easy-to-understand programming tips and tutorials that can help your company use UNIX to its fullest. And unbiased hardware and software reviews to help you invest wisely when you buy.

UNIXWORLD's in-depth features go beyond dry technical facts to show how the pieces fit together—to tell you what's important about the advances and strategies that are changing your world. And *UNIXWORLD* consistently offers the freshest, most down-to-earth writing that you'll find in any computer publication.

Subscribe today and receive the next 12 issues of *UNIXWORLD* for just \$51.00—half the regular newsstand price. Save even more by ordering for two or three years. You can't lose—every subscription to *UNIXWORLD* comes with a no-risk guarantee*. Use the accompanying card or write to:
UNIXWORLD Subscription Services
P.O. Box 570, Hightstown, NJ, U.S.A. 08520-9328


If you're into UNIX, you need *UNIXWORLD*

UNIXWORLD
McGraw-Hill's Magazine of Open Systems Computing

*UNIXWORLD's no-risk guarantee: If not satisfied, cancel and receive a full refund for the balance of your subscription.

UNIX is a registered trademark of UNIX System Laboratories Inc.

What's New Software



WINDOWS APPLICATION BUILDER


Visual Baler (\$495), a spreadsheet-based visual development tool for creating stand-alone Windows programs, lets you build your application using spreadsheet-like components such as @ functions and macro commands. From Baler Software (Rolling Meadows, IL), Visual Baler also lets you import existing spreadsheets, such as those created with 1-2-3. You can add security controls to your spreadsheets and design graphical input screens with custom dialog boxes, radio buttons, and check boxes.

Phone: (800) 327-6108 or (708) 506-9700.

Circle 1122 on Inquiry Card.

QUICK FILE CONVERSION

An HPGL/2-to-AutoCAD DXF converter, Tailor Made Software's (Kent, WA) entry-level Hp2Design LFV (\$99) can convert all or some of the files in a directory at once, in batch or interactive mode. Typically handling a conversion in less than 15 seconds, the program gives you control over functions such as choice of line-end character, whether mapping is by color or by layer, and whether colors are mapped in HPGL number se-



quence or as in AutoCAD.

Phone: (800) 732-2585 or (206) 631-1513.

Circle 1124 on Inquiry Card.

WINDOWED BAR CODES

PrintBar Bar Code Fonts for Windows and OS/2 1.0, from Bear Rock Technologies (Shingle Springs, CA), supports most bar code symbology families and all Windows 3.1-compatible printers. When you highlight the information to be converted into a bar code and select the proper font from the pull-down menu, a bit-map image of the bar code appears on the screen, and PrintBar automatically translates the text and numbers into a bar code. Prices: Postnet and FIM, \$79; others, \$179.

Phone: (800) 232-7625 or (916) 672-0244.

Circle 1125 on Inquiry Card.

PRINT BOOKLET PAGES

ClickBook (\$69.95) from Book-Maker (Palo Alto, CA) is a Windows printing utility that lets you turn any Windows document into a double-sided booklet. ClickBook automatically reduces pages and positions them for double-sided printing. The program supports several personal-organizer paper sizes and types, including DayRunner, Franklin, Filofax, and Day-Timer.

Phone: (415) 617-1101.

Circle 1131 on Inquiry Card.

FIT YOUR DATA TO THE BEST DISTRIBUTION

BestFit (\$299) works in Windows to give you the best probability distribution to fit your data.

In addition to providing a running graphical display of possible best fits, the software, from Palisade (Newfield, NY), also builds

difference graphs of the fits, giving you a visual connection between the actual data and the various distributions. An optimizing algorithm ensures that you get the best distribution type with the best parameters.

Phone: (800) 432-7475 or (607) 277-8000.

Circle 1123 on Inquiry Card.

COLOR PRINTING UNDER UNIX


Chameleo universal print-imaging software, designed for working in multiple applications, runs on Silicon Graphics workstations

in support of color printers and film recorders. From GW Hannaway & Associates (Boulder, CO), Chameleo lets you print Unix raster files from files such as TIFF, SGI, X Window System, and Wavefront to a variety of SCSI color-output peripherals. Chameleo supports printer-independent scaling and orientation, as well as volume and animation batch printing. The plug-in-module architecture lets you add or change printers easily. Price: \$595, plus \$395 and up for plug-in modules.

Phone: (303) 440-9631.

Circle 1143 on Inquiry Card.

COMPREHENSIVE WINDOWS PRESENTATION PACKAGE



WordPerfect Presentations 2.0 for Windows (\$495), all-in-one Windows presentation graphics software, supports the TWAIN interface, letting you scan images directly into your file using any compatible scanner. (The Logitech ScanMan hand-held scanner is included in initial shipments.) You can edit the bit-map image and convert it into a vector image with Autotrace. The package includes QuickTutors, on-line tutorials from Usability Sciences.


As an OLE server and client, Presentations supports direct CD-ROM sound, as well as the Roland Audio Producer Card, which lets you combine and edit WAV and MIDI sound files. The split-screen chart editor allows you to adjust your text at the top of the screen and see the changes reflected in your chart on the bottom of the screen. Drawing tools include Bézier curves, transparent shadow, and cross hair and ruler. The Slide List and Slide Outliner are among the presentation tools.

Contact: WordPerfect Corp., Orem, UT, (800) 451-5151 or (801) 225-5000.

Circle 1118 on Inquiry Card.

Software

DEVELOP MULTIPLATFORM APPLICATIONS IN C



A 32-bit development environment, LabWindows/CVI is automatic code-generation software for designing instrumentation applications with C under Windows and Solaris. The software includes an ANSI C compiler as well as a linker, a debugger, a variable-trace display, and memory-checking capabilities. Libraries are included for designing GUIs; acquiring, analyzing, and presenting data; and networking. You can incorporate your own C source files, object modules, and DLLs, and port programs developed with the LabWindows/CVI between Windows and Solaris. Price: \$1995 for the full development system for Windows; \$3995 for a Solaris single-user floating license, available in December.

Contact: National Instruments, Austin, TX, (800) 433-3488 or (512) 794-0100.

Circle 1119 on Inquiry Card.

PUT IT ON A CD

CD-IT software (\$1295) from OptImage Interactive Services (West Des Moines, IA) enables you to record CD-ROM, CD audio, or CD-I mixed-mode and multisession CDs directly from your Macintosh computer. You use a Philips CDD-521 Recorder to record data to a WORM CD. Software for all the modes, as well as the Philips CDD-521, is available in the CD-ITALL package (\$7995).

Phone: (515) 225-7000.

Circle 1127 on Inquiry Card.

NUMERICAL DATA ANALYSIS

A numerical data analyzer, Mathplot from Dynacomp (Webster, NY) is able to analyze up to 200 data points, calculate simple statistical parameters, fit least-squares polynomials, and

numerically integrate under a curve defined by the points, among other functions. A menu lets you display the results numerically and graphically. Price: \$49.95.

Phone: (716) 265-4040.

Circle 1128 on Inquiry Card.

BECOME CUSTOMER-AWARE ►

An application to record and track customer problems, Aware can import data from business applications such as Act and DacEasy. From Integritech Software (Bedford, TX), Aware also provides user-definable pick lists for data entry fields and lets you add solutions to new problems, among other features. Single-user version, \$99; network version, \$399.

Phone: (800) 942-6499 or (817) 267-3163.

Circle 1126 on Inquiry Card.

GAIN FINANCIAL ACUITY

Competence Software's interactive tutorial program Financial Competence (\$99) covers the principles of business finance, how they are reflected in financial statements, how they can be used in managing your business, and how the statements relate to one another. The program, consisting of seven 30-minute lessons, guides you through parts of an income statement, a balance sheet, and a cash-flow report. The lessons also help you create a financial statement line-by-line. Tests at the end of each lesson identify specific sections of the lesson you should restudy based on incorrect test answers.

Phone: (603) 435-7042.


Circle 1121 on Inquiry Card.

SOPHISTICATED FILE MANAGEMENT

The Radix2 ADI (Advanced DOS Interface) system (\$249) lets you custom-configure and manage any directory in a DOS system. From Radix2 Software Engineering (Libertyville, IL), Radix2 ADI is based on a hierarchical command-concatenation processing engine that integrates DOS wild cards, file attributes, a quick sort, and a multiple-file text-string search, providing a high level of control over file manipulation.

Phone: (708) 549-6733.

Circle 1140 on Inquiry Card.



Software Update

Improv for Windows 2.1, Lotus (Cambridge, MA), adds data access to Paradox, dBase, text, Btrieve, and Excel via drivers from Q+E Software; support for .WK4 1-2-3 Release 4 for Windows files; and Notes-specific Application Field Exchange, which lets you exchange Improv worksheets with Lotus Notes fields. \$495.

Phone: (617) 577-8500.

Circle 1145 on Inquiry Card.

M-Mail 3.0, InterActive (Humboldt, SD), adds auto color conversion; printing of multimedia elements such as pictures and text without leaving the application; message forwarding with annotation; OLE support; a playback



capability; and E-mail functions. \$89.

Phone: (605) 363-5117.

Circle 1271 on Inquiry Card.

K-Star 9.2 software upgrade kit for FastPath 5, Shiva (Burlington, MA), adds TunnelTalk, zone filtering, device filtering, an SNMP community table, a UDP time server, syslogging, log message filtering, and improved DECnet management. \$199.

Phone: (617) 270-8500.

Circle 1272 on Inquiry Card.

PortShare Lite 2.0, Stalker Software (Moscow, Russia; Campbell, CA), adds support for Apple Remote Access software. **PortShare Pro 2.0** adds a statistics panel that logs real-time serial-port throughput and network transmission errors. Lite, \$49; Pro, \$149.

Phone: (800) 262-4722; fax (408) 370-3170.

Circle 1273 on Inquiry Card.

What's New Software

SYNCHRONIZE YOUR AUDIO AND VIDEO

The Audio Visual Recorder (\$149) lets you work in Windows to record, play back, and save video sequences in AVI (Audio Video Interleave) file format. You need a video-capture card with an AVI driver and an MPC-compatible sound card.



The software lets you record audio and video from most sources and then save the video files at any size. Since you can view audio-wave and video information simultaneously, you can easily edit your work. You can import and export Autodesk animation files as well as WAV, PAL, and single or serial BMP files. You can also export video sequences to FLC and FLI files, map them onto objects in 3D Studio, and then reimport them into Audio Visual Recorder and add a sound track. The package includes Microsoft and Intel Indeo compressors.

Contact: In Sync Corp., Bethesda, MD, (301) 831-5008.

Circle 1120 on Inquiry Card.

3-D VIRTUAL EXPLORATION

An object-oriented, interactive 3-D modeling program, Virtus WalkThrough for Windows (\$595) from Virtus (Cary, NC) displays in one window a 3-D representation of an object that you're drawing in an adjacent window. With your mouse, you can navigate within the space, viewing the object from different perspectives.

Phone: (800) 847-8871 or (919) 467-9700.

Circle 1132 on Inquiry Card.

PC BRAILLE TRANSLATION

MegaDots (\$500) from Raised Dot Computing (Madison, WI) is a braille translation program for the PC. Based on the rules of braille's contraction system, MegaDots uses a style-based word processor for formatting and has automatic table formatting and an easy-to-use interface.

Phone: (800) 347-9594 or (608) 257-8833.

Circle 1133 on Inquiry Card.

INDUSTRIAL DESIGNS IN 3-D

Built-in photorealistic rendering with a ray tracer lets you see natural illumination effects, such as shadows, reflection, and refraction, in DeskArtes (\$14,995) from Nth Graphics (Austin, TX). DeskArtes has new techniques for creating complex 3-D surfaces, and it includes texture-mapping and lighting tools. The computer-aided industrial design program can exchange data with other CAD/CAM systems.

Phone: (800) 624-7552 or (512) 832-1944.

Circle 1134 on Inquiry Card.

DECIPHER A NEW LANGUAGE

The Rosetta Stone (\$395), an interactive multimedia program, combines more than 3600 color pictures, voices of native speak-

ers, and written sentences in 12 run modes to teach Spanish, German, French, or English to a beginner. The software, from Fairfield Language Technologies (Harrisonburg, VA), has a listen-record-play mode that lets you compare your voice with that of the native speaker. The Rosetta Stone also includes diction and test modes.

Phone: (800) 788-0822 or (703) 432-6166.

Circle 1135 on Inquiry Card.

UNIX MOVES MAC AND DOS FILES

From Digital Instrumentation Technology (Los Alamos, NM), TransferPro for Solaris 2.1 and TransferPro for Motif (\$349 each) let Unix systems read and write DOS and Mac disks. Thus, Unix users can move data among different types of computers without a network. The company claims that TransferPro is faster than Sun's PC NFS.

Phone: (505) 662-1459.

Circle 1136 on Inquiry Card.

REAL-WORLD OPTICAL DESIGN

You can now run Code V from Optical Research Associates (Pasadena, CA) on your PC to develop and analyze optical design systems and configurations. The Global Synthesis feature solves practical problems in real-world design. Vector diffraction-

based image evaluation includes polarization effects, and MTF tolerance allows you to simulate and predict fabrication problems. Nonsequential

surface modeling is also included. You can specify and define tasks via menus and screens. Monthly lease (including maintenance), \$800.

Phone: (818) 795-9101.

Circle 1137 on Inquiry Card.

Software Update



Failure Mode, Effects and Criticality Analysis FME-2.0, Power-

tronic Systems (New Orleans, LA), adds support for MIL-STD-1629A, Notice 1, MIL-STD-2165, MIL-STD-1388 2A/2B, and AMC-P 750-2; enhanced modes of entry; analysis at assembly, sub-assembly, and part levels; built-in libraries of failure modes; support for NetWare and NetBIOS; and enhanced report outputs. \$1700.

Phone: (504) 254-0383.

Circle 1284 on Inquiry Card.

SpaceManager 1.5, Vertisoft Systems (San Francisco, CA), adds SuperCompress; memory reduction of module sizes; and SelectCompress, SuperExchange, SuperMount, FortuneTeller, and Super-Monitor modules. \$49.95 through November 15.

Phone: (415) 956-5999.

Circle 1274 on Inquiry Card.

LANlord 2.0, Client Server Technologies Group, Microcom (Yonkers, NY), adds support for LAN Manager and LAN Server and compatibility with NetBIOS-compatible networks; remote control based on Carbon Copy for Windows; support for multiple LANlord servers; alert forwarding capabilities; and a stand-alone PC inventory program. 50-user license, \$2495.

Phone: (914) 968-2300.


Circle 1275 on Inquiry Card.

Red Brick Warehouse 2.0, Red Brick Systems (Los Gatos, CA), adds support for databases in excess of 75 GB, new business extensions and a report generator to RISQL, and incremental load capabilities. From \$23,000.

Phone: (408) 354-7214.

Circle 1276 on Inquiry Card.

Software



VISUAL DEVELOPMENT SYSTEM

A fully integrated visual development workbench, ProtoGen+ (introductory price, \$199) from ProtoView Development (Dayton, NJ) enables you to develop C/C++ and Pascal Windows applications more quickly. Key features of the open environment include recent advances in object-oriented programming; a live, interactive test mode; range validation; DDE-link field editing; MDI (multiple document interface) support; toolbar support; dynamic status-line functions; and 3-D effects.

Phone: (800) 231-8588 or (908) 329-8588.

Circle 1130 on Inquiry Card.

ENHANCED CONNECTION

The PowerConnection utility (\$59.95) from Performance Technology (San Antonio, TX) provides two-

way access between users on a Windows for Workgroups network and someone using a DOS-only PC running Workgroup Connection. PowerConnection lets the Windows for Workgroups users access disks, printers, and CD-ROM drives attached to the DOS-only machine.

Phone: (800) 327-8526 or (210) 349-2000.

Circle 1138 on Inquiry Card.

ART HISTORY ON CD-ROM

Cameron's Fine Art Poster Catalog on CD-ROM (\$49) presents in three segments more than 580 works of art and more than 450 fine art posters, all accompanied by music. Pictures at an Exhibition shows paintings from the Old Masters through contemporary painters, along with the history of each work and artist. Sculptures on Video displays pieces from the Tang Dynasty to Rodin, with historical facts on each. The third segment consists of a collection of fine art posters. You can also use the software, from Cameron Enterprises (Ros-

well, GA), as a sound and video utility.

Phone: (800) 765-1278.

Circle 1144 on Inquiry Card.

FAX UNIX DRAWINGS DIRECTLY

You can fax large-format drawings directly from your Unix workstation to conventional fax machines using CADfax (from \$1999). The computer-aided distribution sends the faxes over standard phone lines. The Formtek (Pittsburgh, PA) software uses an intuitive Motif GUI with pop-up windows that guide you through the procedures. CADfax operates directly on the native CAD file, eliminating the fax scanning process.

Phone: (800) 367-6835 or (412) 937-4900.

Circle 1141 on Inquiry Card.

SPREADSHEET SQUEEZER

An on-the-fly compression utility for spreadsheets, Compress-Mate (\$79 through December) achieves an average compression ratio of 10 to 1 for typical spreadsheet files of text, values, and formulas. Large files can be compressed at ratios of more than 100 to 1. From Intex (Needham, MA), the utility can be used by itself or with disk doublers such as DoubleSpace and Stacker.

Phone: (617) 449-6222.

Circle 1142 on Inquiry Card.

CUSTOMIZE YOUR CURSOR

Magic Cursor II (\$39.95) customizes Windows mouse cursors. The Fanfare Software (Santa Monica, CA) toolkit has more than 300 color and monochrome cursors, as well as the Cursor Editor, which lets you adjust any cursor, create your own cursor, or import from any icon. User-defined hot keys let you activate a CAD-style full-screen crosshair cursor, a real-time magnifying glass, and the blinking rate of the main arrow cursor.

Phone: (310) 828-8448.

Circle 1139 on Inquiry Card.

Software Update

Peachtree Complete Accounting 7.0, Peachtree Software (Norcross, GA), adds an Order Entry module and enhance-



ments to most other modules. \$249.

Phone: (404) 564-5700.

Circle 1279 on Inquiry Card.

MKS RCS 6.1 configuration management software, Mortice Kern Systems (Waterloo, Ontario, Canada), adds support for Windows 3.1, a GUI, the MKS Make configuration tool, and additional prefixes to configuration options. \$349.

Phone: (519) 884-2251.


Circle 1280 on Inquiry Card.

Accent GraphicVUE Project Management System 1.4, National Information Systems (San Jose, CA), adds compatibility with DEC's Alpha AXP computers running OSF/1 Unix. From \$1450.

Phone: (408) 985-7100.

Circle 1281 on Inquiry Card.

LandDesigner 3.0, Green Thumb Software (Boulder, CO), adds easier editing capabilities, additional graphical symbols, a



database search function, a high-resolution printing capability, and new text sizes and styles. \$89.

Phone: (303) 499-1388.

Circle 1282 on Inquiry Card.


LANsoft 3.1, Imagine LAN (Nashua, NH), adds Windows support, coexistence with NetWare, the EPAX 1.0 PC protection tool, improved client/server module performance, and support for many network interface cards. \$64 per user at four-user level.

Phone: (603) 889-5889.

Circle 1285 on Inquiry Card.

INK FOR PEN PADS


The first in Aha Software's (Mountain View, CA) InkProcessor product line, InkWriter (\$249) lets you edit and search computer text and handwritten notes on a pen-based device. Based on SmartInk technology, InkWriter automatically recognizes when you are writing paragraphs, making lists, marking up, drawing, or editing, and handles each item appropriately. You can search through documents to find a word. The initial release runs under Go Corp.'s PenPoint, on 386-/486-based tablets, or on an EO communicator.



Contact: Aha Software, Mountain View, CA, (800) 242-7638 or (415) 988-2080.

Circle 1129 on Inquiry Card.

Quatech, your communication source for RS-232, 422 and 485 adapters.



Quatech manufactures a complete line of communication adapters for PC/XT/AT®, Micro Channel® and compatible buses to meet asynchronous and synchronous, serial and parallel communication requirements with protocols such as RS-232, RS-422, RS-485, Current Loop and IEEE488.

Software support for SCO Unix®, Windows®, Xenix®, OS/2® and DOS.

Data Acquisition and Industrial I/O products manufactured by Quatech are also available. Call for a free Data Acquisition and Communication Handbook today.

Communication adapters featuring: selectable/shareable interrupts, 16550 availability (baud rates up to 256K on standard asynchronous adapters) and address configurable as any COM port. Multiport adapters feature 2, 4, and 8 ports with independent serial interfaces. Most adapters provide AT interrupts (IRQ 2-7, 10-12, 14, 15).

Technical support for our products are available free of charge.

800-553-1170

FAX: 216-434-1409


BBS: 216-434-2481



662 Wolf Ledges Parkway, Akron, Ohio 44311
U.S.A. (216) 434-3154. International: Australia/Interworld Electronics 03-563-5011, Canada (Western)/Interworld VCR 604-984-4171 (Toronto office 416-513-7027), England/Diamond Point International 634-722-390, Finland/Lab Hitech OY 358-0-804-2522, France/Elexo 33-1-69302880, Germany/Jupiter Electronic Systems 06181/75041, Israel/RCMLtd. 972-03-5447885, Italy/N.C.S. Computer Italia 0331/770-016, Netherlands/ACAL Auriema 040-502602, Korea/Sam Boo Enterprise Co. 82-2-538-4001, Spain SANTA Barbara SA 343-4188116, Singapore Bliss Services Pte Ltd (65) 338-1300, South Africa Eagle Electronics 2721 234943, Switzerland Amiro Tech. Engin. 37-2311-18. IBM PC-X/AT, OS/2 and Micro Channel are registered trademarks of IBM Corp. All other trademarks are of their respective companies.



Circle 132 on Inquiry Card.



BUY IT THROUGH BYTE

Mail Order

The latest offerings from vendors supplying products of all leading manufacturers at extremely competitive prices.

248

Hardware/Software Showcase

This *categorized* four-color display section makes it easy to find Hardware and Software products from a wide variety of manufacturers and suppliers.

268

Buyer's Mart

From Accessories to Laptops to Word Processors, you can easily find the dealers you are looking for in this directory of products and services.

276



COMPUTER DISCOUNT WAREHOUSE™

TEKTEL

The World's Fastest CD-ROM Drives

✓ 240 ms Average Access Speed ✓ 335KB Data Transfer Rate
✓ MPC Level 2 ✓ Photo CD Multisession Compatible ✓ SCSI-2 Compliant, 64KB Buffer

DM-3028 Internal	\$369.45	CDW 31234
DM-3028 Int w/ Interface	\$439.90	CDW 31236
DM-5028 External	\$449.45	CDW 31232
DM-5028 Ext w/ Interface	\$519.90	CDW 31235



WHY PAY RETAIL?

CDW® Sells For Less

Canon BJ-200 BubbleJet Personal Printer

PC Magazine says, "...many users will be hard-pressed to see any difference between this and laser printed pages without resorting to a magnifying glass." December 22, 1992



✓ Multi-Purpose Feeder Holds 100 Sheets Letter/Legal Paper and Feeds Them Automatically ✓ 49KB RAM ✓ 8KB Cache ✓ Parallel Interface ✓ Operates at 42 dba or Less ✓ Canon Native, Epson® LQ and IBM X24E Emulations ✓ Weighs 6.6 lbs ✓ 2 Year Limited Warranty

CDW® Price ONLY \$298.12 CDW 24844

HARDWARE, SOFTWARE & PERIPHERALS AT DISCOUNT PRICES

NETWORKING PRODUCTS

NOVELL

Netware V4.01		
5 User CD.....	\$89.00	100 User CD.....\$599.00
10 User CD.....	\$98.00	250 User CD.....\$997.00
25 User CD.....	\$994.00	500 User CD.....\$1683.00
50 User CD.....	\$999.00	1000 User CD.....\$3067.00

Netware V3.11		
5 User 3.5".....	\$52.17	50 User 3.5".....\$246.17
10 User 3.5".....	\$125.17	100 User 3.5".....\$499.96
20 User 3.5".....	\$175.17	

SFT III V3.11		
5 User.....	\$154.33	50 User.....\$431.66
10 User.....	\$240.34	100 User.....\$632.63
20 User.....	\$319.20	250 User.....\$1154.24

Netware V2.2		
5-User 3.5".....	\$49.50	
10 User 3.5".....	\$125.73	

Lite Win or DOS.....	\$9.00
Lite Starter Kits.....	\$45.77
Lite Add-On Kit.....	\$19.65
EAGLE ETHERNET NE1000.....	\$74.44
EAGLE ETHERNET NE2000 Plus.....	\$108.89
EAGLE ETHERNET NE3000.....	\$79.51



TC5143T 10BT Ethernet.....	\$5.29
4055 8 Port 10BT Concentrator.....	\$49.58
5 Port Passive Hub.....	\$9.88
4035 4MBPS Token Ring Adapter.....	\$288.49
6242TP+ 8Bit Token Ring.....	\$94.45
6245 16-Bit Arcnet, Coax, TP, TP+.....	\$176.47
6242 Arcnet 8-Bit.....	\$66.20
6246 PS/2 Board Arcnet.....	\$208.16
6151+11 16 Port Smart Hub.....	\$709.01
6151 16 Port Arcnet Smart Hub.....	\$738.86
4045 16/4 Token Ring XT/AT.....	\$359.23
8Port Twisted Pair Active Hub.....	\$49.50
100 MBPS TCNS Smart Hub 8 Coax.....	\$1153.47
100 MBPS TCNS 16 Bit Coax.....	\$434.57
100 MBPS TCNS 16 Bit Twisted Pair.....	\$439.69

ARTISOFT

AE1/T 10 Base T Adapter, 8-Bit ARS-190.....	\$127.52
AE2 Ethernet Remote Boot ROM.....	\$6.88
AE2 Ethernet Adapter.....	\$184.79
AE3 Ethernet Adapter.....	\$219.26
Etherbasket AE3 12pk.....	\$2189.55
Noderunner 2000/A.....	\$217.07
Noderunner 2000/T.....	\$179.18
Noderunner 2000/T 6pk.....	\$948.15
Noderunner 2000/T 12pk.....	\$1819.50
Noderunner 2000/MTC.....	\$249.44
LANtastic AI Software V5.0.....	\$76.67
LANtastic AI 12 User.....	\$621.07
LANtastic AE2 Ethernet Starter Kit.....	\$443.31
T-Runner 8 Port NEW.....	\$287.16
T-Runner 12 Port NEW.....	\$489.89

SMC®

3402TP Transceiver AUI/TP.....	\$105.82
3402 Transceiver AUI/10BNC.....	\$134.60
Arcnet 310 Board.....	\$38.79
Arcnet 4 Port Passive Hub.....	\$229.98
Arcnet 8 Port Active Hub.....	\$229.98
Ethernet 16 Bit Combo 6 Pack.....	\$689.09
Ethercard Plus Elite 16E 6 Pack.....	\$689.09
10BT EISA BusMaster 2 Channel.....	\$699.55
3512 TP 12 Node Concentrator.....	\$345.68
Active Hub 8 Port Twisted Pair.....	\$345.68
3008 Coax 8-Bit Ethernet.....	\$7.82
3008 TP 10 Base T 8-Bit Ethernet.....	\$99.53
PC 600FS Coax Arcnet File Server 16-Bit.....	\$119.86
PC 650VFS TP Arcnet Workstation 16-Bit.....	\$199.25
PC 650FS TP Arcnet File Server 16-Bit.....	\$104.93
Ultra Ethernet Coax.....	\$104.93
Ultra Ethernet 10Base-T.....	\$123.47

NETWORKING PRODUCTS

PC 600WS Coax Arcnet Workstation 16-Bit.....	\$119.88
PC130 8-Bit Arcnet Coax.....	\$6.50
PC130E 8-Bit Arcnet Coax.....	\$9.00
8-Bit 10 Base T Ethernet Elite.....	\$119.48
16-Bit Ethernet Plus Coax Elite.....	\$119.50
8-Bit Ethernet Plus Coax Elite.....	\$9.29
Combo Ethernet TP, Coax, AUI Elite.....	\$153.57
10 Pack Elite PS/2.....	\$205.10
SMC Token Card Elite 16/4.....	\$39.65

3Com®

3C507 Ethernet Card.....	\$279.61
3C509 Etherlink III 10BASE-T.....	\$133.25
3C509 Etherlink III Coax.....	\$129.71
3C509 Etherlink III Combo.....	\$140.48
3C619 Tokenlink III 4/16 10pk.....	\$999.43

Xircom

PCMCIA Ethernet 10 BT.....	\$274.52
Ext. Ethernet LAN Adapter-RJ45AUI/BNC.....	\$393.92
PE210BX LAN Ethernet II/Thick.....	\$285.98
PE310BC Pocket Ethernet Coax/TP.....	\$309.16
PE310BC Pocket Ethernet Coax.....	\$275.55
PE310BC Pocket Ethernet DB9.....	\$275.55
1216B3 16/4 Token Ring DB9.....	\$273.03
Arcnet Pocket Adaptor Coax/RJ45.....	\$239.50/\$234.77
Ethernet Pocket Adaptor Thin Coax/10BT.....	\$292.55/\$292.55
Ethernet Pocket Print Server.....	\$249.50
Parallel Port Multi.....	\$72.00
PT216BT Token Ring Pocket Adaptor.....	\$39.23

TAPE, REMOVABLE & FLOPPY DRIVES

COLORADO	
COLORADO 2GB SCSI Power Tape.....	\$1129.09
COLORADO 4GB SCSI Power Tape.....	\$1329.10
PE210BX LAN Ethernet II/Thick.....	\$285.98
COLORADO Jumbo 120.....	\$179.32
COLORADO Jumbo 250.....	\$179.32
Trakker 120MB Parallel Portable Back-up.....	\$288.00
Trakker 250MB Parallel Portable Back-up.....	\$349.21

Call For Accessories And Interfaces

MEGA

21 MB Floptical Insider Diskette Drive.....	\$349.00
21 MB Floptical Ext Diskette Drive.....	\$389.10
21 MB Floptical Ext Diskette Drive.....	\$389.10
Bernoulli PC Powered 90 Pro.....	\$489.25/\$457.57
Bernoulli Transportable 90 Pro.....	\$639.81
Bernoulli Transportable 150 Pro.....	\$859.25
Bernoulli Insider 90 Pro.....	\$449.47
PC Powered Multidisk 150.....	\$795.15

SUMMIT

SUMMIT 120MB Internal 3.5 MB/min.....	\$139.99
SUMMIT 250MB Internal 4 MB/min.....	\$174.34
SUMMIT 305MB Internal IDE 10MB/min.....	\$239.90

MICROSOLUTIONS

External 100MB Portable HD.....	\$497.06
External 200MB Portable HD.....	\$825.95
Backup External Floppy 3.5" or 5.25".....	\$189.41
Backup CD ROM.....	\$369.12
External 80-250MB Tape Backup.....	\$379.30

SyDeS

PRO NOTE 42MB.....	\$119.50
PUMA 105MB.....	\$636.36
8MB Ext w/ 8 Bit Adapter.....	\$29.27

Mountain

TD250 Internal Tape Backup.....	\$199.50
250MB Internal Backup.....	\$474.42
304MB Internal IDE Backup.....	\$429.59
2.0 Gigabyte External Floppy.....	\$1976.40
4.0 Gigabyte, Int. 4mm Data Tape.....	\$1797.00
Sidecar 305MB Portable Tape Backup.....	\$151.21

Call For PS/2 Drives, Controllers, Accessories

IRWIN

A CONSUMER PERIPHERALS Company

120 MB External EZ Port.....	\$319.25
250 MB External EZ Port.....	\$339.25
A120PC-120 MB Internal.....	\$175.19
A250PC-250 MB Internal.....	\$199.89

Call For Controllers, Accessory Kits and Tapes

NETWORKING PRODUCTS

IBM TOKEN RING

IBM 16/4 PS/2 MCA.....	\$609.11
IBM 16/4 XT/AT.....	\$98.27
IBM 16/4 Multi Access Unit MAU.....	\$432.26

INTEL NETWORKING

INTEL TokenExpress EISA 16/4.....	\$599.88
INTEL TokenExpress 16-Bit Coax.....	\$9.33
INTEL TokenExpress 16-Bit TP.....	\$9.33
INTEL TokenExpress XT/AT 16/4.....	\$399.23
INTEL TokenExpress EISA 32-Bit.....	\$397.30
WYSE 195 TokenExpress 16-Bit TP 5 pk.....	\$499.43
INTEL TokenExpress 16 Combo.....	\$114.77
INTEL TokenExpress FlashCo Coax.....	\$131.82
INTEL NetPort Coax.....	\$357.24
INTEL NetPort 10BASE-T.....	\$357.24

WYSE TERMINALS

WYSE 50 Amber or Green.....	\$349.15
WYSE 60 Amber, Green or White.....	\$279.92
WYSE 160/30 Amber or Green.....	\$327.98/\$274.89
WYSE 195 3200 Amber, Green or White.....	\$274.89
WYSE 190 Amber, Green or White.....	\$265.45
WYSE 325 Color/ 325S Low Emission.....	\$199.40/\$49.39

MULTIMEDIA, SOUND, CD

Advanced Digital Systems PC PrimeTime.....	\$389.14
Advanced Digital Systems VGA to TV Elite.....	\$289.21
Advanced Digital Systems Video Clipper.....	\$359.11
ALTEC ASC300 Speakers w/ Sub Woofer.....	\$289.50
ALTEC ASC150 Powered Sub Woofer.....	\$109.46
ALTEC Speakers ACS100.....	\$126.93
ARISTASOFT, Wired for Sound.....	\$39.49
ATI Multimedia Upgrade Kit.....	\$489.26
CD-ROM Software 5 CD Bundle, Call For Titles.....	\$129.18
COREL SYSTEMS Artshow.....	\$179.25
COREL SYSTEMS Draw CD 3.0.....	\$419.29
CREATIVE LABS Int. CD-ROM Upg Kit.....	\$388.33
CREATIVE LABS Sound Blaster Deluxe.....	\$79.93
CREATIVE LABS Sound Blaster 16.....	\$123.18
CREATIVE LABS Sound Blaster Pro MC.....	\$258.81
CREATIVE LABS Sound Blaster 16 ASP.....	\$164.23
CREATIVE LABS Sound Blaster 16 ASP.....	\$219.28
CREATIVE LABS Multimedia Starter Kit.....	\$449.82
CREATIVE LABS Multimedia Int. Upgrade Kit.....	\$485.82
CREATIVE LABS Video Blaster.....	\$309.46
CREATIVE LABS Video Blaster Windows.....	\$339.29
INTEL Smart Video Recorder.....	\$478.98
LOGITECH SoundMan.....	\$109.83
MediaVision DoubleFusion CD 16 Bit.....	\$619.09
MediaVision Pro 16 System II Bundle.....	\$998.08
MICROSOFT Beethoven's 9th For Windows CD.....	\$49.50
MICROSOFT Bookshelf For Windows.....	\$119.20
MICROSOFT Multimedia Dev. Kit Windows.....	\$309.40
MICROSOFT Windows Sound System.....	\$179.83
MICROSOFT Works For Windows CD.....	\$119.20
ORCHID Sound Producer.....	\$109.43
Procom MM Station Internal.....	\$729.16
Procom MM Station External.....	\$779.46
SIRIUS Publishing PC KARAOKE.....	\$89.26
TEXEL Consumer Bundle Internal.....	\$548.63
TEXEL Consumer Bundle External.....	\$636.70
TEXEL Multimedia Bundle Internal.....	\$792.22
TEXEL Multimedia Bundle External.....	\$815.76
TURTLE BEACH 16 Bit Multibyte.....	\$668.15
TURTLE BEACH Multibyte.....	\$192.24
TURTLE BEACH Wave for Windows.....	\$75.07

CD-ROM & OPTICAL DRIVES

HITACHI 3700.....	\$409.30
HITACHI 1500A External.....	\$467.42
MAGNAVOX Int MPC CD ROM.....	\$329.00
NEC CDR 36 External Portable.....	\$379.40
NEC CDR 74-1 External.....	\$589.36
NEC CDR 84-1 External.....	\$529.91
PANASONIC LF5010 Worm External.....	\$1999.91
PHILIPS LF7010 Ext. 1 Gb Erasable Optical.....	\$2599.20
Procom Tech Int. Photo CD 200MS.....	\$444.32
Procom Tech Ext. Photo CD 200MS.....	\$448.60

CD-ROM & OPTICAL DRIVES

SONY CDU-31A Internal 550MS, MPC.....	\$211.00
SONY CDU-335 Internal 340MS.....	\$351.00
SONY CDU-541 Internal 500MS, SCSI MPC.....	\$381.00
SONY CDU-6211 External 380MS, SCSI MPC.....	\$488.00
SONY CDU-7205N External 340MS.....	\$410.00
SONY CDU-7211 External 380MS, SCSI MPC.....	\$489.00
TEKTEL CD ROM Int 240 ms/Complete Kit.....	\$439.90
TEKTEL CD ROM Ext 240 ms/Complete Kit.....	\$519.90

PLOTTERS, DIGITIZERS & SCANNERS

KURTA 12 x 12 XGT pressure sensitive.....	\$399.12
KURTA 12 x 12 XL/PT/12 x 18 XL.....	\$199.50/\$399.29
KURTA 12 x 17.....	\$338.27

CalComp

CALCOMP 12 x 12 w/16 But.....	\$275.92
CALCOMP 12 x 18 w/16 But.....	\$559.77
CALCOMP 2024/2036 Pacesetter.....	CALL
CALCOMP Classic 4036.....	CALL
CALCOMP Design Mate 3024.....	CALL

Summagraphics

Summagraphics Summa III 12 x 12.....	\$289.60
Summagraphics Summa III 12 x 18.....	\$519.60
Summa Grid III 18 x 24.....	\$1083.33
Larger sizes.....	CALL

HOUSTON INSTRUMENT

HOUSTON INSTRUMENTS DMP-81.....	\$2075.00
HOUSTON INSTRUMENTS 7100 A-D.....	CALL
HOUSTON INSTRUMENTS 7200 A-F.....	CALL

HEWLETT PACKARD

HP7475A/HP7550B.....	\$1309.25/\$3009.70
DESIGNJET 600 A/D 600 A-E.....	\$498.35/\$656.30
DRAFT PRO PLUS A-E Size A-E D427/19 3188.54	
SCANJET HP w/INT.....	\$2410/2529.36
SCANJET II C Coax XT/AT w/INT.....	\$129.10

EPSON EB600C Color SCSI Scanner.....	\$37.99
EPSON EB800C Color SCSI Scanner.....	\$1088.40

VIDEO PRODUCTS

VGA & SUPER VGA MONITORS

AST Vision 4N 14".....	\$355.91
AST Vision 4L 14".....	\$399.90
MAGNAVOX Super VGA .28mm CM2089.....	\$279.00
MAGNAVOX 78M749 Mono 14" VGA.....	\$105.50
MAGNAVOX 17" M6217, 31mm.....	\$749.58
MAGNAVOX 20 CM64, 20 Inch.....	\$1164.00
MAG Innovation MX15F 15" 1280 x 1024.....	\$555.26
MAG Innovation MX17F 17" 1280 x 1024.....	\$959.50
MAG Innovation MPOF 21".....	\$2396.12
NANAO 17" 1280 x 1024 26 mm FST.....	\$1109.39
NANAO 1760W 21" (Energy Star).....	\$2089.19
NANAO F340W 15".....	\$699.15

COMPUTER DISCOUNT WAREHOUSE™

14.4 FXMT External MiniTower with FAX

- ✓ 14400 BPS Data Transmission, 14400 BPS Send/Receive Fax
- ✓ Hardware Controlled V.42 Error Detection and Control; V.42bis Data Compression
- ✓ Quick Link II® Data/Fax Software Included
- ✓ Hayes® Compatible
- ✓ Features Rockwell® Technology
- ✓ 7 Day-A-Week User Support
- ✓ Backed by a Lifetime Warranty

CDW® Price... **ONLY \$197.28** CDW 26163



WHY SETTLE FOR LESS?

CDW® SERVICES YOU BETTER

Intel EtherExpress® 16, 16TP & 16C LAN Adaptors

- ✓ SoftSet® Autoconfiguration
- ✓ Installs and Configures in Less than 5 Minutes
- ✓ On-board, On-Network, and Responder
- ✓ Supports Twisted-Pair and Coax Ethernet Cabling
- ✓ Two Data Transfer Modes—Shared Memory or I/O Data Transfer



COAX... **ONLY \$99.33** CDW 20754
10BASE-T... **ONLY \$99.33** CDW 20752
COMBO... **ONLY \$114.77** CDW 27605

CDW® CARRIES OVER 15,000 PRODUCTS. IF YOU DON'T SEE IT, CALL!

COMPUTERS

TOSHIBA

T1900/80	1586.93	T4500/200	2289.44
T1900/120	1709.85	T4500C/200	3074.10
T1900C/120	2336.44	T4600/120	2749.83
T1900C/200	1958.68	T4600C/200	2959.99
T1900C/200	2586.27	T4600C/120	3818.73
T4500/80	1793.62	T4600C/200	4158.57
T4500/120	1989.58	T4600C/340	4584.96
T4500C/120	3189.32	T6500C/120	6657.17

AST

Bravo 4/33 120HD 4MB	1255.50
Bravo L 4/25 120HD	1016.29
Bravo L 4/33 120HD	1196.63
Bravo L 4/33 120/210HD	1286.52/1529.21
Bravo L 4/50 120/210HD	1556.18/1798.88
Bravo L 4/60 120/210HD	1825.84/2068.54
Bravo MT 4/30 170/340HD	1512.22/1956.67
Bravo MT 4/60 170/340HD	2045.58/2490.00
Bravo NB 4/25 120HD MONO/COLOR	1782.22/2448.89
Bravo NB 4/25 170HD MONO/COLOR	1893.33/2560.00
POWEREXEC 200MB Special Edition MONO	2352.17
POWEREXEC 200MB Special Edition COLOR	3917.39
Premia 4/33SX/4/33DX 170HD	1908.22/2139.41
Premia 4/50/4/60 340HD	2369.53/2679.50
SE 4/33 EISA Server 6MB	2215.30
SE 4/60 EISA Server 16MB	3362.84

Canon

NoteJet 4/25 180 HD Notebook w/ built in ptr	2749.65
NoteJet 4/25 35HD Notebook w/ built in ptr	2529.59
NoteJet 4/25 85HD Notebook w/ built in ptr	2309.21

DTK Grafik

486/33 DX, No HD, 8MB, VGA, 2 Flop/2000	1194.23 / 1552.41
486/33 DX, No HD, 8MB, VGA, 2 Flop/2000	1157.95
486/66 DX2, Tower, 200HD, 8MB, 2 Flop, DOS, Win	2346.59

NEC

Ready ES 4/25 170HD	999.90
Ready ES 4/33 210HD	1227.66
Ready ES 4/60 250HD	1717.17
Powermate ES 4/25SX/4/33DX 170HD	1043.34/1165.50
Powermate ES 4/60DX 170HD	1687.22
Versa 4/25SX 120HD MONO/COLOR	2648.89/3698.64
Versa 4/25SX 180HD MONO/COLOR	2988.22/3928.22
Versa 4/33SX 180HD MONO/COLOR	3195.82/4259.56
Versa 4/33SX 250HD MONO/COLOR	3993.28/5323.59

TEXAS INSTRUMENTS

TM4000 4/25SX 120HD	1895.48
TM4000 4/25DX 120HD	2095.13
TM4000 4/25DX 120/200HD	2648.17/2988.76
TM4000 4/25SX 120HD Enhanced Color, NEW	2688.49
TM4000 4/40DX 200MB Passive Color	3574.12
TM4000 4/50DX 200HD Active Color	4248.20

DOT MATRIX & LASER PRINTERS

OKIDATA

ML184 Turbo	2115.33	ML590	419.20
ML320	299.12	ML591	568.52
ML321	417.08	OL810	909.15
ML380	200.00	OL830	999.96
ML395	969.97	OL840	1069.12
ML395 + Color	1019.74	OL850	1239.66
ML520	369.11	OL400E	519.51

Canon

BJ230 Bubble Jet Wide Carriage	399.98
BJ100X Bubble Jet FREE SHEET FEEDER	248.40
BJ200 Bubble Jet	298.12

EPSON

AP2250	113.30	LQ570 Plus	238.95
AP3250	173.15	LQ870	437.15
Action Laser 1500	659.89	LQ1070 Plus	393.50
DFX 5000	1309.12	LQ1170	588.20
DFX6000	2209.95	LQ2550	879.44
FX170	263.10	LX310	869.21
FX1170	344.22	Stylus 800	299.00
EPL 8000 Laser	618.13		

NEC

Silentwriter II 95F	885.33	P6200 24-pin	399.92
Silentwriter II 97	1059.29	P6300	599.50
P3200 24-pin	219.88	P6400	699.21
P3300 24-pin	322.58	JetWriter 1000 NEW	299.90

DOT MATRIX & LASER PRINTERS

Panasonic

1150 NEW	133.40	3123 NEW	299.99
1624	337.93	3124 NEW	349.90
1654	534.06	3624 NEW	408.44
2029	190.97	4410 Laser	589.00
2123	230.40	4430 Laser	658.95
2124	309.95	4440 Laser NEW	1217.66
2624	365.48	4450 Laser	956.12

TEXAS INSTRUMENTS

TI microWriter Basic 5PPM	629.35
TI microWriter PS2/PS	869.19 / 1099.57
TI microLaser TurboPlus PS 9PPM RISC	1378.55
TI microArc Ink Jet	316.92

HEWLETT PACKARD

Deskjet 500	309.50	LaserJet 4	1389.46
Deskjet 500C	410.39	LaserJet 4L	689.10
Deskjet 550C	609.11	LaserJet 4SL	2399.79
Deskjet 1200C	1419.12	PaintJet	577.00
		PaintJet 300XL	2259.18

KODAK Diconix 701 Parallel	318.40 / 229.22
KODAK 180 SI Parallel/180 SI Serial	209.26 / 229.22
PACIFIC DATA 25 in 1 Cart LASI	245.00
PACIFIC DATA 1 MB for 2P II/III/III	84.15

HARD DRIVES & CONTROLLERS

Maxtor

7120A 130MB IDE 16MS, 3.5" HD	206.78
7213A 213MB, 16MS, 3.5" HD	229.95
7213B 213MB, 16MS, 3.5" HD	297.40
7454A 540MB, 16MS, 3.5" HD	498.55
LXT5369 536MB, 16MS, 3.5" HD SCSI	856.06
PC-1251029MB, 16MS, 3.5" FH, SCSI	387.48
PL-1775103MB, 16MS, 3.5" FH, SCSI-2	1488.12
1240S 1240MB, 8.5MS, SCSI-2	1694.40

MICROPLUS

MCP1628-15 135MB SCSI	999.42
MCP1105 560MB, 10MS 3.5" HD, SCSI	1069.93
MCP1624 668MB, 16MS 3.5" FH, SCSI	723.64
MCP1121 1000MB, 10MS 3.5" FH, SCSI-2	1037.22
MCP1121A 1000MB, 10MS 3.5" FH, IDE	1569.59
MCP1548 206MB, 14MS 5.25" FH, SCSI	1969.94
MCP1924 2070MB, 14MS 5.25" FH, SCSI-2	2419.80

CONNER

CP3000 40 MB, 28MS, 3.5" HD, IDE	149.34
CP3006H 64MB, 19MS, 3.5" HD, IDE	175.82
CP3010H 120 MB, 19MS, 3.5" HD, IDE	175.17
CP3010E 84 MB, 19MS, 3.5" HD, IDE	187.46
CP301074E 174MB, 17MS, 3.5" HD, IDE	222.58
CP30204 212 MB, 12MS, 3.5" FH, IDE	338.83
CP30254 251MB, 14MS, 3.5" FH, IDE	376.88
CP30364 360MB, 12MS, 3.5" FH, IDE	789.83
CP30544 540MB, 10MS, IDE	897.14
CP30540 540MB, 10MS, 3.5" FH, Fast SCSI-2	959.27
CP31370 1371MB, 10MS, 3.5" FH, SCSI-2	1892.00

Quantum

PLUS Harddisk IXL 105MB	259.20
PLUS Harddisk EZ 240MB I27MB	539.45 / 319.14
PRO DRIVE 240MB IDE	299.73
PRO DRIVE 1GB SCSI-2	1289.15
PRO DRIVE 525MB IDE 10MS 3.5"	749.14

Seagate

ST3151AX 42MB, 28 MS 1" IDE	129.82
ST3120A 106MB, 19MS, 3.5" HD, IDE	189.94
ST3144A 130MB, IDE, 16MS	219.51
ST2511 40 MB, 28 MS, 5.25" MF	259.41
ST3243A 200MB, IDE, 12MS, 3.5" HD, IDE	366.40
ST1238A 211MB, IDE, 3.5" FH	439.94
ST1480A 425 MB IDE, 3.5" FH	819.37
ST2383A 338MB, 16MS, 5.25" FH, IDE	869.27
ST3290A 216MB, IDE, 3.5"	315.69
ST3386A 340MB, IDE, 3.5"	387.48
ST3600A 525MB, IDE, 3.5"	859.05
ST4766E 766MB, 16MS, 5.25" FH, ESDI	1059.80
ST41200M 1050MB	1074.29

CONTROLLERS

Acculogic IDE 3 Plus 16 BIT	39.90
Acculogic IDE 3 16 BIT Controller	23.10
Acculogic IDE 4 14/15/16 Controller	29.87
Adaptec 1542C Kit	257.43
Adaptec 1522K Kit 16 Bit SCSI Host Adapter	145.45
Adaptec 1742K Kit 32 Bit EISA Kit	436.61
UltraStar 34F Local Bus SCSI Controller	298.24
UltraStar 12F ESDI/PIO Controller	166.86
UltraStar 24F EISA SCSI Controller	399.85

MODEMS & COMMUNICATIONS

Robotics

14.4 Sportster Ext. 179.50	9600 Sportster Ext. 155.53
14.4 Sportster Fax 197.28	9600 Sportster Fax 169.90
14.4 Sportster Int. 157.48	9600 Sportster Int. 147.50
14.4 Sportster Fax 179.50	9600 Sportster Fax 164.81
16.8 & 14.4 Courier Dual Std. Ext/Fax	673.91/688.44
16.8 HST Courier External/Fax	464.49/ CALL
14.4 Courier External/Fax	359.10/ 368.91
14.4 Courier Internal	328.00
Worldport 9696 Portable w/Fax	263.87/278.73
Worldport 14.4 Portable/Fax	303.11/339.48
LAN Modern V.32 BIS Ethernet	1099.57
NEW! 14.4 PCMCIA Fax	459.00

Hayes

 Hayes	
ACCURA 144FAX 219.48	OPTIMA 9600 339.
ACCURA 144BFAX 197.88	OPTIMA 9600 Fax 349.
ACCURA 96FAX 199.68	OPTIMA 2400 112.
ACCURA 96FAX 177.12	OPTIMA 2400 Fax 118.
ACCURA 2400B 59.10	ULTRA 144 619.
ACCURA2400 69.25	ULTRA 9600 559.
OPTIMA 14.4 363.56	Pocket 2400 69.
OPTIMA 14.4 Fax 368.49	

Practical Peripherals

14.4 V.32 BIS, Std/Hvy Fax Internal	188.52
14.4 Fax Mini Tower	197.28
14.4 Fax Pocket	338.98
9600 Fax Mini Tower	183.21
Fax Me Hvy Fax cartridge for HP Laser III/III	168.82

Intel

SatisFAXtion 100	95.50	14.4 Fax Int.	169.81
SatisFAXtion 300	228.00	14.4 Fax Ext.	199.28
SatisFAXtion 350	299.65	96 Fax Int.	155.07
SatisFAXtion 400	368.95	96 Fax Ext.	167.89
SatisFAXtion 400E	374.95		

MULTI-TECH

MULTI-TECH 224BA 2400 EXT	239.50
MULTI-TECH 932BA 9600 EXT	406.62
MULTI-TECH 1432BA 14.4 EXT w/FAX	436.11
MULTI-TECH 1432BL 14.4 EXT	489.41

MATH COPROCESSORS

INTEL 387DX 1620/25/33	78.99
INTEL 387SX 1620/25 / 387SX 33	74.95 / 88.68
INTEL 287XL	75.00
INTEL Rapid CAD For All 386 DX's	239.10

BATTERY BACKUP AND UPS

BC-250	97.30	OMNI 450 LAN	256.17
BC-400	155.10	OMNI 600 LAN	299.90
BC-500	179.55	OMNI 900 LAN	475.50
BC-500 LAN	189.77	OMNI 1250 LAN	593.26
BC-600 LAN	248.13	Isolator Ultra 6	57.13
BC-900 LAN	339.51	Isolator 6	49.38
BC-1250 LAN	469.27	Isolator Ultra 6	48.75
Isolator 4	36.95	Command Console	58.45
Isolator Ultra 4	42.75	LapPwr DC/AC	55.50

AMERICAN POWER

BACK UPS 250	98.25	Surge Arrest 7 Tel	49.88
BACK UPS 400	157.25	Smart 400	293.75
BACK UPS 450	182.69	Smart 600	355.00
BACK UPS 800	258.84	Smart 900	558.75
BACK UPS 900	367.88	Smart 1250	698.75
BACK UPS 1250	489.68	Smart 2000	1167.50
Surge Arrest 7	19.42	Line-R 800	119.09
Surge Arrest Plus 7	34.97	Line-R 1250	157.58

MICE

LOGITECH DEXUS Serial Mouse	29.50
LOGITECH Folkman Plus	539.30
LOGITECH Mouseman Cordless	89.33
LOGITECH ScanMan 32/Scanman 256	95.55 / 169.25
LOGITECH Serial Trackman/Portable	74.99 / 95.50
MEMOREX 3 Button Mouse Plus	29.50
MICROSOFT Mouse V2.0 Bus No Software	36.90
MICROSOFT Ball Point Mouse	109.50
MICROSOFT Serial Mouse, V2.0 No Software	79.80
POINTEX Mouse w/ HP Dashboard	NEW 45.40

Due to an Industry-Wide Memory Shortage, Please Call CDW for the



Printer Port Connections Are The New Tools Of The Trade.



Once you discover just how easy it is to install a backpack CD-ROM drive to your computer, you'll never be inconvenienced by conventional installation methods again. Just plug backpack into your computer and you're ready to go. No interface cards, hardware conflicts or expansion slots required. Because of its unique printer port interface, backpack fits all IBM PC compatibles and portables regardless of CPU speed. In addition, a built-in audio circuit with both headphone and line output jacks allows for connection of sound cards or Hi-Fi. You can run thousands of your favorite multimedia

programs and view Kodak™ Photo CDs too, with CD-ROM backpack. Compact and versatile, you can expect backpack to go wherever you go, bringing with you the wealth of information CD-ROM storage makes possible. Printer pass-through is included. Tape drive, hard drive and diskette backpack drives are also available. Call today for ordering information and a dealer nearest you.



backpack
CD-ROM Drive

MicroSolutions


132 W. Lincoln Hwy. DeKalb, Illinois 60115 Telephone 815.756.3411 Fax 815.756.2928
Call Toll Free 800.295.1214





Photo CD symbol
is a trademark used
under license.

See us at Comdex, Booth #H1930
Circle 211 on Inquiry Card (RESELLERS: 212).


CONTROL UP TO **96** PC FILE SERVERS WITH **1** KEYBOARD AND MONITOR USING... **COMMANDER™**



- Select via Keyboard
- Dual access up to 250 feet away (optional)
- No external power
- Mix PC, PC/XT, PC/AT and PS/2
- "AutoBoot™" Feature boots attached computers without operator intervention
- Able to Broadcast to all attached computers



- PS/2 and Serial Mouse support available
- Each unit accommodates from 2 to 8 PCs
- Up to 12 units can be cascaded
- Mounting kit available for 19" and 24" rack installation




4912 Research Drive
Huntsville, AL 35805 U.S.A.
(205) 430-4000
FAX (205) 430-4030

Dealer Program Available

PC, PC/XT, PC/AT and PS/2 are trademarks of International Business Machines Corp.

THE SIMPLE CONNECTION BEHIND COMPUTERS AND BACKPACK TAPE DRIVES.



It's fast. It's small. It's reliable. It's incredibly compatible.

Backpack is the best selling parallel port tape drive on the market. We'd like to tell you why.

With Backpack, tape backup is quick and simple. Just plug it into your printer port and it's ready to use. No hardware conflicts, no slots required. One model fits all IBM PCs, compatibles and portables, regardless of CPU speed.

Backpack can store up to 250MB on a tape using data compression, is completely QIC80 compatible, and reads QIC40 tapes. With its compact size

and 1Mbps transfer rate, Backpack is the smallest and fastest parallel port tape drive you can buy.

Micro Solutions is dedicated to the perfection of backup technology.

CD-ROM, hard drive, and diskette Backpack drives are also available. Call today for ordering information and a dealer nearest you.

Telephone 815.756.3411 FAX 815.756.2928

MicroSolutions 132 West Lincoln Highway DeKalb, IL 60115

Call toll free: 800-295-1214

See us at Comdex, Booth #H1930
Circle 213 on Inquiry Card (RESELLERS: 214).

HARD DRIVE KING

GUARANTEED LOWEST PRICES



MODEL	SIZE	SPEED	TYPE	PRICE
ST225	20MB	65MS	MFM 5.25"	\$169
ST251-1	42MB	28MS	MFM 5.25"	\$249
ST409	80MB	28MS	MFM Full HT	\$389
ST315A (1" high)	42MB	28MS	IDE 3.5"	\$125
ST314A (1" high)	130MB	16MS	IDE 3.5"	\$208
ST323A	213MB	15MS	IDE 3.5"	\$249
ST3290A	260MB	15MS	IDE 3.5"	\$289
ST3550A	452MB	12MS	IDE 3.5"	\$489



MODEL	SIZE	SPEED	TYPE	PRICE
CP3000A	80MB	17MS	IDE	\$175
CP3010A (1" high)	120MB	19MS	IDE	\$189
CP3017A (1" high)	170MB	17MS	IDE	\$208
CP3025A (1" high)	209MB	12MS	IDE	\$278
CP3035A	540MB	10MS	SCSI	\$598
CP3054A	540MB	15MS	IDE	\$749

Maxtor 2 YEAR WARRANTY

MODEL	SIZE	SPEED	TYPE	PRICE
7131A (1" high)	130MB	15MS	IDE	\$198
7213A (1" high)	213MB	15MS	IDE	\$224
7213S (1" high)	213MB	15MS	SCSI	\$275
7245A (1" high)	245MB	15MS	IDE	\$269
7345A (1" high)	345MB	15MS	IDE	\$339
W3540S	540MB	13MS	SCSI/IDE	\$849
PANTHER (FH) P0125	100MB	13MS	SCSI	\$998
PANTHER (FH) P117	150MB	13MS	SCSI	\$1258

Fujitsu 5 YEAR WARRANTY

MODEL	SIZE	SPEED	TYPE	COST
2622A/5 (3.5")	330MB	12MS	SCSI/IDE	\$565
2623A/5 (3.5")	420MB	12MS	SCSI/IDE	\$575
2624A/5 (3.5")	520MB	12MS	SCSI/IDE	\$725
2625A (FH)	1080MB	15MS	SCSI	\$999
2625S (FH)	1750MB	11MS	SCSI	\$1888
2645S (FH)	2050MB	12MS	SCSI	\$1998

MICROPOLIS reduced pricing!

MODEL	SIZE	SPEED	TYPE	COST
2105 (3.5")	560MB	10MS	SCSI/IDE	\$869
1624 (FH)	640MB	15MS	SCSI	\$795
2112 (3.5")	1050MB	10MS	SCSI/IDE	\$1069
1528-15 (FH)	1350MB	14MS	SCSI	\$1198
1548 (FH)	1748MB	14MS	SCSI	\$1695
1924 (FH)	2100MB	11MS	SCSI	\$2279
1936 (FH)	3300MB	11MS	SCSI	\$3099

WESTERN DIGITAL 2 YEAR WARRANTY

MODEL	SIZE	SPEED	TYPE	PRICE
2200 (1" high)	212MB	13MS	3.5" IDE	\$235
2250 (1" high)	256MB	12MS	3.5" IDE	\$275
2340 (1" high)	340MB	12MS	3.5" IDE	\$339
2420 (1" high)	425MB	12MS	3.5" IDE	\$514

intel Cassie Memory Board

For 286 and 386 systems, ASCII design gives EMS support in hardware for up to 80K free over low cost EMS. Up to 8MB using 1MB SIMMS. Works in both 8 or 16 bit expansion slots. 2MEG-\$198 4MEG-\$308 8MEG-\$538

Floppy Drives

320K	5.25"	1/2 HT	\$29
720K	3.5"	1/2 HT	\$34
1.2MB	5.25"	1/2 HT	\$58
1.44MB	3.5"	1/2 HT	\$58
5.25"	MOUNTING		\$5



1 YEAR WARRANTY

Drive Controllers

MODEL	PRICE
8 Bit 4 Floppy High Density, 360K, 720K, 1.44, 1.2	\$49
8 Bit 2 Hard Drives MFM	\$49
8 Bit 2 Hard Drives RLL	\$59
16 Bit Hard Drive only MFM Western Digital	\$34
16 Bit Hard and Floppy 1.1 Interface	\$39
SCSI DTC-3280 (Supports 7 drives)	\$139
SCSI Adaptec 1742A 32 Bit	\$418
SCSI Adaptec 1542 Bus Mastering	\$219
ESDI DTC-282-2A	\$149
IDE Hard and Floppy	\$19
IDE Hard Drive	\$19
Cables Hard and Floppy	\$9
SCSI-2 ULTRA II, USA	\$149
SCSI-2 ULTRA34F, USA BUSTMASTER	\$249
SCSI-2 ULTRA15C, WY/CACHE D-BMB	\$299
IDE HARD & FLOPPY (VIB)	\$49

WORDSTAR

ONLY 50 COPIES LEFT! Wordstar 2000 Rel. 3.5 This is not a misprint! There are a few more copies selling for over \$300 from our competitors. We have hundreds in stock to replace below dealer cost. Retail based and factory sealed.

\$99 RETAIL \$495.00

FREE CALL

800-982-2925
For U.S. and Canadian Orders only
HOURS: M-F 7AM-6PM / SAT 10AM-3PM PST
TECHNICAL & CUSTOMER SERVICE CALL:
(702) 294-0204
PURCHASE ORDERS & INTERNATIONAL ORDERS
FAX TO: (702) 294-1168
WE BUY EXCESS INVENTORY

NEVADA COMPUTER

PACKARD BELL COMPUTER LIQUIDATION
8088 CPU, 101 KEYBOARD, 360K FLOPPY, 640K RAM, DESKTOP CASE W/ POWER SUPPLY, SERIAL & PARALLEL PORTS, CGA CARD & MONITOR
\$298 WITH 30MEG HARDDRIVE AD \$99

MODEM SALE

All modems come complete with software, cable, manuals and a one year warranty. They are auto answer, auto dial, Hayes compatible with error correction.
1200 Baud PC Internal \$9 External \$29
2400 Baud PC Internal \$34 External \$59
2400 Baud Packet External \$89
2400 Laptop as low as \$99
FAX MODEMS
9600/2400 for PC and PS1 / WinFax or Biffax software \$48
9600/2400 Laptops & Notebooks \$199
1.44 BPS for PC and PS1 \$19
PCMCIA 2.0 9600/2400 \$249

Memory Shortage? As of 8/4/93 these are our prices. We are trying to maintain them as long as possible. Due to a July 4 explosion at an epoxy plant in Japan and an ever growing demand for memory, there is a worldwide shortage of memory. We are getting thousands of pieces per day and are offering all memory to our current customers at the lowest cost possible for the next several months. This is the prepaid price. Add \$5.00 per meg for Net terms. PLEASE CALL FOR CURRENT PRICING

UPGRADE YOUR 386 TO A 486

	486DC-33	486DX-33	486SX-33	386DX-33
PC Mag. 6.0 Avg. Mix	1470	1339	1215	1002
Markmark V2.0	130	111.5	107.2	83.6
Norton SI 6.0	65.6	70.9	54.1	52.7

- * Up to 70% Faster
- * 5 Year Warranty
- * Das Compatible
- * 1K Internal Cache
- * W/ Hit Rate of 85%
- * Plug Compatible
- * 486 Instruction set
- * Windows Compatible
- * Cache Software
- * Compatible w/ 387 Coprocessor

386SX Upgrade	386DX Upgrade
80486SLC-33 \$128	80486SLC-33 \$118
80486SLC-33 \$199	80486SLC-33 \$179
Clock Doublers	80486SLC-40 \$199
486DX2	\$295

COPROCESSORS

80387	80387	80387	80387
80387-15MHz	\$48	80387-15MHz	\$49
80387-20MHz	\$48	80387-20MHz	\$49
80387-25MHz	\$48	80387-25MHz	\$49
80387-33MHz	\$48	80387-33MHz	\$49

intel OVERDRIVES

80486	80486	80486	80486
80486-25	\$299	80486-25	\$299
80486-33	\$299	80486-33	\$299
80486-40	\$299	80486-40	\$299
80486-50	\$299	80486-50	\$299

IBM P5/2 Memory

MODEL	MEMORY	PRICE
PS/1 and 386/SX (2121)	2MB 929955	\$99
	4MB 929969	\$189
PS/2 30/286/25/286; Adpt brd 1497259	512K 30F5348	\$39
	1024K 30F5360	\$114
PS/2 355X, LS, 405X, 70-E61, 061, 121	Adpt brd 6450604	\$57
SSSX, 655SX, 750, 555X, 655X Station	1MB 6450604	\$104
120 & 130	2MB 1497259	\$317
PS/2 50, 50X, 60, 655X	2MB 6450608	\$99
2-8 MB FOR PS/2 50 & 60, 2MB 5199	4MB 5259	\$489
PS/1 Consultant, Essentials & Expert models x43, x44 & PS/Valuepoint all models except X-series	N/A	\$244
PS/2 70-A21, A61, B21-B61, PS/1 Consultant, Essential & Expert models x11, x13 & x14, PS/Valuepoint X-series	1MB 6450603	\$49
	2MB 6450608	\$99
PS/2 355X, LS, 405X, 555X, LS, 655X, PS/2 90 XP, 95 XP, P75 (Pains), 56 57 (all) 76, 77, P75, P71 2123	2MB 6450902	\$107
PS/2 90, 95 XP, P75 (Pains) 56, 57 (all) PS/1 Consultant, Essential, Expert x11, x13 & x14, PS/1 Pro 2123, RS/6000	4MB 6450128	\$238
	8MB 6450129	\$490
PS/2 355X, LS, 405X	2MB 6450605	\$97
PS/2 70's and 80's	32 BIT BOARDS 2-14MB 34F3077	\$388
	32 BIT BOARDS 4-16MB 34F3011	\$448
PS/2 80-A21, A31, A61	4MB 6451060	\$198
PS/2 80-041	1MB 6450375	\$88
PS/2 80-111, 311, 121-321, 081, 161	2MB 6450379	\$108
Valuepoint 4255X/25/DX33 & 66	1MB 96F9290	\$268
	4MB 96F9291	\$268

BOCCAM/3 PLUS

For PS/2 16 Bit Memory for BM MCA, DOS and OS2 UM EMS
2 to 8MB (uses 1MB SIMMS) 2MB \$239 4MB \$345 8MB \$572

IBM Laptop Memory

MODEL	MEMORY	PRICE
Thinkpad 300	2MB 33G9288	\$119
Thinkpad 700T	2MB 33G9288	\$119
	4MB 33G9289	\$298
	8MB 33G9290	\$498
CL575X	2MB 07G1419	\$168
Thinkpad 700, 700C, 720, 720C	2MB 07G1421	\$489
PS/Note N45	2MB 92F8804	\$108
PS/2 Model N41, Notebook SC, SX	2MB 07G1826	\$108
	4MB 07G1827	\$268
	8MB 07G1828	\$468
Laptop N335X, L405X & NOTE P51 & P52	2MB 79F9999	\$108
L405X ONLY	8MB 79F1001	\$488

TOSHIBA Laptop & Notebook Memory

MODEL	MEMORY	PRICE
T1000 SE/LE/TE	2MB CARD PA83120	\$104
T2000 / T2000SX	2MB CARD PA8317U	\$104
T2000SX/T1000 LE	4MB CARD PA8314U	\$248
	8MB CARD PA8315U	\$437
T1200 XE	2MB BOARD PA8306U	\$112
T2000 SX/T2000SX/T1800	2MB BOARD PA8302U	\$105
T1850, C	2MB CARD PA2000U	\$109
	4MB CARD PA2001U	\$239
	8MB CARD PA2002U	\$447
T1300	2MB MOD PA7135E	\$178
T1300 E	2MB MOD PA8341U	\$108
T1300 SX	2MB BOARD PA8308U	\$108
	4MB BOARD PA8301U	\$234
T3200 SX	2MB MOD PA8307U	\$108
	4MB MOD PA8309U	\$214
T3200 SXIC	2MB MOD PA8308U	\$108
	4MB MOD PA8319U	\$214
T3200	3MB BOARD PA7137U	\$186
T3300SL	2MB CARD PA2006U	\$118
	4MB CARD PA2007U	\$238
	8MB CARD PA2008U	\$278
	16MB CARD PA2009U	\$528
T4400 SX, SXC, T6400 SX, DXC	2MB CARD PA2003U	\$109
T1900, T1900C, 3.3 VOLTS	4MB CARD PA2004U	\$248
	8MB CARD PA2005U	\$437
	16MB CARD PA2010U	\$899
T4500, T4600	4MB PA2012U	\$288
	8MB PA2013U	\$498
	16MB PA2014U	\$1028
T5100	2MB MOD PA8301U	\$104
T5200/T5200C/T5100	2MB MOD PA8304U	\$109
	8MB MOD PA8305U	\$448

COMPAGQ Memory

MODEL	MEMORY	PRICE
Deskpro 386/16	1-2MB 10806901	\$338
	2MB 10806977	\$448
	4-8MB 10807001	\$498
Deskpro 284E; 386-20; 20E; 25; 25E	1MB 11313101	\$301
	4MB 11313201	\$328
Deskpro 386S	4MB Board 11363401	\$219
Deskpro 386-20E; 25E	4MB Module 11253401	\$259
333,350; Syntepro	4MB 11364501	\$299
	2MB 11514401	\$124
	8MB 11656101	\$449
	32MB 11656801	\$1999
Syntepro; Deskpro	6-8 KTX EXP BRD W/2MB	\$1659
Deskpro 284N; 384N; 384SX/20; 20N; Portable 486; Deskpro M; Syntepro LT Series 129160-001; Compaq Pro Signio	2-64MB 12916001	\$448
	1MB 11868801	\$49
	2MB 11868901	\$105
	4MB 11869001	\$238
	8MB 12897701	\$444
Proline 3/25 & 25Z	2MB 14173801	\$109
	8MB 14174201	\$399
Proline 4/25S; 4/33; 4/50	2MB Module 14168301	\$108
	4MB Module 14168401	\$238
	8MB Module 14168501	\$418
	16MB 14932001	\$995
	32MB 14914701	\$2395

COMPAGQ Laptop & Notebook Memory

MODEL	MEMORY	PRICE
Centura 320, 325	2MB 13949701	\$108
	4MB 13949801	\$238
	8MB 13949901	\$418
Centura 4/25CX	4MB 14652001	\$228
	8MB 14652101	\$471
	16MB 14653201	\$948
SLT/286	1MEG MOD 11023501	\$79
	402K MOD 14023701	\$209
SLT/386	1MEG MOD 11830301	\$79
	2MEG MOD 11830401	\$131
	4MEG MOD 11830501	\$238
286	1MEG BRD 11708101	\$79
	2MEG BRD 11708201	\$109
	4MEG BRD 11708301	\$238
286/20	1MEG BRD 12112501	\$98
	4MEG BRD 12112601	\$238
486/25, 25C	2MEG BRD 12976901	\$131
	8MEG BRD 12976903	\$428
	16MEG BRD 12976904	\$1395
LTE Lite/20 & LTE Lite 486/25C	16MB Card 14233701	\$1045
	8MB Card 14233703	\$478
	16MB Card 14233704	\$1198

Simm Modules

DESCRIPTION	100NS	80NS	70NS	60NS	50NS	40NS
256X9	\$10	\$12	\$15	\$17		
1MEG X9	\$65	\$66	\$66	\$71		
1MEG X9	\$54	\$67	\$70	\$74	\$79	\$88
256 X 9	\$178	\$188	\$198			
16MEG X9 (36 CHIP)	\$999					
256X36 1MEG (72 Pin)	\$114	\$124	\$129			
1X36 4MEG (72 Pin)	\$248	\$258	\$288			
2X36 8MEG (72 Pin)	\$418	\$447	\$478			
4X36 16MEG (72 Pin)	\$748	\$798	\$848			
8X36 32MEG (72 Pin)	\$2150					

D-Ram Chips

Take Note: The World's Best SCSI Adapter Just Got Better

*and
cheaper!
\$285**

*Caching module
adds blinding
disk speed!*

*Array module
supports RAID
0, 1 and 5*

*add standard
or ECC SIMMs—
up to 64 MB in
a single slot*

*SCSI adapter—
four ISA and
EISA models*

*Storage Manager
GUI for easy set-up,
diagnostics, etc.*

SmartCache III is the total, growable SCSI solution!

The world's best SCSI adapter is now the world's greatest bargain—priced lower than any major competitor. An unprecedented value, SmartCache III offers top performance and universal connectivity with all major SCSI-1, SCSI-2 and Fast SCSI devices, including hard drives, tape, CD-ROM and WORM.

It also comes with built-in support from all major operating systems, including DOS, Windows, OS/2, NetWare, Windows NT, NextStep and all versions of Unix.


And only SmartCache III gives you a growth path. Optional plug-on modules let you migrate easily to caching (with up to 64Mb cache), as well as full RAID capability. *Storage Manager*, our GUI utility, makes installation quick, easy and automatic. Plus, it gives you on-line and remote control over subsystem management, diagnostics, performance monitoring, and disk array configuration and control.

Distributed Processing Technology, Inc.
140 Candace Dr. Maitland, FL 32751 USA



See us at Networkworld Dallas, Booth 2362

Circle 206 on Inquiry Card (RESELLERS: 207).



Call DPT, today!

800-322-4DPT

FAX 407-260-5366

*List price for ISA model PM2021/90 SCSI Adapter Board

MEMORY MEMORY MEMORY

PERSONAL COMPUTER MEMORY

IBM

AMBRA Enterprise 386, Hurdle 386, Sprinta 386 (all models)	
2MB N/A	\$129 8MB N/A \$419
AMBRA Enterprise 486, Hurdle 486, Sprinta 486 (all models)	
4MB N/A	\$259 16MB N/A \$829
PS/1 286, 386SX	
2MB 92F9935	\$119 4MB 92F9949 \$229
PS/1 Consultant, Essential, Expert models x43, x44, PS/Valuepoint all models except Cxx series	
4MB 96F9290	\$319 16MB 96F9291 \$979
PS/1 Consultant, Essential, Expert models x76	
16MB Kit 96F9291	\$979
PS/2 25/286, 30/286, memory adapter 1497259	
2MB Kit 30F5360	\$159
PS/2 355X; LS, 405X, 50Z, 555X; LS, 655X; LS, 70, XStation 1MB 6450603	\$69 2MB 6450604 \$129
PS/2 70-A21; A61; B21; B61, PS/1 Consultant, Essential, Expert models x11, x13, x14, PS/Valuepoint Cxx series	
2MB 6450608	\$129
PS/2 355X; LS, 405X, 555X; LS, 655X; LS, XStation, PS/Valuepoint Cxx series, adapter board 34F3011 or 34F3077	
4MB 34F2933 or 87F9777	\$259
PS/2 355X; LS, 405X, PS/Valuepoint Cxx series	
8MB 6450129	\$519
PS/2 90 XP, 95 XP, P75 (pairs), 56, 57 (all), PS/1 Pro M2123	
2MB 6450902	\$129
PS/2 90 XP, 95 XP, P75 (pairs), 56, 57 (all), PS/1 Consultant, Essential, Expert models x11, x13, x14, PS/1 Pro M2123	
4MB 6450128	\$259 8MB 6450130 \$519
Expansion boards for 50, 50Z, 555X, 60, 655X	
2.8MB w/2MB 1497259	\$229
Expansion boards for all models 70, 80	
4-16MB w/4MB 34F3011	\$419

Dell

Power Desktop 325D; P, 333D, 333P, 433P, 486P, 486D	
1MB 310-2505	\$69 4MB 310-2507 \$259
PowerLine Workstation 420; 425; 433; 450; 450DE/4, 466DE	
2MB 310-2466	\$129 8MB 310-2468 \$519
PowerLine Workstation 420; 425; 433; 450; 450SE/2, 466SE	
32MB Kit 310-2630	\$159
Performance T, L, & M series	
4MB 310-3325	\$259 16MB 310-3327 \$979
Performance ME series	
4MB 310-3334	\$259 8MB 310-3335 \$579

Zenith

Z-300/400 Series Z-420/SX, Z-425/SX, Z-433/DX, Z-433/SX	
4MB ME-100	\$259 16MB ME-90 \$979
Z-Server 425SE, 433DE, 450DE	
4MB ME-432	\$249 8MB ME-102 \$519
Z-Station 325SX; 420SX; 425SX; 433DX; 433DX; 450X	
1MB ME-70	\$69 4MB ME-100 \$259
Zenith Z-386/20; 25; 33, 33E	
1MB ZA3800ME	\$69 4MB ZA3800MK \$259
Zenith Z-386SX/20, 286LP+, Z-15	
2MB Kit Z-405-1	\$159
Zenith 486/33E; 25E	
4MB ZA200M2	\$249 16MB ZA200MB \$1039

LAPTOP & NOTEBOOK MEMORY

AST

PowerExec 3/25SL, 3/25SL-C, EL	
4MB	\$259
8MB	\$709
16MB	\$1279
PowerExec 4/25SL	
4MB	\$239
Premium Exec 286, 386SX/20, 25, 25C	
4MB	\$239

Compaq

Contura 3/20, 3/25, 3/25C	
4MB	\$229
8MB	\$469
Contura 4/25 series	
4MB	\$249
8MB	\$469
LTE 286	
4MB	\$259
LTE 386S/20	
4MB	\$259
LTE Lite 20; 25; 25C, 25E	
4MB	\$469
16MB	\$1069
LTE Lite 4/25C	
4MB	\$269
8MB	\$499
SLT 286	
4MB	\$389
SLT 386S/20	
4MB	\$239

Toshiba

T1000SE/LE/XE; 2000, 2000SX; SXe, T2200SX, T1800 Series	
2MB	\$149
4MB	\$259
8MB	\$489
T1200XE, 1600, 3100E	
2MB	\$129
T3100SX, 3200SX, SXC	
4MB	\$249
T3200	
2MB	\$219
T3300SL	
2MB	\$159
4MB	\$259
8MB	\$449
16MB	\$789
T4400, T6400 (all models)	
4MB	\$279
8MB	\$539
16MB	\$879
T1900, T4500, T6400	
8MB	\$519
16MB	\$799
T5100	
2MB	\$129
T5400, T5200; T5200C, T8500	
2MB	\$149
8MB	\$569

AST

Premia	
4MB 501159-001	\$249 8MB 501159-002 \$519
Manhattan SMP	
16MB 501143-001	\$899
Bravo 3/25e	
2MB 500710-004	\$159 8MB 500824-002 \$489
Advantage 386SX/20; 25, Advantage Pro SX/25, Bravo 3/33e	
2MB 500962-001	\$149 8MB 500962-002 \$439
Advantage Pro 486DX/33; SX/25, Bravo LC 4/25e; 33; 33e; 50d; 4/66d	
2MB 500987-001	\$109 4MB 500987-002 \$229
Premium 386/25; 33; 33T, Premium II 386SX/16; 20; 25	
1MB 500780-003	\$02
Advantage 486/25; 33; 33e; SX/20, Bravo 4/33; 486/25; Premium 4/25; 33T, Server SE 4/25	
2MB 500718-004	\$780-005 \$139
Advantage 486/25; 33; 33e; SX/20, Power Premium 3/33, 4/33; 33e; 50d; 66d, Premium 386/33T, 486/25; E; 25T; 33; 33e; 33T, Premium II 386/25; 33, 486/33, 486SX/20; Premium Server SE 4/33	
4MB 500780-004	\$239 8MB 500780-001 \$489

Compaq

Prolinea 3/25e; 3/25e	
2MB 141738-001	\$159 8MB 141742-001 \$489
Prolinea 4/25e, 4/33, 4/50	
1MB 141682-001	\$69 2MB 141683-001 \$129
4MB 141684-001	\$259 8MB 141685-001 \$519
DeskPro 386-20, 20e, 25	
4MB 113132-001	\$259 4MB 113645-001 \$339
DeskPro 386S/16	
4MB 112534-001	\$279 4MB 113634-001 \$299
DeskPro 3/25e; 33A/25IS; 33e; 66L; 286N; 386N; 386SX/20; 20N; SystemPro LT Series, Portable 486e, M Series	
1MB 118688-001	\$69 2MB 118689-001 \$119
4MB 118690-001	\$259 8MB 118691-001 \$519
ProSignia PC Server 486/33; DX2/66	
16MB 149320-001	\$1219 32MB 149147-001 \$2429
DeskPro 386-33, 486-33, SystemPro	
2MB 115144-001	\$149 8MB 116651-001 \$529

Hewlett-Packard

Vectra 05/16S; 20PC; RS/20; 20C; 25, 25C	
4MB Kit D1542 or 1642A	\$329
Vectra 386/16N, 386/20N, 386/25N PC	
2MB D2406A	\$169 8MB D2404A \$489
Vectra 486PC; 25T; 33T; 486S/20; 4/25N; 33N; 50N; 66N	
2MB D2301A	\$179 8MB D2152A \$519
Vectra 386/25; 486/25; 486/33T; 486/50U; 486/66U	
2MB D2301A	\$179 8MB D2152A \$519
Vectra 486/25N; 486/33N; 486/50N; 486/66N	
16MB D2676A	\$979
Vectra 386/33N; 33N1	
2MB D2714A	\$179 8MB D2715A \$519

NEC

Image 425, 433, 466	
4MB 410-12002	\$259 16MB 410-12003 \$979
Ready 425, 433	
4MB N/A	\$259 16MB N/A \$979
PowerMate 286/12; SX/16, SX/20	
2MB Kit OP-410-8103	\$159
PowerMate SX/20	
2MB CPU Upgrade OP-410-8101	\$189
2MB Exp. Board OP-410-8102-8103	\$249
PowerMate 386/33e; Express Te, e series	
4MB OP-410-6205	\$259 16MB OP-410-6206 \$979

NEC

UltraLite Versa (all models)	
4MB	\$279
8MB	\$559
UltraLite & Cellular Workstation SX/20	
2MB	\$189
4MB	\$399
UltraLite III, SL/25C	
2MB	\$129
4MB	\$249
UltraLite SL/20, SL/20P	
2MB	\$129
4MB	\$369
ProSpeed 286, 386SX/16	
4MB	\$229
ProSpeed 386	
2MB	\$149

IBM

AMBRA Trekta	
2MB	\$139
ThinkPad 300	
2MB	\$179
8MB	\$559
PS/2 CLS75X and ThinkPad 700, 700e, 720, 720e	
4MB	\$299
ThinkPad 710T	
8MB	\$559
8MB	\$449
NS1 Notebook (All)	
2MB	\$129
4MB	\$259
8MB	\$549
L405X, N335X, PS/Note 182	
4MB	\$259
L405X, PS/Note 182	
8MB	\$469
PS/Note N455L	
2MB	\$129

Texas Instruments

TravelMate 3000 (all models)	
2MB	\$99
TravelMate 4000 (all models)	
4MB	\$319
TravelMate WinSLC/25	
2MB	\$139

Zenith

Z-Lite 320L	
2MB	\$139
Z-Note 320L, 320Lb, 325L, 325Lc	
2MB	\$129
8MB	\$429
Z-Sport 420S, 425S	
4MB	\$209
Z-Sport 325S	
2-6MB	\$139
4MB	\$129
MasterPort 386SL, SLc, SLc	
2MB	\$129
MasterPort 386SX	
2MB	\$129
SupersPort SX; 286e; SlimPort	
2MB	\$139
SupersPort 286e; 286e	
1MB	\$99
SupersPort 286e; SlimPort	
4MB	\$279

FAX MODEMS



For Apple, AST, Compaq, IBM, Sharp, TI, Toshiba, Zenith, and many other Laptop and Notebook Systems.

PCMCIA 2.0 Internal FAX/Modem with XIACX	
14,400bps FAX/Modem	\$429
24,960bps FAX/Modem	\$289
Internal FAX/Modems w/MNP-5 & V.42/V.42bis	
14,400bps FAX/Modem	\$419
24,960bps FAX/Modem	\$209
External Packet Modems for any RS-232C Serial Port	
14,400bps FAX/Modem	\$385
96,000bps FAX/Modem	\$319

COMPUTER PERIPHERALS, INC.

VIVA Internal Modems	
14,400bps V.32/V.42 modem, send & receive FAX	\$199
24,960bps with send/receive FAX	\$89
VIVA External Modems	
14,400bps V.32/V.42 modem, send & receive FAX	\$219
24,960bps with send/receive FAX	\$99

PS/2 DATACARD



Kingston DataCard Micro Channel Storage and Memory Upgrade is available with 85, 127 or 209MB of bootable 16 millisecond access storage plus four SIMM sockets that accommodate up to 64MB of system RAM.	
16-bit or 32-bit DataCard	
85MB DataCard with DR RAM	\$429
127MB DataCard with DR RAM	\$549
209MB DataCard with DR RAM	\$799

CPU UPGRADES

Kingston

Upgrade your system to 386 or 486 power! Use Windows in enhanced mode, get true multitasking and background operation for Windows 3.1, OS/2, and other 386 specific software. Improve your system's performance by up to 350%.

SX/Novell 386 CPU Upgrade	
25MHz (SX)	\$169 33MHz (SX) \$199
SLC/Novell 486 CPU Upgrade	
25MHz (SLC)	\$219 50MHz (SLC) \$399
486/Novell 486 CPU Upgrade	
25MHz (SX)	\$399 33MHz (DX) \$579
MC/Novell 486 CPU Upgrade	
25MHz (SX)	\$699 With 4MB add \$259
33MHz (DX)	\$959 With 8MB add \$519

SIMMS

1MB x 9-70ns	\$69 4MB x 9-70ns \$239
512K x 36-70 (2MB)	\$129 1MB x 36-70 (4MB) \$259
2MB x 36-70 (8MB)	\$519 4MB x 36-70 (16MB) \$979

LASER MEMORY

HP LaserJet IIIi, 4, 4M, 45L, 45IMX, XL300, InkJet 600	
4MB C2065A	\$259 8MB C2066A \$519
HP LaserJet HP, III, IIIi, IIID	
2MB 33475B	\$149 4MB 33477B \$269
HP LaserJet II & IID	
2MB 33444B	\$149 4MB 33445B \$269
IBM Laser 4029 all models	
2MB 118333A	\$119 4MB 118333S \$229
Canon LBP-4, 4Lite, 4Plus	
1MB 563-2230	\$129 2MB N/A \$269
Canon LBP-III & III Plus	
2MB 563-2350	\$179 3MB 563-2360 \$299
Panasonic 4410 & 4430	
2MB KX-P441	\$169 4MB N/A \$249
Panasonic 4450I & 4420	
2MB KX-P441	\$149 4MB N/A \$239
OKiLaser 400	
1MB 70014701	\$79 2MB OKI N/A \$129
Texas Instruments MicroLaser and XL	
1MB 2555739-0001	\$69 4MB 2560052-0002 \$99
Epson EPL 6000	
2MB 105401	\$139 4MB N/A \$229
Epson ActionLaser II, EPL-8000	
2MB N/A	\$219 4MB N/A \$269



WE SET THE STANDARD:

- 100% compatible in form, fit, and function
- All products user installable
- Installation instructions included
- Toll-free technical support
- Manufacturer's warranties
- Corporate PO's, APO/FPO's welcome
- Government and Educational pricing
- International orders welcome
- Special volume pricing
- Same day shipping
- Overnight delivery available
- Visa, Mastercard, American Express, and Discover accepted
- No surcharge on credit cards

DON'T SETTLE FOR LESS!



TOLL FREE FROM USA & CANADA

800-814-9866

INTERNATIONAL

714-448-7750

FACSIMILE

714-448-7760

Business hours:

Monday - Friday, 8am-5pm, P.S.T.

Saturday, 9am-3pm, Orders Only



Mail or fax orders to:
First Source International, Inc.
7 Journey
Aliso Viejo, CA 92656

Terms and Conditions: Memory products are third party, manufacturer's numbers are for your convenience. Freight charges are non-refundable. A RAM module is required for all returns. All non-defective returns, unopened, unused, or untested, will be subject to a 20% restocking fee. Due to U.S. tariffs, placed in some manufacturers, memory pricing may be higher than advertised. Price and availability are subject to change without notice. Purchase price at the time of order are final. First Source International cannot be responsible for errors in typographical or photographic. We will best our advertised price only on identical brands, offer not good for 30 days or 90 days. *Incentives and regional trademarks are of their respective companies.

CALL THE UPGRADE EXPERTS 800-814-9866

A1093

Circle 208 on Inquiry Card (RESELLERS: 209).

Decisions, decisions, decisions.

Decider, decider, decider.

Down-sizing, upgrading, multi-platform environments. Today's computer hardware issues are more numerous, more difficult, more critical than ever. So how do companies make decisions?

According to a new IntelliQuest study, they turn to the only person qualified to decide. Someone like Bob Barrett. A person with 18 years in computers. Who oversees a technical staff of 75. And whose buying decisions and approvals affect nearly 3,000 users worldwide.

In other words, they turn to the BYTE reader. A full 92% of whom control the products and brands their companies buy.

If you want to reach an audience as influential as this, then yours is an easy decision—advertise in BYTE.

BYTE reader Robert N. Barrett, Vice President Management Information Systems, M/A-COM, Inc.

It doesn't get bought without

©1992 BYTE, a McGraw-Hill publication. For a presentation of the March 1992 IntelliQuest study, call (603) 924-2635.



MEMORY

NEW

64MB 72-PIN 16MB X 36 FOR :

ALR EVOLUTION VQ	\$ 3999.00
ACER POWER 486E	\$ 3999.00
AIR 486 EISA-VL BUS	\$ 3999.00

**INDUSTRY
STANDARD 72-PIN**

256K X 36 - 1MB	\$ CALL
512K X 36 - 2MB	\$ CALL
1MB X 36 - 4MB	\$ CALL
2MB X 36 - 8MB	\$ CALL
4MB X 36 - 16MB	\$ CALL
8MB X 36 - 32MB	\$ CALL
16MB X 36 - 64MB	\$ CALL

(PLEASE CALL FOR X 32'S)

IC Card

PCMCIA - 2MB	\$ 179.00
COMPAQ LTE 386 - 1MB	\$ 25.00
TOSHIBA T-1000LE, SE, XE	
- 1MB	\$ 25.00
- 1.5MB	\$ 28.00

BEST BARGAIN



MEMORY UPGRADE FOR
ONE OF THE MOST POPULAR LASER PRINTERS
THE OKILASER 400 WITH 2MB ONLY

\$59.00

VOMAX 2000

The Ultimate Combo:

- * Voice Mail
- * Fax Mail Box
- * Data Modem
- * Digital Answering Machine
- ... and more

Feature to feature, this is the Home-office machine of the 90's. Only \$ 399.00

(PLEASE CALL FOR YOUR FREE BROCHURE)

**INDUSTRY
STANDARD 30-PIN**

1MB X 9	\$ CALL
1MB X 3	\$ CALL
4MB X 9	\$ CALL
4MB X 8	\$ CALL
16MB X 9	\$ CALL
16MB X 8	\$ CALL

(PLEASE CALL FOR SIPPS)

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

OTHER MEMORIES AVAILABLE FOR:
ACER, ALTIMA, APPLE, AST, CHAPLET, COMPAQ, DELL, EPSON, EVEREX, HP, LEADING EDGE, IBM, NEC, NCR, OKIDATA, PACKARD-BELL, PANASONIC, PHILIP, SAMPO, SHARP, SILICON GRAPHICS, SUN MICROSYSTEMS, TANDON, TI, TOSHIBA, TULIP AND ZENITH.



CALL FOR UPDATED LOW PRICES AND NEW PRODUCTS

Office Hours: Mon.-Fri. 7am to 5:30pm pst, Sat. 9am to 1pm pst

TERMS: C.O.D. CASH, VISA OR MASTERCARD. COMPANY AND UNIVERSITY P.O.'S ACCEPTED UPON CREDIT APPROVAL.



TEL. (818)855-5688 FAX (818)855-5687
414 CLOVERLEAF DR., UNIT B, BALDWIN PARK, CA 91706

ALL PRODUCT NAMES, TRADEMARKS AND REGISTERED TRADEMARKS ARE THE PROPERTY OF THEIR RESPECTIVE COMPANIES.



The difference between their prices and ours is simply too great to ignore. No wonder we've been around SINCE 1984

(AND WHAT AUDACITY THE COMPETITION HAS TO CLAIM THAT THEY WON'T BE UNDERSOLD)

CONTROL memory upgrades

"experts in portable intelligence"

TOSHIBA MEMORY

T2200SX, T2000SX, T2000SX, T2000, T5100, T3200SX, T3100SX, T3100e, T1600, T1200XE, T1000XE/SE/LE, and T1800, T1850, and T1850C

2MB..\$ 72
4MB..\$148
8MB..\$275

*ALL CARDS ARE FAST 70ns

LASER PRINTER MEMORY

WE OFFER MEMORY FOR ALMOST ALL BRANDS AND MODELS OF LASER PRINTERS AT ROCK-BOTTOM PRICES. JUST CALL OR FAX YOUR REQUIREMENTS, AND WE WILL RESPOND IMMEDIATELY WITH OUR BEST PRICES.

PCMCIA V.2.0 95/24 FAX/MODEMS

\$199

MORE LAPTOP/NOTEBOOK MEMORY

AST PENEXEC 2MB/4MB/6MB	\$116/\$207/\$284
AST POWEREXEC/386 4MB/8MB	\$171/\$676
AST PREMIUM EXEC/ADVANTAGE 4MB	\$120
COMMODORE CLT286/386 2MB	\$93
EVEREX TEMPO/LX 2MB/4MB	\$93
*** GRID CONVERTIBLE 2MB/6MB ***	\$159/\$413
GRID 1720/1750 2MB	\$98
GRID 1660/1755 2MB/4MB/6MB	\$158/\$263/\$358
NEC ULTRALITE II/SL25C 2MB/4MB/8MB	\$105/\$173/\$303
NEC ULTRALITE SL2020P 2MB/6MB	\$105/\$244
NEC ULTRALITE VERSA 4MB/8MB	\$CALL
PANASONIC CF-70/270/370 1MB/2MB	\$58/\$98
PANASONIC CF-470/480 2MB/6MB	\$158/\$385
SANYO MBC-17NB/18NB 2MB	\$93
SHARP PC-6200/6220/6240/T1 TM2000 1MB BOARD	\$68
SHARP PC-6600/6640/6661/T1 TM3000 2MB UPGRADE	\$72
SHARP PC-7700/7750 4MB MEMORY BOARD	\$389
SHARP PC-8041/8081 MB MODULE	\$53
SHARP PC-8501 COLORSTAR 2MB	\$119
TANDY 1500H/2810HD/3810HD 1MB/2MB	\$58/\$98
TANDY 2820/3820/3830 2MB/6MB	\$158/\$385
TI TRAVELMATE 4000 4MB	\$172
ZEOS 286/386SX NOTEBOOK 2MB	\$93
ZENITH MASTERSPORT SX/SL/LE /SLC 2MB	\$96
ZENITH Z-NOTE/386 2MB/6MB	\$113/\$311
ZENITH Z-LITE 2MB/4MB	\$163/\$306

DESKTOP/WORKSTATION MEMORY

SINCE THERE ARE TOO MANY MODELS AND CONFIGURATIONS OF DESKTOP AND WORKSTATION MEMORY TO LIST IN SUCH A SMALL AD, WE ARE INSTEAD ASKING YOU TO CALL US WITH YOUR REQUIREMENTS. IN RETURN, WE GUARANTEE TO OFFER YOU THE VERY BEST QUALITY AND PRICES IN THE INDUSTRY WITH AN ABSOLUTELY "NO QUESTIONS ASKED" 30-DAY MONEY BACK GUARANTEE (SHIPPING AND HANDLING NOT INCLUDED). IN FACT, WE ARE SO CONFIDENT THAT OUR MEMORY PRICES ARE THE BEST THAT WE GUARANTEE TO BEAT THE BEST PRICE YOU FIND IN THIS PUBLICATION (THIS ISSUE ONLY) BY A MINIMUM OF 5%, AND THAT GUARANTEE APPLIES TO ALL MEMORY PRODUCTS THAT WE CARRY. AND IF YOU'RE STILL NOT HAPPY WITH YOUR MEMORY PURCHASE FROM US, JUST GIVE US A CALL AND WE'LL GLADLY ISSUE YOU A RETURN AUTHORIZATION ON THE FLY. NO QUESTIONS. NO HASSLES. AND NO BULL. AND THAT IS WHY ALL OUR MEMORY PRODUCTS ARE LABELED "CONTROL". WE BELIEVE THAT YOU, THE END-USER, SHOULD HAVE CONTROL. ISN'T IT TIME FOR YOU TO TAKE CONTROL ?

PCMCIA SRAM MEMORY

AST PowerExec/PenExec, AT&T NCR Safari, CANON NoteJet, DAUPHIN 5500 Color Pentap, DECpc 325SL, DELL 320SL, EO 440, FUJITSU 325 Point, FUJITSU Pocket PC, FUJITSU PocketPad, GRID GridpadHD, GRID Convertible, GRID Palmpad, HP 95LX/100LX/Omnibook, HYUNDAI Courier, IBM Thinkpad 720/720C/710T, IBM PC RADIO, MEMOREX Commuter, NCR 3130, NCR 3170, NEC Ultralite Autograph/Versa, OLIVETTI Quaderno, OMRON Toucan, PI Infolio, SAMSUNG PenMaster, SHARP PC-3000/3100/6700/6741/6781/6785/6800/6841/6881/8891, TOSHIBA T1900/T4500/T4600/Dynapad T100X, ZENITH Z-Lite 320L, ZEOS Pocket PC 512K \$81 1MB \$135 2MB \$239

COMPAQ LAPTOP MEMORY

CONTURA 2MB/4MB/8MB	\$98/\$145/\$268
LTE386e/20 1MB/4MB	\$88/\$156
LITE/486 4MB/8MB/16MB	\$189/\$332/\$948
LITE/20 & LITE/25 1MB/4MB/8MB	\$88/\$156/\$299
PORTABLE 486 & 486C 2MB/4MB/8MB	\$79/\$153/\$325
LTE/286 1MB/2MB/4MB	\$45/\$91/\$150
SLT386e/20 4MB	\$163

NOTEBOOKS * NOTEBOOKS * NOTEBOOKS *

AST PREMIUM EXEC 386SX/20 80MB LCD W/ 2MB	\$1055
AST POWEREXEC 486/25SL 80MB LCD W/ 4MB	\$1954
AST POWEREXEC 486/25SL 120MB LCD W/ 4MB	\$2119
AST POWEREXEC 486/25SL 200MB W/ 4MB, Win, Mouse	\$2289
IBM THINKPAD/350 486SL/25 125MB LCD W/ 4MB, Prodigy	\$1976
IBM THINKPAD/350 486SL/25 250MB LCD W/ 4MB, Prodigy	\$2400
IBM THINKPAD/500 486SL/25 25/50 85MB LCD W/ 4MB	\$1990
IBM THINKPAD/500 486SL/25 25/50 170MB LCD W/ 4MB	\$2488
IBM THINKPAD/720 486SL/25 120MB LCD W/ 4MB, Prodigy	\$2968
IBM THINKPAD/720 486SL/25 160MB LCD W/ 4MB, Prodigy	\$3120
IBM THINKPAD/720C 486SL/25 160MB Active Color w/ 4MB, Prodigy	\$4369
NEC ULTRALITE VERSA 486SL/20 80MB LCD W/ 4MB	\$2368
NEC ULTRALITE VERSA 486SL/20 120MB LCD W/ 4MB	\$2563
NEC ULTRALITE VERSA 486SL/20 80MB Active Color W/ 4MB	\$3445
NEC ULTRALITE VERSA 486SL/20C/120MB Active Color W/ 4MB	\$3641
NEC ULTRALITE VERSA 486SL/25 120MB LCD W/ 4MB	\$2724
NEC ULTRALITE VERSA 486SL/25 180MB LCD W/ 4MB	\$2984
NEC ULTRALITE VERSA 486SL/25C 120MB Active Color W/ 4MB	\$3901
NEC ULTRALITE VERSA 486SL/25C 180MB Active Color W/ 4MB	\$4042
PANASONIC CF-370 386SX 60MB LCD W/ 5MB	\$CALL
SHARP PC-6340 386SX 386/20 40MB LCD W/ 2MB (CLOSEOUT)	\$1000
TEX. INSTR. TM3000 386SX/20 80MB LCD W/ 6MB w/ free software	\$CALL
TEX. INSTR. WinSLC/25 486SL/25 60MB LCD, 2MB, Win, Mouse	\$1589
TEX. INSTR. WinSLC/25 486SL/25 80MB LCD, 2MB, Win, Mouse	\$1673
TEX. INSTR. TM4000 WinSX/25 120MB LCD, 4MB, Win, Mouse	\$1840
TEX. INSTR. TM4000 WinSX/25 120MB Pass. Color, 4MB, Win, Mouse	\$2509
TEX. INSTR. TM4000 WinDX/25 120MB LCD, 4MB, Win, Mouse	\$2342
TEX. INSTR. TM4000 WinDX/25 200MB LCD, 4MB, Win, Mouse	\$2509
TEX. INSTR. TM4000 WinDX/25 120MB LCD, 4MB, Win, Mouse	\$2615
TEX. INSTR. TM4000 WinDX/25 200MB LCD, 8MB, Win, Mouse	\$2928
TEX. INSTR. TM4000 WinDX/25 200MB Active Color, 4MB, Win, Mouse	\$4142
TOSHIBA T1850 386SX/25 120MB LCD W/ 4MB	\$1395
TOSHIBA T1850B 386SX/25 120MB LCD W/ 4MB, Windows, Mouse	\$1468
TOSHIBA T1850C 386SX/25 80MB Passive Color W/ 4MB	\$1847
TOSHIBA T1850C 386SX/25 120MB Pass. Color, 4MB, Windows, Mouse	\$1967
TOSHIBA T1900 486SX/20 80MB LCD W/ 4MB, Windows, Mouse	\$1617
TOSHIBA T1900 486SX/20 120MB LCD W/ 4MB, Windows, Mouse	\$1745
TOSHIBA T1900 486SX/20 200MB LCD W/ 4MB, Windows, Mouse	\$2001
TOSHIBA T1900C 486SX/20 120MB Passive Color, 4MB, Win., Mouse	\$2384
TOSHIBA T1900C 486SX/20 200MB Passive Color, 4MB, Win., Mouse	\$2640
TOSHIBA T4400C 486SX/25 120MB Active Color W/ 4MB	\$3406
TOSHIBA T4400C 486SX/25 200MB Active Color W/ 4MB	\$3879
TOSHIBA T4500 486SX/20 120MB LCD W/ 4MB	\$2022
TOSHIBA T4500C 486SX/20 120MB Active Color W/ 4MB	\$3199
TOSHIBA T4600 486SL/33 120MB LCD W/ 4MB, Windows, Mouse	\$2810
TOSHIBA T4600 486SL/33 200MB LCD W/ 4MB, Windows, Mouse	\$3065
TOSHIBA T4600C 486SL/33 120MB Active Color w/ 4MB, Win, Mouse	\$4002
TOSHIBA T4600C 486SL/33 200MB Active Color w/ 4MB, Win, Mouse	\$4258
TOSHIBA T4600C 486SL/33 340MB Active Color w/ 4MB, Win, Mouse	\$4684
TOSHIBA T5100 386DX-16 100MB Gas Plasma W/ 4MB (DEMO)	\$1276
TOSHIBA T6400 486DX-50 200MB Gas Plasma W/ 4MB	\$3576
TOSHIBA T6400C 486DX-50 200MB Active Color W/ 4MB	\$5483

TERMS AND CONDITIONS: All sales final. We charge a 25% re-stocking fee on all refused shipments and pre-approved returns. Prices are subject to change w/out notice, and reflect all cash discounts. Warranty on all merchandise, except memory upgrades, is thru the original manufacturer only, unless previously agreed upon and stated on our invoice. All software, plus all merchandise that include a rom bios, are not returnable for credit, and are subject to an even exchange only. We accept orders from credit-worthy institutions, although prices may be slightly higher on some items. We will not ship to any account with an overdue balance. Purchase prices at the time of sale are final. Memory upgrades guaranteed 100% compatible or your money back. You have NO RISK buying our CONTROL memory upgrades. ALWAYS INSIST ON CONTROL.

IBM THINKPAD 700/700C/N51
"THE POSTMAN"
INTERNAL 14400B FAX/MODEM
\$330.00

INTEL OVERDRIVE UPGRADES
20MHz i486SX \$338
25MHz i486DX \$467
33MHz i486DX \$607

SHARP PC-6700, 6741, 6781,
6785, 6800, 6881, 6891
2MB \$81 4MB \$152

We are listed in the TOSHIBA
TECHNICAL INFORMATION GUIDE
as "the least expensive memory
manufacturer approved for Toshiba
laptops and notebooks."

TOSHIBA T1200XE /T3100SX
2MB \$83 4MB \$142
TOSHIBA T4400/T6400
2/4/8/16MB \$95/\$160/\$287/\$589
TOSHIBA T5200/T5200C/T8500
2MB/6MB \$98/\$315
TOSHIBA T3300SL
2/4/8/16MB \$88/\$156/\$221/\$589

TOSHIBA T4400
213MB INTERNAL HARD DRIVE
UPGRADE KIT IN STOCK !!!
EXTERNAL HARD DRIVE KITS
(19 OZS. BATTERY-POWERED)
20, 40, 60, 80, 130, AND 213MB
SIZE-PERFECT FOR LAPTOPS
TOSHIBA T5200
486 CPU UPGRADE
NOW IN STOCK.

TOSHIBA
DESKSTATION IV
DOCKING STATION
\$689 (while supplies last)

TOSHIBA
5-SLOT EXPANSION CHASSIS
for T5200/T5100/T3200SX/T3200/
T3100SX/T1600/T5100 etc.
\$359.00

APPLE POWERBOOK MEMORY
LOW LOW PRICES !!!

ALL MEMORY UPGRADES
COME WITH A LIFETIME
WARRANTY & A 48 HOUR
EXCHANGE GUARANTEE !

IBM LAPTOP MEMORY
CL57SX 4MB/8MB \$168/\$311
L40SX/N335X 2MB/4MB/8MB \$116/\$338
N51SX/N51SLC 4MB/8MB \$170/\$316
THINKPAD 300 2MB/4MB \$101/\$204
THINKPAD 500 2MB/4MB \$215/\$397
THINKPAD 700/700C/6MB/8MB \$188/\$311
THINKPAD 700/710T 4MB/8MB \$166/\$338

SE HABLA ESPANOL
pregunte por Hector

tote-a-lap

550 Pilgrim Drive, Ste.F, Foster City, CA 94404

PHONE : (415)578-1901 FAX: (415)578-1914

ORDERS ONLY : 1-800-9-LAPTOP

(PRIOR APPOINTMENTS ARE NEEDED FOR WILL-CALLS, PLEASE)

Circle 215 on Inquiry Card.

WE WILL TRY TO MATCH OR BEAT ANY ADVERTISED PRICE. CALL FOR LATEST PRICING!!

WE ACCEPT PO'S
FROM QUALIFIED FIRMS

M E M O R Y

NO SURCHARGE
FOR MC, VISA AE & DISCOVER

CACHE MEMORY

	15MS	20MS	25MS
8Kx8	8.00	7.00	6.50
32Kx8	9.50	8.00	7.50
64Kx4	14.00	8.00	7.00
64Kx4	12.00	10.00	8.00
16Kx4	9.00	7.00	5.00
128Kx8	-	54.00	39.00

Individual D-RAM Chips

	60NS	70NS	80NS	100NS
1Megx1	5.25	4.75	4.50	-
1Megx4	24.00	20.00	18.00	-
1Megx4 (Zip Pack)	25.00	21.00	19.00	-
256 x 4 (Video Zip)	-	-	15.95	12.95
256 x 4	4.75	4.50	-	-
256 x 8	3.20	2.80	2.60	2.40
256 x 16(SDU)	-	-	29.50	-
64x4	-	-	3.00	-
64x1	-	-	2.00	-

CPU UPGRADE 386 DX, SX

Boost your speed by 50%-60%
Comes with Cache software
Change existing CPU chip with:
Cyrilx 486 DCL 40MHz 199.00
33MHz 179.00
25MHz 118.00
Cyrilx 486 SLC 33MHz 159.00
25MHz 128.00

INTEL Math Chips

	8087	49.00
8087-2	69.00	
8087-1	89.00	
80287-XL	74.00	
80387-16 DX	54.00	
80387-20 DX	59.00	
80387-DX (Does All)	89.00	
Intel SX (Does All)	89.00	
Intel SX Mobile	54.00	
Intel 185X	54.00	
Intel 205X	59.00	

SIMM MODULES (Add \$5.00 for SIPP)

	40NS	53NS	60NS	70NS	80NS	100NS
1Meg x 9	59.00	54.00	45.00	40.00	37.00	-
4Meg x 9	-	-	175.00	150.00	144.00	-
16Meg x 9 (9 chip)	-	-	-	990.00	-	-
16Meg x 9 (36 chip)	-	-	-	819.00	-	-
256 x 9	-	-	20.00	19.00	18.00	17.00

72 PIN SIMMS (EISA)

	40NS	53NS	60NS	70NS	80NS	100NS
256 x 36 1Meg	-	-	-	89.00	-	50.00
512 x 36 2Meg	-	-	-	179.00	165.00	150.00
1 x 36 4Meg	-	-	-	332.00	322.00	319.00
2 x 36 8Meg	-	-	-	719.00	649.00	639.00
4 x 36 16Meg	-	-	-	-	1999.00	1999.00
16 x 36 64Meg	-	-	-	-	-	5000.00

CYRIX FASMATH PROCESSOR

Programs executed up to 3X faster • Plug & object code compat. w/Intel
83087-40MHz = \$9.00 83087-33MHz = \$4.00 83587-255X Ver. = \$79.00
83587-33SX = \$99.00 PC Week! rated #1 over all math chips
3 Year Warranty • "All Downward Compatible"

AST MEMORY MODULES

MODEL	AMT. UPGRADED	AST PART #	PRICE
Advantage 12-386	4Meg Kit	500510-004	179.00
Bravo 486/25, 33	8Meg Kit	500790-001	239.00
Bravo 486	4Meg Kit	500987-002	165.00
	8Meg Kit	500987-003	330.00
Premium 386/25, 16 SX	13Meg	500987-004	655.00
Premium 386/33	1Meg	500718-001	55.00
Premium 16	4Meg	500718-002	56.00
Premium 16	8Meg	500718-003	57.00
Premium Tower, 386/33, 16	4Meg	500790-004	199.00
486/25E, 486/33E	8Meg	500790-001	320.00
Cupid Memory Board	0-32Meg	500818-001	149.00

ZENITH MEMORY MODULES

MODEL	AMT. UPGRADED	AST PART #	PRICE
Z386/25	25, 20, 33E	Z3800ME	50.00
Z386/33	25, 20, 33E, 486/25E	Z3800ME	50.00
Z386SX	25, 20, 33E, 486/25E	Z3800ME	50.00

MAGNAVOX

286/386SX-16, 386SX-20, 486SX-20 & 386-33 all are 72PIN SIMM.
1MEG - \$50.00 4MEG - \$149.00 8MEG - \$309.00 16MEG - \$659.00

MEMORY BOARDS IBM Compatibles & PS/2

16 BIT MEMORY BD. FOR 286, 386 AT • OK-8Meg Bd. 4.0 LIm Comp. • New 5 Yr. Warr. Convnt., Exnd., Extd. Memory • Supports DOS, OS/2, LIM/EMS & EMS • Versatile Split Memory Addressing • Operates w/CPU Speeds to 33 Mhz • Supports Desquiv, Multitask operations • Bd. made by Boca Research, AT plus
OK - \$89.00 2MEG - \$159.00 4MEG - \$229.00 8MEG - \$359.00

BOCA XT 8 BIT BUS

• Expanded memory for XT • Lim 4.0 comp. 0-2Meg • Uses 256x1K-900
OK-K - \$99.00 1Meg \$179.00 2Meg - \$219.00

8 BIT OR 16 BIT MEMORY BD.

• 0-16Meg Uses 1x9 and 4x9 Simms • Lim 4.0, Self Installing, No Switches or Jumpers.
OK-K - \$144.00

32 BIT MEMORY BD. FOR EISA BUS

• 0-128Meg Uses 1,2,4,8,16,32Meg 72 Pin Simms
OK-K - \$239.00

PS/2 MODEL 50, 60 EXP. MEMORY BD.

• 0-32Meg Uses IBM or Industry Standard 72 Pin Simms
OK-K - \$179.00

IBM P/S2 32BIT EXPANSION BD.

0-32Meg, Ext.-Exnd. Memory Bd. for P/S2 70, 80, 90, Lim 4.0
0Meg 2Meg 4Meg 8Meg 16Meg 32Meg 64Meg
\$179.00 \$259.00 \$329.00 \$477.00 \$799.00 \$1,499.00 Call

PS/2 MCA 0-8MEG EXPANSION BD.

0-8Meg Extended and/or Expanded Memory for all IBM
P/S2 Models 30, 50Z, 60, 55SX, 65SX, 16 Bit, 4.0 LIm Comp.
OK - \$119.00 2Meg - \$189.00 4Meg - \$259.00 8Meg - \$399.00

IBM PS/2 SIMM MODULES

IBM PART NO.	WORKS WITH MODEL NO.	PRICE
30F5345 (512K)	30-286, 50 MTHR BD.	30.00
30F5360 (2Meg)	Thinkpad 300.	79.00
33G9288 (2Meg)	Thinkpad 300.	109.00
33G9288 (8Meg)	80-041	339.00
6450375 (1Meg)	80-111, 311-121, 321, 081, 161	74.00
6450378 (2Meg)	80-A21, A-61, 80-A31, 80-111, 80-111	94.00
6451060 (4Meg)	35SX, 40SX, 55SX, Model-70's, P-70	189.00
6450603 (1Meg)	70-061, 161, 121, 502, 55SX, 65SX, P-70	45.00
6450604 (2Meg)	55LS, 65LS, X-Station 120 & 130, 35SX, 35LS, 40SX	82.00
	70-A21, A-61, E-21, B-61, 35SX, 35LS, 40SX	86.00
6450608 (2Meg)	Value Point 325T	85.00
78X8955 (128K)	25	35.00
34F2933 (4Meg)	35SX, 40SX, 55SX, 65SX, 55LS, 65LS	159.00
87F9977 (4Meg)	55SX, 55LS, 65SX, 40SX, 35SX, 35LS	159.00
1057035 (512K)	P/S1 & P/S1/386SX-2121	40.00
92F9833 (2Meg)	P/S1 & P/S1/386SX, Model-2121	92.00
92F9694 (4Meg)	56, 57, 57SX, 90, 95, P-75, 57SLC	144.00
6450902 (2Meg)	Value Point 77 486DX2, 486SX, SVR 85	89.00
6450128 (4Meg)	56, 57, 57SX, 90, 95, P-75, 57SLC	165.00
6450129 (8Meg)	56, 57, 57SX, 90, 95, P-75, 57SLC	319.00
6450130 (8Meg)	Value Point 77 486DX2, 486SX, SVR 85	319.00
79F0999 (2Meg)	LX40, N33SX, PS Note	89.00
79F1000 (4Meg)	LX40, N33SX, PS Note	169.00
79F1001 (8Meg)	LX40, N33SX, PS Note	319.00
07G1826 (2Meg)	N51 (all)	99.00
07G1827 (4Meg)	N51 (all)	199.00
07G1828 (8Meg)	N51 (all)	319.00
07G1420 (4Meg)	CL57LSX LpTp, Thinkpad 700, 700C, 720, 720C	189.00
07G1421 (8Meg)	CL57LSX LpTp, Thinkpad 700, 700C, 720, 720C	319.00
92F8804 (2Meg)	N4SSL	99.00

COMPAQ MEMORY MODULES

MODEL	AMT. UPGRADED	CMPO PART #	PRICE
DeskPro 386/33, 386/33L	2Meg Module	115144-001	89.00
486/25, 486/33	8Meg Module	116561-001	339.00
486/50L, System Pro	32Meg Module	116568-001	1500.00
DeskPro 386/33L, 486/33L	(Exp Bdi)	116569-001	289.00
DeskPro 386/25, 386/25L	1Meg Module	113131-001	74.00
	4Meg Module	113633-001	110.00
DeskPro 386S-16MHz	1Meg Exp Bd	113634-001	239.00
	4Meg Exp Bd	113635-001	75.00
	1Meg Module	112534-001	174.00
DeskPro 386/20E	1Meg Exp Bd	113644-001	119.00
DeskPro 386/25E	4Meg Exp Bd	113645-001	239.00
	1Meg Module	113131-001	75.00
	4Meg Module	113132-001	174.00
DeskPro 286L, 386L	1Meg Module	118668-001	50.00
386SX/20, 386/25M, 486/33M	1Meg Module	118669-001	85.00
486S/25M, 486S/16M	4Meg Module	118690-001	149.00
Port. 486C	8Meg Module	128877-001	309.00
M Series Exp Bd	0-64Meg	129160-001	279.00
DeskPro 386/16	1Meg Kit	108071-001	99.00
	4Meg Kit	108072-001	269.00
	8Meg Kit	108073-001	339.00
	1-2Meg Exp Bd	108069-001	239.00
	4-8Meg Exp Bd	108070-001	399.00
TE Lite 286	512K Kit	113012-001	59.00
Prolinea 386 3/25S, 3/25ES	2Meg	141738-001	299.00
	4Meg	141742-001	299.00
Prolinea 486 4/25S, 4/33	1Meg	141682-001	55.00
4/50, 4/66, CDS	2Meg	141683-001	98.00
	4Meg	141684-001	159.00
	8Meg	141685-001	319.00
Prosignia PC Server, 486/33, 486 DSX/66	16Meg	149320-001	679.00
	32Meg	149147-001	1949.00

COMPAQ LAPTOPS & NOTEBOOKS

MODEL	PRICE	MODEL	PRICE
LTE/286	2Meg Bd	117081-002	99.00
LTE/486	4Meg Bd	117081-003	179.00
LTE/386SX/20	4Meg Module	121125-002	199.00
LTE/Lite/20, 25, 25C	4Meg Module	129769-002	199.00
LTE/Lite/20, 25, 25C	2Meg Module	129769-003	119.00
LTE/Lite/20, 25, 25C	16Meg Module	129769-004	699.00
LTE/Lite/425C	4Meg Module	142337-002	199.00
LTE/Lite/425C	8Meg Module	142337-003	299.00
LTE/Lite/425C	16Meg Module	142337-004	749.00
SLT/286	1Meg Module	110235-001	79.00
SLT/286	4Meg Module	110237-001	209.00
SLT/386	1Meg Module	118303-001	79.00
SLT/386	2Meg Module	118304-001	99.00
SLT/386	4Meg Module	118305-001	159.00
Contura 320, 325	2Meg	139497-001	99.00
	4Meg	139498-001	169.00
	8Meg	139499-001	299.00
	16Meg	146520-001	189.00
	8Meg	146521-001	369.00
	16Meg	146531-001	939.00

PCMCIA VERSIC (for Palmtop & Subnotebooks)

MODEL	PRICE	MODEL	PRICE
S-RAM Cards 1MEG	159.00	14,400/14,400 Data/Fax	Call
S-RAM Cards 2MEG	239.00	Modems	Call
Card Pro (made by Data I/O)		2400/9600 Data/Fax Modems	189.00
Transfers data from PCMCIA		Can Ethernet (10 Base T)	Call
card to desktop PC, connects		Visual Media (CD Rom, Tape	Call
to a parallel port		Drive)	Call

NO SURCHARGE FOR MASTERCARD, AMEX, VISA OR DISCOVER. PURCHASE ORDERS ACCEPTED FROM FOR-
TUNE 2000, GOVERNMENT & INSTITUTIONS. California orders add 6.25% sales tax. Returned orders or ordered
items shipped via UPS Air. APO, FPO orders welcome. Customers are expected to pay customers and "other"
charges shipped with. All credit card charges, verified for fraudulent use. SORRY, NO REFUNDS AFTER 30 DAYS.
CHANGES ONLY. We accept MC, VISA, Discover, AE, prepaid orders, purchase orders, wire transfer, CDO
(cashiers check orders, cash & cashiers checks. Orders shipped by UPS. FEDEX must be signed for.
*ALL MANUFACTURER PARTS ARE FOR REFERENCE ONLY • MINIMUM ORDER \$40.00.
Price and availability subject to change without notice.

All products Brand new & guaranteed • We buy excess inventory
Trademarks are registered with their respective companies.



22825 Lockness Avenue • Torrance, CA 90501

TOSHIBA LAPTOP MEMORY

MODEL	AMT. UPGRADED	MANU. PART #	PRICE
T1000SE/XALE	2Meg	PC14-PAB312U	84.00
T2000/21000SX	2Meg	PC18-PAB317U	84.00
T2000SX/T1000LE	2Meg	PC-PAB314U	84.00
T2000SX/T1000LE	8Meg	PC14-PAB315U	279.00
T2000SX/2200SX/T1800, 1850, C	2Meg	PC-PAB200U	84.00
T2000SX/2200SX/T1800, 1850, C	4Meg	PC-PAB201U	159.00
T2000SX/2200SX/T1800, 1850, C	8Meg	PC-PAB202U	279.00
T2000SX/2200SX/T1800, 1850, C	16Meg	PC-PAB203U	279.00
T2000SX/2200SX/T1800, 1850, C	32Meg	PC-PAB204U	299.00
T2000SX/2200SX/T1800, 1850, C	48Meg	PC-PAB205U	299.00
T2000SX/2200SX/T1800, 1850, C	64Meg	PC-PAB206U	299.00
T2000SX/2200SX/T1800, 1850, C	80Meg	PC-PAB207U	299.00
T2000SX/2200SX/T1800, 1850, C	96Meg	PC-PAB208U	299.00
T2000SX/2200SX/T1800, 1850, C	112Meg	PC-PAB209U	299.00
T2000SX/2200SX/T1800, 1850, C	128Meg	PC-PAB210U	299.00
T2000SX/2200SX/T1800, 1850, C	144Meg	PC-PAB211U	299.00
T2000SX/2200SX/T1800, 1850, C	160Meg	PC-PAB212U	299.00
T2000SX/2200SX/T1800, 1850, C	176Meg	PC-PAB213U	299.00
T2000SX/2200SX/T1800, 1850, C	192Meg	PC-PAB214U	299.00
T2000SX/2200SX/T1800, 1850, C	208Meg	PC-PAB215U	299.00
T2000SX/2200SX/T1800, 1850, C	224Meg	PC-PAB216U	299.00
T2000SX/2200SX/T1800, 1850, C	240Meg	PC-PAB217U	299.00
T2000SX/2200SX/T1800, 1850, C	256Meg	PC-PAB218U	299.00



LEAVE IT TO US TO RACK THINGS UP

RECORTEC's Rack Mount PC compatible computers, monitors, keyboards and printer continue the tradition of manufacturing excellence RECORTEC started in 1969. With our broad product line, fast delivery, excellent pre and post sale service, it's no wonder more and more people "leave it to us to rack things up".



QUALITY

All products 100% tested and verified prior to shipment.

RELIABILITY

Field proven components backed by a comprehensive warranty.

SERVICE

Large stock for fast delivery plus assistance by knowledgeable sales and support personnel.

SOLUTIONS

Choose from many models which offer a wide range of solutions for a variety of rack mount needs. We also offer custom designs when a standard product just won't do.



**CALL OR FAX FOR MORE
INFORMATION.
1-800-729-7654**

RECORTEC, INC.

1290 Lawrence Station Road Sunnyvale, CA 94089

Tel: (408) 734-1290

Fax: (408) 734-2140

THE COMPLETE HOME/BUSINESS SYSTEM Voice/Fax/Data V32bis

1st All-in-one Modem That Lets YOU Decide!

This is a true 14.4 Kbps high speed fax/data modem with built-in VOICE capability. The software included allows you to receive fax and voice mail into user configured mail boxes. Personalize your own greetings. Use it as a regular high speed 14.4 kbps fax/modem or combine VOICE to make your own custom voice/fax mail system. YOU CHOOSE!

**VOICE MAIL
FAX MAIL
DATA MAIL
PAGER SUPPORT
MAIL FORWARDING
FAX BROADCASTING**

VALUE
399

- Works with virtually all fax/modem class II software has upto 57600 Kbps data thrupt with compression.
- Supports message forwarding and beeper paging.
- Print your faxes to EPSON compatible or Laser Jet II compatible printers.
- Supports Auto-fallback to slower speeds on data and fax.
- Voice mail software provides remote access of messages.
- Comprehensive display of logs, voice and fax messages together with custom greeting messages and forwarding.
- Internal Plug-in board supports V32bis/V42bis for unsurpassed speed.
- Powerful script language lets you customize the voice/fax/data structure to suit your needs.
- Use as answering machine or complex voice/fax/data mail.

UPGRADABLE TO V.FAST WHEN AVAILABLE


FAX SWITCHES DON'T WORK!

*Distinctive
Ring
Detector
DOES!*

Automatically switches call to destination. Uses Bell's Distinctive Ring feature. Get exclusive number listing for each new party from your phone company (approx. \$4/mo.). Share up to 3 parties.

SAVE DOLLARS

And still sound professional!
The caller can't tell whether you have 3 lines or one!



**SHARE A LINE
WITHOUT
CONFUSION**

The Selective Ring Detector uses the distinctive ring feature from your phone company. It is sometimes called "smart ring" or "custom ring". The detector can discriminate upto 3 different ring types. For a small charge per month (\$4 approx./line) you may obtain a new phone number from your phone company. The detector will separate the calls based on the unique ring type. The device prevents barge-in when a party is engaged in conversation. It also saves you expensive connection charges. It pays for itself in about a month. It is ideal for home office, fax separator or kids' calls. It is PBX compatible and easy to set up: Simply plug it in!

CALLER I.D.

Identify the caller on the first ring. YOU decide to answer. Display pops caller's number. Can also connect to computer. Add caller to Database. TSR program pops caller's number, information and notes added. Maintains caller log.

Unit with LCD display \$89

FAX ON DEMAND!

Fastest setup in industry
Multi level tree structure
Optional Voice Mail available
Normal or high resolution fax
Menu driven setup and greetings
User definable call back or polling method

\$199

ORION TELECOM 1-800-669-8088 1-214-335-4358

The First Pan-European Computer Postcard Deck Targeting the Exploding European Market!!!

If you are a BYTE subscriber in Europe, watch for the new EURODECK coming to you in May! The BYTE EURODECK contains a selection of state-of-the-art products important to you and your business.


Advertisers!

The BYTE EURODECK offers you a unique direct mail approach to increasing sales in this fast-paced computer market.

BYTE EURODECK

Circulation of the BYTE EURODECK is targeted to 50,000 computer buyers in over 20 countries in Western Europe. Take full advantage of the benefits BYTE provides you with this affordable direct channel to Europe. For information on the next BYTE EURODECK, call Jim Bail today at 603-924-2533! Fax 603-924-2683.

Companies outside of North America, please contact your local representative.



TFT Active Matrix Color
640 x 480 256 colors

STN Passive Matrix Color
640 x 480 256 colors

Monochrome Backlit VGA
640 x 480 32-grey scale

Intel 486 SX/DX/DX2 CPU

80M-340M Hard Disk

Built-in 15mm Trackball

4MB, 8MB, 20MB Memory

1.44MB Disk Drive

2x PCMCIA 2.0 Slots

2-hour Ni-Cad Battery

YOU PROBABLY THINK THAT . . .

- Portable computers are *slow*.
- Portable computers are *inflexible*.
- Portable computers are too *expensive*.

LOOK AGAIN . . .


The ***AFFORDABLE** Performance Series notebook computer will change your mind.

Give us a call. We will give you all the proof you need that our **affordable, powerful** and **expandable** Performance Series notebook computers offer the best solutions for your desktop and mobile computing needs.

MICRO-INTERNATIONAL, INC. 10850 Seaboard Loop, Houston, Texas 77099
National Sales:(800) 967-5667•Local Sales:(713) 495-9096•FAX:(713) 495-7791

*Prices start at \$1,700 for a 486SX/25M System with 4MB RAM and 80 MB Hard Disk.
Office hours Monday-Friday 8:00-6:00 • Saturday 10:00-1:00 • Sunday-Closed

Ada Programming for Windows!



IntegrAda for Windows is a Professional
Ada Programming Support Environment

- Develop Windows, DOS or POSIX Applications
- Validated Ada Compiler
- Microsoft C Compatible Interface
- Windows Linker, Resource and Help Compiler
- Complete Set of Windows Ada Libraries
- Easy Ada Libraries for Fast GUI Development
- Powerful Design and Programming Tools
- Applications are True Executables
- SDK Not Required
- No Royalties

IntegrAda is a registered trademark of AETECH, Inc.
Windows is a registered trademark of Microsoft Corporation.

IntegrAdaTM for WindowsTM

For More Information Call:

(619) 431-7714

AETECH
Ada Software Development & Tools

5841 Edison Place, Suite 110, Carlsbad, California 92008 (619) 431-7714 FAX (619) 431-0860

RLEXTM FAMILY PRODUCTS


DATAVISION Keyplex Family



Datavision's New and Innovative Products Are Keyboard-Operated
With No Buttons To Press or Switches To Turn. IBM XT, AT and
PS/2 Compatible.

More Power At Lower Cost
Now Operate Multiple PCs With
Our Intelligent Technology
One Keyboard One Display One Mouse

Cascading Allows Control Of An Unlimited Number
Of Systems From A Single Keyboard And Display



- No Internal Hardware
- No Keyboard Errors
- No Internal Software
- No Switch Problems

Save Equipment and Space Costs

- Simple Plug and Play Installation
- Uses Existing Keyboard/Video Ports
- Mix XT, AT and PS/2 Keyboard Controllers Including The New IBM "Type 2"
- Mix CGA/EGA/VGA/XGA/MONO Video
- Mix Any Operating System or Application
- n-Level Cascading For Unlimited Growth
- Automatic Scanning & Broadcast Modes
- Optical Isolation For Safety/Reliability
- Keyboard Operated — No Buttons/Switches


Gain Central Control & Greater Productivity Too!

So If You Think This is Your Only Option...



Think Again!

Manage All Your Systems From
A Single Display and Keyboard



Reduced Display Costs • Reduced Keyboard Costs • Reduced Space Costs

Keyplex/2	Videoplex/4	Mouseplex/8
Keyplex/4	Videoplex/8	Omniplex/4
Keyplex/8	Mouseplex/4	Omniplex/8

DATAVISION
The HI-IQ Product Company

Datavision Pte Ltd • 27-B Duchess Road • Singapore • 1026 • Tel (065) 467-7784 • Fax (065) 467-7785
370 West Camino Gardens Blvd • Boca Raton • Florida • 33432 • Tel (407) 482-3996 • Fax (407) 482-3997
IBM and PS/2 are registered trademarks of the International Business Machines Corporation

Our products work where ordinary switching devices fail. This is because they are INTELLIGENT and conform to all IBM published keyboard and mouse protocol standards. We not only support the PS/2 model 90/95 but go even further than IBM does by allowing you to hot-plug the keyboard and bus mouse — even under OS/2!! Boot any machine anytime with no 30x errors — even if no keyboard is attached. Individual system "Lock" lamps, typematic rates, etc. are also kept accurate across port switches.

Recognized as the two best PC-diagnostic tools on the market.

NOW AVAILABLE IN ONE GREAT PACKAGE...

ALL NEW

VER. 5.0

Micro-Scope™

UNIVERSAL DIAGNOSTICS SOFTWARE

Fully operating system independent diagnostic software.

PCUPGRADE
UTILITY OF THE MONTH

Recently named as PC Upgrade Magazine's Utility of the Month.

FULLY OPERATING SYSTEM INDEPENDENT, BIOS INDEPENDENT, AND CMOS INDEPENDENT.

MICRO-SCOPE Universal Computer Diagnostics was developed to satisfy the expanding need for accurate system diagnosis in the rapidly growing desktop computer market.

- **CACHE MEMORY** – "Micro-Scope" Ver. 5.0 now fully tests cache memory and the cache controller subsystem.
- **LOW LEVEL FORMAT** – Ability to do factory style initialization of all IDE drives, together with the ability to do factory style low level formatting on all drives, including MFH, RLL, ESDI, SCSI, and all IDE drives.
- **O/S, BIOS and CMOS INDEPENDENT** – Does not rely on O/S for diagnostics. Talks to PC on a hardware level regardless of the O/S, BIOS or CMOS setting.
- **TRUE HARDWARE DIAGNOSTICS** – Accurate testing of CPU, IRQs, DMA, memory, hard drive, floppy drive, video cards, etc.
- **DISPLAY DRIVE TYPE** – Reads and displays the actual drive parameters for any drive type automatically.
- **CPU DETERMINATION** – This capability is necessary for accurate system diagnosis on 386SX, 386DX, 486DX and 387 and 487 chip implementations. Because each of these specific chips has its own unique instruction set, and therefore cannot be accurately diagnosed with any program which cannot recognize these differences!
- **MEMORY TEST** – "Micro-Scope" 5.0 has no limitations as to the size of memory it can accurately test. Micro-Scope now also tests up to 2 meg of video memory!
- **MEMORY EXAMINE** – Displays any physical bit of memory. Very useful for determining memory conflicts. Very useful for determining available memory space.
- **BATCH CONTROL** – All tests, even destructive, may be selected for testing.
- **ERROR LOGGING** – Automatically inputs errors during testing to an error log.
- **AUTOMAPPING** – Automatically bad sector maps errors found on hard disks.
- **IRQ DISPLAY** – Show bits enabled in IRQ chip for finding cards that are software driven. (Network, etc.)
- **IRQ CHECK** – Talks directly to hardware and shows I/O address and IRQ of devices that respond.
- **SECTOR EDITOR** – Allows the editing of any sector of floppy or hard disk media (even track 0).
- **AND MUCH MORE...** We don't have enough space here for everything this software can do!

POST-PROBE™

1ST EVER UNIVERSAL POST CARD FOR ALL PCs!

The only Power-On Self-Test card you need to debug any "dead" PC!

SERVICE NEWS
PRODUCT OF THE MONTH

Named as Product of the Month in the July issue of Service News.

"This is the only card that will function in every system on the market. The documentation is extensive, and not only covers the expected POST Codes for different BIOS versions, but also includes a detailed reference to the bus signals monitored by the card."

— Scott Mueller from his globally recognized book, *'Upgrading & Repairing PCs, Second Edition'*



- Includes pads for voltmeter to attach for actual voltage testing under load.
- 4 LEDs monitor +5vdc -5vdc +12vdc -12vdc.
- Monitors Hi & Lo clock and OSC cycles to distinguish between clock chip or crystal failure.
- Monitors I/O Write and I/O Read to distinguish between write and read errors.
- Monitors memory write/read to distinguish between address line failures and memory chip failures.
- Monitors ALE for proper CPU/DMA operation.
- Monitors Reset to determine if reset is occurring during POST, indicating short.
- Monitors progress of POST without POST codes.
- Reads POST codes from any IBM or compatible that emits POST codes. ISA/EISA/MCA.
- Compatible with Micro Channel computers.
- Dip switch allows easy selection of I/O ports to read.
- Includes tri-state LOGIC PROBE to determine actual chip failures.
- Manual includes chip layouts and detailed POST procedures for all major BIOS's.

This is the perfect package for all repair technicians and self-maintainers.

Call MICRO 2000, Inc. for volume discounts and after sales service!

800-864-8008
1100 E. Broadway, Suite 301
Glendale, California 91205
818-547-0125 • Fax 818-547-0397

MICRO

Circle 288 on Inquiry Card.


- **AUSTRALIA** – MICRO 2000 Australia, P.O. Box 1777, Wollongong, NSW 2500. Tel: (042) 564446.
- **UK** – MICRO 2000 Europe, P.O. Box 2000, Latchworth, Herts, SG61 TG, England. Tel: +44 462 483483, Fax: +44 462 481484.
- **CANADA** – Business Data Systems, 169 Burnside Drive, London, Ontario, Canada N5W 5V5. Tel: (416) 777-2479 or (519) 659-3599.

PRINTER SHARING & MEMORY


I/O = input/output

● = serial

■ = parallel



800-238-9415

LCX-1000 (1Mb) \$4958 ports; 4 serial I/O; 57,600 bps
2 parallel in, 2 parallel out**LC-256 (256Kb) \$375****LC-512 (512Kb) \$425**8 ports; 4 serial I/O; 19,200 bps
2 parallel in, 2 parallel out**LXFR-ETC \$49**DOS, Windows & OS/2 File Transfer
4 user license, for LC or LCX**PB-42PP-256Kb \$199****PB-42PP-1Mb \$279****PB-42PP-4Mb \$429**6 parallel ports; 4 in / 2 out
Upgradable to 4Mb; 25,000 cps**LC Jr.-256 (256Kb) \$199****LC Jr.-512 (512Kb) \$249**5 ports; 4 serial in, 1 parallel out
Up to 115,200 bps**LC-41PAS \$69**5 parallel ports; 4 in / 1 out
Smart-switch; 25,000 cps**SPPS \$49**9600 bps to 115,200 bps
Serial / Parallel Converter**PB-11PP-1Mb \$199**2 parallel ports; 1 in / 1 out
Upgradable to 16Mb; 25,000 cps

PC SIMMs
MAC SIMMs
POWERBOOK
PCMCIA
TOSHIBA

NEW SOFTWARE

TicklerFile™ for Windows
Planner that posts notes
MicroPaint™ for DOS
256 color image processing
AmazinGames™ DOS & Windows
Block dropping and mazes

LOGICAL CONNECTION® 4660 Portland Road NE #108 Salem, OR 97305-1658 Tech.: (503) 390-9375 **FAX: (503) 390-9372**

WINSPORT II


HIGH PERFORMANCE SERIAL CARD...

The WinSport II is a two port Serial Interface Adapter using the 16550A ACE Chip with FIFO Buffers on both transmit and receive. The card is highly flexible for both address and IRQ selections, and can solve problems when addresses or IRQs are in short supply. It is compatible with all PC, XT, AT, 386 and 486 ISA BUS personal computers. The board has 8 address settings and 9 interrupt vector settings to allow it to fit smoothly into a heavily loaded system. It can also provide very high speed performance for software which can take advantage of its x10 clock feature.

Features:

- 16550 UARTS allows windows background modem operation without loss of data.
- Eight (8) I/O address selections: COM1, 2, 3, 4, LPT1, 2, 268H, 368H.
- Nine (9) IRQ settings: IRQ2 (9), 3, 4, 5, 7, 10, 11, 12.
- Baud rates to 576K for support of high speed serial communications and serial networks.
- Accelerates Lap-Link transfers at higher baud rate between similarly equipped computers.
- Supports Turbocom* enhanced windows drivers.
- Allows serial mouse on a different IRQ (with proper mouse driver).

*REGISTERED TRADEMARK OF BIO-ENGINEERING RESEARCH LABS.

**Mechanical Data:**

- Half card size.
- Requires 16 Bit slot.
- Two (2) DB9 male connectors.

\$99⁰⁰

BOFFIN
LIMITED



612-894-0595

FAX: 612-894-6175

2500 West County Rd. 42 • Suite #5 • Burnsville, MN 55337-6967



DEVELOPERS TOOLS

EPROM Programmer

- Programs devices up to 512K bits, plus 27C100, 27C101, 27C301, 27C1000, 27C1001, 27C2001, 27C4001 and more
- Includes 8-bit 8088 and 286/386/486 PC compatible card
- ZIF socket accepts 0.6" wide DIP IC's to 32 pins

MOD-MEP-1A \$199.95
MOD-MEP-4A As above with 4 ZIF sockets \$269.95

EPROM Eraser \$39.95

- Quickly and simultaneously erase up to 4 standard EPROMs
- Includes wall plug power supply

DATASE II \$39.95

Wire-Wrap Prototype Cards

JDR-PR2 8-bit with I/O decode layout \$29.95
JDR-PR2-PK Parts kit for JDR-PR2 decode \$8.95
JDR-PR10 16-bit with I/O decode layout \$34.95
JDR-PR10-PK Parts kit for JDR-PR10 decode \$12.95
PDS-601 8-bit breadboard with decode \$79.95
PDS-611 16-bit breadboard with decode \$89.95

POST Code Display Card \$79.95

- 286/386/486 compatible
- Displays Power On Self-Test codes
- Works when software won't boot computer
- Includes AMI Diagnostics software

PCODE+ \$79.95
PCODE Above without AMI Diagnostics \$49.95

UPGRADE COMPONENTS

Dynamic RAM

PART #	SIZE	SPEED	TYPE	PRICE
41256-80	256K x 1	80ns	DIP	\$1.95
1MB-80	1M x 1	80ns	DIP	\$4.99
41256A9B-80	256K x 9	80ns	SIMM	\$14.95
41256A9B-60	256K x 9	60ns	SIMM	\$16.95
421000A9B-80	1M x 9	80ns	SIMM	\$49.95
421000A9B-60	1M x 9	60ns	SIMM	\$59.95
424000A9B-80	4M x 9	80ns	SIMM	\$159.95
424000A9B-60	4M x 9	60ns	SIMM	\$179.95

DOE TO CURRENT MARKET CONDITIONS,
CALL FOR CURRENT DRAM PRICES

Math Co-Processors

PART #	SPEED	PRICE	PART #	SPEED	PRICE
8087-2	8MHz	129.95	80387-SXP	≤25MHz	74.95
8087	5MHz	89.95	80387-DXP	≤33MHz	79.95
80287-XL	12MHz	74.95	80487-SX	≤25MHz	369.95

OverDrive Processors

ODP486-SX20 For 20MHz 486SX OverDrive socket \$329.95
ODP486-SX25 For 25MHz 486SX OverDrive socket \$449.95
ODP486R-DX25 Replace 25MHz 486DX w/50MHz DX2 \$449.95
ODP486R-DX33 Replace 33MHz 486DX w/66MHz DX2 \$559.00
ODP486-DX33 66MHz 486DX2 for OverDrive socket \$559.00

MULTIMEDIA

Low Cost Internal CD-ROM Drive

- 5-1/4" half-height internal drive with 1/2 length interface card
- 150Kb-175Kb per second, 350ms average access time
- Includes drive, interface card, cables and manual

CDROM-I \$199.95
CDR-84 NEC internal dual speed CD-ROM drive \$499.95
MCT-SOUND 8-bit sound card \$49.95
SB-DLX SoundBlaster 8-bit sound card \$89.95
VIDEOBLASTER 16-bit video card with software \$329.95

VIDEO PRODUCTS

VGA Package with Accelerator Card

- 1024 x 768 in 16/256 colors, 800 x 600 in 16/256/64K colors, 640 x 480 in 16/256/64K/16M colors
- 14" diagonal screen; 0.28mm
- 16-bit 286/386/486 PC compatible Windows accelerator card, interlaced and non-interlaced modes

VGA-PKG-1024N \$459.95
VGA-PKG-1024 0.39mm, 1024 x 768 VGA package \$349.95
VGA-MONITOR 0.39mm, 1024 x 768 int. monitor \$269.95
VGA-MON-1024N 0.28mm, 1024 x 768 non-int. mon. \$379.95
VGA-MON-17N 17", 0.26mm 1280 x 1024 non-int. mon. \$799.00

Low Cost Windows Accelerator

- 16-bit 286/386/486 PC compatible; supports interlaced and non-interlaced, analog or multisynch monitors; VESA software compatible
- Up to 1280 x 1024 resolution in 16 colors

MCT-VGA-5000 \$99.95
SPEEDSTAR-PRO 16-bit Windows accelerator \$149.95
MCT-VGA-4000 16-bit 1024 x 768/256 color card \$129.95
MCT-VGA-1000 16-bit 640 x 480 VGA card \$49.95

INTERFACE CARDS

Fast Multi I/O Card

- Includes two NS16550 serial ports, one parallel port and one game port
- 8-bit 286/386/486 compatible card

MCT-AIO+ As above with one NS16450 \$89.95
MCT-AIO+ As above with one NS16450 \$49.95
MCT-IDEIO+ IDE w/NS16550 compatible serial \$99.95
MCT-IDEIO+ IDE w/NS16450 compatible serial \$69.95
MCT-VIO V L Bus IDE and Multi I/O card \$99.95
MCT-IDEFH 16-bit IDE floppy card \$29.95
MCT-CIDEIO 16-bit cache IDE controller with I/O \$199.95
MCT-VCFH VESA Local Bus cache IDE controller \$229.95
MCT-VSCSI VESA Local Bus SCSI-2 controller \$299.95

SYSTEM BASICS

3-Button Mouse \$14.95

- Accuracy 290-1450 DPI
- Opto-mechanical design

JDR-MOUSE-3 \$14.95
MOUSE-PAD Keeps mouse ball free of dirt \$4.95
MCT-GAME Dual port game card \$29.95
JSTK-300 Joystick \$9.95
JSTK-500 Pilot-style joystick \$19.95

MODEMS & FAX

2400 Baud Internal Modem

- 2400/1200/300 baud operation
- Full Hayes command set compatibility
- QuickLink II communications s/w

MCT-241 \$49.95
MCT-144IF+ 14,400 baud internal fax/modem \$179.95
FAXM-SWITCH Connect fax/modem/phone on 1 line \$89.95
FAX-SWITCH Above without modem connection \$59.95



FREE JDR CATALOGS!
PC EDITION AND
COMPONENTS EDITION
AVAILABLE NOW!
800-538-5000

MOTHERBOARDS

33MHz 386SX Motherboard

- 33MHz AMD 80386SX CPU, AMI BIOS supports IDE, shadow RAM, password protection and more
- Uses 256K, 1M & 4M x 9 60ns SIMMs (0K installed)
- Socketed for 33MHz 80387SX co-processor
- Six 16-bit expansion slots
- MS-DOS, Windows 3.1, DESQview 386, Novell NetWare and OS/2 compatible



MCT-M386SX-33 \$129.95
MCT-C386SX-33 Above with 16Kb cache \$169.95
MCT-C386-33 33MHz cache 386 \$249.95
MCT-C386-40 40MHz cache 386 \$299.95
MCT-M486SX-25 25MHz cache 486SX \$399.95
MCT-M486SX-33 33MHz cache 486SX \$449.95
MCT-M486-33 33MHz cache 486DX \$549.00
MCT-M486-50 50MHz cache 486DX \$799.00
MCT-M486-66 66MHz cache 486DX2 \$849.00
MCT-M486VL-33 33MHz 486DX VESA local bus \$599.00
MCT-M486VL-66 66MHz 486DX VESA local bus \$899.00
MCT-M486-50E 50MHz EISA 486DX processor \$999.00

STORAGE DEVICES

Seagate IDE Drive Kits

- 16-bit 286/386/486 PC compatible card
- 89Mb ST-3096A drive
- 16-bit controller interfaces two hard & two floppy drives



HDKIT-80 Kit with 89Mb ST-3096A drive \$219.95
HDKIT-130 Kit with 131Mb ST-3144A drive \$239.95
HDKIT-210 Kit with 214Mb ST-3243A drive \$299.95

IDE Hard Drives

PART #	BRAND	CAP.	SPEED	TYPE	PRICE
CP-30084	Conner	84Mb	19ms	3-1/2" IDE	\$199.95
ST-3096A	Seagate	89Mb	16ms	3-1/2" IDE	\$199.95
ST-3144A	Seagate	131Mb	16ms	3-1/2" IDE	\$219.95
CP-30174	Conner	170Mb	17ms	3-1/2" IDE	\$239.95
CP-30254	Conner	250Mb	14ms	3-1/2" IDE	\$319.95

5-1/4" & 3-1/2" Combination Drive

- 5-1/4" half-height beige drive
- Supports 1.44Mb, 1.2Mb, 720Kb & 360Kb diskettes



FD-505 \$149.95
FDD-2.88A 2.88Mb 3-1/2", Beige \$149.95
FDD-1.44A 1.44Mb, 3-1/2", Beige \$79.95
FDD-1.44X 1.44Mb, 3-1/2", Black \$79.95
FDD-1.2 1.2Mb, 5-1/4", Beige \$89.95
FDD-360 360Kb, 5-1/4", Black \$89.95

Preformatted Bulk Diskettes in Quantities Of 250

MD20-BULK 5-1/4" 360Kb DS/DD disks \$25 ea
MD2H-BULK 5-1/4" 1.2Mb DS/HD disks \$45 ea
3.5D-BULK 3-1/2" 720Kb DS/DD disks \$39 ea
3.5HD-BULK 3-1/2" 1.44Mb DS/HD disks \$59 ea

250Mb Tape Drive \$199.95

- 8088 and 286/386/486 PC, QIC-40 read and QIC-80 read/write compatible
- Up to 6.7Mb/minute transfer rate
- 5-1/4" internal half-height drive
- Tape capacity 165Mb with DC2000, 250Mb with DC2120 tape cartridge



DJ-20 \$199.95
DJ-10 10Mb version \$179.95
DC2120 DC2120 tape cartridge \$19.95
DC2120-BULK DC2120 5 tape package \$89.95



800-538-5000

Toll-Free Fax Ordering
800-538-5005

Local 408-559-1200
BBS 408-559-0253



KEY CODE 1046

TERMS: For shipping & handling include \$5.00 for ground & \$7.50 for air. Orders over 1 lb. and foreign orders may require additional shipping charges—contact our Sales Dept. for the amount. CA residents must include applicable sales tax. Prices subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sales. A full copy of our terms is available upon request. Items pictured may only be representative. JDR, the JDR logo, JDR Microdevices, and the MCT logo are registered trademarks of JDR Microdevices, Inc. Modular Circuit Technology is a trademark of JDR Microdevices, Inc. Copyright 1993 JDR MICRODEVICES.

HIGH SPEED HEAT SINKS FOR PENTIUM™ μ PS



IERC's μ P dissipators are designed for use with Intel Pentium™ and other standard PGA 21x21 packages. Using IERC's long-proven clip* technology, the quick connect clip easily attaches to the μ P. These high performance heat

sinks offer circuit designers an ideal solution to their thermal problems. Custom and standard μ P dissipators as well as cooling fan/heat sink assemblies are available.

™Pentium is a registered trademark of Intel Corp.

* Patent pending.



International Electronic Research Corp.
135 W. Magnolia Blvd. • Burbank, CA 91502
TEL: (818) 842-7277 • FAX: (818) 848-8872

Circle 277 on Inquiry Card.

Polaroid



Polaroid's Circular Polarizing Filters for computer monitors combine circular polarizer technology with optical quality materials and coatings to provide the ultimate in glare reduction and contrast enhancement technology. Polaroid CP-Filters suppress up to 99% of reflected light and are more effective than any other filter for improving contrast. Also, most CP-Filter models have a transparent electrically conductive coating which reduces up to 98% of the electromagnetic radiation and eliminates static.

Polaroid produces a full range of optical quality anti-glare filters in glass and triacetate to fit most 9"-21" monitors.

Polaroid Corporation, Polarizer Division,
N2, 1 Upland Road, Norwood, MA 02062
1-800-225-2770 Fax 617-446-4600

Circle 245 on Inquiry Card.

SCSI • IDE • FLOPPY

HOST BUS ADAPTER/CONTROLLER

STANDARD FEATURES

- Drivers for Fixed, Optical and Removable Drives
- Internal and External SCSI Connectors
- SCSI and IDE Cables
- On-Board Diagnostics
- Complete Documentation
- Lifetime Warranty
- 30 Day Return Policy
- Made in the USA

\$150.00

(16-Bit HBA/Cntl)

SUPPORTS

- Up to 7 SCSI Devices
- Up to 2 IDE Drives
- Up to 4 Floppy Drives
- 7 ROM Addresses
- 2 I/O Addresses

OPTIONS


- CD ROM & UNIX Drivers
- ASPI Manager
- 3rd & 4th Floppy Driver

\$175.00

(16-Bit HBA/Cntl w/Option Pkg.)

CONTROL CONCEPTS INC.

(703) 876-6444 • (703) 876-6416 Fax
1-800-922-9259



Government, Educational and Corporate Discounts Available
Dealer Inquiries Welcome



Circle 267 on Inquiry Card.

ROMDISK™

SOLID STATE

Disk Emulators and PCMCIA Products

- EPROM, Flash, battery-backed SRAM and DRAM technologies.
- ISA Bus board models with capacities from 180KB to 14MB.
- PCMCIA Cartridges and ISA Bus Host Adapter Boards-100% PCMCIA 2.0 compliant.
- Flash Disk drive models with capacities from 2.5MB to 40MB.
- DRAM High Performance Disk models with capacities from 16MB to 256MB.
- PCMCIA Memory Cards and Controller ICs also available.
- **General Features:** Autoboot capability, all models. Support for all popular OSs.
- **Applications:** Embedded Systems, Diskless PCs, High Performance PCs and Networks, CAD/CAM, Medical, POS, Industrial Control, etc.


CURTIS, INC.

Industry Leader in Disk Emulation Products

612/631-9512
FAX 612/631-9508

418 W. County Rd. D
St. Paul, MN 55112

Circle 231 on Inquiry Card.



When speed is vital,

you need a new generation of multiport serial controllers: **Avanstar™**

Supporting data speeds up to 115.2K baud on all channels, the **Avanstar** family of intelligent controllers delivers optimum serial communications for ISA, EISA and Micro Channel systems.

Added Benefits: New high performance RISC-based communications ♦ Software selectable EIA-232/EIA-422—an industry first ♦ 16- or 32-bit communications on 8 or 16 ports ♦ Exclusive **SureGuard™** protection supplies unmatched reliability: includes complete transient surge suppression.

Find out more. Call 1-800-782-7428.



People and products you can depend on.

Star Gate Technologies, Inc. • Solon, OH • 216-349-1860 • FAX: 216-349-2056

Circle 260 on Inquiry Card.

BYTE

Breaks the 4-Color Price Barrier
with the Hardware/Software Showcase

See how affordable it is to advertise to BYTE's 500,000 computer professionals in this section!

Call for more advertising information:
(603) 924-2695 or (603) 924-2598

Portable Bar Code Readers



TimeWand® I DuraWand® TimeWand II

Data collection is fast, easy, and extremely accurate when using Videx portable bar code readers. Cordless operation, compact size, and light weight allow you to take the wands wherever the work needs to be done. Call Videx today for your free information kit: 503-758-0521. Prices starting at:



TimeWand I \$298
DuraWand \$495
TimeWand II \$698

See us at COMDEX, booth #L1497
1105 NE Circle Blvd., Corvallis, OR 97330-4285
503-758-0521 • FAX 503-752-5285

TimeWand, DuraWand, and Videx are registered trademarks of Videx, Inc. GC0355

Circle 252 on Inquiry Card.

LET YOUR COMPUTER DO THE TALKING!

Integrated Voice/Fax Mail

integrates major voice/fax applications plus program control into one full-featured high performance software. PC-AT/386/486 based. Menu driven. Easy to use. Full support for Rhetorex, New Voice, Dialogic, TTI and Intel voice and fax hardware. Supports up to 24 voice lines and up to 8 fax lines.

Hardware + Software Kits **\$650**
2 voice lines kit starts at
24 hours free info: 818-368-4566 or 818-368-8848

SigmaTech Software

Tel: (818) 368-6132 Fax: (818) 368-7859
10801 Bismarck Ave., Northridge, CA 91326 USA
(Resellers/Dealers/OEMs/Private labels are welcome)

- Auto-Attendant
- Unlimited Audiotex
- Voice Mail
- Call Processing
- Telemarketing
- Fax Mail
- Fax-on-Demand
- Fax Broadcasting
- Party/Chat lines
- Talking Yellow pages

Circle 261 on Inquiry Card (RESELLERS: 262).

Multi-Line Voice Mail Plus...

FAX ON DEMAND!

**FAX ON DEMAND • VOICE MAIL
CALL PROCESSING • TELEMARKETING**

V/S PLUS gives you professional VOICE MAIL & AUTO TRANSFER while it pounds out Fax'd Hard Copy non-stop 24-hours a day. Give it to them - NOW! Complete Package with Hardware and FAX Software. 2 year warranty. Requires PC/AT/386/486.

V/S PLUS only **\$699**
MULTI-LINE HARDWARE from **\$299**

For Sales and Information Call:
1-800-685-4884
510-522-3800 • FAX: 510-522-5556

(Developer/OEM package specialists)
(VISA-MC-AMEX-COD)

TALKING TECHNOLOGY, INC.
1125 Atlantic Ave., Alameda, CA 94501

Circle 248 on Inquiry Card.

Light-Speed Serial Communications

PCSS-8FX Intelligent Serial Coprocessor

- Better than 1Mbyte/second transfer rate.
- No load on Host Processor!
- I/O Mapped - No host memory used.
- NEW - Supports DMA transfer. Faster than Dual Ported Memory!
- Looks like IBM Uart with Huge QUEUE!
- 8 ports per card. RS-232, 422, 485.



BBS Fossil Drivers Included

ORDER
TOLL-FREE
800-282-4835

GTEK INC.

GTEK, INC. • DEVELOPMENT HARDWARE & SOFTWARE • P.O. Box 2310
Bay St. Louis, MS 39521-2310 USA • Mississippi Technical Support 601-467-8048
Fax: 601-467-0935 • OEM & Dealer Inquiries Welcomed!

Circle 236 on Inquiry Card (RESELLERS: 237).

AT Systems in ROM

- Single Board Computers
- Run DOS code from ROM
- PC Code compatible
- Large Memory space
- Backplane systems
- Develop code on a PC. Run on our CPU cards with DOS and code in ROM. Use off-the-shelf expansion cards.
- KS6: NEC V53 CPU (286eq), 5 serial, 2 Par, Clock, AT bus, Max 4M Ram, 2M Rom, 512K NV Sram. \$299 (q1-oem ver).
- KS3: V40 CPU, 3 Serial, 2 Par, Clock, Flop, Kbd. \$224 (q1).



303-444-7737 Fax 303-786-9983
655 Hawthorn Ave., Boulder CO 80304 U.S.A.

KILA

Circle 239 on Inquiry Card.

Voice Response/Caller ID for Windows

Would you like to develop multi-tasking multi-line non-blocking Interactive Voice Response applications for Windows?

PIKA offers the developer the high quality, feature rich AVA-B Series 1, 2 & 4 line voice cards with hardware voice compression.

Also, the new PIKA IdFi 1, 2 & 4 line Caller Id cards are the answer to many new and exciting Windows server applications.

All PIKA cards are available (at affordable prices) with Windows DLL & DDE developer toolkits for C & Visual Basic.

Inquire about developer toolkits for NT, DOS, UNIX & QNX.



PIKA TECHNOLOGIES INC.
155 Terence Matthews Cres. Kanata, Ontario K2M 2A8, Canada

Tel: 1-613-591-1555 Fax: 1-613-591-1488

Circle 270 on Inquiry Card.

INDUSTRIAL PRODUCTS AND RESOURCES

- 9" EL, 10"/14" VGA COLOR INDUSTRIAL WORKSTATION
- 19" RACK-MOUNTED/DESK TOP CHASSIS WITH 14/12 SLOTS
- 17" RACK-MOUNTED MONITOR ENCLOSURE WITH TOUCH SCREEN
- 6-SLOT HEAVY-DUTY NODE CHASSIS
- COMPACT EMBEDDED PC/104 MODULES
- 286/386SX-33/486DX-50/486DX2 ALL-IN-ONE SLOT BOARD COMPUTER
- HIGH CAPACITY DUAL DRIVE RAM/ROM/FLASH DISK



MITAC INC.
7 TH FL., 77 Sec. 3, MING SHENG E. RD., TAIPEI, TAIWAN, R.O.C.
TEL: 886-2-5012650/886-2-5015180 FAX: 886-2-5090979/886-2-5035128



Circle 264 on Inquiry Card.

Computer Systems • Data Acquisition

Rackmount Solutions

RACKMOUNT COMPONENTS - QTY 25 PRICING

Rackmount Chassis 19"x7"x17"	\$183
Rackmount VGA Monitors	\$531
Rackmount Monitor Shelf	\$113
Rackmount Keyboard Shelf	\$88

RACKMOUNT PLATFORMS - Qty 1 Pricing

RMS486-33/ISA \$1799	RMS386-40 \$814
RMS486-33 \$1443	RMS386SX-25 \$693

System Platforms include 7" Rackmount Chassis, 200W Power Supply, Motherboard, 1.0MB Memory, IDE, FDC, 2-Ser. Par, 1.2MB or 1.44MB Floppy Disk Drive, 1 Year Warranty

RACKMOUNT CHASSIS - 15 Models up to 20 Board Slots

SLOT CPU BOARDS - 486, 386, 386SX

RACKMOUNT MONITORS - Super VGA and Monochrome

RACKMOUNT CABINET - Modular from 21" to 96" high

VALLEY TECHNOLOGY INC.

2468 Armstrong Street, Livermore CA 94550
(510) 447-2030 FAX: (510) 447-4559



Circle 257 on Inquiry Card.

PC-based Solutions for Industrial Automation

- Industrial PCs & Workstations
- Enclosures and Card Cages
- 486/386/286 CPU Cards
- RAM/ROM Disks
- Industrial I/O Cards
- RS-232/422/485

1-800-800-6889

1-408-245-6678 in CA

Fax: 408-245-8268

ADVANTECH.

750 East Arques Ave.
Sunnyvale, CA 94086



New 88-page Solution Guide

FREE!

Circle 229 on Inquiry Card.

Measurement & Control

Remote monitoring? Unique measurement problem? These are our specialties. Contact Elexor. We'll help you find a solution ...fast!

ELEXOR

... The Solutions Company!



- Stand Alone
- Free Software
- Programmable
- Multi-addressing
- Battery Capability
- Off-site monitoring
- Signal Conditioning
- Integrated Systems
- Unlimited I/O points
- PC, MAC, DEC, etc

ELEXOR ASSOCIATES
phone (201) 299-1615
fax (201) 299-8513
P.O. Box 246
Morris Plains, N.J. 07950

Circle 234 on Inquiry Card.

24-BIT A/D CONVERTER

\$495

Money back guarantee

800-321-5355

Lawson Labs, Inc.

74 4th Ave. NW
Kalispell, MT 59901

406 257-5355 or FAX 257-5572

We manufacture a broad line of data acquisition products.




- Programmable data rate, gain and filtration
- Optically isolated RS232 serial interface
- 20 digital I/O lines
- AC or battery powered
- With PC/XT/AT software

Circle 241 on Inquiry Card.

Data Acquisition • Disk & Optical Drives

The Intelligent Solution For Data Acquisition



DAP 3200e™ Data Acquisition Processor™

ANALOG I/O

DIGITAL I/O

- Inputs to 312K samples per second
- Outputs to 312K samples per second
- Simultaneous fast input/output
- CPU: i186 or i486

- FFT and FIR-filtering at 16 MIPS
- 20 MHz CPU with DRAM to 1024K
- 32 MHz DSP with SRAM to 96K
- DAPL™ Operating System
- 100+ standard commands
- Custom commands in C

MICROSTAR

LABORATORIES

2265 116th Avenue NE
Bellevue, WA 98004
FAX (206) 453-3199

Send for FREE catalog and demo diskette.
Or call us at (206) 453-2345.

PS/2 Hard Drives

PS/2 50 50z 55sx 60 70 80 P70

INTERNAL DRIVES - May be used as a high performance replacement or to co-exist with original IBM drive. Compatible with DOS 3.3, 4.01, 5.0, OS/2 2.0 and Novell. Includes IDE or SCSI-2 microchannel controller, hard drive, mounting kit, ribbon & power cable, manual, and hardware.

106mb, 15ms, Internal Seagate IDE Drive Kit.....	\$383
130mb, 15ms, Internal Maxtor IDE / SCSI Drive Kit.....	\$414/\$439
200mb, 15ms, Internal Maxtor IDE / Maxtor SCSI Drive Kit.....	\$453/\$513
340mb, 13ms, Internal Maxtor IDE / Maxtor SCSI Drive Kit.....	\$589/\$669
512mb, 12ms, Internal Fujitsu IDE / SCSI Drive Kit.....	\$1043/\$1284

PS/2 Model 25, 30, 30-286

21mb/42mb/106mb Hard Drive Kit \$99/\$189/\$253

125mb/200mb Hard Drive Kit \$284/\$323

External SCSI drives available from 125 mb to 1.75 gb. Includes SCSI-2 controller, external case with drive installed and configured, 6' SCSI cable. Free drivers for CD-ROM drives or Novell 286 & 386

General Technics

1-800-GT-SALE-8

1-800-487-2538

1 Year Warranty - 10 Day Money Back Guarantee

VISA MasterCard American Express COD (Purchase Orders)

Tel: (516) 981-9473 38 Keynor Ave. Open 9am to 6pm

Fax: (516) 981-9038 Ronkonkoma, NY 11779 EST, Mon-Fri

Circle 265 on Inquiry Card.

PARALLEL-TO-SCSI CONNECTIONS!

"This product... is darned near perfect."

-Jerry Pournelle, Byte Magazine 3/93

"This year, the company outdid itself... The MiniSCSI Plus is even more elegant than its predecessor and almost twice as fast."

-Jim Seymour, PC Magazine 12/92



EPP Version Available!

Add up to 7 SCSI devices to your parallel port and still use your printer!

Up to twice as fast as our original MiniSCSI™ parallel-to-SCSI adapter, the MiniSCSI Plus adapter lets you run a CD-ROM, tape backup, Syquest®, Bernoulli® or other SCSI device from almost any parallel port. For most notebook users, it's the only way to use SCSI devices. An integrated cable makes it a snap to share SCSI devices with desktops.

- KEY FEATURES:** 100% Printer Passthrough ▲ Weighs Just 7.2 Ounces
▲ Fully Compatible With Bidirectional and Unidirectional Parallel Ports
▲ Powered By SCSI Bus ▲ Only \$219

See your dealer or call:

Trantor Systems Limited
5415 Randall Place • Fremont, CA 94538-3151
FAX: (510) 770-9910
Adaptec Interactive Fax: (408) 957-7150

1-800-TRANTOR

Trantor

► An Adaptec Company

© 1993 Trantor Systems Limited. MiniSCSI and Trantor are trademarks of Trantor Systems Limited. All other trademarks used are owned by their respective owners.

Circle 255 on Inquiry Card.

Victory Printing Disk Factory

800-727-DISK (3475)



Victory Enterprises
223 West Anderson Ln. Suite B-300
Austin, TX 78752
(512) 450-0801 Fax (512) 450-0869

- Automatically loads, formats, copies, verifies and PRINTS THE LABEL on 3.5 & 5.25 diskettes!
- Designed for use with a network or any application for distributing data.
- Perfect for serializing or otherwise identifying specific diskettes.

Circle 251 on Inquiry Card.

Money Back Guarantee & 1 Yr. Warranty

Popular Space-Saver Keyboard £79



Saves 60% desk space. Foot-print 27.3 x 15.2 cm. 100 full-travel tactily responsive keys. Standard left-right spacing for easy touch typing. IBM XT/AT PS 2 compatible. Many language versions available.

To Order In Europe Call: 44-306-876718

DATALUX Fax: 44-306-876742

Euro House • Curtis Road • 11 Old Water Yard • Dorking • Surrey • UK RH4 1EJ


Circle 233 on Inquiry Card.

Let your
"true colors shine
through"
when you advertise your
computer products in
BYTE's
**HARDWARE/SOFTWARE
SHOWCASE**

our newest, affordable,
4-color advertising section!

Call for more details:
(603) 924-2695
or (603) 924-2598

The Axonix CableMate™



Low Cost Notebook Cable Management System

Now you can connect your desktop peripherals in one easy step while reducing wear and tear on your interface ports. The CableMate Plus option provides bus expansion for low cost ISA compatible Lapstation expansion systems and both versions are available for Compaq LTE, Toshiba T2200-T6400 and other popular Notebook models. CableMate and Lapstation are available from Axonix direct, and from Authorized Axonix dealers worldwide.



1214 Wilmington Avenue
Salt Lake City, Utah 84106
Tel: 801-466-9797 / Fax: 801-485-6204

Call Toll Free for Nearest Dealer 1-800-866-9797

Circle 230 on Inquiry Card.

Most Cost-effective Pen Based Personal Information Processor Meets Your Specific Needs.



Infoman

- Model J:
For project design
- Model CFX:
Universal Fax computer

Programmability

- Very easy-to-use 4GL for different information processing
- Development System on VGA PC for downloading the applications

Data Compatibility

- DOS file system compatible
- dbf, wk1, pcx, bmp, txt, etc. compatible

Communication

- RS232, Modem, Fax, Infrared, Radio frequency links available

Cost

- Very reasonable

DIALOGUE TECHNOLOGY CORP.

2nd Fl., 38, Ching Shing Rd., Wen Shan District, 117,
Taipei, Taiwan, R.O.C.

TEL: 886-2-9327680

FAX: 886-2-9317814



Circle 278 on Inquiry Card (RESELLERS: 279).

Notebook computers are great — except when it comes to playing simulation and action games. That's because they don't come equipped with a game port. ▶ Introducing the Parallel Game Port™ from Genovation. The PGP turns your notebook into a gamebook by converting the computer's printer port into a "virtual game port". With PGP, you also get a gender changer adapter, which lets you connect a joy-

stick, yoke, pedals or even a weapon systems controller to your notebook or desktop DOS PC. ▶ The PGP is an indispensable accessory for today's serious gamer. Whether you race a car, fly combat, maneuver a tank, or wing along at 100 knots, the PGP's software features will enhance your play action. Look for the Parallel Game Port in the software section of your nearest computer dealer. Or call us at (800) 822-4333.

STICK IT TO YOUR NOTEBOOK.

GENOVATION

Genovation, Inc. ▼ 17741 Mitchell North ▼ Irvine, CA 92714
(714) 833-3355 ▼ FAX (714) 833-0322 ▼ Sales: (800) 822-4333

Circle 235 on Inquiry Card.

Our New Contribution, Your New Partner

Main products:
14400bps+V.42bis+FAX(G3)
9600bps+V.42bis
9600bps+MNP5
2400bps+V.42bis+FAX(G3)
2400bps+MNP5
Stand alone
Internal card
Rack mounted

German BZT
Approval A1058440

Atrie ATRIE TECHNOLOGY INC.
5F, 60, FU HO RD., YUNG HO CITY,
23438 TAIPEI, TAIWAN, R.O.C.
TEL: 886-2-9286088
FAX: 886-2-9219057

Branch office: U.S.A.
TEL: 818-2811826
FAX: 818-2879825

14400bps+V.42bis+FAX

Rack Mounted
Network Management
System

Circle 276 on Inquiry Card.

STAND-ALONE LCD MONITORS

STN Color or Monochrome



- £1199** | DATALUX introduces its new high quality, high brightness color LCD monitor in the same case as the popular Monochrome version.
- 640 X 480, 256 Colors, VGA compatible, 2 CCFT backlights
 - Driven by ISA Bus Controller Card, no external power supply, optional CRT output
 - Adjustable desk stand, folds for wall mounting or portability, 1.75Kg weight
 - 197 X 147mm display (9.4 inch diag), non-reflective glass face
 - Contrast ratio of 15:1, 200ms Rise and 150ms Fall time

- £649** | Monochrome version 640 X 480, 64 gray shades.
Wide viewing angle.

Also Available

- Mobile/Industrial model sealed against spills and splashes in rugged drawn aluminum housing with optional swivel mount.
- Touch Screen Version. Capacitive technology. Provides high resolution, fast response, all glass scratch proof optically clear sensor. Complete with built-in controller and software.

To Order In Europe Call: **44-306-876718**

Fax: **44-306-876742**

DATALUX

Curtis Road • 11 Old Water Yard • Dorking • Surrey • UK RH4 1EJ

Circle 232 on Inquiry Card.

Desktop Video

Motion Capture

MR RamGrabAT

- Capture video to AVI file at 320 x 200, 10-15fps
- 8, 16, 24-bit color
- DOS & Windows support
- S-VHS & Composite input
- Free development kit
- Sound Blaster compatible

US\$ 270

VGA-TV Converter

MR VV Plus (PAL/NTSC)

- Superior anti-flicker filter
- TV & Monitor display simultaneously
- RGB, S-VHS & Composite output
- Windows support
- MRVP/NTSC also for Mac
- Hor. Over/Under-scan switch

**US\$ 170 (MR VV Plus)
US\$ 300 (MR VP)**

MR VP (PAL/NTSC)

DISPLAY RESEARCH LABORATORY

VISA Capital Automation Inc.
Tel.: 1-704-596-6120
Fax: 1-704-596-9595


International inquiry:
Int'l Tel.: (852) 402 1165
Int'l Fax: (852) 415 2739

Circle 268 on Inquiry Card (RESELLERS: 269).

Let your
"true colors shine through"
when you advertise your computer products in
BYTE's
HARDWARE/SOFTWARE SHOWCASE
our newest, affordable,
4-color advertising section!
Call for more details:
(603) 924-2695 or (603) 924-2598

Primax Made it a Snap!

Primax Electronics created and originally manufactured the modular printer sharing concept, and others put their name on it. Now you can get the original ModularLINK™ and its reliable technology directly from the Original Equipment Manufacturer! For truly *hassle-free* printer networking, look to ModularLINK™—the original Simple Printer Network™!



Pictured above is ModularLINK™ and a fully-compatible unit. Existing SNAP™ networks can be expanded using the ModularLINK™.

ModularLINK and Simple Printer Network are trademarks of Primax Electronics USA, Inc. SNAP is a trademark of ASP Computer Products, Inc.

- ▼ Over 500,000 nodes installed worldwide
- ▼ Connects 16 computers with a single printer
- ▼ Starter Kit for 2 computers and 1 printer only \$129.95
- ▼ Fully compatible with existing SNAP™ networks
- ▼ Power-free for most applications

PRIMAX

PRIMAX ELECTRONICS
800-338-3693

Circle 271 on Inquiry Card (RESELLERS: 272).

IEEE 488.2 for Notebook PCs

- Attaches to the PC's parallel printer port
- Controls up to 14 IEEE instruments
- Transfers data at up to 170 Kbytes/sec
- Includes DOS or Windows software drivers
- Graphics & analysis software available
- Allows parallel & IEEE devices to be connected simultaneously

Call or fax for more information:

Tel (216)-439-4091

Fax (216)-439-4093

iotech

the smart approach to instrumentation

iotech, Inc. • 25971 Cannon Road • Cleveland, Ohio 44146



Circle 238 on Inquiry Card.

UNIVERSAL PROGRAMMERS & EMULATORS

FLEX-700 \$995 (connects via printer port)

TUP-400 \$745 **TUP-300** \$575

- Program PLD (PAL, GAL, EPLD, PEEL, MAPL, MAX, MACH...), E(E)PROM, (up to 16Mbit), BPROM, SERIAL PROM, FLASH, MPU (87XX, 68XXX, 68HCXXX, PIC16/17XX, TMS320XXX, Z8, PSD3XX, Hitachi, NEC...). Support over 3,000 ICs.
 - 40 pin DIP socket standard. Flexible support for PLCC, (T)SOP, SOIC, QFP, PGA, SIMM/SIP ...with up to 256 pins.
 - Tests TTL74, CMOS 40/45, DRAM and SRAM.
 - Optional EPROM EMULATION capability.
 - Free software updates via BBS or mail.
- All products are backed with a 1 year warranty and a 30 day money back guarantee.



Tribal Microsystems Inc. TEL (510) 623-8859
44388 S. GRIMMER BLVD., FREMONT, CA 94538 FAX (510) 623-9925

Circle 250 on Inquiry Card.

MINIATURE C-Programmable, Low cost, Expandable CONTROLLERS

A wide range of analog and digital inputs and outputs, relay & solenoid drivers, DACs, clocks and timers. RS232 and RS485 ports and battery backed RAM. LCDs up to 8 x 40, keypads and expansion cards. Our easy-to-use, powerful Dynamic C™ development system is only \$195. Prices start at \$159, quantity one.

See us at E.S.C.

Booth #812
1724 Picasso Avenue
Davis, CA 95616
916.757.3737
916.753.5141 FAX



\$389
as shown

24-Hour Information
Service 916.753.0618.
Call from your FAX and
request data sheet #24.

Circle 254 on Inquiry Card.

9 Track/3480 Tape Subsystems

1/4" DAT 8mm Optical

Windows Software Now Available

- Tape Backup and Restore
- Make Your Own CD Rom with our CD ROM Maker
- Optical Storage From \$995

CALL 1-800-938-TAPE

Get The Very Best For Less



Laguna Data Systems

7340 Smoke Ranch Road, Suite C, Las Vegas, NV 89128
Tel: (702) 254-2648 • Fax: (702) 254-0910



Circle 240 on Inquiry Card.

9-Track for PCs

Mainframe to PC data interchange

Rock solid solutions, rock bottom prices.

Direct from the manufacturer. 1600 & 6250 bpi.

Subsystems include drives and software.

800-729-8725

OVERLAND DATA®

Since 1980

**3480 Now
with IDRC!**

Tel: 619-571-5555 • FAX: 619-571-0982
Europe: Tel: (+49) 6172-35027 • FAX: (+49) 6172-35028

Ask about 3480 tape drives too

Circle 243 on Inquiry Card.

Desktop 9-Track Tape Subsystem #1-selling 9-track system on desktop.



Qualstar's low cost 1/2-inch 9-track Streaming tape systems bring full ANSI data interchange to IBM AT, PS/2 or Macintosh, giving your micro the freedom to exchange data files with nearly any mainframe or minicomputer in the world.

Systems include DOS or Xenix compatible software, coupler card and cables. High reliability 1600 or 6250 BPI capability may be used for disk backup as well as data interchange.

QUALSTAR®

9621 Irondale Ave., Chatsworth CA 91311

Call us today! For details and
to order: Fax (818) 882-4081
Phone (818) 882-5822

©1989 Qualstar Corp.

All product and company names and trademarks are the exclusive property of their respective owners.

Circle 246 on Inquiry Card.

Tape Drives • CAD/CAM



PC/Mainframe/Mini Information Exchange

- Tape Transfer and Format Conversion
- EBCDIC ↔ ASCII Data Manipulation
- AS/400, TK50, and 1/4" QIC Drives
- UNIX Tar and DEC Save Set Options
- Reseller Inquiries Invited

QUICKCOPY™ Tape Duplication

**READ/WRITE 9-TRACK
3480 • 8MM • DAT on
YOUR PC NOW!**

Call Us ... (317) 842-2077 or

1-800-248-3475

Media Conversion Systems Since 1973

**SHAFFSTALL
CORPORATION**
FAX: (317) 842-8294

Circle 274 on Inquiry Card (RESELLERS: 275).

OrCAD® users
turn another page!

Throw away your \$ 3,000
PC Board Design Package
and buy another one for \$ 1,200



EAGLE 2.6™

Schematic Capture, Layout Editor, 100% Autorouter, DRC, ERC: All In One Program

Does this really make sense? Yes it does!

The first thing you should be aware of is, software prices are only a matter of company policy. They are not necessarily related to the quality of a product.

So, why throw away an expensive product that does the job? Because it costs more money again and again than a reasonably priced program. Just think of the fees for Upgrades and Hotline support. For the comparable OrCAD® package, for example, you end up with annual fees that are half the price of a new complete EAGLE package, including drivers and libraries.

Maybe you have already heard, "It's a German import!" That's true, it is German designed, like Mercedes and BMW. However, the company is American, and so are the people who serve you.

Our Hotline support is free, and excellent. Plus the program is fantastic (see EDN review).

So, stop bleeding. Buy EAGLE with 30-day money back guarantee.

When I first installed and ran the EAGLE demo on my 386SX home computer, my first reaction was "this is fantastic!"

...The things that impressed me most about EAGLE were to simplicity, ease of use, and flexible design. Menus, colors, scroll rates and the like can all be user-configured to suit individual preferences. Cadsoft provided excellent service, both in sales and support, and there is every reason to believe that they will continue to do so.

EDN-Hands On Section, EDN magazine, June 1993.

Thumbs up. Overall, I was impressed... EAGLE 2.6 is easy to learn and easy to use... EAGLE 2.6 has the capabilities and performance that most designers would expect in a higher priced package.

Off the Shelf Review, PRINTED CIRCUIT DESIGN magazine, March, 1993

All product names are trademarks of their respective manufacturers


Call 1-800-858-8355

EAGLE Layout Editor	\$ 399
Schematic Module	\$ 399
Ripup Autorouter Module	\$ 399
30-day money back guarantee	
DEMO with Original Manual	\$ 12



CadSoft Computer, Inc.
801 South Federal Highway
Delray Beach, FL 33483
Hotline: (407) 274-8355
Fax: (407) 274-8218

Circle 259 on Inquiry Card.



**HiWIRE II Schematic
and PCB Software**

With support for expanded and extended memory, HiWIRE II can handle your most demanding schematic and PCB designs. The unique HiWIRE II editor allows you to display and edit schematics and PCBs simultaneously, using the same commands for each. HiWIRE II is \$995, and is guaranteed.

Call (800) 742-6809
or (317) 448-1903

WINTK

Wintek Corporation
1801 South Street
Lafayette, IN 47904

(800) 742-6809

Circle 253 on Inquiry Card.

Data Acquisition • Graphics



Introducing a new approach to
scientific data analysis

Analysis Advisor is a free interactive analysis software tutorial that includes demonstrations of graphical and traditional programming methodologies for analysis. Using this interactive tutorial, you can investigate Digital signal processing, Digital filtering, Windowing, Curve fitting, Signal averaging, Simulation, Interpolation, and Descriptive statistics. Requires Windows 3.1 and 8 MB of memory.

National Instruments

6504 Bridge Point Parkway, Austin, TX 78730

(512) 794-0100

(800) 433-3488 (U.S. and Canada)

Fax (512) 794-8411

Circle 242 on Inquiry Card.

Software Developers ...

Ask Corel, AT&T,
EXXON, Sharp,
Inset Systems, and
a thousand
others ...

why they picked
LEADTOOLS for
their image
application.



Original 39 MB compressed
to 163 K, 239:1.


They'll say from document to true color imaging, **LEAD Technologies** is innovative. LEAD pioneered image compression technology that achieves compression ratios of over 200 to 1, constructed tools for quick integration of images into any application, and built a toolkit with a reputation for speed! Call for a free evaluation diskette to see for yourself.

LEAD Technologies, Inc.

1-800-637-4699 • Fax 704-548-8161

Circle 273 on Inquiry Card.

FLOW CHARTING 3



Powerful new features – for greater speed, flexibility, and ease-of-use!

- Single-page, multi-page or canvas charts – portrait or landscape
- Custom fonts support high resolution laser and 24-pin dot matrix printers
- 35 standard shapes, 10 text fonts
- Suggested retail price: only \$250

See your dealer today! or, for a "live" interactive demo disk, call: 800-525-0082, ext 1218
International: 408-778-6557, ext 1218
fax: 408-778-9972

PATTON & PATTON
Software Corporation

Circle 244 on Inquiry Card.

Spend More Time Doing Science and Less Time Programming



IDL® is the only software that allows you to program four to ten times faster* than FORTRAN or C. It seamlessly integrates all of your scientific computing needs in a single package – breathtaking 2D,

& 3D graphics, powerful number crunching, flexible data I/O and more. It even includes a complete GUI toolkit for creating point and click applications. And, because IDL runs on PCs, Macs, Unix and VMS workstations you won't have to rewrite your code every time you change machines.

Join the elite group of more than 20,000 scientists around the world who are saving time and money by using IDL.

Call us for a free demo.

303-786-9900 FAX 303-786-9909

Research Systems, Inc.

2995 Wilderness Place, Boulder CO 80301



*based on a survey of IDL users



Circle 266 on Inquiry Card.

Programmers/Developers—Caught in a Brain "storm"?

Ride out the storm with Voice Ranger and Commando!

Voice Ranger Hardware arms you with:

- ♦ Variable compressions rates ♦ Multiple sampling rates
- ♦ 2 port/card expandable to 16 ports/system

Commando Toolkit lets you build:

- ♦ Voice Messaging ♦ Telemarketing
- ♦ Fax Mail ♦ Audiotex
- ♦ Call/Order Processing
- ♦ Call Distribution
- ♦ Fax-on-Demand

Plus full tech support to shelter you from routine hail!

Voice Ranger Hardware\$599

Commando Toolkit\$169

Special price for first-time buyers!

Compete Package\$525

Save over 30% on Voice Ranger and Commando

Call 800-955-4884 for sales and information

FAX 510-522-5556 ♦ For a demonstration call 510-522-3800


TALKING TECHNOLOGY, INC.
1122 Alameda Avenue, Alameda, California, 94501

Circle 249 on Inquiry Card.

JMP® Statistical Discovery Software

"JMP, from the SAS Institute, is the most surprising Mac product in years...with the most helpful

Mac interface of all the statistics programs and one of the best interfaces ever produced for scientific software. It's nothing less than dazzling."



MACWORLD

Call today for a free demo disk and Points of Interest from the leading name in data analysis software...SAS Institute Inc.
919-677-8000. Fax 919-677-8166.

JMP is a registered trademark of SAS Institute Inc.
Copyright © 1992



Circle 247 on Inquiry Card.


LOST FOR THE WRITE WORD? Get it right with COLLINS ON-LINE

French, German, Spanish & Italian bilingual dictionaries for your PC.

FEATURES INCLUDE:

- **DOS & Windows** - two new versions in one box allows use with more word processors.
- **40,000 references** - over 70,000 translations.
- **Look-up** - enables you to find words in the dictionary, choose the appropriate translations and paste them into your document quickly and easily.
- **Annotate** - allows you to create your own specialized glossaries for use with Collins' world renowned bilingual dictionaries.
- **Screen-read** - reads words in your document automatically for quick and accurate translation (DOS version only).

PRICE £59 (Additional dictionaries £29)



HarperCollinsPublishers

14 Steep Lane, Findon, Worthing, West Sussex BN14 0UF United Kingdom

Tel +44 (0)903 873 555 • Fax +44 (0)903 873 633

Circle 263 on Inquiry Card.

TCP/IP

- Windows Developer's Kit
- Binary TCP/IP Transport
- PDS for DOS
- Windows Sockets API

Development Components

winsock.dll is a dynamic link library (DLL) which allows windows applications to dynamically bind for TCP/IP services. The winsock.h, .lib, .def files are also provided for the C/C++ developer.

/build contains the source and executables for Windows Sockets finger client. This is useful for testing winsock, configuring the build environment, and as an example of both message-based and synchronous Windows Sockets programming.

winsock.HLP provides on line help for Windows Sockets version 1.1.

For More Information Call

1 (800) 541-9508

(805) 484-2128 • Fax (805) 484-3929



Circle 258 on Inquiry Card.

THE BUYER'S MART

A DIRECTORY OF PRODUCTS AND SERVICES

THE BUYER'S MART is a unique classified section organized by product category to help readers locate suppliers. Each ad has Inquiry numbers to aid readers requesting information from advertisers.

AD FORMAT: Each ad will be designed and typeset by BYTE. Do NOT send logos or camera-ready artwork. Advertisers should furnish typewritten copy. 2"x1 1/2" ads can include headline (23 characters maximum), descriptive text (300 characters is the maximum recommended) plus company name, address, tele-

phone and fax number. 2"x2 1/2" ad has more space for descriptive text (850 characters is the maximum recommended).

DEADLINE: Ad copy is due approximately 2 months prior to issue date. For example: November issue closes on September 8. Send your copy and payment to: THE BUYER'S MART, BYTE Magazine, 1 Phoenix Mill Lane, Peterborough, NH 03458. For more information call: Margot Gnade at 603-924-2656. FAX: 603-924-2683.

RATES (Jan. 1993)

	3-5 issues	6-11 issues	12 issues	13 issues
2"x1 1/2"				
1 ad	\$663	\$636	\$557	\$530
2 ads/issue	-	-	530	504
3 ads/issue	-	-	504	477
2"x2 1/2"				
1 ad	\$1,326	\$1,272	\$1,114	\$1,060
2 ads/issue	-	-	1,060	1,008
3 ads/issue	-	-	1,008	954

ACCESSORIES

RADIOACTIVE?

Plot it on your PC with The RM-60 RADIATION MONITOR. Serial or printer port. Detects: ALPHA • BETA • GAMMA • X-RAY. MicroR, 1000 times the resolution of standard geiger counters. Excellent for tracking RADON GAS. Find sources. New: Version 3.1 + WINDOWS, Plot, Background, Cosmic Rays • Clouds • Foods. Call/Write for PC MAGAZINE review. • TSP • GM Tube. VISA/MC/EURO. Phone orders. Not satisfied? Full refund.

800-729-5397 or Tel/Fax: (302) 655-3800
Aware Electronics Corp.
 P.O. Box 4299, Wilmington, DE 19807 **\$149.50**

AUTO FILE PROTECTION

Protect Your Secret Files!

Automatic encrypt/decrypt • copy/protect data on hard disk and floppy, you set file types and drives. Fast, secure and totally transparent to you and your software. 3 levels to control who may access what data. Easy recovery if you forget login passwords. Works seamlessly with programs under MS-DOS and Windows. Limited time! Chk/MO \$49 (IL+8.75%) + \$3 s&h, COD + \$5.

APTON Corporation

P.O. Box 34620, Chicago, IL 60634

Tel: 312-777-0282

Fax: 312-777-2075

Inquiry 654.

BAR CODE

Labeling Software

On EPSON, IBM, OKI, or LaserJet. Easy WYSIWYG design. Any format/size. Up to 120 fields per label. 18 text sizes to 3" -readable at 100'. AIAG, KMart, Sears, MIL-STD, Pennneys, 2of5, 128, UPC/EAN, Code 39. File Input & Scanned PCX graphics - \$279. Other programs from \$129.

Worthington Data Solutions

(408) 458-9938

800-345-4220

BAR CODE

KEYBOARD, VIDEO, MOUSE, AUDIO

Extend signals from PC with **EXTENDER**. Split signals with **COMPANION/PC EXPANDER**. Switch signals among PCs with **COMMANDER**. Boosts signals up to 600 feet. Control up to 96 PCs with one keyboard, monitor and mouse.

CYBEX CORPORATION

4912 Research Dr., Huntsville, AL 35805

Phone: 205-430-4000 Fax: 205-430-4030

Inquiry 651.

VGA Splitters

- Connect 2, 4, or more monitors to your computer
- Bright and crisp presentation simultaneously on all monitors - Guaranteed
- Works with all VGA, SVGA, and RGB monitors
- Small durable metal case. **MADE IN USA**
- Extension cables available

H&R TECHNOLOGY

Santa Ana, CA (714) 641-6607

800-959-6439

Inquiry 652.

ARTIFICIAL INTELLIGENCE

PRIZE WINNING PC SOFTWARE!

1. EASY NEURAL NETWORKS
Easiest way to learn about this fascinating new technique - only \$59

2. PC THERAPIST IV - animated talking head talks thru your PC Speaker! First software to pass a limited Turing Test of conversational ability at The Boston Computer Museum - \$59

BOTH \$99 + includes 3 BIG Catalogs & FREE TALKING EXPERT SYSTEM DEMO! (Specify disk size or we send 3.25)

THINKING SOFTWARE, INC.

The AI Source

46-16 65th Place, Woodside, N.Y. 11377

Inquiry 653.

Portable Reader

- * AA Battery Operated, 64K or 256K
- * Option to prompt Operator with your pre-recorded voice prompts and error messages.
- * 4x20 Supertwist LCD Display, 36 Rubber Keys
- * Real-time Clock Built-In for Date/Time Stamps
- * 2 Built-In Inventory Programs
- * 3 User Defined Programs, & 3 User Data Files
- * Wand, CCD, or Laser Scanner Input
- * Doubles as Non-Portable Reader
- * Serial Interface and Keyboard Interface
- * Reads 2of5, UPC/EAN, 128, Code 39, etc.
- * Uploads with furnished Programs or Xmodem
- * 2 year Warranty on Reader & Wand
- * 30 Day Money Back Guarantee
- * 64K Complete with Steel Wand - \$799
- * New Smaller Size - weighs only 12.5 oz

Worthington Data Solutions

3004 Mission Street, Santa Cruz, CA 95060

408-458-9938 FAX 408-458-9954 **800-345-4220**

Bar Code Printer & Software

Allegro Thermal Transfer Printer-2" per sec speed. Up to 4" label width-Only 20 lbs. weight-Prints UPC/EAN, 2of5, UCC-128, Code 39, 128 - Prints scalable text and PCX graphics with bar codes - Packaged with LabelRIGHT Software, serial cable, ribbon and labels-Complete-\$1895

Worthington Data Solutions

(408) 458-9938

(800) 345-4220

YOUR SALES MESSAGE

about the special computer product or service that you provide belongs in print

THE BUYER'S MART

can help you reach computer professionals and produce valuable inquiries for your company!

Call **Margot Gnade** for more information

603-924-2656

or

Fax: 603-924-2683

Inquiry 655.

Bar Code Readers

For PC, XT, AT, PS/2, Macintosh and Serial Terminals

- * Attaches as 2nd Keyboard or to any ADB port
- * Reads 2of5, 128, UPC/EAN, Code 39, etc.
- * External or Internal attachment on PC
- * Wand, CCD, Slot Badge, Magstripe or Laser
- * Two Scanners per Reader
- * 100+ Configurable Options
- * 2 Year Warranty, 30 Day \$ Back Guarantee
- * Direct From Manufacturer
- * Top Rated by Independent Review
- * Complete with Laser Scanner - \$1295
- * Complete with Stainless Steel Wand - \$399

Worthington Data Solutions

Swiss Office

Rütistrasse 6

CH 9050, Appenzell Switzerland

071 87 51 17 FAX

071 87 51 15 Phone

3004 Mission Street

Santa Cruz, CA 95060

408-458-9938

800-345-4220

Portable Bar Code Reader

- > Use as a PORTABLE, WEDGE, or SERIAL
- > 9V Battery Operation with Lithium Backup
- > 2x16 Supertwist LCD Display
- > 54 Key Keyboard with Separate Numeric Keys
- > Real-time Clock Supports Date & Time Stamps
- > Reads all Popular Bar Codes (16 types)
- > Wand, CCD, Laser, or Serial Input Devices
- > Built-In Program Generator
- > Create Your Own Custom Programs
- > 6 Built-In Inventory Programs
- > Up to 250 Programs Can Reside in Memory
- > Create up to 250 Data Files per Program
- > Up to 250 Look-Up Files in Memory
- > Built-In Calculator
- > Supports Hayes Compatible Modems
- > 64K Memory with Data Compression
- > 30-day \$\$ Back Guarantee - 1 Year Warranty
- > Complete Unit with WAND Scanner - \$795

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Euless, TX 76040

(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

BAR CODE

BAR CODE READERS

For PC, XT, AT, PS/2, & Serial Terminals

- Emulates Keyboard: Works With Any Software
- Data Appears as Keyboard Input
- Uses Enhanced Decoding Algorithms
- Accepts Wand, Slot/Badge, CCD, Laser, Magnetic Stripe Reader, & RS232 Serial Input
- Reads All Popular Bar Codes (16 types)
- Reads HIGH, MEDIUM, & LOW density codes
- Auto-Discriminates Between Bar Code Types
- Easily Programmed with a Bar Code Menu
- Over 140 User Configurable Options
- Daisy Chain Up to 96 Readers
- Supports NOVELL Networks
- Supports US & INTERNATIONAL Keyboards
- Direct From Manufacturer
- 30-day \$\$ Back Guarantee, 1 Year Warranty
- Complete Unit with LASER Scanner - \$1095
- Complete Unit with WAND Scanner - \$395

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Euless, TX 76040
(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

Bar Code Printing Software LabelWorks for Windows

- Prints all Popular Bar Code Types (19 Types)
- Desktop Publishing Features: WYSIWYG, Scalable Fonts, Rulers, Guides, Lines, Shapes, Page Zooms (25%-400%), Templates
- Rotates Text, Bar Codes, and Graphics
- Supports Windows Compatible Fonts
- Choose From Over One Hundred Popular Label Formats or Design Your Own
- Rich Text Support: Mix Styles, Types, & Sizes
- Automatically Prints Serial Numbers
- Imports & Exports Graphic Files: TIFF, GIFF, BMP, PCX, WPG, WMF, TARGA
- Supports Virtually all Windows Compatible Printers (PostScript, Laser, & Dot Matrix)
- 30-day Money-Back Guarantee, \$295

CALL FOR FREE DEMO SOFTWARE

AMERICAN MICROSYSTEMS

2190 Regal Parkway, Euless, TX 76040
(800) 648-4452 (817) 571-9015 FAX (817) 685-6232

CREATE BAR CODE SYSTEMS

Data Harvester Developer's Version can put handheld portable bar code data collection in your application. Generate system to scan, validate entries (lengths, types, etc.) and communicate data to PC. Format data for your software. Easy to use. No programming. Supports many portable terminals. DOS & UNIX.

AccuScan, Inc.

PO Box 80037, Conyers, GA 30208
(404) 922-1220

Inquiry 656.

BAR CODE DISCOUNT WAREHOUSE

will not be undersold! Your source for all your bar code needs. Laser and CCD scanners, mag stripe and wedge readers, bar code printers and software. We offer major brands at the best prices.

1-800-888-BCDW

Bar Code Discount Warehouse

14761 Pearl Rd #257, Strongsville, OH 44136
Tel: (216) 273-4746 Fax (216) 273-4623

Inquiry 657.

BAR CODE

BEST BAR CODE VALUES

- PC/MAC/RS232 Wedges w/wand & print. utility \$249+
- Portables w/wand (64k+) \$750+
- Mag Stripe Encoder/Reader (1, 2 or 3 tracks) \$1095+
- Mag Stripe Readers (TTL, wedge, RS232) \$89+
- Bar Code Printing/Reading Software w/HP \$149+
- Lasers/CCDs/Badge Slot/POS Products • 1-5 YR WARRANTY
- Dist/Dealer Discounts • SPANISH Dept. avail.

BARCODE INTERNATIONAL SYSTEMS (BIS)

12140 Severn Way, Riverside, CA 92503
(800) 653-4252 • (909) 270-0016 • FAX (909) 270-0920

Inquiry 658.

NEED A ONE STOP SOURCE FOR YOUR BAR CODE SOLUTIONS?

NO PROBLEM! WE OFFER Quality • Performance • Value
A full line of READERS • PRINTERS • PORTABLES • BAR CODE READERS FOR NOTEBOOKS • HEWLETT-PACKARD SCANNERS • MAGNETIC STRIPE READERS. Our readers plug and play with your existing system without additional software. CALL ABOUT OUR 30 DAY GUARANTEE • TECHNICAL SUPPORT • OEM/VAR DISCOUNTS.

INTERNATIONAL TECHNOLOGIES & SYSTEMS

Eastern USA (800) 826-1688 804-272-0138 Intl.
Western USA (800) 228-9487 804-272-8357 Fax

Inquiry 659.

PC BAR CODE SPECIALISTS

Bar code readers designed for fast, reliable, cost-effective data entry. They emulate your keyboard, so data looks just like it was typed in! Choose from stainless steel wand, laser gun, CCD, and magnetic stripe scanners. Also, powerful label printing software. Great warranty. Generous reseller discounts. 30-DAY MONEY-BACK GUARANTEE.

Seagull Scientific Systems

15127 N.E. 24th, Suite 333, Redmond, WA 98052
1-800-758-2001 206-451-8966

DATA INPUT DEVICES

Bar Code, Magnetic Stripe Readers for microcomputers & terminals, including IBM PS/2 & others, DEC, Macintosh, AT&T, CT, Wyse, Wang. All readers connect on the keyboard cable & are transparent to all software. UPC & 39 print programs, magnetic encoders, & portable readers are also available.

TPS Electronics

4047 Transport, Palo Alto, CA 94303
415-856-6833 AppleLink: BARCODE
1-800-526-5920 FAX: 415-856-3843

Inquiry 660.

VARIANT MICROSYSTEMS

BAR CODE READERS DELIVER

- WAND/LASER/MAGNETIC CARD CONNECTIVITY
- Keyboard wedges (Internal/External) for IBM PC/XT/AT, PS/2, and portables
- RS232 wedges for WYSE, Link, Kimtron terminals
- Bar code and label printing software
- Full two-year warranty
- 30-Day Money-Back Guarantee
- Extensive VAR/Dealer Discounts

46560 Fremont Blvd., Suite 105/Fremont, CA 94538/(510) 440-2870
800-666-4BAR FAX: (510) 440-2873

Inquiry 661.

BUSINESS SOFTWARE

RESURRECT AGENDA!!

"The first do what I mean time and information planner"
President's Planner is a Newton-like, AI-based expert system that uses Agenda's resources to finally deliver on the original promise. "If you do use Agenda, you'll want President Planner...a big Chaos Manor Orchid", J. Pournelle, BYTE April 1993

Phase III Computing Inc.

88 Bloor St., E., Ste. 3009, Toronto, Ont. M4W 3G9
Tel: 800-388-9728/416-925-8760/Fax: 920-9242

Inquiry 662.

C++ & DATABASE

C++ Libraries to access and fax to/from your database:

SyPLUS & OraPLUS C++ Libraries for Sybase & Oracle	\$189.00
SyPLUS & OraPLUS w/source code	\$589.00
Sy FAX & OraFAX C++ Libraries for Sybase & Oracle	\$129.00
Sy FAX & OraFAX w/source code	\$529.00

Other C++ Products:
In-depth C++ video course; DOS/UNIX examples, support
The C++ TOOLBOX, MSWin, DOS Libraries \$89.00
The C++ TOOLBOX w/source code \$289.00

Universal Information Systems (UniInfo)

(800) 793-7491

18 Liberty Avenue, Jersey City, NJ 07306

Inquiry 663.

CAD

ELECTRONICS CAD

Schematic Capture & PCB CAD

Analogue Simulation, Digital Simulation, etc.

Prices from \$195. Credit cards welcome.

For brochure use Inquiry # or contact us at:

NUMBER ONE SYSTEMS

Harding Way, ST. IVES, Cambs, UK, PE17 4WR

Tel: 011-44-480-461778 Fax: 011-44-480-494042

Inquiry 664.

CAD/CAM

CONTOURING MOTION CONTROL

FROM A PRINTER PORT!

Indexer LPT™ software

NEW VERSION 3 \$249 VISA/MC

- Controls up to six step motors simultaneously.
- Linear and Circular Interpolation.
- New features to accommodate machine control.
- Easy-to-use DOS device driver. Super Manual.
- CAD-CAM interface available.

Ability Systems

Corporation, 1422 Arnold Ave.
Roslyn, PA 19001 (215) 657-4338
FAX: (215) 657-7815

Inquiry 665.

Parametric MultiSurf Surface Modeler

Object oriented, PC-based. Complex models with accurate surface-surface joins. 16 surface types, including lofted, developable, blended, foil, NURBS. 2-D and 3-D DXF output. \$1,975.

AeroHydro, Inc.

PO Box 684, Southwest Harbor, ME 04679 USA
207-244-7347 FAX: 207-244-7249

Inquiry 666.

CNC Bench Top Mill - \$2,500

The BOBCAD 3D M-1000 is perfect for small parts manufacturing, prototyping, jewelry making and learning CNC. Runs from a PC!
X-axis Travel 9" Spindle Speed Range 200-2000 RPM
Y-axis Travel 3" Step Motors (3) 83 Oz in ea.
Z-axis Travel 6.5" Bi-Level Driver Pack 3 Amps/phase
Add BOBCAD-CAM software and turn a CAD drawing into a live part! Works with LPT indexer and all other G-Code controllers. Powerful CAD program is also Autocad compatible and the CAM program generates NC code automatically. Used in thousands of machine shops worldwide - \$995

BOBCAD - CONTROLS

310 397-6262 FAX 310 397-6676

Inquiry 667.

CAD/G.I.S.

Digital Quad Maps

Local Street Maps, State Maps, and World Maps in DXF, PCX, PICT, PIC or TIF Formats. Gigabytes of Map data available.

Micro Map & CAD™

(303) 988-4940

Inquiry 668.

THE BUYER'S MART

CAE

EZ-ROUTE Pro - \$995 EZ-ROUTE Std - \$249

Available for DOS, WINDOWS, & SUN.
• 18,000+ Parts Library • Design Rule Checker • 256 board layers
• A through E sheet sizes • SMD on both sides of board
• Netlist output comparable to: Futurinet, PCAD, EDIF
• Output to penplotter, Gerber photoplotter & dot-matrix printer
For a FREE Evaluation call: 1-800-972-3733

ams

ADVANCED MICROCOMPUTER SYSTEMS, INC.
1460 S.W. 3rd St., Suite B-8
Pompano Beach, FL 33069
(305) 784-0900 • FAX (305) 784-0904

Inquiry 669.

CD-ROM

TOSHIBA XM3401B & TBM3401E
TELEX DM-3024 AND DM-5024
SCSI INTERFACE: TRANTOR T130
MEDIA VISION PRO 16

WIDE SELECTION OF CD-ROM TITLES CD-ROM CADDIES AND ACCESSORIES Computers at Large

Saratoga, CA
Dedicated to CD-ROM technology.
PLEASE CALL FOR OUR PRICE LIST

800-642-4194 • 408-255-1081
Fax 408-255-2388 VISA & MasterCard accepted

Inquiry 670.

CD ROM PARADISE COLLECTION

Best Shareware/PD 3600+ files, 520+ megs. Aug 1993. English & Italian descriptions, powerful search & retrieval program, BBS Ready. MS-DOS Windows OS/2 LINUX. We ship worldwide. MC/VISA/EURO. Please state birthdate in credit card orders. Dealers enquiries welcome.

29.95 USD + S&H (Italy L. 58000+ IVA + S&H)
CD ROM PARADISE SRL
P.O. Box 10177, 20100 Milano, Italy
Phone/FAX +39-2-70603189

Inquiry 671.

FREE CD-ROM DISCOUNT CATALOG!

Hundreds of discounted CD-ROM titles, from \$8 up.

Call or write for your free catalog.

Ellis Enterprises, Inc.

4205 McAuley #385, Oklahoma City, OK 73120

1-800-729-9500

Inquiry 672.

MULTI-PLATFORM CD-ROMs

GRAPHICS-1: PD & Shareware w/source & data.....\$24.95
AUDIO-1: PD & Shareware w/source & data.....\$24.95
MULTIMEDIA-1: PD & Shareware w/source & media.....\$49.95
LANGUAGE/DS: PD & Shareware w/source & docs.....\$39.95
MEGAMEDIA-1: 24bit JPEG Images & Textures.....\$34.95

KNOWLEDGE MEDIA

436 Nunneley Rd., Ste B, Paradise, CA 95969
(800) 78-CD-ROM : (916) 872-3826 Voice & FAX

Inquiry 673.

OPTI-CDcache™

Improve CD-ROM workstation performance!
Only \$89!

OPTI-CDcache™ takes advantage of Extended Memory (XMS) to cache CD-ROM data. Retrieve data from a high speed cache instead of directly from the CD-ROM drive and significantly improve your CD-ROM workstation performance!
Ask for our free catalog of exciting CD-ROM products including the market-leading OPTI-NET™ CD-ROM networking software!

ONLINE COMPUTER SYSTEMS, INC.

A member of the Reed Elsevier group.
FlashFAX Info Hotline 301-601-2120
301-428-3700 or FAX us at 301-428-3700.

Inquiry 674.

CD-ROM

CD-ROM CONVERSIONS

Create your own CD-ROM by converting archival or back-up data to CD-ROM. Customized CD-ROM production available from virtually any archival data, disk or tape format. Search/Retrieval Engine development offered. Call for info.

Pivar Computing Services, Inc.

165 Arlington Hts. Rd. #B, Buffalo Grove, IL 60089
(800) CONVERT (708) 459-6010

CD ROMS - Your Gateway to the Data Highway

CICA MS Windows Shareware, 640 Meg, thousands of new programs, BBS ready, made April 93.....\$24.95

Simtel MSDOS Shareware CDROM, 640 Meg, BBS ready, huge selection of software, made April 93.....\$24.95

Hobbes OS/2 Shareware CDROM, 560 Meg, June 93.....\$24.95

Source Code CDROM. Full source, mostly C, over 15,000 programs. Over 600 Meg.....\$39.95

X11/GNU CDROM. Full source to X11 and all the GNU programs. ANSI C/C++ compiler, ghostscript, etc.....\$39.95

C Users Group Library CD-ROM. Up through vol. 364.....\$49.95

CDROM Caddies.....\$4.95

Full Money-Back Guarantee

WALNUT CREEK CDROM

4041 Pike Lane, Ste D-219, Concord, CA 94520
orders@cdrom.com (800) 786 9907
+1-510-674-0783 Fax: +1-510-674-0821

Inquiry 675.

COMMUNICATIONS

PC VOICE MAIL KIT \$1795

• Voice Processing on your PC • Software and 4 line board included • Order Taking • AUDIOTEX • Voice Messaging • Never miss another call! • HUNDREDS OF USES • Don't pay \$1,000s CALL TODAY FOR Free DETAILS • 2 yr warranty

Amerifax Services Corp.

572 W. Market St. #5, Akron, OH 44303
(216) 253-8787 • (216) 762-6050 Demo

Inquiry 676.

EASY EDI!

EDI to FAX, E-Mail
X.400 & Hardcopy

Send or receive EDI transactions translated into human readable documents & delivered as Fax, E-Mail and X.400 messages.

Complete EDI services

EMS

800 521-1129

Inquiry 677.

X.25, HDLC, SDLC, BSC

SDLA card and software provides 'plug-in' synchronous link support for PCs which is inexpensive, easy to use and robust.

♦ Up to 180kbps under any PC operating system
♦ Extensive utilities plus third party support under DOS, Unix, OS/2, Windows
♦ CCITT 1988 X.25, many variations of SDLC and HDLC and V.25 bis. dial supported
♦ Full function SNA emulation packages also available

Sangoma Technologies Inc.

Tel. (416) 474-1990 1-800-388-2475
Fax (416) 474-9223

Inquiry 678.

COMMUNICATIONS

SHARE YOUR MODEMS FOR \$149

using **Connection Manager Lite**. Full featured, non-dedicated modem server for IPX or NetBIOS networks. 30 day money back guarantee. Data rates to 155,200 bps using standard serial ports or multiport boards. Supports NASI and Interrupt 14 interface. You can download a free 30 day trial copy from our BBS.

SOFTWAREHOUSE CORPORATION

326 State Street, Los Altos, CA 94022
(415) 949 0203 FAX (415) 949 0208 BBS (415) 949 0207

Inquiry 679.

COMPUTER BOOKS

COMPUTER BOOKS at a discount

Our free catalog lists books from over 100 publishers. 15% discount. Personal, technical service. Networks, Windows, C++, CDROM, UNIX, CICS, OOP, Internet, Macintosh, hw architecture, TCP/IP, Novell, Pentium, CompuServe 70007.1333 from Internet, Nifty-Serve.MC, VISA, AMEX, DISC, JCB cards. Worldwide shipping.

CompuBooks

Rt. 1, Box 271-D 512-321-9652
Cedar Creek, TX 78612 Fax 512-321-4525
800-880-6818

Inquiry 680.

COMPUTER INSURANCE

INSURES YOUR COMPUTER

SAFEWARE Computerowner's coverage provides replacement of hardware, media and purchased software. As little as \$49 a year covers accidents, theft, power surges and more. One call does it all.

1-800-800-1492

SAFEWARE, The Insurance Agency Inc.

PO Box 02211, 2929 N. High St., Columbus, OH 43202
Now available in Ontario!!!

Inquiry 681.

COMPUTER JEWELRY

14 KT GOLD COMPUTERS.

Affordable 14 kt gold computer jewelry with micro-chip diamond inlay. Four exciting designs to choose from. Perfect for the computer junkie in you, or as a gift for one that you know. It's hardware with a flare.

Call 1-800-FUN-JEWEL for our free brochure.

COMjewel™ Inc

Call 1-800-386-5395 or 1-800-FUN-JEWEL

Inquiry 682.

COMPUTER SYSTEMS

LOW-LOW-LOW

Computer Systems/Notebooks/Network Solutions

IBM-Apple-Compaq-AST-ALR-Everex-&others
SURAH 386/486 ISA/EISA-AMI/Mylex Motherboards
• CD ROMS • Tape Backup • Pocket FAX Modem LAN Cards • Hard Drives/Floppy Drives • Memory/upgrades
• DRAMS, SIMM Modules • Laser Printers/Scanners
• Plotters & Digitizers • Software

44912 Dogood Road, Fremont CA 94539 USA

Phone: (510) 651-5101 Fax: (510) 651-5241

SURAH Inc.

1-800-543-1001 Nationwide Orders

Inquiry 683.

CROSS ASSEMBLERS

**Cross Assemblers
Simulators
Disassemblers**

**New
Advanced
Release!**

PseudoCorp

716 Thimble Shoals Blvd. Newport News, VA 23606

(804) 873-1947 Fax (804) 873-2154

BBS (804) 873-4838

Inquiry 684.

DATA RECOVERY

Data Recovery & Repair

- High Success Rate/Fast Turnaround
- 24 Hour Service Available
- Lowest Prices on Disk Drive Repair
- Clean Room

We Repair MF/M/RL/SCSI/ESDI/IDE

AA Computech, Inc.

28210 Avenue Crocker #306, Valencia, CA 91355
(800) 360-6801 (805) 257-6801

Inquiry 685.

Ontrack DATA RECOVERY

• Professional service recommended by major hard drive manufacturers • Expertise in virtually every operating system & media storage device • 24-hour support with weekend, priority, & on-site service available • For fast, successful results, call:

MN: 1-800-872-2599 • CA: 1-800-752-7557

UK: 44-81-974-5522 • GERMANY: 0130-815-198

Corp. Headquarters: 6321 Bury Drive, Eden Prairie MN 55346

Inquiry 686.

DATA/DISK CONVERSION

THE #1 CHOICE in disk & tape conversion

for many leading corporations, government agencies, law firms, and companies in every industry—world-wide.

Free test • Satisfaction guaranteed

Graphics Unlimited Inc.

3000 Second St. North, Minneapolis, MN 55411

(612) 588-7571 FAX: (612) 588-8783

1-800-745-7571

Inquiry 687.

CONVERSION SERVICES

Convert any 9-track magnetic tape to or from over 5000 formats including 3 1/2", 5 1/4", 8" disk formats & word processors. Disk-to-disk conversions also available. Introducing CD-ROM conversions. Call for more info.

Pivar Computing Services, Inc.

165 Arlington Hgts. Rd., Dept. #B
Buffalo Grove, IL 60089 (800) Convert

EDUCATION

B.S. & M.S. in COMPUTER SCIENCE

The American Institute for Computer Sciences offers an in-depth home study program to earn your Bachelor of Science and Master of Science degrees in Computer Science at home. B.S. subjects covered are: MS/DOS, BASIC, PASCAL, C, File Processing, Data Structures & Operating systems. M.S. program includes subjects in Software Engineering and Artificial Intelligence.

AMERICAN INST. for COMPUTER SCIENCES

2101-BY Magnolia Ave. South, Ste. 200, Birmingham, AL 35205

800-767-2427 205-323-6191

FLOW CHARTS

WINDOWS FLOWCHARTER \$129

RFFlow 2.0 is a professional drawing tool for flowcharts & org. charts. Requires Microsoft Windows. 100 shapes auto adjust in size. Diagonal lines and curves. Auto line routing and re-routing. Click on a shape to bring up a sub-chart. Move charts to other apps. via the Clipboard. Call for free trial disk.

RFF ELECTRONICS

1053 Banyan Court, Loveland, CO 80538

Phone: (303) 663-5767 FAX: (303) 669-4889

HARDWARE

Pre-Owned Electronics, Inc.™

THE Independent Provider, serving the Dealer, Professional, Corporate, Government, and Educational Buyer since 1985

APPLE II® & MACINTOSH® SYSTEMS • PARTS • EXCHANGE REPAIRS

Call for a Catalog... 800-274-5343

INT'L: 617-275-4600 • FAX: 617-275-4848

205 BURLINGTON ROAD • BEDFORD, MA 01730

Inquiry 688.

HEWLETT-PACKARD

Buy - Sell - Trade

LaserJet	ColorPro
DeskJet	DraftPro
RuggedWriter	DraftMaster
Electrostatic Plotters	DesignJet

HP 9000 Workstations and Vectras also available.

Ted Dasher & Associates

4117 Second Ave. S. Birmingham, AL 35222

Phone: (205) 591-4747 Fax: (205) 591-1108

(800) 638-4833

Inquiry 689.

HARDWARE/COMPUTERS

NEW! 20MHz 16-bit FORTH Single Board Controller with 8ch 10-bit A/D, 3ch 8-bit D/A

TD5020 FORTH CONTROLLER AND DATA-LOGGER-4"x3" board uses Hitachi 16-bit H8/532 CMOS μ P. Screens along at 3MIPS, but runs on only 30ma. On-board high-level easy FORTH language and assembler—no need for in-circuit emulation! Up to 512K NVRAM, 45K PROM. Attach keyboard, I/O, 1°C peripherals. Interrupts, multi-tasking, watchdog timer, editor, 3.3 I/O, 2xRS-232, 6-16V 300uA data-logging! Free ready-made software solutions. Program with PC. Use for machine control, data-logging, inspection, robotics, remote monitoring, etc. \$299 (25%). STARTER PACK \$499.

CALL NOW FOR DETAILS!
Saelig Company
European Technology

Sale-or-return
tel: (716) 425-3753
fax: (716) 425-3835

Inquiry 690.

HARDWARE/EMBEDDED

SC/FOX™ EMBEDDED COMPUTERS

PC Parallel Coprocessor Plug-in Boards: 15 MIPS avg 50 MIPS burst, using the SC32 32-bit CPU or the 16-bit Harris RTX 2000™.

VME Master/Slave System Controller SBC: 18 MIPS avg 70 MIPS burst, uses RTX 2000 cpu, SCSI, 2 ser, 1 p/r ports, to 640K bytes.

Stand-Alone Single Board Computers: 18 MIPS avg 60 MIPS burst, 3U or 100x100mm Eurocard-size using either SC32 or RTX 2000.

Ideal for embedded real-time control, data acquisition, robotics, and signal processing, OEM software development system included.

SILICON COMPOSERS INC. (415) 961-8778

655 West Evelyn Ave. #7, Mt. View, CA 94041

Inquiry 691.

LANS

The \$25 Network

Try the 1st truly low-cost LAN

- Connect 2 or 3 XT's, AT's, 386's, 486's
- Uses serial ports and null modem cable
- Runs at 115K baud - approx 8500 bytes/sec
- Runs in background, totally transparent
- Share disks and printers, etc.
- Needs only 15K of RAM

Little Big LAN

The most flexible network

- Peer to Peer LAN to 250 nodes
- \$75 total software cost, not per node!
- Link via serial, parallel, or Arcnet
- Link via Ethernet or Modems soon
- Mixed mode routing
- Typically only 35K of RAM

Skeptical? We make believers!

Information Modes

P.O. Drawer F, Denton, TX 76202

Tech 817-387-3339 Orders 800-628-7992

Hours 1-5 Mon/Wed, 9-5 Tue/Thu/Fri CST

Inquiry 692.

LAPTOP PERIPHERALS

Toshiba Serial Cards

- D and E modem slots, DB9 or RJ11/12 connector, RS232C - \$199; RS422 - \$249. Options: C550 UART, MiniDIN
- A slot, DB9 with 2400 bps modem, RS232C - \$199; RS422 - \$249
- A slot, Dual RS232C - \$249
- A slot, SCSI host adapter - \$249
- Designed and made in USA!

Custom design capability. Also Auto adapters for various laptops, notebooks, and printers.

Empire Engineering

California USA

tel 805/543-2816

fax 805/543-2820

Inquiry 693.

LAW

KNOW YOUR COMPUTER RIGHTS!

Network of clear and simple recorded information on legal issues from government interference to copyright to contracts that every computer user, employee and entrepreneur must know.

CALL 1-900-PRO-BONO

(1-900-776-2666)

\$2/min. Average message 5 mins. Touch-Tone Phone.

Essential Information, Inc.

2 Horatio Street, New York, NY 10014

(212) 255-5473

Inquiry 694.

PRODUCT CATALOGS

FREE IBM DIRECT CATALOGS!

Here they are - the IBM® RISC System/6000®, Networking and PC Tools DIRECT catalogs! They are your guide for many of the most popular IBM hardware, software, education and services offerings for these environments. 800 IBM-CALL is your one-stop source for convenient ordering, technical advice and product literature. CALL TODAY to receive your copy of these exciting catalogs! Ask for extension 578.

IBM DIRECT P.O. Box 2150 Atlanta, GA 30301
800-IBM-CALL (426-2255) (FAX) 404-238-3442

Inquiry 695.

SECURITY

FIGHT PIRACY!

★ EVERLOCK 3.0 ★

SOFTWARE COPY PROTECTION

New Option Board Safe-New Remote Registration

New CPU LOCK-CD ROM LOCK and more

★ EVERKEY HARDWARE LOCKS ★

Az-Tech Software, Inc.

Call for a

FREE

Demo (800) 227-0644

201 East Franklin, Richmond, MO 64085

(816) 776-2700

FAX (816) 776-8398

Inquiry 696.

THE ULTIMATE SOFTWARE SECURITY

- STOPOCOPY family - UNCOPIABLE copy protection
- STOPVIEW software encryption
- NETLIMIT network license metering
- DOS, Windows, Macintosh, OS/2, support
- No source code changes required - for ANY of our products in ANY environment
- Our products destroy ALL of our competition
- Call for FREE demo disk, or to discuss our products' MANY options

BBI Computer Systems, Inc.

14105 Heritage Lane, Silver Spring, MD 20906

800/TRY-ABBI • 800/879-2224 • 301/871-1094 • FAX: 301/460-7545

Inquiry 697.

Cop's CopyLock II

The professional software protection with TRUE Machine Install. Option Board safe. OS/2, Networks, Windows, and Trace 3020.

LINK Computer

Int'l: +45 31232350

Fax: +45 31238448

US/CAN: 408-729-8162

FAX: 408-923-7061

SECURITY

KEY-LOK™ SECURITY

Piracy survival 11 years proves effectiveness of powerful multilayered security. Algorithmic response. Programmable memory. Economical. Transparent to PARALLEL/SERIAL port, Counters/Real-Time-Clock. Multi-product/feature licensing. DOS/UNIX. Also, access control system and diskette drive locks.

MICROCOMPUTER APPLICATIONS

3167 E. Otero Circle, Littleton, CO 80122
(303) 770-1917 FAX: (303) 770-1863

Inquiry 698.

SERVER MIRRORING

No★Stop Network

The software solution to provide full Level 3 Fault Tolerance for PC LANs.

- Server Mirroring
- Uninterrupted Processing
- Continuous Backup
- Any Network Operating System or Server environment.

Nonstop Networks Limited, NY, NY
212-481-8488, Fax 779-2956

Inquiry 699.

SOFTWARE

SOFTWARE EN ESPAÑOL!!!

"The ONLY International Guide to software in Spanish for all computers. 274 pages, 331 companies, 15 countries, 1,000+ programs for banking, translation, educational, accounting, hospitals, and more... with description, price, requirements.

Price: \$28.50/USA, \$31/ALL OTHERS.

Visa/MC/AmEx/Checks

AUTOMATION INTERNATIONAL

2785 P.C. Hwy. E-185, Torrance, CA 90505
Tel (310) 832-3631 - Fax (310) 833-0235

Inquiry 700.

SOFTWARE/ACCOUNTING

dBASE BUSINESS TOOLS

- GENERAL LEDGER
- ORDER ENTRY
- JOB COSTING
- BILL OF MATLS
- PAYROLL
- PURCH ORDIN/VNTORY
- ACCOUNTS REC/VABLE
- JOB ESTIMATING
- SALES ANALYSIS
- ACCOUNTS PAYABLE

\$99/\$198 ea. + S&H

DATAMAR SYSTEMS Cred. Card-Check-COD

6969-D Corte Santa Fe, San Diego, CA 92121
(619) 452-0044 (800) 223-9963

Inquiry 701.

SOFTWARE/EDUCATIONAL

Learn fast and forget about forgetting
Sensational, award-winning, speed-learning software

SuperMemo

for Windows, DOS and Amiga.

Use it to learn languages, computer science, business, medicine or any other domain of your choice. Once you try it, you will change your learning habits for ever. This originally Polish method of learning is based on 10 years of breakthrough research on memory and learning.

SuperMemo World, Poland

tel: (48) 61 203157, fax: (48) 61 793435

Australia	tel: (61) 2 964 9618,	fax: (61) 2 964 9617
Benelux	tel: (32) 9 371 9888,	fax: (32) 9 371 8561
Germany	tel: (49) 2304 81854,	fax: (49) 2304 83271
Sweden	tel: (46) 8 60001 47,	fax: (46) 8 6000146
UK	tel: (44) 438 745300,	fax: (44) 438 740730
USA	tel: (1) 302 738 8248,	fax: (1) 302 738 8248

R&D contact by e-mail: (America) jam@brahms.udel.edu,
(rest of world) jam@uampl11.bitnet.

DISTRIBUTORS WANTED!

Inquiry 702.

SOFTWARE/ENGINEERING

Circuit Simulation

Electrical Engineers!

Now you can run Analog/Mixed Signal Simulations on your PC or Mac with the

Affordable and Powerful

ICAP/4 Simulation System

includes:

- New ISPEICE3; SPICE 3F.2 Simulator
- Integrated Schematic Entry
- Model Libraries, more than 3000 Parts
- Waveform Graphics and Analysis

Full SPICE programs starting at \$95. Complete systems with schematic, ISPEICE3 simulation, models and waveform graphics only \$1725.

Call or Fax for your Free Demo and information kit.

P.O. Box 710, San Pedro, CA 90733-0710

Tel (310) 833-0710

FAX (310) 833-9658

intusoft

Inquiry 703.

PC BASED DEVELOPMENT TOOLS

We offer low-cost efficient CROSS ASSEMBLERS and a superb line of SIMULATOR-DEBUGGERS with full built-in DISASSEMBLERS for Intel's MCS-48, 51, 85 and 96, and for the Z80 families of embedded controllers. Our new simulators for the 80C196KB and 80C196KC are unique in the market, and have been received with rave reviews. The price of our software includes unlimited free upgrade privileges!

Lear Com Company

2440 Kipling St., Ste. 206, Lakewood, CO 80215
(303) 232-2226 FAX (303) 232-8721

Inquiry 704.

SpiceAge*4W

Windows Analog Circuit Simulator

The following and MORE are included:

- AC, DC, Transient, Fourier, Temperature analysis • Fully expandable library • Analog & digital components
- Transmission line primitive • Real signal node name
- Graphical real time • Group delay • Component sweeping
- Concurrent analysis • Plot X-Y loci

Tatum Labs, Inc.

1287 N. Silo Ridge, Ann Arbor, MI 48108
313-663-8810

Inquiry 705.

SOFTWARE/GRAPHICS

3D Graphics Dynamic Link Library

★ Add professional 3D graphics to your Windows program ★

- Wireframe, Flat, Phong and Gouraud shading
- Unlimited number of colored Point, Direction and Spot lights
- Clipping Planes and Double-buffering
- Renders in any window or creates own windows
- Hierarchical object oriented data storage
- More than 300 functions callable from MSC and BC++
- 350 page manual

3D RenderLib for Windows \$298.00 (No runtime royalties)

3rd Floor Graphics Software

P.O. Box 4105, 9701 EC Groningen, The Netherlands
fax: (+31) (0)50 184190

Inquiry 706.

TIFF, PCX, TARGA, GIF, DIB, BMP, DCX, EPS, WMF, WPG, PICT, JPEG

AccuSoft Image Format Library 4.0

(new version)

"The most comprehensive raster support library on the market!" Import, export, convert, display, and print all above formats! Includes several sample programs with source code. Supports all languages. Format compatibility guaranteed! G3, G4, TIFF-F, multi-page images etc. Rotate, zoom, scale, color reduction, sharpen, special-effects etc. Versions for DOS, Windows, NT, Watcom, OS/2, and others

AccuSoft Corporation

160 E. Main St., P.O. Box 1261, Westboro, MA 01581
(800) 525-3577 (508) 898-2770 FAX (508) 898-9662

Inquiry 707.

SOFTWARE/GRAPHICS

"The Ultimate CAD/CAM/CAE Programming Engine"

Slash your development time, with your CAD programming companion, TG-Professional v4.0, the most complete C/C++ toolbox of 2D & 3D geometric routines available today! Over 800 routines including NURBS, DXF, Graphics, Surfacing, Hidden Line, Transforms, Perspectives, Polygon (Int/Union/Diff), Clipping, Tangents and more. Routines for drawing using BGI or MSC Graphics. Full source & 30 day guarantee. USA \$500.00. Use MSC, Borland C/C++, WATCOM C/386 or Metaware High C/C++. Call 1-800-635-7760 or Fax/Phone 214-423-7288 for free 30 page technical paper.

Disk Software Inc.

109 S. Murphy Rd., Plano, TX USA 75094

Inquiry 708.

SOFTWARE/GUI

GUI TOOLKIT ONLY \$249

Full source code included

TEGL Windows Toolkit lets you create DOS based GUI apps that are completely standalone. Over 500 functions. Menus, mouse & keyboard support, dialogues, and more. Includes TEGL graphics interface which has drivers for most popular video modes. Supports most C and Pascal compilers. Protected mode version is only \$499. No royalties.

TEGL Systems Corporation

P.O. Box 580, Stn. A, Vancouver B.C. V6C 2N2
(604) 669-2577 FAX (604) 688-9530

Inquiry 709.

SOFTWARE/MODELING

New from Probots, Inc.: Introducing GMS-

Easiest & most powerful modeling & simulation tool avail.

- systems specified by natural mathematical relationships (algebra, matrix, logic, differential, empirical, & heuristic)
- Ideal for business, engineering, biological, & social applications
- integrated editor, compiler, & graphical analysis
- support for automated design, optimization, & causal analysis

Full System \$495, Intro System \$195 (\$99 if ordered by 10/31)

Probots, Inc. 413-586-8929

80 Damon Road, Ste. 3307, Northampton, MA 01060

Inquiry 710.

SOFTWARE/SCIENTIFIC

Volume Visualization

VoxelBox is a volume renderer for Windows. Volume rendering is the most direct method of visualizing 3D data. VoxelBox is fast, powerful and easy to use. It features raytracing, color/alpha mapping, lighting, keyframe animation support and much more. Price \$495

Advanced Visual Systems

300 Fifth Ave., Waltham, MA 02154

(617) 890-4300 FAX (617) 890-8287

Inquiry 711.

VTX Scientific Desktop Publishing

- Equations • Tables • Graphics • Scalable Fonts • Supports most printers • WYSIWYG previewer • Foreign Languages • Special Symbols • Font Effects • Indices • Only \$299

"TeX of Tomorrow"-Notices of AMS, March 1991.

Call now for a FREE DEMO DISK

MicroPress, Inc.

68-30 Harrow Street, Forest Hills, NY

Tel (718) 575-1816 Fax (718) 575-8038

Inquiry 712.

MARKET TO EUROPE!

The BYTE EURODECK offers you a unique opportunity to sell your computer products to BYTE's 50,000 European Subscribers!

Call Jim for more info!

(603) 924-2533

Inquiry 713.

SOFTWARE/VOICE/FAX

MULTI-VOICE[®] TOOLS

Multi-Voice Tools is a complete development Toolkit for Pascal or "C" to access all the features for most speech processing boards available today. It helps you write MULTI-LINE VOICE APPLICATION systems in minutes. A number of programming examples are provided. All programs and libraries are delivered with source code.

Dialogic, Rhetorex, Pika, VBX: \$599, Watson (Single Line): \$99. ALSO AVAILABLE: Fax Programmer's Toolkit (\$199). Based on CAS specifications. Visa/MC accepted.

ITI Logiciel

4263 Cristophe-Colomb, Montreal, Quebec, Can. H2J 3G2
TEL (514) 597-1692 FAX (514) 526-2362

Write your own Voice Mail software
Create advanced, multi-line voice/fax mail systems with VOS[™], the Editors' Choice. Complete language for computer/telephone integration. Call for free booklet "Get Into Interactive Voice".

Parity Software

870 Market St. Ste 800, San Francisco, CA 94102
415-989-0330 (fax 415-989-0441)

SOFTWARE/PACKAGING

FREE SOFTWARE PACKAGING CATALOG

Everything you will need to Package, Distribute, and Ship Your Software! From manuals and binders to mailers and shippers

LABELS • LABELS • LABELS

For your diskettes, plain or custom printed dot matrix or laser printer... free samples

...FREE CATALOG...

Hice & Associates

8586 Monticello Dr., West Chester, OH 45069
Phone/Fax: 513-777-8586

Inquiry 714.

SOFTWARE/PACKAGING

STOCK PACKAGING

to help you
market your software
ask for catalog 93QS1

Call **708 390-7744**

or fax 708 390-9886

PolyQuick Co.

1243 Rand Road, Des Plaines, IL 60016

Inquiry 715.

STATISTICS

NCSS 5.x Series - \$125

Easy-to-use menus & spread sheet. Multiple regression. T-tests. ANOVA (up to 10 factors, rep. measures, covariance). Forecasting. Factor, cluster, & discriminant analysis. Nonparametrics. Cross Tabulation. Graphics: histograms, box, scatter, etc. Reads ASCII/Lotus. Many new add-on modules.

NCSS

329 North 1000 East, Kaysville, UT 84037

Phone: 801-546-0445 Fax: 801-546-3907

Inquiry 716.

UTILITIES

PEN PLOTTER EMULATOR

FPlot turns your printer into an HP pen plotter. Fast hi-res, no jagged lines. Vary line width, color. Screen preview - zoom, pan. Works with most CAD programs. Supports most printers. Requires DOS 2.1 or higher. \$119+\$3 S&H. VISA/MC/Chk/MO.

FPlot Corporation

24-16 Steinway St., Suite 605, Astoria, NY 11103
718-545-3505

Inquiry 717.

UTILITIES

BACKFLIP[™]

...a unique and easy-to-use system for
labelling, organizing and keeping track
of back-up data

All for **\$79 MC/VISA** To order call
(619) 431-5120 FAX (619) 931-6516

INTERNATIONAL FINANCIAL SYSTEMS (IFS) INC.
Suite 300, 2131 Palomar Airport Road, Carlsbad, CA 92009

Inquiry 718.

VOICE MAIL/FAX/MODEM

★ Have a NICETALK[™] to you ★

MODEM + FAX + VOICE MAIL Series from 2400 bps modem to data compression 57600bps fax/modem and voicemail...over 30 models...more than meets the eye - Amagic Technologies, Inc.
17742-B Mitchell ★ Irvine, CA 92714 ★ USA
Tel: 714-474-3978 Fax: 714-474-3979

Also welcome to request 3D Hologram
Information...from mfg to end products

Inquiry 719.

WINDOWS

FOREIGN LANGUAGES

Arabic, Hebrew, Russian, Chinese, Japanese, Indian, S.E. Asian - all the world's languages in Windows. Full support for mixing Arabic, Persian, Urdu, Hebrew + English. Chinese and Japanese type vertically/horizontally. Easy to use! From \$149.95. Call or write the WinLanguage[™] experts!

Gamma Productions, Inc.

Tel 310-394-8622 Fax 310-395-4214
710 Wilshire Blvd, #609, Santa Monica, CA 90401

Inquiry 720.

BYTE BACK ISSUES FOR SALE

	1990	1991	1992	1993
January				
February				
March				
April				
May				
June				
July				
August				
September				
October				
November				
December				
Special Issues	IBM	Outlook '92	Windows Portability	Windows '93 Buyer's Guide

Special Issues U.S. Delivery \$3.00 Foreign \$4.00
1991-92-93 U.S. Delivery \$6.00 Foreign \$8.00 Canada & Mexico \$6.50
All issues prior to 1991 U.S. Delivery \$3.00 Foreign \$4.00

The above prices include postage in the US. European customers please refer to Back Issue order form in the International Advertising section of the book

Please indicate which issues you would like by checking(✓) the boxes. Send requests with payment to:

BYTE Back Issues, One Phoenix Mill Lane, Peterborough, N.H. 03458, (603) 924-9281

☐ Check enclosed Charge: ☐ VISA ☐ MasterCard

Card # _____

Exp. Date _____

Signature _____

Name _____

Address _____

City _____

State _____ Zip _____

All orders must be prepaid. Please allow four weeks delivery

☐ Issues Available

YOUR DIRECT LINK

ADVERTISER CONTACT INFORMATION

To order products or request FREE information, call advertisers directly or send in the Direct Link Card by mail or fax. Let them know you saw it in BYTE.

Inquiry No.	Page No.	Phone No.	Inquiry No.	Page No.	Phone No.	Inquiry No.	Page No.	Phone No.
A			E			L		
61-62	ABACUS SOFTWARE	51 800-451-4319	225	DATAVISION	264	226-227	L A TRADE	260 800-433-3726
63	ACMA COMPUTERS INC (N.A.)	95 800-786-6888	568	DECUS	264PC 2	240	LAGUNA DATA SYSTEMS	273 800-938-TAPE
64	ADOBE SYSTEMS INC (N.A.)	130-131 800-833-6687	*	DELL COMPUTER CORP (N.A.)	CIII	110	LAHEY COMPUTER SYSTEMS	120 800-548-4778
65-66	ADVANCED LOGIC RESEARCH	183 714-581-6770	*	DELL COMPUTER CORP (N.A.)	CIV	141-142	LANDMARK RESEARCH INT'L CORP	93 800-683-6696
199	AETECH	264 619-431-7714	285	DESIGN TECHNOLOGY	102 619-448-2888	241	LAWSON LABS INC	270 800-321-5355
68	AITECH INTERNATIONAL	207 800-882-8184	565	DIALOGIC TELECOM EUROPE	48IS 32	273	LEAD TECHNOLOGIES	274 800-637-4699
67	ALADDIN KNOWLEDGE SYSTEMS	87 800-223-4277	278-279	DIALOGUE TECHNOLOGY	271 +886-2-9317814**	173-174	LEXMARK INTERNATIONAL, INC	101 800-777-4886
*	AMBRA COMPUTER CORP (N.A.)	88-88D 800-252-6272 ext. 279	168	DIGICOM INC	211 886-2-917-9099**	518	LIGATURE LTD	48IS 24
229	AMERICAN ADVANTECH	270 800-800-6889	169	DIGICOM INC	213 886-2-917-9099**	519	LOGIC PROGRAMMING ASSOC	48IS 30 +44-81-874-0449**
69	AMERICAN POWER CONVERSION	144 800-800-4APC DPT.A2	268-269	DISPLAY RESEARCH LAB	272 +852-877-8810**	222	LOGICAL CONNECTION	266 800-238-9415
533	ANTEX ELECTRONICS (INT'L)	239 310-532-3092	206-207	DISTRIBUTED PROCESSING TECH	255 800-322-ADPT	567	LOGICIELS ET SERVICES DUHEM (INT'L)	132 +331-49700455
559-560	APPRO INTERNATIONAL INC	264PC 3 408-732-6091	510	DR HUGGLE & PARTNER GMBH	48IS 28 +49-241-403117**	*	LOTUS DEVELOPMENT	96-97 800 TRADEUP ext. 735
191-192	ARISTO GRAPHIC SYS (EUROPE)	79 +49(40)8500425**	87	DSP DEVELOPMENT CORP	140 800-777-5151	M		
191-192	ARISTO GRAPHIC SYS (U.S.)	79 908-479-1513**	186	DSP SOLUTIONS / DIGISPEECH	179 916-621-1787	556	MANCHESTER EQUIP CO (N.E.)	257 516-435-1199
195	ASK ME INFORMATION CENTER	52 612-531-0603	F			537	MANNESMANN TALLY	48IS 21 +44-0628-527782**
180-181	AT & T PARADYNE	220 800-554-4996 ext. 96910	234	ELEXOR INC	270 201-299-1615	112	MATROX VIDEO PROD GRP	155 514-685-2630
182-183	AT & T PARADYNE	228 800-554-4996 ext. 96010	88	ELIASHIM MICROCOMPUTERS	52 +972-4-528613**	*	MCGRW HILL NRI (N.A.)	216A-B
276	ATRIE TECHNOLOGY INC	272	511	EUTRON	48IS 22 +39-35-692-229**	175	MEDIA VISION (N.A.)	203 800-845-5870
291	ATTITUDE INC	233 714-680-8112	185	E. J. BILINGUAL	139 310-320-8139	288	MICRO 2000	265 800-846-8008
70-71	AUSTIN COMPUTER SYS (N.A.)	173 800-331-1701	G			564	MICRO DESIGN INT'L (INT'L)	221 407-677-8333
230	AXONIX CORP	271 801-466-9797	512	FAST ELECTRONIC GMBH	48IS 9 +49-89-539800-20	197	MICRO ELEC MEI / MICRO CENTER, INC	171 800-468-0366
B			176-177	FIFTH GENERATION	91 800-759-2815	211-212	MICRO SOLUTIONS COMP PROD	251 800-295-1214
198	BADGER COMPUTER	180 800-3-BADGER	529	FIRST INT'L COMP	48IS 29 +886-2-717-4500**	213-214	MICRO SOLUTIONS COMP PROD	253 800-295-1214
450	BIX	287 800-695-4775	208-209	FIRST SOURCE INT'L	256 714-588-9866	113-114	MICROGRAFX	227 800-697-3540
501-502	BOCA RESEARCH INC	48IS 7 407-997-6227	89	FRAME TECHNOLOGY (N.A.)	122-123 800-U4FRAME ext. 924	220-221	MICRO-INTERNATIONAL, INC	263 800-967-5667
292	BOFFIN LIMITED	266 612-894-0595	286-287	FTG DATA SYSTEMS (N.A.)	226 800-962-3900	*	MICROSOFT CORP	19
72-73	BORLAND INTERNATIONAL	11 800-336-6464 ext. 7351	513-514	FUTURESOFT ENGINEERING	48IS 26 713-496-9400	*	MICROSOFT CORP	191
*	BYTE BACK ISSUES	281 603-924-9281	H			*	MICROSTAR LABORATORIES	270 206-453-2345
*	BYTE EURODECK	262 603-924-2533	263	HARPER COLLINS	275 44-0903-873633**	*	MICROWAY	150 508-746-7341
*	BYTE PUBLICATIONS	257 603-924-9281	*	HEWLETT PACKARD	15 800-443-1254 ext. 785	*	MICROWAY	216 508-746-4678**
*	BYTE SUB MESSAGE	154	*	HEWLETT PACKARD	24-25 800-964-1566	528	MINICOM LTD	48IS 8 +972-2-637576**
74	BYTE / SOFTWARE DIGEST	208 800-257-9402	*	HEWLETT PACKARD	70-71 800-533-1333 ext. 7569	121	MINUTEMAN	59 800-238-7272
C			92-93	HORIZONS TECHNOLOGY	215 619-292-8331	264	MITAC	269 +886-2-509-0979**
259	CADSOFT COMPUTER, INC	274 800-858-8355	I			551	MITAC INTERNATIONAL CORP	48IS 23 +886-2-5018231
75	CENTRAL POINT SOFTWARE	135 800-695-0679	516	IBM - GRAPHICS INTERFACE (INT'L)	33 +43-1-21145-4490	552	MITAC INTERNATIONAL CORP	48IS 25 +886-2-5018231
503	CHERRY MIKROSCHEIDER GMBH (INT'L)	230-231 +49-964-3180	97	IBM - PERSONAL S/W PROD	36-37 407-982-6408	115	MKS / MORTICE KERN SYSTEMS	158 519-884-2251
538	CHICONY (INT'L)	203 +886-3-323-5743**	98	IBM - PERSONAL S/W PROD	39 800-3-IBM-OS2	545	MMG-SYSTEMS	48IS 17 +49-89-5107-506**
554	CHRISTIE ELECTRONICS LTD	48IS 5 +44-0453-825768**	99	IBM - PERSONAL S/W PROD	41 800-3-IBM-OS2	526-527	MOTOROLA UDS (INT'L)	95 +33-1-4117-4130**
219	CITITRONICS	258 818-855-5688	100	IBM - PERSONAL S/W PROD	43 800-3-IBM-OS2	534	MOXA	48IS 16 +886-2-910-1231**
76-77	COLORADO MEMORY SYSTEMS	199 800-451-4523	101	IBM - SYSTEMS	8-9 800-IBM-CALL ext. 102-3	548-549	MULTIPORT COMP-SYSTEME	48IS 10 +49-991-29017-20**
*	COMP PROF' BK SOC. (N.A.)	200A-B	277	IERC	268 213-849-2481	539	MULTIVENTURE (INT'L)	173 +886-2-703-1380**
*	COMP PROF' BK SOC. (N.A.)	201 717-794-2191	546-547	IGC INC	48IS 11 408-441-0366	N		
78	COMPAQ PRINTERS (N.A.)	12-13 800-345-1518	188-189	INFORMATION FOUNDATION	223 800-438-9649	532	NAG	48IS 26 +44-865-310139
504-505	COMPEX INC	48IS 15 714-630-7302	102	INTERGRAND RESEARCH	222 209-651-1203	116-117	NANAO USA CORP (N.A.)	221 310-325-5202
504-505	COMPEX INC (N.A.)	230 714-630-7302	563	INTEGRIX INC (INT'L)	185 805-375-1055	520	NATIONAL INSTRUMENTS (INT'L)	88 800-433-3488
289	COMPUEDIA	224 +972-3-695255**	104	INTEL CORP	48A-D 800-538-3373	242	NATIONAL INSTRUMENTS	274 800-433-3488
*	COMPUERVE (INT'L)	160A-B 614-457-8149	105	INTEL CORP	64A-B 800-538-3373	*	NATIONAL INSTRUMENTS	48IDRC 1-2 512-794-0100
79	COMPUERVE (INT'L)	161 614-457-8149	103	INTEL CORP	64-65 800-538-3373	118	NEC - SYSTEMS	44-45 800-NEC-INFO
*	COMPUERVE (N.A.)	160A-B 800-848-8199	238	IO TECH	273 216-439-4091	*	NETWORK COMPUTING DEV (N.A.)	185 800-800-9599
79	COMPUERVE (N.A.)	161 800-848-8199	J			210	NEVADA COMPUTER	254 800-654-7762
82	COMPUTER ASSOCIATES	73 800 CALL CAI ext. 176	106	JAMECO ELECTRONICS	225 800-831-4242	119	NSTL	130 215-941-9600
80	COMPUTER ASSOCIATES	85 800 CALL CAI	*	JDR MICRODEVICES	267 800-538-5000	O		
81	COMPUTER ASSOCIATES	107 800-531-5236	K			*	OBJECT MAGAZINE	48IDRC 1-2 212-274-0646**
202	COMPUTER DISC WAREHOUSE	248-249 800-959-4CDW	107	KEA SYSTEMS LTD	219 800-663-8702	120	OKIDATA	83 800-OKI-TEAM ext. 264
506	COMPUTER QUICK (INT'L)	226 415-861-8330	239	KILA	269 303-444-7737	535	OMNI PLUS	48IS 32
267	CONTROL CONCEPTS	268 703-876-6444	108-109	KINGSTON TECHNOLOGY	109 714-435-2600	530	ON TIME MKT / KARSTEN PETERSEN	48IS 30 +49-40-437472
83	COREL SOFTWARE	29 800-772-6735 ext. 28	517	KUO FENG CORP	48IS 31 886-2-754-8498**	228	ORION RESEARCH LABS	262 800-669-8088
172	CREATIVE LABS INC	47 800-998-LABS	L			*	OSBORNE MCGRW-HILL	204
231	CURTIS INC	268 612-631-9512	M			243	OVERLAND DATA INC	273 800-729-8725
204-205	CYBEX CORP	252 205-430-4030**	P			P		
508-509	CYBEX CORP (INT'L)	CIV 205-430-4030**	P			258	PACIFIC DATA PRODUCTS	117 619-625-3643
84	CYRIX	16-17 800-462-9749	P			122	PACIFIC SOFTWARE	275 800-541-9508
D			P			244	PASSPORT DESIGNS INC	119 415-726-0280
184	DALLAS SEMICONDUCTOR	50 800-258-5061	P			244	PATTON & PATTON	275 800-525-0082 ext. 1218
233	DATALUX CORP (INT'L)	271 44-306-876718	P			123-124	PC POWER & COOLING	61 800-722-6555
233	DATALUX CORP (INT'L)	272 44-306-876718	P			125	PERSOFT INC	197 800-368-5283
233	DATALUX CORP (N.A.)	271 800-DATALUX	P			126	PHAR LAP SOFTWARE INC	147 617-661-1510
232	DATALUX CORP (N.A.)	272 800-DATALUX	P			521	PHILIPS MONITORS (INT'L)	12-13 +31-40-73-39-83**
*	DATAPRO INFO SVCS GRP (INT'L)	122-123 609-764-0100 ext. 2777	P			270	PIKA TECHNOLOGIES	269 613-591-1555
			P			127-128	PINNACLE MICRO	7 714-727-3300
			P			129	PIONEER NEW MEDIA TECH	77 800-LASER-ON

YOUR DIRECT LINK

ADVERTISER CONTACT INFORMATION

Inquiry No.	Page No.	Phone No.	Inquiry No.	Page No.	Phone No.	Inquiry No.	Page No.	Phone No.
130 PKWARE INC	156	414-354-8699	523 SOFTLINE CORP (INT'L)	104	718-438-2315**	* U		
196 POET SOFTWARE (N.A.)	239	408-748-3403	566 SOFTVISION INT'L (N.E.)	262	800-748-4746	* UNIXWORLD	240A-B	800-257-9402 ext. 29
245 POLAROID CORP	268	800-225-2770	562 SOFTWARE PRODUCTIONS	264PC 4	800-783-8161 ext. 5884	* UNIXWORLD	241	800-257-9402 ext. 29
179 POWERSOFT CORP (N.A.)	132	800-273-2841	524 SOFTWARE SECURITY (INT'L)	CIII	203-329-7428**	151-152 UNLIMITED SYSTEMS	188	619-622-1400
271-272 PRIMAX ELECTRONICS	273	800-338-3693	138 SONY (N.A.)	104	201-476-8199			
111 PROGRAMMER'S PARADISE	54-55	800-445-7899	542-543 SPEA SOFTWARE AG	48IS 13	+49-8151-21258**			
			139 SPSS INC (INT'L)	143	312-329-2400	V		
132 QUA TECH INC	246	800-553-1170	139 SPSS INC (N.A.)	143	800-543-5835	153 VALITEK INC	56	413-549-2700
246 QUALSTAR CORP	273	818-882-5822	260 STARGATE TECHNOLOGIES	268	800-782-7428	154-155 VERBATIM CORP	103	
131 QUARTERDECK OFFICE SYS	20-21	310-392-9851	140 STATSOFT	229	918-583-4149	156 VERMONT CREATIVE S/W	116	802-848-3502**
			544 SUNRACE (INT'L)	30	+86-2-2181562**	251 VICTORY ENTERPRISES TECH	271	800-727-3475
* RADIO SHACK (N.A.)	30-31	817-390-3011	178 SUNSOFT	2-3	800-227-9227	252 VIDEX, INC	269	503-758-0521
* RAIMA CORP	35	800-327-2462	167 SYMANTEC	149	800-228-4122	157-158 VIEWSONIC	63	714-869-7976
133-134 RAINBOW TECHNOLOGIES	75	800-852-8569	143-144 SYSTAT INC	153	708-864-5670	282-283 VISIONWARE	235	415-325-2113
522 RECOGNITA	48IS 18	+36-1-2018925						
216-217 RECORTEC INC	261	800-729-7654	T			W		
266 RESEARCH SYSTEMS, INC	275	303-786-9900	248 TALKING TECHNOLOGY INC	269	800-685-4884	159 WATCOM	27	519-886-3700
135 ROSE ELECTRONICS	148	800-333-9343	249 TALKING TECHNOLOGY INC	275	800-955-4884	160 WATCOM	129	519-747-4971**
			525 TECHPOWER COMPANY LTD	239	+86-2-753-1940**	561 WELLS FARGO BANK	264PC 1	800-PC-WELLS
			145 TEKTRONIX	53	800-835-6100 ext. 28J	253 WINTEK CORP	274	800-742-6809
						163-165 WOLFRAM RESEARCH	121	800-441-6284
S			* TEXAS INSTRUMENTS	144A-J	800-527-3500	218 WORLDWIDE TECHNOLOGIES	250	215-922-0116**
540-541 SAMTRON (INT'L)	31	82-2-774-6659**	146 TEXAS INSTRUMENTS	176-177	800-527-3500			
247 SAS INSTITUTE INC	275	919-677-8000	147 TOSHIBA AMERICA INC	186-187	800-457-7777	X		
136 SEQUITER SOFTWARE INC	218	403-437-2410	215 TOTE-A-LAP	259	800-9-LAPTOP	161-162 XVT SOFTWARE INC	194	800-678-7988
274-275 SHAFFSTALL CORP	274	800-248-3475	255 TRANTOR SYSTEMS LTD	270	800-872-6867			
261-262 SIGMA TECH SOFTWARE	269	818-368-6132	148-149 TRAVELING SOFTWARE	175	800-472-4735	Z		
85-86 SMART PRINT / DRESSELHAUS	216	800-368-7737	550 TRAVELING SOFTWARE	48IS 2	+44 753 818280**	531 ZECKS	48IS 14	+86-2-280-1351**
137 S/NW COMPUTERS & ELEC	154	212-463-8335**	257 TRI VALLEY TECHNOLOGY INC	270	510-447-2030	166 ZEOS INTERNATIONAL	168-169	800-554-5226
187 SOFTARC	152	416-754-1856**	250 TRIBAL MICROSYSTEMS	273	510-623-8859	254 Z-WORLD ENGINEERING	273	916-757-3737
193-194 SOFTLANDING SOFTWARE	102	604-360-0188						

* Correspond directly with company.

** Indicates FAX Number

BYTE ADVERTISING SALES STAFF

David Egan, Associate Publisher, One Phoenix Mill Lane, Peterborough, NH 03458, Tel. (603) 924-2678, Fax: (603) 924-7620

NEW ENGLAND

ME, NH, VT, MA, RI, CT, ONTARIO
CANADA & EASTERN CANADA
David Richardson (617) 860-6344
Patricia Payne (603) 924-2654
McGraw-Hill Publications
24 Hartwell Avenue
Lexington, MA 02173
FAX: (617) 860-6899

EAST COAST

NY, NYC, NJ, DE, PA
Kim Norris (212) 512-2645
Jonathan Sawyer (603) 924-2665
McGraw-Hill Publications
1221 Avenue of Americas—28th Floor
New York, NY 10020
FAX: (212) 512-2075

SOUTHEAST

NC, SC, GA, FL, AL, TN, MS, AR, LA,
KY, DC, MD, VA, WV
MaryAnn Goulding (404) 843-4782
Barry Echavarna (603) 924-2574
McGraw-Hill Publications
4170 Ashford-Dunwoody Rd., Suite 520
Atlanta, GA 30319
FAX: (404) 252-4056

MIDWEST

IL, MO, KS, IA, ND, SD, MN,
WI, NE, IN, MI, OH
Kurt Kelley (312) 616-3328
Ed Ware (603) 924-2664
McGraw-Hill Publications
Two Prudential Plaza
180 North Stetson Ave.
Chicago, IL 60601
FAX: (312) 616-3370

SOUTHWEST

ROCKY MOUNTAIN
CO, OK, TX
Jennifer Walker (214) 701-8496
Brian Higgins (603) 924-2651
McGraw-Hill Publications
14850 Quorum Dr., Suite 380
Dallas, TX 75240
FAX: (214) 991-6208

SOUTH PACIFIC: Los Angeles, CA

LOS ANGELES COUNTY, AZ, NM, NV
Alan El Faye (213) 480-5243
Brian Higgins (603) 924-2651
McGraw-Hill Publications
3333 Wilshire Boulevard #500
Los Angeles, CA 90010
FAX: (213) 480-5249

NORTH PACIFIC

NORTHERN CA, OR, ID, MT, WY, UT
Roy J. Kops (415) 513-6861
Joseph Mabe (603) 924-2662
SILICON VALLEY, HI, WA, AK,
W. CANADA
Bill McAfee (415) 513-6862
Jonathan Sawyer (603) 924-2665
McGraw-Hill Publications
1900 O'Farrell Street, #200
San Mateo, CA 94403
FAX: (415) 513-6867

SOUTH PACIFIC: Irvine, CA

ORANGE COUNTY
SAN DIEGO COUNTY
Beth Dudas (714) 753-8140
Joseph Mabe (603) 924-2662
McGraw-Hill Publications
15635 Alton Pkwy., Suite 290
Irvine, CA 92718
FAX: (714) 753-8147

Peterborough, NH Office: Inside Sales FAX: 603-924-2683 Advertising FAX: 603-924-7507

Hardware/Software Showcase

Mark Stone (603) 924-2695
Ellen Perlman (603) 924-2598
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

The Buyer's Mart/Classifieds

Margot Gnade (603) 924-2656
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

BYTE Deck

Brad Dixon (603) 924-2596
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

EURO-DECK

James Bail (603) 924-2533
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

BYTE International Direct

Response Postcards
Ellen Perlman (603) 924-2598
BYTE Publications
One Phoenix Mill Lane
Peterborough, NH 03458

INTERNATIONAL ADVERTISING SALES STAFF

UNITED KINGDOM,

FRANCE, BENELUX
Gary Lucas (+44 81 545 6268)
Jonathan McGowan
(+44 81 545 6289)
McGraw-Hill Publishing Co.
Wimbledon Bridge House
One Hartfield Road
Wimbledon, London SW19 3RU
England
FAX: +44 81 5456294
TELEX: 892191

GERMANY, SWITZERLAND,

AUSTRIA
Jürgen Heise
McGraw-Hill Publishing Co.
Liebigstrasse 19
D-6000 Frankfurt
Germany
Tel: +49 69 71407 140
FAX: +49 69 71407 147

ITALY,

SCANDINAVIAN COUNTRIES
Zena Coupe, Amanda Blaskett
A-2 International Sales Ltd.
Liebigstrasse 19
London NW1 8AN
England
Tel: +44 71 2843171
FAX: +44 71 2843174

ISRAEL

Dan Ehrlich
Ehrlich Communication Int'l.
P.O. Box 99
Herzliya 46101, Israel
Tel: +972 52 586245
Tel: +972 52 586246
FAX: +972 52 585685

TAIWAN

Sheing Shiun Gou
Third Wave Publishing Corp.
2nd Fl., No. 19-1, Lane 231
Fu Hsing North Road
Taipei 10445, Taiwan
R.O.C.
Tel: +886 2 7136959
FAX: +886 2 7151950

HONG KONG

Candice Lo
Third Wave Publishing Corp.
Unit 2, 6F Hing Wah Center
82-84 To Kwa Wan Road
Kowloon, Hong Kong
Tel: +852 764 3830
FAX: +852 764 3857

KOREA

Young-Seoh Chinn
JES MEDIA INT'L.
Rm. 704, Nonhyun Bldg.
37-12, Chamwon-Dong,
Seochu-Gu
Seoul, Korea
Tel: +82 2 5458001
Tel: +82 2 5458002
FAX: +82 2 5498861

JAPAN

Masaki Mori
Transworld Media Inc.
4th Floor, 1-26-6 Kamimeguro
Meguro-ku, Tokyo 153, Japan
Tel: +81 3 57210761
FAX: +81 3 57210762

SINGAPORE

Derek Ng
Stephen Tay
Third Wave Publishing Corp.
1123 Serangoon Road, #03-01
Singapore 1232
Tel: +65 296 6166
FAX: +65 298 7551

AUSTRALIA

Phil Bush
7-13 Parraheen Street,
Cremorne NSW 2090,
Australia
Tel: +61 2 908 9329
FAX: +61 2 953 8274

INDIA, INDONESIA,

PAKISTAN, PHILIPPINES,
OTHER ASIAN AND
PACIFIC COUNTRIES
K.T. Wu
Third Wave Publishing Corp.
2nd Fl., No. 19-1, Lane 231
Fu Hsing North Road
Taipei 10445, Taiwan
R.O.C.
Tel: +886 2 7136959
FAX: +886 2 7151950

MALAYSIA

Servex (Malaysia) Sdn. Bhd.
H.K. Lin
5th Floor, Bena Tower
160, Jalan Ampang
50450 Kuala Lumpur, Malaysia
Tel: +60 3 2624592
FAX: +60 3 2624591

THAILAND

Pisuth D. Ratanachai
A.R. Information & Publication
Co., Ltd.
27 Charoen Nakorn 14 Rd.,
Klongsan, Bangkok 10600,
Thailand
Tel: +66 2 4394600
FAX: +66 2 4394616

Subscription Customer Service

U.S. 1-800-232-2983

Outside U.S. +1-609-426-7676

For a New Subscription

U.S. 1-800-257-9402

Outside U.S. +1-609-426-5526

YOUR DIRECT LINK

PRODUCT CATEGORY INDEX

For FREE product information from individual advertisers, circle the corresponding inquiry numbers on Your Direct Link Card!

Category No.
Inquiry No.

Page No.

HARDWARE

1 ACCESSORIES/SUPPLIES

533	ANTEX ELECTRONICS (INT'L)	239
277	IERC	268
537	MANNESMANN TALLY	48IS 21
245	POLAROID CORP	268
138	SONY (N.A.)	104
531	ZECKS	48IS 14

2 ADD-IN BOARDS

533	ANTEX ELECTRONICS (INT'L)	239
501-502	BOCA RESEARCH INC	48IS 7
267	CONTROL CONCEPTS	
231	CURTIS INC	268
168	DIGICOM INC	211
169	DIGICOM INC	213
206-207	DISTRIBUTED PROCESSING TECH	255
103	INTEL CORP	64-65
106	JAMECO ELECTRONICS	225
112	MATROX VIDEO PRODUCTS GROUP	155
175	MEDIA VISION (N.A.)	203
534	MOXA	48IS 16
132	QUA TECH INC	246
542-543	SPEA SOFTWARE AG	48IS 13
260	STARGATE TECHNOLOGIES	268
248	TALKING TECHNOLOGY INC	269

3 BAR CODING

252	VIDEX, INC	269
-----	------------	-----

4 COMMUNICATIONS/ NETWORKING

506	COMPUTER QUICK (INT'L)	226
236-237	GTEK INC	269
528	MINICOM LTD	48IS 8
526-527	MOTOROLA UDS (INT'L)	95
270	PIKA TECHNOLOGIES	269
135	ROSE ELECTRONICS	148
261-262	SIGMA TECH SOFTWARE	269
85-86	SMART PRINT / DRESSELHAUS	216
260	STARGATE TECHNOLOGIES	268
248	TALKING TECHNOLOGY INC	269
151-152	UNLIMITED SYSTEMS	188

5 COMPUTER SYSTEMS

63	ACMA COMPUTERS INC (N.A.)	95
65-66	ADVANCED LOGIC RESEARCH	183
*	AMBRA COMPUTER CORP (N.A.)	88-88D
559-560	APPRO INTERNATIONAL INC	264PC 3
198	BADGER COMPUTER	180
*	DELL COMPUTER CORP (N.A.)	CIII
*	DELL COMPUTER CORP (N.A.)	CIV
*	DELL COMPUTER CORP (N.A.)	32A-F
*	GATEWAY 2000	CH, I
*	GATEWAY 2000	112A-D
*	GATEWAY 2000	136A-D
*	HEWLETT PACKARD	24-25
101	IBM SYSTEMS	8-9
563	INTEGRIX INC (INT'L)	185
104	INTEL CORP	48A-D
239	KILA	269
556	MANCHESTER EQUIPMENT CO (N.E.)	257
264	MITAC	269
551	MITAC INT'L CORP	48IS 23
552	MITAC INT'L CORP	48IS 25
118	NEC - SYSTEMS	44-45
119	NSTL	130
123-124	PC POWER & COOLING	61
216-217	RECORTEC INC	261
525	TECHPOWER COMPANY LTD	239
257	TRI VALLEY TECHNOLOGY INC	270
166	ZEOS INTERNATIONAL	168-169

Category No.
Inquiry No.

Page No.

6 DATA ACQUISITION

229	AMERICAN ADVANTECH	270
234	ELEXOR INC	270
241	LAWSON LABS INC	270
*	MICROSTAR LABORATORIES	270
242	NATIONAL INSTRUMENTS	274
*	NATIONAL INSTRUMENTS	48IDRC 1-2
132	QUA TECH INC	246

7 DISK & OPTICAL DRIVES

292	BOFFIN LIMITED	266
554	CHRISTIE ELECTRONICS LTD	48IS 5
265	GENERAL TECHNICS	270
564	MICRO DESIGN INT'L (INT'L)	221
211-212	MICRO SOLUTIONS COMP PROD	251
213-214	MICRO SOLUTIONS COMP PROD	253
548-549	MULTIPOINT COMPUTER-SYSTEME	48IS 10
127-128	PINNACLE MICRO	7
129	PIONEER NEW MEDIA TECHNOLOGIES	77
255	TRANSTOR SYSTEMS LTD	270
154-155	VERBATIM CORP	103

8 DISKETTES/DUPPLICATORS

251	VICTORY ENTERPRISES TECH	271
-----	--------------------------	-----

9 FAX BOARDS/MACHINES

526-527	MOTOROLA UDS (INT'L)	95
120	OKIDATA	83

10 GRAPHICS TABLETS/MICE/ PEN INPUT

191-192	ARISTO GRAPHIC SYSTEMS	79
285	DESIGN TECHNOLOGY	102
286-287	FTG DATA SYSTEMS (N.A.)	226
*	MICROSOFT CORP	191

11 KEYBOARDS

503	CHERRY MIKROSCHALTER GMBH (INT'L)	230-231
233	DATALUX CORP (INT'L)	271
233	DATALUX CORP (N.A.)	271
173-174	LEXMARK INTERNATIONAL, INC	101

12 LAN HARDWARE

504-505	COMPEX INC	48IS 15
504-505	COMPEX INC (N.A.)	230
204-205	CYBEX CORP	252
508-509	CYBEX CORP (INT'L)	CIV
*	HEWLETT PACKARD	70-71
516	IBM GRAPHICS INTERFACE (INT'L)	33
222	LOGICAL CONNECTION	266
528	MINICOM LTD	48IS 8
548-549	MULTIPOINT COMPUTER-SYSTEME	48IS 10
123-124	PC POWER & COOLING	61
85-86	SMART PRINT / DRESSELHAUS	216

13 LAPTOPS & NOTEBOOKS

*	AMBRA COMPUTER CORP (N.A.)	88-88D
70-71	AUSTIN COMPUTER SYSTEMS (N.A.)	173
230	AXONIX CORP	271
538	CHICONY (INT'L)	203
278-279	DIALOGUE TECHNOLOGY	271
529	FIRST INTERNATIONAL COMP	48IS 29
235	GENOVATION, INC	272
*	HEWLETT PACKARD	15
*	JDR MICRODEVICES	267
197	MICRO ELEC MEI / MICRO CENTER, INC	171
220-221	MICRO-INTERNATIONAL, INC	263
551	MITAC INT'L CORP	48IS 23
552	MITAC INT'L CORP	48IS 25
539	MULTIVENTURE (INT'L)	173
137	S'N'W COMPUTERS & ELECTRONICS	154
544	SUNRACE (INT'L)	30
*	TEXAS INSTRUMENTS	144A-J
146	TEXAS INSTRUMENTS	176-177
147	TOSHIBA AMERICA INC	186-187
215	TOTE-A-LAP	259

Category No.
Inquiry No.

Page No.

166 ZEOS INTERNATIONAL

168-169

14 MAIL ORDER

*	AMBRA COMPUTER CORP (N.A.)	88-88D
74	BYTE / SOFTWARE DIGEST	208
219	CITITRONICS	258
202	COMPUTER DISCOUNT WAREHSE	248-249
506	COMPUTER QUICK (INT'L)	226
106	JAMECO ELECTRONICS	225
220-221	MICRO-INTERNATIONAL, INC	263
210	NEVADA COMPUTER	254
137	S'N'W COMPUTERS & ELECTRONICS	154
218	WORLDWIDE TECHNOLOGIES	250

15 MEMORY/CHIPS/UPGRADES

219	CITITRONICS	258
84	CYRIX	16-17
208-209	FIRST SOURCE INT'L	256
104	INTEL CORP	48A-D
105	INTEL CORP	64A-B
106	JAMECO ELECTRONICS	225
108-109	KINGSTON TECHNOLOGY	109
226-227	L A TRADE	260
218	WORLDWIDE TECHNOLOGIES	250

16 MISCELLANEOUS HARDWARE

225	DATAVISION	264
102	INTEGRAND RESEARCH	222

17 MODEMS/MULTIPLEXORS

180-181	AT & T PARADYNE	220
182-183	AT & T PARADYNE	228
276	ATRIE TECHNOLOGY INC	272
501-502	BOCA RESEARCH INC	48IS 7
*	JDR MICRODEVICES	267
526-527	MOTOROLA UDS (INT'L)	95
228	ORION RESEARCH LABS	262
151-152	UNLIMITED SYSTEMS	188

18 MONITORS & TERMINALS

232	DATALUX CORP (INT'L)	272
232	DATALUX CORP (N.A.)	272
517	KUO FENG CORP	48IS 31
116-117	NANAO USA CORP (N.A.)	221
521	PHILIPS MONITORS (INT'L)	12-13
540-541	SAMTRON (INT'L)	31
157-158	VIEWSONIC	63

19 MULTIMEDIA

533	ANTEX ELECTRONICS (INT'L)	239
289	COMPUMEDIA	224
172	CREATIVE LABS INC	47
268-269	DISPLAY RESEARCH LAB	272
186	DSP SOLUTIONS / DIGISPEECH	179
175	MEDIA VISION (N.A.)	203
122	PASSPORT DESIGNS INC	119
*	RADIO SHACK (N.A.)	30-31

20 PRINTERS/PLOTTERS

64	ADOBE SYSTEMS INC (N.A.)	130-131
78	COMPAQ PRINTERS (N.A.)	12-13
222	LOGICAL CONNECTION	266
556	MANCHESTER EQUIPMENT CO (N.E.)	257
537	MANNESMANN TALLY	48IS 21
120	OKIDATA	83
*	PACIFIC DATA PRODUCTS	117
271-272	PRIMAX ELECTRONICS	273
85-86	SMART PRINT / DRESSELHAUS	216
145	TEKTRONIX	53

21 PROGRAMMABLE HARDWARE

512	FAST ELECTRONIC GMBH	48IS 9
238	IO TECH	273
*	JDR MICRODEVICES	267
250	TRIBAL MICROSYSTEMS	273
254	Z-WORLD ENGINEERING	273

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. For quicker response, fax to 1-413-637-4343!

Yes, I want FREE information on the following products!

1. For FREE product information from individual advertisers, circle the corresponding inquiry numbers on Your Direct Link Card!

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!

Fill out this coupon carefully. Please Print.

Name _____

Title _____

Company _____

Address _____

City _____ Country _____ Code _____

Phone _____ Fax _____

Inquiry Numbers 52-238

52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68
69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85
86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102
103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119
120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136
137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153
154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170
171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187
188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204
205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221
222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238

Inquiry Numbers 426-612

426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442
443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459
460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476
477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493
494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510
511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527
528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544
545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561
562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578
579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595
596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612

Inquiry Numbers 800-986

800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816
817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833
834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850
851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867
868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884
885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901
902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918
919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935
936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952
953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969
970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986

Inquiry Numbers 1152-1316

1152 1153 1154 1155 1156 1157 1158 1159 1160 1161 1162 1163 1164 1165 1166
1167 1168 1169 1170 1171 1172 1173 1174 1175 1176 1177 1178 1179 1180 1181
1182 1183 1184 1185 1186 1187 1188 1189 1190 1191 1192 1193 1194 1195 1196
1197 1198 1199 1200 1201 1202 1203 1204 1205 1206 1207 1208 1209 1210 1211
1212 1213 1214 1215 1216 1217 1218 1219 1220 1221 1222 1223 1224 1225 1226
1227 1228 1229 1230 1231 1232 1233 1234 1235 1236 1237 1238 1239 1240 1241
1242 1243 1244 1245 1246 1247 1248 1249 1250 1251 1252 1253 1254 1255 1256
1257 1258 1259 1260 1261 1262 1263 1264 1265 1266 1267 1268 1269 1270 1271
1272 1273 1274 1275 1276 1277 1278 1279 1280 1281 1282 1283 1284 1285 1286
1287 1288 1289 1290 1291 1292 1293 1294 1295 1296 1297 1298 1299 1300 1301
1302 1303 1304 1305 1306 1307 1308 1309 1310 1311 1312 1313 1314 1315 1316

A. What is your primary job function/principal area of responsibility? (Check one)

- 1 ☐ MIS/DIP
2 ☐ Programmer/Systems Analyst
3 ☐ Administration/Management
4 ☐ Sales/Marketing
5 ☐ Engineer/Scientist
6 ☐ Other

B. What is your level of management responsibility?

- 7 ☐ Senior-level 9 ☐ Professional
8 ☐ Middle-level

C. Are you a reseller (VAR, VAD, Dealer, Consultant)?

- 10 ☐ Yes 11 ☐ No

D. What operating systems are you currently using? (Check all that apply)

- 12 ☐ PC/MS-DOS 15 ☐ Unix
13 ☐ DOS + Windows 16 ☐ MacOS
14 ☐ OS/2 17 ☐ VAX/VMS

E. For how many people do you influence the purchase of hardware or software?

- 18 ☐ 1-25 20 ☐ 51-99
19 ☐ 26-50 21 ☐ 100 or more

October 1993 90 97 99

Valid until December 31, 1993

Inquiry Numbers 239-425

239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255
256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272
273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289
290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306
307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323
324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340
341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357
358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374
375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391
392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408
409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425

Inquiry Numbers 613-799

613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629
630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646
647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663
664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680
681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697
698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714
715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731
732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748
749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765
766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782
783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799

Inquiry Numbers 987-1151

987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001
1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016
1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031
1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1043 1044 1045 1046
1047 1048 1049 1050 1051 1052 1053 1054 1055 1056 1057 1058 1059 1060 1061
1062 1063 1064 1065 1066 1067 1068 1069 1070 1071 1072 1073 1074 1075 1076
1077 1078 1079 1080 1081 1082 1083 1084 1085 1086 1087 1088 1089 1090 1091
1092 1093 1094 1095 1096 1097 1098 1099 1100 1101 1102 1103 1104 1105 1106
1107 1108 1109 1110 1111 1112 1113 1114 1115 1116 1117 1118 1119 1120 1121
1122 1123 1124 1125 1126 1127 1128 1129 1130 1131 1132 1133 1134 1135 1136
1137 1138 1139 1140 1141 1142 1143 1144 1145 1146 1147 1148 1149 1150 1151

Inquiry Numbers 1317-1481

1317 1318 1319 1320 1321 1322 1323 1324 1325 1326 1327 1328 1329 1330 1331
1332 1333 1334 1335 1336 1337 1338 1339 1340 1341 1342 1343 1344 1345 1346
1347 1348 1349 1350 1351 1352 1353 1354 1355 1356 1357 1358 1359 1360 1361
1362 1363 1364 1365 1366 1367 1368 1369 1370 1371 1372 1373 1374 1375 1376
1377 1378 1379 1380 1381 1382 1383 1384 1385 1386 1387 1388 1389 1390 1391
1392 1393 1394 1395 1396 1397 1398 1399 1400 1401 1402 1403 1404 1405 1406
1407 1408 1409 1410 1411 1412 1413 1414 1415 1416 1417 1418 1419 1420 1421
1422 1423 1424 1425 1426 1427 1428 1429 1430 1431 1432 1433 1434 1435 1436
1437 1438 1439 1440 1441 1442 1443 1444 1445 1446 1447 1448 1449 1450 1451
1452 1453 1454 1455 1456 1457 1458 1459 1460 1461 1462 1463 1464 1465 1466
1467 1468 1469 1470 1471 1472 1473 1474 1475 1476 1477 1478 1479 1480 1481

Product Category Information

Circle the numbers below for additional information on the products you're interested in.

Hardware

- Accessories/Supplies 1
Add-in Boards 2
Bar Coding 3
Communications/Networking 4
Computer Systems 5
Data Acquisition 6

- Disks & Optical Drives 7
Diskettes/Duplicators 8
Fax Boards/Machines 9
Graphics Tablets/Mice/ Pen Input 10
Keyboards 11
LAN Hardware 12
Laptops & Notebooks 13
Mail Order 14
Memory/Chips/Upgrades 15
Miscellaneous Hardware 16
Modems/Multiplexors 17
Monitors & Terminals 18

- Multimedia 19
Printers/Plotters 20
Programmable Hardware 21
Scanners/OCR/Digitizers 22
Tape Drives 23
UPS 24
Software 25
Business 26
CAD/CAM 27
Communications/Networking 28
Data Acquisition 29
Database 30

- Educational 31
Engineering/Scientific 32
Entertainment 33
Graphics 34
Macintosh 35
Mail Order 36
Mathematical/Statistical 37
Miscellaneous Software 38
On-Line Services 39
Operating Systems 40
Programming Languages/Tools 41
Security 42

- Shareware 43
Software Duplication 44
Spreadsheets 45
Unix 46
Utilities 47
Windows 48
Word Processing 49
General 50
Books/Publications 51
Recruitment 52
Miscellaneous 53



BYTE

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. **For quicker response, fax to 1-413-637-4343!**

See reverse side
for card.

1. For FREE product information from individual advertisers, circle the corresponding inquiry numbers on Your Direct Link Card!

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!

BYTE

TNT MAILFAST

FRG/BOS/700252/MO1

P.O. Box 66

Hounslow

TW5 9RT

England

Place
Postage
Here



BYTE

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. For quicker response, fax to 1-413-637-4343!

Yes, I want FREE information on the following products!

1. For FREE product information from individual advertisers, circle the corresponding inquiry numbers on Your Direct Link Card!

2. Print Your Name and Address
Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!

Fill out this coupon carefully. Please Print.

Name _____

Title _____

Company _____

Address _____

City _____ Country _____ Code _____

Phone _____ Fax _____

A. What is your primary job function/principal area of responsibility? (Check one)

- 1 ☐ MIS/DIP
2 ☐ Programmer/Systems Analyst
3 ☐ Administration/Management
4 ☐ Sales/Marketing
5 ☐ Engineer/Scientist
6 ☐ Other

B. What is your level of management responsibility?

- 7 ☐ Senior-level 9 ☐ Professional
8 ☐ Middle-level

C. Are you a reseller (VAR, VAD, Dealer, Consultant)?

- 10 ☐ Yes 11 ☐ No

D. What operating systems are you currently using? (Check all that apply)

- 12 ☐ PCMS-DOS 15 ☐ Unix
13 ☐ DOS + Windows 16 ☐ MacOS
14 ☐ OS/2 17 ☐ VAX/VMS

E. For how many people do you influence the purchase of hardware or software?

- 18 ☐ 1-25 20 ☐ 51-99
19 ☐ 26-50 21 ☐ 100 or more

October 1993 90 97 99

Valid until December 31, 1993

Inquiry Numbers 52-238

52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68
69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85
86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102
103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119
120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136
137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153
154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170
171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187
188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204
205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221
222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238

Inquiry Numbers 426-612

426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442
443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459
460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476
477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493
494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510
511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527
528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544
545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561
562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578
579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595
596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612

Inquiry Numbers 800-986

800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816
817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833
834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850
851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867
868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884
885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901
902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918
919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935
936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952
953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969
970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986

Inquiry Numbers 1152-1316

1152 1153 1154 1155 1156 1157 1158 1159 1160 1161 1162 1163 1164 1165 1166
1167 1168 1169 1170 1171 1172 1173 1174 1175 1176 1177 1178 1179 1180 1181
1182 1183 1184 1185 1186 1187 1188 1189 1190 1191 1192 1193 1194 1195 1196
1197 1198 1199 1200 1201 1202 1203 1204 1205 1206 1207 1208 1209 1210 1211
1212 1213 1214 1215 1216 1217 1218 1219 1220 1221 1222 1223 1224 1225 1226
1227 1228 1229 1230 1231 1232 1233 1234 1235 1236 1237 1238 1239 1240 1241
1242 1243 1244 1245 1246 1247 1248 1249 1250 1251 1252 1253 1254 1255 1256
1257 1258 1259 1260 1261 1262 1263 1264 1265 1266 1267 1268 1269 1270 1271
1272 1273 1274 1275 1276 1277 1278 1279 1280 1281 1282 1283 1284 1285 1286
1287 1288 1289 1290 1291 1292 1293 1294 1295 1296 1297 1298 1299 1300 1301
1302 1303 1304 1305 1306 1307 1308 1309 1310 1311 1312 1313 1314 1315 1316

Inquiry Numbers 239-425

239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255
256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272
273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289
290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306
307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323
324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340
341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357
358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374
375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391
392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408
409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425

Inquiry Numbers 613-799

613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629
630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646
647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663
664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680
681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697
698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714
715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731
732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748
749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765
766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782
783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799

Inquiry Numbers 987-1151

987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001
1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016
1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031
1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1043 1044 1045 1046
1047 1048 1049 1050 1051 1052 1053 1054 1055 1056 1057 1058 1059 1060 1061
1062 1063 1064 1065 1066 1067 1068 1069 1070 1071 1072 1073 1074 1075 1076
1077 1078 1079 1080 1081 1082 1083 1084 1085 1086 1087 1088 1089 1090 1091
1092 1093 1094 1095 1096 1097 1098 1099 1100 1101 1102 1103 1104 1105 1106
1107 1108 1109 1110 1111 1112 1113 1114 1115 1116 1117 1118 1119 1120 1121
1122 1123 1124 1125 1126 1127 1128 1129 1130 1131 1132 1133 1134 1135 1136
1137 1138 1139 1140 1141 1142 1143 1144 1145 1146 1147 1148 1149 1150 1151

Inquiry Numbers 1317-1481

1317 1318 1319 1320 1321 1322 1323 1324 1325 1326 1327 1328 1329 1330 1331
1332 1333 1334 1335 1336 1337 1338 1339 1340 1341 1342 1343 1344 1345 1346
1347 1348 1349 1350 1351 1352 1353 1354 1355 1356 1357 1358 1359 1360 1361
1362 1363 1364 1365 1366 1367 1368 1369 1370 1371 1372 1373 1374 1375 1376
1377 1378 1379 1380 1381 1382 1383 1384 1385 1386 1387 1388 1389 1390 1391
1392 1393 1394 1395 1396 1397 1398 1399 1400 1401 1402 1403 1404 1405 1406
1407 1408 1409 1410 1411 1412 1413 1414 1415 1416 1417 1418 1419 1420 1421
1422 1423 1424 1425 1426 1427 1428 1429 1430 1431 1432 1433 1434 1435 1436
1437 1438 1439 1440 1441 1442 1443 1444 1445 1446 1447 1448 1449 1450 1451
1452 1453 1454 1455 1456 1457 1458 1459 1460 1461 1462 1463 1464 1465 1466
1467 1468 1469 1470 1471 1472 1473 1474 1475 1476 1477 1478 1479 1480 1481

Product Category Information

Circle the numbers below for additional information on the products you're interested in.

Hardware

- Accessories/Supplies 1
Add-in Boards 2
Bar Coding 3
Communications/Networking 4
Computer Systems 5
Data Acquisition 6

- Disks & Optical Drives 7
Diskettes/Duplicators 8
Fax Boards/Machines 9
Graphics Tablets/Mice/ Pen Input 10
Keyboards 11
LAN Hardware 12
Laptops & Notebooks 13
Mail Order 14
Memory/Chips/Upgrades 15
Miscellaneous Hardware 16
Modems/Multiplexors 17
Monitors & Terminals 18

- Multimedia 19
Printers/Plotters 20
Programmable Hardware 21
Scanners/OCR/Digitizers 22
Tape Drives 23
UPS 24
Software 25
Business 26
CAD/CAM 27
Communications/Networking 28
Data Acquisition 29
Database 30

- Educational 31
Engineering/Scientific 32
Entertainment 33
Graphics 34
Macintosh 35
Mail Order 36
Mathematical/Statistical 37
Miscellaneous Software 38
On-Line Services 39
Operating Systems 40
Programming Languages/Tools 41
Security 42

- Shareware 43
Software Duplication 44
Spreadsheets 45
Unix 46
Utilities 47
Windows 48
Word Processing 49
General 50
Books/Publications 51
Recruitment 52
Miscellaneous 53

YOUR DIRECT LINK CARD

For free product information, mail your completed card today. **For quicker response, fax to 1-413-637-4343!**

See reverse side
for card.

1. For FREE product information from individual advertisers, circle the corresponding inquiry numbers on Your Direct Link Card!

2. Print Your Name and Address

Answer questions "A" through "E" and mail or fax card to 1-413-637-4343.

3. Product information will be rushed to you from the selected companies!

BYTE

TNT MAILFAST

FRG/BOS/700252/MO1

P.O. Box 66

Hounslow

TW5 9RT

England

Place
Postage
Here



BYTE

YOUR DIRECT LINK

PRODUCT CATEGORY INDEX

For FREE product information from individual advertisers, circle the corresponding inquiry numbers on your Direct Link Card!

Category No. Inquiry No.		Page No.	Category No. Inquiry No.		Page No.	Category No. Inquiry No.		Page No.
22 SCANNERS/OCR/DIGITIZERS			33 GRAPHICS					
518 LIGATURE LTD	48IS 24		68 AITECH INTERNATIONAL	207		88 ELIASHIM MICROCOMPUTERS	52	
120 OKIDATA	83		191-192 ARISTO GRAPHIC SYSTEMS	79		511 EUTRON	48IS 22	
522 RECOGNITA	48IS 18		291 ATTITUDE INC	233		512 FAST ELECTRONIC GMBH	48IS 9	
			83 COREL SOFTWARE	29		90-91 GLENCO ENGINEERING	157	
23 TAPE DRIVES			273 LEAD TECHNOLOGIES	274		133-134 RAINBOW TECHNOLOGIES	75	
554 CHRISTIE ELECTRONICS LTD	48IS 5		113-114 MICROGRAFX	227		524 SOFTWARE SECURITY (INT'L)	CIII	
76-77 COLORADO MEMORY SYSTEMS	199		116-117 NANA USA CORP (N.A.)	221				
240 LAGUNA DATA SYSTEMS	273		122 PASSPORT DESIGNS INC	119		45 UNIX		
211-212 MICRO SOLUTIONS COMP PROD	251		244 PATTON & PATTON	275		506 COMPUTER QUICK (INT'L)	226	
213-214 MICRO SOLUTIONS COMP PROD	253		266 RESEARCH SYSTEMS, INC	275		89 FRAME TECHNOLOGY (N.A.)	122-123	
548-549 MULTIPOINT COMPUTER-SYSTEME	48IS 10		542-543 SPEA SOFTWARE AG	48IS 13		188-189 INFORMATION FOUNDATION	223	
243 OVERLAND DATA INC	273					115 MKS / MORTICE KERN SYSTEMS	158	
246 QUALSTAR CORP	273		35 MAIL ORDER			* NETWORK COMPUTING DEVICES (N.A.)	185	
274-275 SHAFFSTALL CORP	274		202 COMPUTER DISCOUNT WAREHSE	248-249		193-194 SOFTLANDING SOFTWARE	102	
153 VALITEK INC	56		535 OMNI PLUS	48IS 32		178 SUNSOFT	2-3	
			111 PROGRAMMER'S PARADISE	54-55		282-283 VISIONWARE	235	
24 UPS			523 SOFTLINE CORP (INT'L)	104		163-165 WOLFRAM RESEARCH	121	
69 AMERICAN POWER CONVERSION	144							
554 CHRISTIE ELECTRONICS LTD	48IS 5		36 MATHEMATICAL/STATISTICAL			46 UTILITIES		
121 MINUTEMAN	59		532 NAG	48IS 26		67 ALADDIN KNOWLEDGE SYSTEMS	87	
123-124 PC POWER & COOLING	61		247 SAS INSTITUTE INC	275		75 CENTRAL POINT SOFTWARE	135	
			139 SPSS INC (INT'L)	143		176-177 FIFTH GENERATION	91	
SOFTWARE			139 SPSS INC (N.A.)	143		263 HARPER COLLINS	275	
			140 STATSOFT	229		141-142 LANDMARK RESEARCH INT'L CORP	93	
25 BUSINESS			143-144 SYSTAT INC	153		567 LOGICIELS ET SERVICES DUHEM (INT'L)	132	
81 COMPUTER ASSOCIATES	107		163-165 WOLFRAM RESEARCH	121		288 MICRO 2000	265	
263 HARPER COLLINS	275					130 PKWARE INC	156	
92-93 HORIZONS TECHNOLOGY	215		37 MISCELLANEOUS SOFTWARE			167 SYMANTEC	149	
* LOTUS DEVELOPMENT	96-97		185 E. J. BILINGUAL	139		156 VERMONT CREATIVE SOFTWARE	116	
			530 ON TIME MKT / KARSTEN PETERSEN	48IS 30				
26 CAD/CAM						47 WINDOWS		
191-192 ARISTO GRAPHIC SYSTEMS	79		38 ON-LINE SERVICES			61-62 ABACUS SOFTWARE	51	
259 CADSOFT COMPUTER, INC	274		450 BIX	287		195 ASK ME INFORMATION CENTER	52	
253 WINTEK CORP	274		* COMPUSERVE (INT'L)	160A-B		75 CENTRAL POINT SOFTWARE	135	
			79 COMPUSERVE (INT'L)	161		89 FRAME TECHNOLOGY (N.A.)	122-123	
27 COMMUNICATIONS/ NETWORKING			* COMPUSERVE (N.A.)	160A-B		515 GREY MATTER LTD (INT'L)	201	
513-514 FUTURESOFTE ENGINEERING	48IS 26		79 COMPUSERVE (N.A.)	161		107 KEA SYSTEMS LTD	219	
546-547 IGC INC	48IS 11					141-142 LANDMARK RESEARCH INT'L CORP	93	
528 MINICOM LTD	48IS 8		39 OPERATING SYSTEMS			197 MICRO ELEC MEI / MICRO CENTER, INC	171	
228 ORION RESEARCH LABS	262		64 ADOBE SYSTEMS INC (N.A.)	130-131		116-117 NANA USA CORP (N.A.)	221	
125 PERSOFT INC	197		97 IBM PERSONAL SOFTWARE PRODUCTS	36-37		258 PACIFIC SOFTWARES	275	
187 SOFTARC	152		98 IBM PERSONAL SOFTWARE PRODUCTS	39		125 PERSOFT INC	197	
148-149 TRAVELING SOFTWARE	175		100 IBM PERSONAL SOFTWARE PRODUCTS	43		542-543 SPEA SOFTWARE AG	48IS 13	
550 TRAVELING SOFTWARE	48IS 2		546-547 IGC INC	48IS 11		282-283 VISIONWARE	235	
282-283 VISIONWARE	235		* NETWORK COMPUTING DEVICES (N.A.)	185				
561 WELLS FARGO BANK	264PC 1		131 QUARTERDECK OFFICE SYSTEMS	20-21		48 WORD PROCESSING/DTP		
						89 FRAME TECHNOLOGY (N.A.)	122-123	
28 DATA ACQUISITION			40 PROGRAMMING LANGUAGES/ TOOLS			263 HARPER COLLINS	275	
520 NATIONAL INSTRUMENTS (INT'L)	88		199 AETECH	264		* MICROSOFT CORP	19	
242 NATIONAL INSTRUMENTS	274		80 COMPUTER ASSOCIATES	85				
			510 DR HUGGLE & PARTNER GMBH	48IS 28		GSENERAL		
29 DATABASE			515 GREY MATTER LTD (INT'L)	201				
72-73 BORLAND INTERNATIONAL	11		110 LAHEY COMPUTER SYSTEMS	120		49 BOOKS/PUBLICATIONS		
82 COMPUTER ASSOCIATES	73		519 LOGIC PROGRAMMING ASSOCIATES	48IS 30		61-62 ABACUS SOFTWARE	51	
510 DR HUGGLE & PARTNER GMBH	48IS 28		* MICROWAY	150		* COMPUTER PROF BOOK SOCIETY (N.A.) 200A-B		
92-93 HORIZONS TECHNOLOGY	215		* MICROWAY	216		* COMPUTER PROF BOOK SOCIETY (N.A.)	201	
* RAIMA CORP	35		115 MKS / MORTICE KERN SYSTEMS	158		* OBJECT MAGAZINE	48IDRC 1-2	
160 WATCOM	129		530 ON TIME MKT / KARSTEN PETERSEN	48IS 30		* OSBORNE MCGRAW-HILL	204	
			126 PHAR LAP SOFTWARE INC	147		566 SOFTVISION INTERNATIONAL (N.E.)	262	
30 EDUCATIONAL			196 POET SOFTWARE (N.A.)	239		* UNIXWORLD	240A-B	
61-62 ABACUS SOFTWARE	51		179 POWERSOFT CORP (N.A.)	132		* UNIXWORLD	241	
199 AETECH	264		136 SEQUITER SOFTWARE INC	218				
* MCGRAW HILL NRI (N.A.)	216A-B		562 SOFTWARE PRODUCTIONS	264PC 4		51 MISCELLANEOUS		
			249 TALKING TECHNOLOGY INC	275		* BYTE BACK ISSUES	281	
31 ENGINEERING/SCIENTIFIC			159 WATCOM	27		* BYTE EURODECK	262	
510 DR HUGGLE & PARTNER GMBH	48IS 28		160 WATCOM	129		* BYTE PUBLICATIONS	257	
87 DSP DEVELOPMENT CORP	140		161-162 XVT SOFTWARE INC	194		* BYTE SUB MESSAGE	154	
92-93 HORIZONS TECHNOLOGY	215					* DATAPRO INFO SERVICES GRP (INT'L)	122-123	
141-142 LANDMARK RESEARCH INT'L CORP	93		41 SECURITY			568 DECUS	264PC 2	
562 SOFTWARE PRODUCTIONS	264PC 4		67 ALADDIN KNOWLEDGE SYSTEMS	87		565 DIALOGIC TELECOM EUROPE	48IS 32	
163-165 WOLFRAM RESEARCH	121		503 CHERRY MIKROSCHALTER GMBH (INT'L)	230-231		553 GTC TELE COMMUNICATIONS (INT'L)	232	
			184 DALLAS SEMICONDUCTOR	50		537 MANNESMANN TALLY	48IS 21	
						545 MMG-SYSTEMS	48IS 17	

EDITORIAL INDEX

For more information on any of the companies covered in articles, columns, or news stories in this issue, circle the appropriate inquiry number on Your Direct Link Card. Each page number refers to the first page of the article or section in which the company name appears. IS pages appear only in the International edition.

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
A				L			
1452	ABC Computer 48IS-10	1467	Douglas Software 48IS-26	1108	Lantronix 240	1130	Pronto View Development 245
	Accton Technology 23		Dove Electronics 40	1095	Lapis 237	1021	Protek 48IS-30
1346	Acer America 42, 162	1128	Dragon Systems 113	1081	Legacy Storage 240		Proteon 23
1060	Ace Software 124		Dynacomp 243		Lexicus 105		Psion 46
1024	ACT Financial Systems 48IS-20	E		1468	Logic Programming Associates 48IS-24		Pure Software 28
1469	Admiral Software 48IS-20	1479	Easel U.K. 48IS-26	1145	Lotus Development 105, 113, 243	Q	
980	Adobe Systems 133	1458	Emerson Computer Power EO 66	M			
1148	Adtron 217	1373	Epson America 162	1106	MacNet 238	1034, 1480, 1464	QBS Software 48IS-19, 48IS-32
	Advanced Logic Research 48	1374	Ergo Computing 162	1103	Magic RAM 238	1438	Qtronix 48IS-8
1446	Advance Micro Research 162	1375			Matsushita 66		Quadbase Systems 105
1347	Aero Computers 66, 245	1432	E-Tech 48IS-3	1453	McCaw Cellular Communications 66	R	
1129	Aha Software 57	1455	European Printing Systems 48IS-10	1104	Memorybank 42	1140	Radix2 Software Engineering 243
1441	Aladdin Knowledge Systems 48IS-4	1431	Eutron 48IS-8		Merisel 22	1457	Rafil 48IS-14
1157	Aldus 46, 217	F		1275	MicroAccess 66, 244	1133	Raised Dot Computing 244
	Ameritech Cellular 162	1135	Fairfield Language Technologies 244	1456	Micro Control Systems 48IS-12	1462	Readmar Systems 48IS-20
1348	Amrel Tehnology 162	1139	Fanfare Software 245		MicroDesign Resources 38	1276	Red Brick Systems 244
1349	AMS 162	1454	Fast Electronics 48IS-6	1383	Micro Electronics 23, 162	1471	Richmond Systems 48IS-19
1350, 1351		1141	Formtek 245	1384	Micro-International 162	S	
	Analog Devices 113	1085	Franklin Electronic Publishers 236	1385, 1386	Microsoft 23, 48, 66, 105, 113, 141, 145, 288	1393	S. G. Warburg 42
1082	Apex Data 236	1079	FTG Data Systems 237	976, 1077		1394	Sager Midem Computer 162
978	Apple Computer 66, 89, 105, 113, 1149, 1352, 1353, 1354	1421, 1425	Fujitsu Deutschland 48IS-3, 48IS-10	1084, 1459		1065	Samsung Electronics America 162
1086	Applied Systems 236	1442	Future Comuters 217	1112, 1437		1463	Scandinavian PC Systems 124
1061	Approach Software 124	1146		1426	MicroTouch Systems 238, 48IS-6		SCI Systems 42
1094	APS Technologies 237	G		1387	Mitsuba 162	1453	SciTech Microsystems 48IS-22
	Arbitr Systems 57	1472	Gable CAD Systems 48IS-24	1020	Monotype Typography 48IS-30		Sharp Electronics 66
1460	Arcom Control Systems 48IS-12	1428	Galea & Franceschini Interactive 48IS-3	1280	Mortice Kern Systems 245	1272	Shiva 243
1435	Aristo 48IS-6	1100	Gateway 2000 238		Motorola 66, 288	1477	Siemens Nixdorf 66, 48IS-32
1355	Aspen 162	1026, 1465	Gee Broadcast Systems 48IS-19, 48IS-30	N		1092	Sigma Designs 237
1356, 1357, 1358	AST Research 162	1090	General Magic 66, 105	1281	National Information Systems 245	1424	Silica Systems 48IS-14
1150	Asymetrix 217	1440, 1449	General Parametrics 48IS-4, 48IS-8		National Institute of Standards and Technology 57		Silicon Graphics 46, 113
	AT&T 10, 22, 23, 66, 89, 113		GeoWorks 66, 105	1119	National Instruments 243	1025	Slate 105
	AT&T Bell Labs 40	1096	Global Village Communications 237	1089	National MicroComputers 236		Soft Numbers 48IS-30
1088	Atronic International 236		Go 66, 105		NEC 66, 105	1273	Spectracom 57
1097	Aurora Technologies 237	1282	Grand Junction Networks 22	1388, 1389	NEC Technologies 162	1443	Stalker Software 243
B					Nestor 105	1151	Sun Microsystems 22, 46, 113, 288
1122	Baler Software 242	1143	GW Hanaway & Associates 242	1107	Network Autimation 240	1478	Sunnyside Systems 48IS-6
1125	Bear Rock Technologies 242	H		1451	Nethworth 48IS-14		Symantec 217
	Bell Atlantic Mobile 66	1461	HarperCollins Electronic Reference 48IS-19	1474	Neuron Data 48IS-28	1478	Szynotics Communications 22
	Bell Labs 113		Hewlett-Packard 22, 23	1448	New Era Microsystems 48IS-16		Szki Recognita 48IS-32
	Bell Northern Research 113		Hitachi 66	1439	Nighthawk Electronics 48IS-12	T	
1131	BookMaker 242	1158	HockWare 205	981	No Hands Software 133	1124	Tailor Made Software 242
	Borland International 26, 113	1376, 1377, 1378	HyperData Tech 162	1390	Northern Telecom 113	1098	Tamarack Technologies 237
1087	The BSE Co. 236	I			Notable Computers 162		Tandy 10, 66, 89, 105
1083	BusLogic 236	1152, 1154, 1379, 1380	IBM 10, 42, 48, 66, 105, 113, 145, 162, 217, 288	1134	Novell 288	1395, 1396, 1397, 1398	Texas Instruments 113, 162
1062	ButtonWare 124	1430	Imagine Graphics 48IS-4	979	Nu-Mega Technologies 28, 159	1475	Textel-Relay 48IS-19
C				1423	Océ Graphics 48IS-6		3Com 22
1359, 1360, 1361, 1362	CAF Technology 162	1285	Imagine LAN 245	1427	Olivetti U.K. 48IS-3	1066	Timeworks 124
1144	Cameron Enterprises 245	1105	Inex Technologies 240	1137	Optical Research Associates 244	1399, 1400	Toshiba America Information 162
	Carnegie Mellon University 98	1091	InFocus Systems 237	1127	OptiComp 40		TrueTime 57
	Casio 66, 89	1120	In Sync 244		OptImage Interactive Services 243		Trusted Information Systems 40
	CenterLine Software 28	1126	Integritech Software 243	1123	Palisade 242	1470	Twincom International 48IS-28
	Central Computer Products 32	1271	InterActive 243	1391	Palm Computing 66	1401, 1402, 1403	Twinhead 162
1363, 1364	Chaplet Systems 162	1142	Intex 245		Panasonic Communications 162	U	
1109	Chefford Canada 240	1023	ITT Hartford Insurance Group 105	1429	Paragraph 48IS-8	113	Umecorp 23
1473	Chenwell Scientific Publishing 48IS-26	J		1279	Peachtree Software 245	V	
	Chrono-Log 57	1436	Jaguar Communications 48IS-6		PenMagic Software 105	1434	Vanilla Computer 48IS-3
	Cirrus Logic 66	1381	Jetta International 162		PenPal Associates 105		Verdex Voice Systems 98
1063	Claris 124	1155	JIAN Tools for Sales 217		PenRight 105	1274	Vertisoft Systems 244
	Communication Intelligence 105	K		1114	People & Profits 240	1093	Vidicode 237
1365, 1366, 1367	Compaq Computer 162	1156	Kaleida Developer Services 217	1101	Perceptive Solutions 238	1132	Virtus 244
1121	Compete Software 243		Kalpana 23	1032	Percom 48IS-20	1033	VMX 48IS-24
1368, 1369	CompuAdd Computer 162	1116	Kensington Microware 238	1138	Performance Technology 245	W	
1370, 1371, 1372	CompUSA Direct 162	1113	Key Source International 240	1422	Philips Consumer Electronics 48IS-4	1159	Watcom International 105, 205
1076	Computer Associates 32, 141	1382	KingTech USA 162	1147	Pioneer Communications 217		Weames Technology 42
1030	Contemporary Software 48IS-22		Kurzweil Applied Intelligence 113	1284	Powertronic Systems 244		Weitek 38
1075	Coromandel Industries 151	L		1111	Practical Peripherals 240	1115	Western DataCom 240
1117	CPRResearch 238	1436	Jaguar Communications 48IS-6	1102	Prairie Digital 238	1027	Wordcraft International 48IS-32
	Crescendo Communications 23	1381	Jetta International 162	1028	PRE Consultancy 48IS-32	977, 1118	WordPerfect 145, 242
	Cyrix 38	1155	JIAN Tools for Sales 217	1031	Prestige Network 48IS-32	X	
D				1392	Primax Data Products 162	1404	Xinetron 162
1099	Data General 238	M		1022	Productivity Through Software 48IS-28	Z	
1064	Dataease International 124	1156	Kaleida Developer Services 217	1147	Pioneer Communications 217	1405, 1406, 1407	Zenith Data Systems 162
1153	DataStorm Technologies 217		Kalpana 23	1284	Powertronic Systems 244		Zephyr Services 57
	DataStorm Technologies 217	1116	Kensington Microware 238	1111	Practical Peripherals 240		
	Dell Computer 48	1113	Key Source International 240	1102	Prairie Digital 238		
1110	DigiBoard 237	1382	KingTech USA 162	1028	PRE Consultancy 48IS-32		
1136	Digital Instrumentation Technology 244		Kurzweil Applied Intelligence 113	1031	Prestige Network 48IS-32		
	dL Soft 48IS-28	N		1392	Primax Data Products 162		
1029	Dolch Computer Systems 236	O		1022	Productivity Through Software 48IS-28		

BIX: Your Coach to the Internet!




Photo by Diana Simmons

The Internet connects you with more than 10 million people, at universities, companies, and other online services. Now, get full access to the Internet free of charge when you subscribe to BIX! You'll also get expert assistance from BIX moderators who can help you find your way around the Internet.

These experts can guide you through the many services and features available, and help you find the information you're looking for. Anytime you need help, just join our special 'internet' conference and get fast answers to your questions.

As you become more familiar with the Internet, you'll be able to download files from all over the world using FTP, connect to other sites and services through telnet, read and reply to Usenet Newsgroups, access utilities like finger and whois, and much more! BIX and the Internet together provide the largest and most effective technical resource for computing professionals.

And with over 600 local access numbers in the U.S., plus telnet access via the Internet, BIX makes it easy to connect. Try BIX today through our special 5 for Free offer - and become part of the top technical team!

New Member
5 hours for Free
Introductory Offer

Give BIX a try with our new 5 for Free Offer! Join BIX today and get 5 hours of evening and weekend access for free!

Take the rest of the calendar month to explore BIX, and then continue for our standard \$13 monthly membership fee.

Further details and complete rate information are provided during registration. Using any communications program, dial 1-800-695-4882. At the "logon" prompt enter bix. Then at the "name?" prompt enter bix.byte39. If you have any questions, call us at 1-800-695-4775 (voice). Or fax us at 617-491-6642.

Send Internet mail to info@bix.com. Windows users can order BIXnav, our graphical interface for BIX, for easy point and click access. Details are available during registration.

Under the 5 for Free plan, daytime rates (\$9/hr.) apply for access during prime time hours. The 5 for Free offer is valid for first-time members only.

BIX

If you can hack it

Circle 450 on Inquiry Card.

Building Component Software

GUIs have driven the development of component software; distributed objects are the next frontier

Nowadays, when a software developer visits BYTE to show us a new application, we're not surprised to see that it can run on Windows and the Macintosh and perhaps also Motif. But this routine mastery of multiple GUIs is, in fact, astonishing. It's instructive to think about just why applications have been able to pick themselves up and move from platform to platform.

Remember when everyone worried about the GUI wars? Well, nobody really won, but in the end it didn't matter. What we got was a convergence on some useful things—movable windows, dialog boxes, scroll bars, and so on. That convergence has made applications easier to use, but it has had other powerful benefits, too.


The Holy Grail of software development is reusable components, prefabricated "software ICs" you can pull off the shelf and use. Some say these things are still years in the future. I think they're right under our noses. You needn't look any further than the GUIs: Windows, the Mac, and Motif. These building blocks do a lot of work for the applications layered on top of them. Thanks to the convergent evolution of GUIs, an application built on one GUI can pretty easily move to another.

Things get really interesting when the building blocks themselves start to move from platform to platform, carrying whole families of applications with them. That's happening now. The new generation of operating systems, including Windows NT, IBM's Workplace OS, and the Novell/Unix Systems Laboratories version of Unix, are all built to accept pluggable GUI components. That means you'll be able to run Windows and Mac applications on all these operating systems. Better yet, the operating systems are portable and will run your applications on any of the up-and-coming processors.

The new RISC PCs don't have Intel inside, and they sure don't boot DOS when turned on. So can they really become a major force in computing? I think they can, thanks to a building block called Windows. But this isn't just a Windows phenomenon. I'm just as bullish on the prospects of another RISC PC on the horizon—a new kind of Mac built around the PowerPC chip.

The success of these new RISC PCs will depend on two things. First, today's Windows and Mac applications will have to run on them acceptably and without change. Second, the applications will have to port, with minimal change, to the native RISC hardware. GUI building blocks make both of these things possible.

To run existing Windows and Mac software on a RISC PC, you need software emulation of the Intel and Mo-



SCOTT PARKER/PAUL AVIS STUDIO © 1993

torola chips. But you want to avoid pure processor emulation that turns the Alpha or Mips or PowerPC chip into a 286 or 68000. Fortunately, a strategy I call *hybrid emulation* buys back a lot of the performance lost with pure emulation. Windows and Mac programs spend a lot of time executing code inside the GUI building block. On a RISC PC, that building block talks straight to the hardware, giving a big performance boost over pure emulation.


Eventually, you'll want to run your Windows and Mac applications natively on your RISC machine. That will be pretty straightforward, too, again thanks to the use of components. Existing Windows programs can be rebuilt to run natively under NT on any of the processors NT supports. Early indications are that Mac programs will migrate just as easily onto PowerPC systems.

With the GUI problem largely solved, distributed computing is the next great challenge. Here, we lack the necessary building blocks. The network equivalents of movable windows, dialog boxes, and scroll bars don't exist. What we have are a bunch of promising technologies that all seem to have the word *object* in their names: Microsoft's Object Linking and Embedding, IBM's Distributed System Object Model, Sun's Distributed Objects Everywhere, and some others. No one knows yet just how these objects are going to work, but they'll deal with things like directory services, interapplication communication, and distributed compound documents.

Should we now worry about distributed-object wars? Will developers have to back the winning standard to survive? I hope not. With luck, we'll see a repetition of what happened with GUIs. Applications will increasingly rely on several competing distributed-object technologies. The features and capabilities of these building blocks will converge, the benefits of reusing them will accrue to everyone, and distributed computing will suddenly seem quite ordinary. ■

Jon Udell is a BYTE senior technical editor at large. You can reach him on BIX as "judell" or on the Internet at judell@bytepb.byte.com.

ÆGIS: The World's Best Anti-Piracy Protection in Minutes.



The ÆGIS System protects both DOS and Windows applications.



Data File
Program

Only ÆGIS protects programs plus data files and overlays.




ÆGIS automatically checks for code changes due to viruses or hackers.

File	Edit	Format	Options	Window
ÆGIS SYSTEM — DOS				
INPUT FILENAME:		TEST.EXE		
OUTPUT FILENAME:		AEGISTST.EXE		
ENCRYPTED FILES:		*.OVL *.DTA		
ENCRYPTION KEY:		1234ABCD		
MESSAGES:		ENGLISH		
SELF TEST:		Y		
PERIODIC CHECK:		30 SEC.		
EXPERT MODE:		N		
PRESS ENTER TO START PROGRAM CONVERSION...				



Selling in other countries? Specify English, Spanish, German or other languages.



ÆGIS automatically monitors the hardware key's presence.



Your application is enclosed in a highly secure encrypted shell, fully protected — with no programmer coding — in less than 7 minutes!

End of Story.

800-841-1316


SOFTWARE
SECURITY




1101 HIGH RIDGE ROAD STAMFORD, CT 06905 203-329-8870 Fax: 203-329-7428 BBS: 203-329-7253
Software Security International, Ltd.: +44-784-430-060 Fax: +44-784-430-050 • SSI, Minsk, Belarus: +(7) 0172-45-21-03 Fax: +(7) 0172-45-31-61

Circle 524 on Inquiry Card.

The Switch is On ... to Cybex Solutions!



PC-COMPANION PLUS™




Add a second keyboard, monitor and mouse to your PC up to 250 feet away!

- Supports PC/AT, PS/2 and 100% Compatibles
- Combine monochrome and color VGA monitors
- Mouse support available at both local and remote workstation
- Switch selectable privacy mode



PC-EXTENDER PLUS™




Extend the distance between your PC and a keyboard, VGA monitor and mouse up to 250 feet!

- Supports PC, PC/XT, PC/AT, PS/2, and 100% Compatibles
- Supports monochrome or color VGA monitors
- Offers conversion from RGB color to gray-scale
- PS/2 style or Microsoft/Logitech serial mouse support available



PC-EXPANDER PLUS™



Add up to 7 keyboards, monitors and mice to your PC up to 250 feet away!


- Supports PC/AT, PS/2 and 100% Compatibles
- Selectable privacy modes
- Automatic keyboard and mouse switching
- Microsoft and Logitech serial mouse support available at all workstations



COMMANDER™

Control up to 96 file servers with one keyboard, monitor and mouse!

- Supports PC, PC/XT, PC/AT, PS/2 and 100% Compatibles
- Remotely switch PCs via keyboard 250 feet away
- "AutoBoot™" Feature boots attached computers without operator intervention
- Supports either PS/2 or Microsoft/Logitech serial mouse
- Each unit accommodates from 2 to 8 PCs; cascade up to 12 units



PC, PC/XT, PC/AT and PS/2 are registered trademarks of International Business Machines Corporation. Microsoft and Logitech are registered trademarks of their respective companies.

Circle 508 on Inquiry Card (RESELLERS: 509).



4912 Research Drive • Huntsville, AL 35805 U.S.A.
(205) 430-4000 • FAX (205) 430-4030
Dealer Program Available Made in USA